

Tender No. : KID4879L21/04
Tender Date : 14.08.2020
Bid Closing On : 24.11.2020 at 14:00 hrs.(IST)
Bid Opening On : 24.11.2020 at 14:00 hrs.(IST)

Tender issued to following parties only:

S/no	V Code	Vendor Name	City/Country
1	200213	INDUSTRIAL ENGINEERS & TRADERS	TINSUKIA
2	200702	ELGI EQUIPMENTS LIMITED	KOLKATA
3	201186	VANKOS & COMPANY	PATNA
4	202465	BRAHMAPUTRA COMMERCE & TRADE	SIBSAGAR
5	202679	JAIN TRADING COMPANY	KOLKATA
6	202701	TRACTEL TIRFOR INDIA PVT.LTD	NEW DELHI
7	202927	PRAVIN AUTO & TOOLS CENTRE	TINSUKIA
8	203015	MEKASTER TOOLS LIMITED	KOLKATA
9	203480	VANJAX SALES PVT. LTD.	CHENNAI
10	204114	JOST'S ENGINEERING CO. LTD.	KOLKATA
11	204118	PLICARE CRANES MANUFACTURING CO.	KOLKATA
12	204182	ELEQUIP TOOLS PVT. LTD.	KOLKATA
13	205175	PULL-MAC CRANES INDIA PVT. LTD.	GHAZIABAD
14	207755	M M MARKETING	KOLKOTA
15	208798	MONO TECH ENGINEERS PVT LTD	GHAZIABAD
16	210169	SUREKA ENTERPRISE	KOLKATA

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel :033 2230 1657, 1658
 4, India Exchange Place, Fax :91 33 2230 2596
 Kolkata-700001 E-mail :oilcalmn@oilindia.in

ANNEXURE-I**Tender No. : KID4879L21/04****Tender Date : 14.08.2020**

Item No./ Mat. Code	Material Description	Quantity	UOM																										
<u>10</u> 0C000105	<p>1. Type: Retractable Telescopic Boom type, hydraulic hand pump operated.</p> <p>2. Capacity: Minimum 4,400 lbs. (2 Ton) (Boom retracted position). Vendor to specify max capacity at other boom positions.</p> <p>3. Construction:</p> <p>a) To be constructed on a rugged sturdy structure of adjustable legs, wheels and dolly wheel.</p> <p>b) The design should allow collapsing of the boom and folding of the legs for compact storage and ease of transportation from one site to another.</p> <p>4. Dimensions:</p> <p>The dimensions of the offered Portable Hydraulic Workshop Floor Crane should broadly conform to the following Table (Table-1). Detail dimensional drawing shall be provided alongwith the offer.</p> <p>Table-1: Requisite Dimensions (approx.)</p> <table><tr><th>Description</th><th>Dimensions (in Inch)</th></tr><tr><td>Max. Lift from Ground Level</td><td>:110"</td></tr><tr><td>Max. Boom height,(retracted)</td><td>:111"</td></tr><tr><td>Max. Boom height, (extended)</td><td>:122"</td></tr><tr><td>Overall height, boom horiz.</td><td>:82"</td></tr><tr><td>Overall length</td><td>:89"</td></tr><tr><td>Min. throat width</td><td>:25"</td></tr><tr><td>Inside leg length (min)</td><td>:57"</td></tr><tr><td>Effective boom reach (retracted)</td><td>:35"</td></tr><tr><td>Effective boom reach (extended)</td><td>:50"</td></tr><tr><td>Dolly wheel diameter (min)</td><td>:5"</td></tr><tr><td>Wheel diameter (min)</td><td>:8"</td></tr><tr><td>Caster diameter (min)</td><td>:6"</td></tr></table> <p>5. Painting: The complete unit shall be painted with anticorrosive paint.</p> <p>6. Hydraulics: The detailed design (along with necessary drawings etc.) of the hydraulic system of the offered unit shall be furnished along with the offer. The details (grade, designation, trade name etc) of the Hydraulic Oil used in the unit must be furnished along with the offer.</p> <p>7. Bidder to provide the list of recommended spares for repair of the Hydraulic pump.</p> <p>8. 1 (One) Set of Repair Kit shall be supplied with each Jib Crane.</p>	Description	Dimensions (in Inch)	Max. Lift from Ground Level	:110"	Max. Boom height,(retracted)	:111"	Max. Boom height, (extended)	:122"	Overall height, boom horiz.	:82"	Overall length	:89"	Min. throat width	:25"	Inside leg length (min)	:57"	Effective boom reach (retracted)	:35"	Effective boom reach (extended)	:50"	Dolly wheel diameter (min)	:5"	Wheel diameter (min)	:8"	Caster diameter (min)	:6"	4	NO
Description	Dimensions (in Inch)																												
Max. Lift from Ground Level	:110"																												
Max. Boom height,(retracted)	:111"																												
Max. Boom height, (extended)	:122"																												
Overall height, boom horiz.	:82"																												
Overall length	:89"																												
Min. throat width	:25"																												
Inside leg length (min)	:57"																												
Effective boom reach (retracted)	:35"																												
Effective boom reach (extended)	:50"																												
Dolly wheel diameter (min)	:5"																												
Wheel diameter (min)	:8"																												
Caster diameter (min)	:6"																												
<u>20</u> 0C000105	<p>1. Type: Retractable Telescopic Boom type, hydraulic hand pump operated.</p> <p>2. Capacity: Minimum 4,400 lbs. (2 Ton) (Boom retracted position). Vendor to specify max capacity at other boom positions.</p> <p>3. Construction:</p> <p>a) To be constructed on a rugged sturdy structure of adjustable legs, wheels and dolly wheel.</p> <p>b) The design should allow collapsing of the boom and folding of the legs for compact storage and ease of transportation from one site to another.</p> <p>4. Dimensions:</p> <p>The dimensions of the offered Portable Hydraulic Workshop Floor Crane should broadly conform to the following Table (Table-1). Detail dimensional</p>	1	NO																										

ANNEXURE-I

Tender No. : KID4879L21/04
Tender Date : 14.08.2020

Tender Date : 14.06.2020		Quantity	UOM																										
Item No./ Mat. Code	Material Description																												
	<p>drawing shall be provided alongwith the offer. Table-1: Requisite Dimensions (approx.)</p> <table><tr><td>Description</td><td>Dimensions (in Inch)</td></tr><tr><td>Max. Lift from Ground Level</td><td>:110"</td></tr><tr><td>Max. Boom height,(retracted)</td><td>:111"</td></tr><tr><td>Max. Boom height, (extended)</td><td>:122"</td></tr><tr><td>Overall height, boom horiz.</td><td>:82"</td></tr><tr><td>Overall length</td><td>:89"</td></tr><tr><td>Min. throat width</td><td>:25"</td></tr><tr><td>Inside leg length (min)</td><td>:57"</td></tr><tr><td>Effective boom reach (retracted)</td><td>:35"</td></tr><tr><td>Effective boom reach (extended)</td><td>:50"</td></tr><tr><td>Dolly wheel diameter (min)</td><td>:5"</td></tr><tr><td>Wheel diameter (min)</td><td>:8"</td></tr><tr><td>Caster diameter (min)</td><td>:6"</td></tr></table> <p>5. Painting: The complete unit shall be painted with anticorrosive paint. 6. Hydraulics: The detailed design (along with necessary drawings etc.) of the hydraulic system of the offered unit shall be furnished along with the offer. The details (grade, designation, trade name etc) of the Hydraulic Oil used in the unit must be furnished along with the offer. 7. Bidder to provide the list of recommended spares for repair of the Hydraulic pump. 8. 1 (One) Set of Repair Kit shall be supplied with each Jib Crane.</p>	Description	Dimensions (in Inch)	Max. Lift from Ground Level	:110"	Max. Boom height,(retracted)	:111"	Max. Boom height, (extended)	:122"	Overall height, boom horiz.	:82"	Overall length	:89"	Min. throat width	:25"	Inside leg length (min)	:57"	Effective boom reach (retracted)	:35"	Effective boom reach (extended)	:50"	Dolly wheel diameter (min)	:5"	Wheel diameter (min)	:8"	Caster diameter (min)	:6"		
Description	Dimensions (in Inch)																												
Max. Lift from Ground Level	:110"																												
Max. Boom height,(retracted)	:111"																												
Max. Boom height, (extended)	:122"																												
Overall height, boom horiz.	:82"																												
Overall length	:89"																												
Min. throat width	:25"																												
Inside leg length (min)	:57"																												
Effective boom reach (retracted)	:35"																												
Effective boom reach (extended)	:50"																												
Dolly wheel diameter (min)	:5"																												
Wheel diameter (min)	:8"																												
Caster diameter (min)	:6"																												

Special Notes : 1. Performance Guarantee is applicable against this tender. 10% of the ordered value shall be given as performance guarantee in the form of bank guarantee and shall be valid for 90 days beyond applicable warranty / guarantee / defect liability period (if any). Bidders should undertake in their bid to submit Performance Security as stated above.

A. Bidders should note that the bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of bank guarantee.
- (ii) MT 760 / MT 767 COV for amendment of bank guarantee.

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to HDFC Bank, Duliajan Branch, IFSC Code - HDFC0002118. Branch Address - Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dist.- Dibrugarh, Assam, PIN - 786602."

B. The Bidder shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

2. 1. Materials to be supplied shall be new, of best quality & workmanship and shall be guaranteed by the Seller for a period of 18 months from the date of dispatch / shipment or 12 months from the date of receipt at destination, whichever is earlier against defects arising from faulty materials, workmanship or design. Bidder to confirm the guarantee/warranty in the offer.

2. 2. The bidder must be OEM or their authorized dealer only. In case of authorized dealer, valid dealership certificate with warranty / guarantee back up must be enclosed with the offer. Failing

ANNEXURE-I

Tender No. : KID4879L21/04
Tender Date : 14.08.2020

which offer will be rejected.

3. Drawings/ Literature : Necessary GA drawing, technical specification, commercial leaflets of the offered unit etc to be furnished along with the offer.

4. Manuals : 02 (two) copies of O&M and spare parts manual / catalogue to be supplied along with the supply. Please confirm.

5. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

6. Bidder are advised to fill up the Undertaking of authenticity of information/documents submitted (Annexure - K) along with their technical bid.

7. The items covered by this Tender shall be used by Oil India limited in the PEL / ML areas which are issued / renewed after 01/04/99 and hence bidder shall be eligible for concessional rate of GST against Essentiality Certificate for Invoice valuing INR 1 lakh & above.

In the event of order, the supplier shall arrange to provide all necessary documents atleast one month before schedule date of despatch to apply for essentiality certificate from DGH. Supplier shall affect despatch only on receipt of this certificate from OIL, failing which all related liabilities shall be to supplier's account.

8. PAYMENT TERMS:

8.1 Payment will generally be made against completed supply. Where phased delivery is indicated in the order, payment will be made against each lot as per phasing.

8.2 In certain cases, payment to the extent of 90% maximum of the value of the supply will be made against proof of dispatch presented through Bank or to OIL directly. Balance 10% of the value will be released not later than 30 days of receipt of goods at OIL's site. Adjustments, if any, towards liquidated damage shall be made from the balance 10% payment. OIL may consider releasing 100% payment against dispatch documents for suppliers having good track record with OIL and where 10% Performance Security is submitted in time and no installation/commissioning is involved.

9. Bidders are advised to submit their prices & other relevant details in attached price bid format (Annexure - IIA).

10. General Terms and Conditions (Annexure - II) of this tender is not enclosed separately. Please refer to General Terms and Condition for National Tender under tab "For Vendors" - "Limited Tender" in OIL website <http://www.oil-india.com>. Tender will be governed by the same.