

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel : 033 2230 1657, 1658

4, India Exchange Place, Fax : 91 33 2230 2596

Kolkata-700001

E-mail: oilcalmn@oilindia.in

**Tender No. & Date : KIS0536L16/04 10.03.2016**

Bid Security Amount : INR 0.00 OR USD 0.00  
(or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 19.04.2016 at 14:00 hrs. (IST)

Bid Opening On : 19.04.2016 at 14:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 85570324	<p>MISCELLANEOUS SAFETY EQUIPMENT FOR GENERAL USE</p> <p>RAIN SUIT</p> <p>Water proof reflective rain Suit consisting of Short coat with hood and legging on single textured rubberized waterproof fabric (Type-I as per IS 5915-1970) with fully taped seams and durable zips. Reflective tapes should be of best quality equivalent to 3M brand. Detail specification as below :</p> <ul style="list-style-type: none"> <li>* Water proof raincoat in single textured rubberized fabric of Quality-1 as per IS 5915-1970</li> <li>* Fully taped seams for 100% water proofing.</li> <li>* Raglan sleeves.</li> <li>* Two side slant pockets on legging and coat.</li> <li>* Detachable knight caps/hood.</li> <li>* Base Fabric: Cotton or viscose staple or polyester</li> <li>* Colour : Oxford Blue, brown or olive green. When tested for color fastness shall show a fastness rating of not less than no.3 of IS 2454-1967.</li> <li>* Retro reflective tape: Should be best quality 3M or equivalent. The Retro-reflective tape (5cm wide) should be fixed on both front and back side of upper as well as lower.</li> </ul> <p>Size : Medium (M)</p> <p>Jacket (upper part): Length :28 inch (72 cm) Chest :53 inch (135 cm) Sleeve :30 inch (77 cm)</p> <p>Legging (lower part): Length :40 inch (102 cm) Waist :46 inch (117 cm)</p> <p>Tolerance : +1 inch.</p>	350	SET
<b>20</b> 85570346	<p>Size : Large (L)</p> <p>Jacket (upper part) Length:30 inch (77 cm)</p>	750	SET

**Tender No. & Date : KIS0536L16/04 10.03.2016**

Item No./ Mat. Code	Material Description	Quantity	UOM
	Chest :54 inch (138 cm) Sleeve:31 inch (79 cm)  Legging (lower part) Length : 41 inch (105 cm) Waist : 48 inch (122 cm)  Tolerance : +1 inch.		
<b>30</b> 85570335	Size : Extra Large (XL)  Jacket (upper part) : Length:32 inch (82 cm) Chest :55 inch (140 cm) Sleeve:32 inch (82 cm)  Legging (lower part): Length:42 inch (107 cm) Waist :50 inch (127 cm)  Tolerance : +1 inch	370	SET

**Special Notes** : 1. OIL Logo in bi-colour to be screen printed on each set on chest (left side). Details of Logo to be confirmed at the time of placement of order.

2. Paper to be used instead of polythene for packing of the Raincoats. The brand name, make, size etc. are to be printed on each packet.

3. Guarantee Certificate against quality and manufacturing defects with provision for free replacement must accompany the supply.

4. One Sample of each item / size in the order should be sent for approval before bulk supply.

5. A test Certificate from a National / Government test house should be submitted along with the bulk supply indicating conformance to the colour fastness and type, quality and base fabric as per relevant standard (i.e. IS 2454 for colour and IS 5915-1970 for type, quality and base fabric.).

6. Guarantee / Warranty certificate for one year will be required along with the supply.

7. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

8. BID EVALUATION CRITERIA / BID REJECTION CRITERIA :

(A) TECHNICAL

1. Bid should be complete in all aspect covering the entire scope of supply and should conform to the technical specifications indicated in the bid documents duly supported with

technical catalogues / literatures wherever required. Incomplete and non-conforming bids will be rejected outright.

**2. Manufacturer's Experience:**

In case the bidder is a manufacturer of the offered items, bidder should satisfy the following with documentary evidence, which should be enclosed along with the bid.

- a. Minimum 3 (three) years experience in manufacturing / supply of the item: (For this purpose the period reckoned shall be the period prior to the date of opening of the bid).
- b. Should have manufactured and supplied 25% of offered quantity of the item to various companies during the last 03 (three) years.

Documentary evidence in respect of the above should be submitted in the form of copies of relevant purchase orders along with copies of any of the documents in respect of satisfactory execution of each of those purchase orders, such as (i) Satisfactory inspection report (OR) (ii) Satisfactory supply completion / installation report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above.

2.1 In case the bidder is not a manufacturer, then the bidder is required to submit documentary evidence in respect of 2 (a) and (b) of the concerned manufacturer (having supplied such items either by manufacturer himself or his distributor) along with the bid.

**(B) COMMERCIAL:**

1.0 The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

2.0 Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

3.0 Original signed offer should be submitted in sealed envelope. No offers should be sent by Telex, Cable, E-mail or Fax. Such offers will not be accepted.

5.0 Validity of the bid shall be minimum 75 days. Bids with lesser validity will be rejected.

6.0 Bids containing incorrect statement will be rejected.

**9. BID EVALUATION CRITERIA (BEC)**

1.0 The bids conforming to the technical specifications, terms & conditions stipulated in the bidding documents and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation.

2.0 Bids should conform to NIT for evaluation.

**Tender No.** : KIS0536L16/04  
**Tender Date** : 10.03.2016  
**Bid Closing On** : 19.04.2016 at 14:00 hrs.(IST)  
**Bid Opening On** : 19.04.2016 at 14:00 hrs.(IST)

**Tender issued to following parties only:**

S/no	V _ Code	Vendor Name	City/Country
1	200268	SOVA ENTERPRISE	GUWAHATI
2	200588	BENGAL WATERPROOF LTD	KOLKATA
3	203098	TRIMURTI INDUSTRIES LIMITED ,	KOLKATA
4	207660	AROMA CASTLE INDUSTRIES	MUMBAI
5	208770	AUTOMATIC TENT MFG. CO	KOLKATA
6	209982	THE NATIONAL SMALL INDUSTRIES	KOLKATA
7	210586	N.R. INDUSTRIES	KOLKATA
8	211395	MANGAL CORPORATION	KOLKATA
9	211660	ACME PROTECTIVE SOLUTIONS PVT. LTD.	MUMBAI
10	211674	BAKSONS INTERNATIONAL	KOLKATA
11	211679	PODDAR SALES PVT. LTD	KOLKATA
12	212242	RAJKUMAR DYEING & PRINTING WORKS (P	KOLKATA

## NOTICE

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Calcutta Branch, Oil India Limited , ICC Building, 4th Floor, 4 India Exchange Place, Kolkata - 700001, West Bengal (E-mail : [oilcalmn@oilindia.in](mailto:oilcalmn@oilindia.in) , Fax : 033-22302596 ) within 10 days of publication of the tender in OIL's website.

The vendors must fulfill the following conditions :

- i) The party should have three year's experience for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than Rs 9.10 lakhs.

NOTE :i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.

ii) Application without complete supporting document will not be considered.

\*\*\*\*\*