Other than the vendors to whom the tender has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach HEAD CALCUTTA BRANCH, OIL INDIA LIMITED, 4, India Exchange Place, ICC BUILDING, 4th floor, Kolkata 700001,

FAX NO: (91-033) 2230 2596 ,E-mail:-oilcalmn@oilindia.in within 10 days of publication of the tender on OIL's website.

The vendors must fulfil the following conditions:

- i) The party should have three year's experience for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than Rs. 50.46 lakhs.

NOTE: (i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.

(ii) Application without complete supporting document will not be considered.

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel: 033 2230 1657, 1658 4, India Exchange Place, Fax: 91 33 2230 2596 Kolkata-700001 E-mail: oilcalmn@oilindia.in

ANNEXURE-I Tender No. : KIS6611L15/01 Tender Date : 19.03.2015

| | 10.1.40.1.24.10.1.10.100.1.20.10 | | |
|------------------------|--|----------|-----|
| Item No./ Mat. Code | Material Description | Quantity | UOM |
| 10 84400321 | ROPE MANILA, CONFORMING TO IS-1084:2005 (FOR LATEST EDITION / REVISION) CONSTRUCTION: HAWSER-LAID NO. OF STRANDS: 3 LAY OF ROPE: Z ANGLE OF LAY: 37 DEGREE GRADE OF ROPE: 2 PITCH OF ROPE: 2.5 D TO 3.5 D (where D is the diameter of the rope) Diameter: 12 mm Minimum No. of yarn per Strand: 6 Minimum Braking Strength: 9.37 KN (955 kgf) Linear density: 0.105 Kg/Mtr. (105 ktex) | 1000 | KG |
| 20 84400354 | Diameter: 18 mm Minimum No. of yarn per Strand: 13 Minimum Braking Strength: 20.94 KN (2135 kgf) Linear density: 0.22 Kg/Mtr. (220 ktex) | 8000 | KG |
| 3 <u>0</u> 84400401 | Diameter : 28 mm Minimum No. of yarns per Strand : 31 Minimum Braking Strength : 52.22 KN (5325 kgf) Linear density : 0.532 Kg/Mtr. (532 ktex) | 9000 | KG |

Note description for item no./nos.: 10, 20, 30

COMMON NOTES:

Bidder must confim the following while quote:

- 1. The ropes shall be manufactured as per IS-1084:2005 specifications.
- 2. The evenly spun 4.6 ktex yarn throughout the length processed on Hard Fibre Processing Plant shall be used for manufacture of the ropes. Hard hackled or hand spun yarn shall not be used.
- 3. The ropes shall be well laid & free from defects. Each coil shall be continuous throughout its length & shall not contain loose ends, splices or joints in strands or in the rope.
- 4. The ropes shall be supplied in coils duly packed as per IS-3256 specifications.
- 5. The length of rope in each coil should be 220 Mtrs.
- 6. The maximum permissible variations in length of each coil under zero tension shall be restricted to the ranges specified below :
- a) Rope Diameter up to 14 mm diameter Tolerance +/_ 5%
- b) Rope Diameter above 14 mm diameter Tolerance +/_ 3%
- 7. The Mass of each coil & tolerance thereof should be as per Clause 8.1 of IS-1084:2005 specifications.

Page: 2/2

ANNEXURE-I Tender No. : KIS6611L15/01
Tender Date : 19.03.2015

8. Each coil shall have at both ends labels securely attached on which the following shall be marked:

- a) Manufacturer's name & /or trade mark
- b) Length of rope in the coil
- c) Diameter of rope in mm
- d) Month & Year of Manufacture
- e) Grade
- f) Purchase order number
- 9. Each coil shall also be marked with BIS Certification Marking / "ISI" mark as per Clause 12.2 of IS-1084:2005 specifications.
- 10. Rope should be rots proofed by application of suitable rot-proofing agent throughout the length as per Clause 6.6 of IS-1084:2005 specifications.
- 11. Bidders should forward a copy of valid IS-1084:2005 certificat (license to use ISI Standard Mark) along with their quotations.
- 12. Valid test certificate from National Test House (Govt. of India) for the ordered batch as per the IS norms has to be provided along with the consignment. The bidder has to confirm their acceptance categorically in their offer for the tendered sizes of ropes on the same.
- 13. Supply houses / authorized representative / dealer / supplier submitting offer against this tender should forward the following along with their quotation :
- a) Letter of Authorization from manufacturer whose product they are offering.
- b) Copy of valid IS-1084:2005 certificate (license to use ISI Standard Mark) of manufacturer whose product they are offering.

Special Notes : 1. Delivery to be made within 3 weeks after placement of order. Please confirm.

2. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

Tender No. : KIS6611L15/01 Tender Date : 19.03.2015

Bid Closing On : 07.04.2015 at 14:00 hrs.(IST)
Bid Opening On : 07.04.2015 at 14:00 hrs.(IST)

Tender issued to following parties only:

| Slno | V_Code | Vendor Name | City/Country |
|------|--------|------------------------------|--------------|
| 1 | 200577 | BARIN CHEMICAL & ENGG CO | KOLKATA |
| 2 | 201398 | JAYSHREE FIBRE PRODUCTS LTD. | KOLKATA |
| 3 | 202047 | UNITED ROPE WORKS | KOLKATA |
| 4 | 202240 | TIRUMALA ROPES | KOLKATA |
| 5 | 202413 | BRAHMAPUTRA MERCANTILES | MORAN |
| 6 | 204077 | S.C. MULLICK & CO. LTD. | HOWRAH |
| 7 | 209075 | DELTA ROPES MANUFACTURING CO | KOLKATA |