OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel : 033 2230 1657, 1658 4, India Exchange Place, Fax : 91 33 2230 2596 Kolkata-700001 E-mail: oilcalmn@oilindia.in

Tender No. & Date: KIS8487L16/01 07.09.2015

Bid Security Amount : INR 0.00 OR USD 0.00

(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 27.10.2015 at 14:00 hrs. (IST) Bid Opening On : 27.10.2015 at 14:00 hrs. (IST)

Performance Guarantee: Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
	BOLTS AND NUTS, H.R.H. BLACK WHIT TO B.S.S. NO. 916/53 MIN : TENSILE 28 TONS PER SQ. INCH NOTE : S.S.I. ITEM GROUP -IV		
10 83010097	Size : 3/8" * 1", Weight : 1 kg = 32.02 nos.Thread Length : 3/4"	5000	NO
20 83010326	Size: 1/2" x 4", Weight: 1 kg = 6.98 nos. Thread Length: 1"	2000	NO
30 83010348	Size : 1/2" * 5", Weight : 1 kg = 5.96 nos. Thread Length : 1"	1000	NO
40 83010689	Size : 5/8" * 14" Weight - 5 Nos. = 3 kg. Thread Length : 1.9/16."	500	NO
50 83010816	Size : 3/4" x 4", Weight : 1 kg = 2.6 nos.Thread Length : 1.1/8"	2000	NO
60 83011012	Size : 7/8" x 4", Weight : 1 kg = 2.04 nos.Thread Length : 1.5/16"	300	NO
	COLD FORGED HIGH TENSILE PRECISION HEXAGONAL HEAD BOLTS WITH NUT. Supply condition: IS 1367/1980 or its equivalent international standard.		
<u>70</u> 83021459	1.1/2" Length, 5/16" dia.	3000	NO
80 83021472	Length 2", 5/16" dia.	2000	NO
	BOLTS AND NUTS, GALVD. ROOFING WHIT NOTE: SSI ITEM GROUP IV		
90 83030039	Size : 1/4" x 1", Weight : 120 Nos. = 1 kg.	5000	NO
	HARDWARE MATERIALS		

Tender No. & Date: KIS8487L16/01 07.09.2015

Item No./ Mat. Code	Material Description	Quantity	UOM
	HEXAGONAL HEAD BOLT: Specification: Conforming to IS:1364 or ISO:4014 or DIN:931/934, Finish: Black thermal finish with coat of rust preventive oil, Thread: ISO Metric, 6g as per IS:4218, Material or Mechanical Properties: Property class 10.9 as per IS:1367.		
100 Size: M12 x 30 (1.75 mm Pitch, 14.5 TPI)		300	NO
110 83084092	e : M16 x 65 (2 mm Pitch, 12.5 TPI)		NO
120 83084104	Size : M16 x 80 (2 mm Pitch, 12.5 TPI)	M16 x 80 (2 mm Pitch, 12.5 TPI)	
130 83084126	ize : M16 x 100 (2 mm Pitch, 12.5 TPI)		NO
140 83084137	Size : M16 x 130 (2 mm Pitch, 12.5 TPI)	250	NO
<u>150</u>	HEXAGONAL NUT: Specification: Conforming to IS:1364 Finish: Black Thermal Finish with coat of rust preventive oil Threads: ISO Metric, 6H as per IS:4218 Material or Mechanical Properties: Property class 10 as per IS:1367 Size: M16 (2 mm Pitch, 12.5 TPI)	400	NO
83085244 160	Size : M24 (3 mm Pitch, 8.5 TPI)	150	NO
170 83085756	STUD WITH TWO NUTS: Specification: Stud conforming to IS:1362 & Nut conforming to IS:1363, Finish: Black thermal finish with coat of rust preventive oil, Threads: STUD-ISO Metric, Full Length, 6g as per IS:4218, NUT-ISO Metric, 6H as per IS:4218. Material or Mechanical Properties: Property class 10.9 for Stud & Property class 10 for Nut as per IS:1367. Size: M20 x 275 (2.5 mm Pitch, 10 TPI)	50	NO
180	BOLTS 'L' M.S. FOUDATION WITH HEX NUTS & WASHERS, SKETCH : OIL/0263/AC Size : 1" x 1'- 6"	1000	NO
83110526 190 83110537	Size : 1" x 2'- 6"	1000	NO
200	STUD WITH TWO NUTS, THREAD : BSW, FULL LENGTH, THREADS ON STUDS TO BE ROLLED, MATERIAL OF CONSTRUCTION : ASTM A 307 OR IS Size : 5/8" * 2.1/2"	2000	NO
83130445 210	Size : 5/8" * 3.1/2"	3000	NO
83130489 220	Size : 3/4" * 4.1/4"	1000	NO
83130753			

Note description for item no./nos.: 10, 20, 30, 40, 50, 60, 70, 80, 90

NOTE:

- 1. The O.D. of the bolt must be same all along the length i.e. thro' threaded portion and unthreaded portion (plain).
- 2. Nuts and Bolts should not come in two separate lots. Nuts & bolts should be throughly oiled to prevent rusting during transit/storage. Each bolt should be fitted with nut, till it reaches plain end.
- 3. There should be very nominal play between nut/bolt. Nuts should not be unduly loose.
- 4. The rods must be drawn properly before formation. All Bolts must be cold/hot forged and must be rolled threaded and not cut thread. Nuts must be from Hex. Bar/Forged for sizes above 1.3/8"). All Bolts and Nuts should be phospated.
- 5. Packing: Bolts & Nuts of size upto 3/4" dia must be packed in double layered gunny bags lined with polythene. Bolts & Nuts of size above 3/4" dia must be packed in wooden crates with sufficient cushion at the bottom and the wooden crates must be secured by wire straps.
- 6. OIL's P.O. Number, size of material packed and bag/crate number should be clearly written on the gunny bag/crate with a marker pen and a card (rain proof) containing details of the content viz. OIL's P.O. No.Item No. quantity, size of material, challan reference etc. must be tagged to the bag/ crate securely. A copy of the tag should also be kept inside the bag/crate to enable the receiving personnel at Duliajan to properly account for the goods. Weight of each bag/crate shall not exceed 40 Kg.
- 7. In case of order for more than one item, each item must be packed individually as above. In case consignment of mixed items is booked, the segregation shall be done at receiving point at supplier's cost

Note description for item no./nos.: 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220

NOTE:

- 1. In case of order for more than one item, each item must be packed individually and then only combined for despatch. In case of consignment of mixed items, the segregation shall be done at receiving point at supplier's cost. The amount decided by OIL for the same shall be final and binding on the supplier.
- 2. Packing: Bolts & Nuts of size upto 3/4 inch dia must be packed in double layered gunny bags lined with polythene. Bolts & Nuts of size above 3/4" dia must be packed in wooden crates with sufficient cushion at the bottom and the wooden crates must be secured by wire straps.
- 3. OIL's P.O. Number, size of material packed and bag/crate number should be clearly written on the gunny bag/crate with a marker pen and a card (rain proof) containing details of the content viz. OIL's P.O. No., Item No., quantity, size of material, challan reference etc. must be tagged to the bag/crate securely. A copy of the tag should also be kept inside the bag/crate to enable the receiving personnel at Duliajan to properly account for the goods. Weight of each bag/crate shall not exceed 40 Kg

Special Notes: 1. Guarantee / Warranty certificate for one year will be required along with the supply.

2. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

Tender No. : KIS8487L16/01 Tender Date : 07.09.2015

Bid Closing On : 27.10.2015 at 14:00 hrs.(IST)
Bid Opening On : 27.10.2015 at 14:00 hrs.(IST)

Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country
1	200535	AMBIKA SUPPLY AGENCY	KOLKATA
2	200961	MORRIS BALFOUR & CO.	KOLKATA
3	201155	TRACTORS & MACHINERIES PARTS CORPOR	KOLKATA
4	201299	D. GHOSH & SONS	HOWRAH
5	201302	HINDUSTAN FORGINGS	HOWRAH
6	201666	FIX FIT FASTENERS MFG. PVT. LTD.,	KOLKOTA
7	201966	ALFRED ENGINEERING INDUSTRIES	KOLKATA
8	202852	VINAYAK BUSINESS PVT. LTD.	KOLKATA
9	203139	GKW LIMITED	KOLKATA
10	204453	RADIANT ENGINEERING PRODUCTS	WEST BENGAL
11	205270	MSBL INCORPORATED	KOLKATA
12	206547	Eastern Trading Corporation	Kolkata
13	207146	PIONEER NUTS & BOLTS PVT. LTD	LUDHIANA
14	207148	PRECISION AUTO ENGINEERS	LUDHIANA
15	207227	BOLTMASTER (INDIA) PVT. LTD	MUMBAI

NOTICE

Tender No:KIS8487L16/01 Dated: 07.09.2015

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Calcutta Branch, Oil India Limited, ICC Building, 4th Floor, 4 India Exchange Place, Kolkata - 700001, West Bengal (E-mail: oilcalmn@oilindia.in, Fax: 033-22302596) within 10 days of publication of the tender in OIL's website.

The vendors must fulfill the following conditions:

- i) The party should have three year's experience as on bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years (as on Bid Closing Date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than **Rs 6.46 lakhs**.
- NOTE: i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
 - ii) Application without complete supporting document will not be considered.
