

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel : 033 2230 1657, 1658

4, India Exchange Place, Fax : 91 33 2230 2596

Kolkata-700001

E-mail: oilcalmn@oilindia.in

**Tender No. & Date : KIS9151L16/03 03.11.2015**

Bid Security Amount : INR 0.00 OR USD 0.00  
(or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 08.12.2015 at 14:00 hrs. (IST)

Bid Opening On : 08.12.2015 at 14:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 03120360	HOSES, DRILLING - RUBBER/NEOPRENE Cement Suction and Discharge flexible hose of rubber, heavy duty with Natural of synthetic fabric or a combination reinforcement with helical GS wire embedded between the reinforcement plies (as per IS:280-1978)for use at maximum working pressure of 250 psi. The hose should have corrugated or plain cloth-marked finish outer cover made from naturalrubber compound resistant to abrasion and weather and should have smooth bore. The hose should have built in nipples of standard length with ASTP (Male) thread. Dimensions of the hose should be 4" IDx 4000 mm long.	16	NO
<b>20</b> 03125376	HOSES, PUMP SUCTION COMPLETE WITH MOULDED SEAMLESS( ASTM A 106 GR.B ) PIPE NIPPLES HAVIG MALE NPT AT BOTH ENDS. Dimension of Hose : As per Sketch No. OIL/1521/E Const.of Hose : As per 4.5.2 of IS:8189-1976 Phy. & Chem. test of Rubber : As per IS:8189-1976 Working Pressure : 15 Kg/Cm.Sqr. Test Pressure : 22 Kg/Cm.Sqr. Vacuum Test Pressure : Under Vacuum of 83 KPa as per IS:443-1975 Size : Nom. Bore - 200 mm Length - 2500 mm	5	NO
<b>30</b> 03126459	WATER SUCTION AND DISCHARGE HOSE OF RUBBER,HEAVY WITH WOVEN SYNTHETIC FABRIC AND SPIRAL WIRE REINFORCEMENT, TYPE - 1, FOR USE AT MAXIMUM WORKING PRESSURE OF 10.2 KGF/CM.SQR.THE HOSE SHOULD HAVE BUILT IN NIPPLES OFSTANDARD LENGTH WITH ASTPT (MALE) THREAD ASPER I.S. 3549-1983. 4" I.D. * 1000 mm Long	15	NO
<b>40</b> 03126461	4" I.D. x 3500 mm Long  Note : (a) The construction & testing of hoses are strictly as per IS:3549' 1983 standard.	40	NO

**Tender No. & Date : KIS9151L16/03 03.11.2015**

Item No./ Mat. Code	Material Description	Quantity	UOM
	(b) Nipples of each hose must be made out of seamless pipe with proper ASTP Thread. The total length of each nipple should be such that no leakage occurs through the moulded portion and in the exposed portion minimum 50mm should be unthreaded apart from standard threaded portion. (c) The manufacturer should arrange to wrap each hose with synthetic tape in place of rope while curing. Rubberized sticker stating the name of the manufacturer, date of manufacturing, IS code & size of the hose must be moulded with the hose for easy identification. (d) Before dispatch nipple thread must be covered with thread protectors and each hose must be wrapped with Hessian cloth.		
<b>50</b> 03126494	4" I.D. * 9000 mm Long	30	NO

**Note description for item no./nos. : 10**

NOTE:

a) Nipples of each hose must be made out of seamless pipe with proper ASTP thread. The total length of each nipple should be such that no leakage occurs through the moulded portion  
And in the exposed portion minimum 50mm should be unthreaded apart from standard threaded portion.

b) Tehsile strength, elongation at break, ageing of the materials of the hose, hydrostatic tests and resistance to vacuum tests should be done as per IS: 443-1975.

c) The manufacturer should arrange to wrap each hose with synthetic tape in place of rope while curing. Rubberized sticker stating the name of the manufacturer, date of manufacturing, IS code and size of the hose must be moulded with the hose for easy identification.

d) Before dispatch nipple threads must be covered with thread protectors and each hose must be wrapped with Hessian cloth. These hoses will be used to transfer dry cement under pneumatic pressure as well as to pump cement slurry of maximum density 118 lbs/sq inches.

**Note description for item no./nos. : 20**

**NOTE :**

(1) Each of the above item must be supported by Physical & Chemical Test Certificate of the rubber used.

(2) Thread of Nipples, Dimension & Hydraulic tests of all the hoses of each item must be checked by the OIL inspector & put his stamp on the accepted hoses.

(3) All the test certificate must be checked & endorsed by the OIL Inspector & forward alongwith despatch documents.

4) All the hoses must be stencilled with white paint of the suppliers identification & size of the hose

**Special Notes : 1.** Guarantee / Warranty certificate for one year will be required along with the supply.

2. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

**Tender No.** : KIS9151L16/03  
**Tender Date** : 03.11.2015  
**Bid Closing On** : 08.12.2015 at 14:00 hrs.(IST)  
**Bid Opening On** : 08.12.2015 at 14:00 hrs.(IST)

**Tender issued to following parties only:**

S/no	V_Code	Vendor Name	City/Country
1	200538	ANAND ASSOCIATES	KOLKATA
2	200803	HYDRAX INTERNATIONAL	KOLKATA
3	201427	SPR INDUSTRIES	KOLKATA
4	202448	SHREERAM RUBBER INDUSTRIES	KOLKATA
5	202919	POWERTECH ENGINEERS	KOLKATA
6	209114	SOHUM INDUSTRIAL SALES CORP	KOLKATA

## **NOTICE**

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Calcutta Branch, Oil India Limited , ICC Building, 4th Floor, 4 India Exchange Place, Kolkata - 700001, West Bengal (E-mail : [oilcalmn@oilindia.in](mailto:oilcalmn@oilindia.in) , Fax : 033-22302596 ) within 10 days of publication of the tender in OIL's website.

The vendors must fulfill the following conditions :

- i) The party should have three year's experience for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than Rs 7.52 lakhs.

NOTE :i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.

ii) Application without complete supporting document will not be considered.

\*\*\*\*\*