

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel : 033 2230 1657, 1658

4, India Exchange Place, Fax : 91 33 2230 2596

Kolkata-700001

E-mail: oilcalmn@oilindia.in

Tender No. & Date : KIS9208L16/02 09.11.2015

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 12.01.2016 at 14:00 hrs. (IST)

Bid Opening On : 12.01.2016 at 14:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

| Item No./ Mat. Code | Material Description | Quantity | UOM |
|------------------------|--|----------|-----|
| 10 29603864 | PRESSURE GAUGES a) Sensing Element : Bourdon Tube b) Case : Die-cast aluminium alloy moisture proof case, epoxy powder coated black (As per IP-65). c) Window : Plain Glass d) Dial : Pressed aluminium with black markings on white background on 270 Degree Arc. e) Pointer : Pressed aluminium with black painted. f) Over-range Protection : 0 - 130% of FSR g) Accuracy : +/- 1% of FSD h) Nominal Dial Dia. : 150 mm (6") i) Pressure Range : 0 - 703 Kg/Sq. Cm.(0 - 10000 PSI) j) Working Pressure : 477 Kg/Sq.Cm. (6700 PSI) k) Mounting : Direct Bottom l) Bourdon Material : Bronze Alloy / Stainless Steel m) End Connection : 1/2" (12.7 mm) API (M) | 80 | NO |
| 20 29601229 | a) Sensing Element : Bourdon Tube b) Case : Die-cast aluminium alloy moisture proof case epoxy powder coated black.(As per IP-65) c) Window : Plain Glass d) Dial : Pressed aluminium with black markings on white background on 270 Degree Arc. e) Pointer : Pressed aluminium with black painted. f) Over-range Protection : 0 - 130% of FSR g) Accuracy : +/- 1% of FSD h) Nominal Dial Dia. : 100 mm (4") i) Pressure Range : 0 - 4 Kg./Sq.Cm.(0-60 j) Working Pressure : 2.8 Kg./Sq.Cm.(40 PSI)Approx. k) Mounting : Surface Bottom l) Bourdon Material : Bronze Alloy / Stainless Steel m) End Connection : 1/2" (12.7 mm) BSPT (M) | 80 | NO |
| 30 29601914 | a) Sensing Element : Bourdon Tube b) Case : Die-cast aluminium alloy moisture proof case epoxy | 80 | NO |

Tender No. & Date : KIS9208L16/02 09.11.2015

| Item No./ Mat. Code | Material Description | Quantity | UOM |
|------------------------|--|----------|-----|
| | powder coated black. (As per Ip-65) c) Window : Plain Glass d) Dial : Pressed alluminium with black markings on white background on 270 degree Arc. e) Pointer : Pressed alluminium with black painted. f) Over-range Protection : 0-130% of FSR. g) Accuracy : +_ 1% of FSD. h) Nomininal Dial Dia. : 150 mm (6") i) Pressure Range : 0-7 Kg./Sq cm.(0 -100 PSI) j) Working Pressure : 5 Kg./Sq.cm. (70 PSI) Approx. k) End Connection : 1/2" (12.7 mm) BSPT (M) l) Mounting : Direct Bottom m) Bourdon Material : Bronze Alloy / Stainless Steel | | |
| 40 29602074 | a) Sensing Element : Bourdon Tube b) Case : Die-cast alluminium alloy moisture proof case epoxy powder coated black (As per IP-65) c) Window : Plain Glass d) Dial : Pressed alluminium with black markings on white background on 270 degree Arc. e) Pointer : Pressed alluminium with black painted. f) Over-range Protection : 0-130% of FSR g) Accuracy : +/- 1% of FSD h) Nominal Dial Dia. : 150 mm (6") i) Pressure Range : 0-21 Kg./Sq.Cm. (0-300 PSI) j) Working Pressure : 14 Kg./Sq.Cm. (200 PSI) Approx. k) End Connection : 1/2" (12.7 mm) BSPT (M) l) Mounting : Surface Bottom m) Bourdon Material : Bronze Alloy / Stainless Steel | 400 | NO |
| 50 29602176 | a) Sensing Element : Bourdon Tube b) Case : Die-cast alluminium alloy moisture proof case epoxy powder coated black.(As per IP-65) c) Window : Plain Glass. d) Dial : Pressed alluminium with black markings on white background on 270 degree Arc. e) Pointer : Pressed alluminium with black painted. f) Over-range Protection : 0 - 130% of FSR g) Accuracy : +_ 1% of FSD. h) Nominal Dial Dia. : 150 mm (6") i) Pressure Range : 0 - 42 Kg./Sq.Cm.(0 - 600PSI) j) Working Pressure : 28 Kg./Sq.Cm. (400 PSI) k) End Connection : 1/2" (12.7 mm) NPT (M) l) Mounting : Vertical Mounting with Bottom Entry. m) Bourdon Material : Bronze Alloy / Stainless Steel n) Accessories : Suitable Pulsating Damper | 400 | NO |

Special Notes : 1. Guarantee / Warranty certificate for one year will be required along with the supply.

2. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

3. Note for item Nos. 20, 30, 40

1. Offer must be accompanied with detail cross-sectional drawings and material specifications of each component for all the items in duplicate, along with the offer, failing which offer may be liable for rejection.

4. Note for item Nos.50

1. Offer must be accompanied with detail cross-sectional drawings and material specifications of each component for all the items in duplicate, along with the offer, failing which offer may be liable for rejection.

2. The supplier to supply all relevant test certificates for raw materials used and Calibration reports duly certified by OIL's approved third party inspection agencies viz. M/s. BV / IRS / Lloyds / RITES / DNV / Tuboscope Vetco

5. Note for item Nos. 10

1. Offer must be accompanied with detail cross-sectional drawings and material specifications of each component for all the items in duplicate, along with the offer, failing which offer may be liable for rejection.

2. Pressure Gauges are to be inspected, tested and certified by OIL's approved third party inspection agencies viz. M/s. BV / IRS / Lloyds / RITES / DNV / Tuboscope Vetco against the following scope of inspection :

i) Hydraulic testing for all pressure components at 15000 PSI (1050 kg. / Sq. Cm.)

ii) Calibration checking with 10000 PSI (703 kg. / sq. cm)

3. The supplier to supply all relevant test certificates for raw materials used and Calibration reports duly certified by M/s. BV / IRS / Lloyds / RITES / DNV / Tuboscope Vetco.

Tender No. : KIS9208L16/02
Tender Date : 09.11.2015
Bid Closing On : 12.01.2016 at 14:00 hrs.(IST)
Bid Opening On : 12.01.2016 at 14:00 hrs.(IST)

Tender issued to following parties only:

| S/no | V_Code | Vendor Name | City/Country |
|------|--------|-------------------------------------|--------------|
| 1 | 200580 | BELLS CONTROLS LTD. | KOLKATA |
| 2 | 200834 | INDUSTRIAL INSTRUMENTATION | KOLKATA |
| 3 | 200926 | MANOMETER (INDIA) PVT.LTD. | MUMBAI |
| 4 | 201006 | PEEJEE ENGINEERING WORKS | KOLKATA |
| 5 | 201027 | PROCON CONTROLS PVT. LTD. | KOLKATA |
| 6 | 201151 | TOSHNIWAL ENTERPRISES | KOLKATA |
| 7 | 201541 | A N INSTRUMENTS PVT LTD | KOLKATA |
| 8 | 201813 | JOST'S ENGINEERING COMPANY LTD | MUMBAI |
| 9 | 201949 | ODIN INDIA PRIVATE LIMITED | CHENNAI |
| 10 | 202627 | PROTECH CONTROL INSTRUMENTS | KOLKATA |
| 11 | 202814 | SREE GURU INSTRUMENTS & APPLIANCES | KOLKATA |
| 12 | 203940 | ALTOP INDUSTRIES LTD. | VADODARA |
| 13 | 204333 | ABB LIMITED | KOLKATA |
| 14 | 204574 | WIKA INSTRUMENTS INDIA PVT LTD | KOLKATA |
| 15 | 204700 | BAUMER TECHNOLOGIES INDIA PVT. LTD. | MUMBAI |
| 16 | 204743 | WIKA INSTRUMENTS INDIA PVT LTD | PUNE |
| 17 | 206754 | Y2K INSTRUMENTS | KOLKATA |
| 18 | 207862 | PRECISION MASS PRODUCTS PVT. LTD. | CHHTRAL |
| 19 | 208480 | GAUGES BOURDON (INDIA) PVT.LTD | MUMBAI |
| 20 | 212077 | WAAREE ENERGIES LTD | KOLKATA |
| 21 | 212152 | GOA INSTRUMENTS INDUSTRIES PVT LTD | MAPUSA |

NOTICE

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Calcutta Branch, Oil India Limited , ICC Building, 4th Floor, 4 India Exchange Place, Kolkata - 700001, West Bengal (E-mail : oilcalmn@oilindia.in , Fax : 033-22302596) within 10 days of publication of the tender in OIL's website.

The vendors must fulfill the following conditions :

- i) The party should have three year's experience for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than Rs 5.92 lakhs.

NOTE :i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.

ii) Application without complete supporting document will not be considered.
