

## **FORWARDING LETTER**

**M/s** \_\_\_\_\_  
\_\_\_\_\_

**Sub: Tender No. SDG2900L20/09 for SUPPLY OF WELL HEAD ITEMS (CASING/TUBING HEAD SPOOL AND HOUSING)**

Dear Sirs,

- 1.0 OIL INDIA LIMITED (OIL), a “Navaratna” Category, Government of India Enterprise, is a premier oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Duliajan is well connected by Air with nearest Airport being at Dibrugarh, 45 km away.
- 2.0 In connection with its operations, OIL invites International Competitive Bids (ICB) from competent and experienced manufacturers through OIL’s e-procurement site for **“SUPPLY OF WELL HEAD ITEMS (CASING/TUBING HEAD SPOOL AND HOUSING)”**. One complete set of Bid Document for above is uploaded in OIL’s e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL’s e-procurement portal. For your ready reference, few salient points of the Tender are highlighted below:

E-Tender No	:	<b>SDG2900L20/09 DATED 23.10.2019</b>
Type of Bidding	:	<b>SINGLE STAGE COMPOSITE BID SYSTEM</b>
Tender Fee	:	NOT APPLICABLE
Bid Closing Date & Time	:	<b>13.11.2019; 11:00 HRS.</b>
Technical Bid Opening Date & Time	:	<b>13.11.2019; 14:00 HRS.</b>
Price Bid Opening Date & Time	:	<b>13.11.2019; 14:00 HRS.</b>
Bid Security Amount	:	<b>Not applicable</b>
Bid Security Validity	:	<b>Not applicable</b>
Bid Submission Mode	:	Bids must be uploaded online in OIL’s E-procurement portal
Bid Opening Place	:	Office of GM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.

Bid Validity	:	Bid should be valid for <b>90 days</b> from actual bid closing date.
Original Bid Security to be submitted	:	Office of GM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.
Performance Guarantee	:	<b>Applicable @ 10% of Order value</b>
Integrity Pact	:	<b>To be submitted as per attached format</b>
Contact Details	:	AMRIT L BORA, MANAGER MATERIALS E-MAIL: MMFD1@OILINDIA.IN; PHN: 0374-2808720
E-Tender technical Support	:	TEL: 0374- 2804903, 2807171, 2807192, E-MAIL: ERP_MM@OILINDIA.IN
Bids to be addressed to	:	GM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.
<b>LIST OF ANNEXURES APPLICABLE</b>		
General Terms & Conditions	:	MM/GLOBAL/E-01/2005 for E-Procurement ICB Tenders
Annexure-A	:	Specification and various notes to bidders
Appendix-A1	:	Undertaking towards submission of authentic information/documents
Appendix-A2	:	Price bid format
Annexure-B	:	Checklist (commercial)
Others	:	All other documents uploaded online in OIL's E-procurement portal.

3.0 OIL now looks forward to your active participation in the tender.

OIL INDIA LIMITED

sd/-  
(Amrit Loushon Bora)  
Manager Materials (FD)  
For GM Materials (HoD)  
For Resident Chief Executive

**AA:: SPECIFICATIONS & QUANTITY DETAILS:**

<b>Item No</b>	<b>Material Description</b>	<b>Quantity</b>
<b>10</b>	<p>20 inches Slip Lock, Slip Type Casing Head:</p> <p>Assembly of 20 inches Slip Lock Slip-Type Casing Connection System Casing Head with Hanger Packer (Slip and Seal assembly) as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class BB, PSL-3, PR-2 comprising of the following. The Casing Head should comprise of two numbers of 52.39 MM (2.1/16 inches) x 3000 psi studded side outlets with API ring groove of RX-24 in the same horizontal plane but in opposite direction.</p> <p>i) CASING SIZE: 508.00 MM (20 inches)</p> <p>ii) CASING CONNECTION SYSTEM: 20 inches Slip Lock Slip-Type with slip segments and dual annular seal having packing arrangement and testing port. The annular seal should be created by means of System Pressure energized FS Casing Seal rated up to 3000 psi, Material: HNBR Elastomers.</p> <p>iii) NOMINAL SIZE: 476.25 MM (18.3/4 inches)</p> <p>iv) MINIMUM DRIFT DIAMETER: 446.21 MM (17.567 inches)</p> <p>v) INTERNAL PRESSURE RATING: 3000 PSI</p> <p>vi) SIZE OF CASING TO HANG AND SEAL: 406.40 MM (16 inches)</p> <p>vii) TOP FLANGE SIZE: 476.25 MM (18.3/4 inches) x 5000 psi with BX-163 Ring Groove</p> <p>viii) RING GROOVE: Alloy 625 Inlay</p> <p>ix) HEIGHT: 660.40 MM (26 inches) – Tolerance +/- 2 inches</p> <p>NOTE: The following accessories are also to be provided along with each of the 20 inches Slip Lock, Slip Type Casing Head:</p> <p>I) One Number BOP Test Plug with two sets of extra seals.</p> <p>II) C-22 / WC-22 Casing Hanger to hold / hang and seal 406.40 MM (16 inches) OD, 84 ppf API Casing in the 476.25 MM (18.3/4 inches) x 5000 psi Top flange. Manufactured as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class AA, PSL-3, PR-2, Pressure Rating: 5000 psi, Minimum Load Rating: 500,000 Lbs – 02 (TWO) Numbers.</p> <p>III) RING JOINT GASKET, RX-24 (Pressure energised for use on type 6B flanges as per API Spec 6A) – 06 (SIX) Numbers.</p>	<b>01 No</b>

	<p>IV) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 7/8" x 6" (Alloy steel full threaded stud bolt, material ASTM – A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM – A194, Grade 2H or EN19; Thread designation for stud: 7/8"-8UNC-2A and for nut: 7/8"-8UNC-2B) – 16 (SIXTEEN) Sets.</p> <p>V) RING JOINT GASKET, BX-163 (Pressure energised for use on type 6BX flanges as per API Spec 6A) – 04 (FOUR) Numbers</p> <p>VI) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 2" x 18" (Alloy steel full threaded stud bolt, material ASTM – A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM – A194, Grade 2H or EN19; Thread designation for stud: 2"-8UNC-2A and for nut: 2"-8UNC-2B) – 20 (TWENTY) Sets.</p>	
<b>20</b>	<p>Casing Spool: 18.3/4 inches x 5000 psi – 18.3/4 inches x 10000 psi</p> <p>Casing Head Spool, full bore opening having Hanger Packer (Slip and Seal assembly) as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class BB, PSL-3, PR-2 comprising of the following. The Casing Head Spool should comprise of two numbers of 79.38 MM (3.1/8 inches) x 5000 psi flanged side outlets with API ring groove of RX-35 in the same horizontal plane but in opposite direction.</p> <p>i) NOMINAL SIZE: 476.25 MM (18.3/4 inches)</p> <p>ii) MINIMUM DRIFT DIAMETER: 377.19 MM (14.85 inches)</p> <p>iii) INTERNAL PRESSURE RATING: 5000 PSI</p> <p>iv) BOTTOM FLANGE SIZE: 476.25 MM (18.3/4 inches) x 5000 psi with API Ring Groove of BX-163. The flange should have packing arrangement and testing port.</p> <p>v) SIZE OF CASING TO PACK OFF: There should be an arrangement to pack-off 406.40 MM (16 inches) casing.</p> <p>vi) SEALING MECHANISM: System Pressure Energized FS Casing Seal rated up to 5000 psi, Material: HNBR Elastomers.</p> <p>vii) SUITABLE BIT PILOT FOR 406.40 MM (16 inches) CASING</p> <p>viii) TOP FLANGE SIZE: 476.25 MM (18.3/4 inches) x 10000 psi with API Ring Groove of BX-164. The top flange should have preparation for hanger packer mechanism (slip and seal assembly).</p> <p>ix) SIZE OF CASING TO HANG AND SEAL: 298.45 MM (11.3/4 inches)</p> <p>x) ALL RING GROOVES: Alloy 625 Inlay</p> <p>xi) HEIGHT: 762.00 MM (30 inches) - Tolerance +/- 2 inches</p> <p>NOTE: The following accessories are also to be provided along with each of the 18.3/4 inches x 5000 psi – 18.3/4 inches x 10000 psi Casing Spool:</p> <p>I) One Number BOP Test Plug with two sets of extra seals.</p>	<b>01 No</b>

	<p>II) C-29 / WC-29 Casing Hanger to hold / hang and seal 298.45 MM (11.3/4 inches) OD, 65 ppf API Casing in the 476.25 MM (18.3/4 inches) x 10000 psi Top flange. Manufactured as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class AA, PSL-3, PR-2, Pressure Rating: 10000 psi, Minimum Load Rating: 800,000 Lbs – 02 (TWO) Numbers.</p> <p>III) RING JOINT GASKET, RX-35 (Pressure energised for use on type 6B flanges as per API Spec 6A) - 06 (SIX) Numbers</p> <p>IV) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 1.1/8" x 7.3/4" (Alloy steel full threaded stud bolt, material ASTM - A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM - A194, Grade 2H or EN19; Thread designation for stud: 1.1/8"-8UNC-2A and for nut: 1.1/8"-8UNC-2B) - 16 (SIXTEEN) Sets.</p> <p>V) RING JOINT GASKET, BX-164 (Pressure energised for use on type 6BX flanges as per API Spec 6A) - 04 (FOUR) Numbers</p> <p>VI) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 2.1/4" x 23" (Alloy steel full threaded stud bolt, material ASTM - A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM - A194, Grade 2H or EN19; Thread designation for stud: 2.1/4"-8UNC-2A and for nut: 2.1/4"-8UNC-2B) - 24 (TWENTY FOUR) Sets.</p>	
<b>30</b>	<p>Casing Spool: 18.3/4 inches x 10000 psi – 13.5/8 inches x 10000 psi</p> <p>Casing Head Spool, full bore opening having Hanger Packer (Slip and Seal assembly) as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class BB, PSL-3, PR-2 comprising of the following. The Casing Head Spool should comprise of two numbers of 77.79 MM (3.1/16 inches) x 10000 psi flanged side outlets with API ring groove of BX-154 in the same horizontal plane but in opposite direction.</p> <p>i) NOMINAL SIZE: 346.08 MM (13.5/8 inches)</p> <p>ii) MINIMUM DRIFT DIAMETER: 270.51 MM (10.65 inches)</p> <p>iii) INTERNAL PRESSURE RATING: 10000 PSI</p> <p>iv) BOTTOM FLANGE SIZE: 476.25 MM (18.3/4 inches) x 10000 psi with API Ring Groove of BX-164. The flange should have packing arrangement and testing port.</p> <p>v) SIZE OF CASING TO PACK OFF: There should be an arrangement to pack-off 298.45 MM (11.3/4 inches) casing.</p> <p>vi) SEALING MECHANISM: System Pressure Energized FS Casing Seal rated up to 10000 psi, Material: RGD resistant HNBR Elastomers.</p> <p>vii) SUITABLE BIT PILOT FOR 298.45 MM (11.3/4 inches) CASING</p> <p>viii) TOP FLANGE SIZE: 346.08 MM (13.5/8 inches) x 10000 psi with API Ring Groove of BX-159. The top flange should have preparation for hanger packer mechanism (slip and seal assembly).</p> <p>ix) SIZE OF CASING TO HANG AND SEAL: 244.48 MM (9.5/8 inches)</p> <p>x) ALL RING GROOVES: Alloy 625 Inlay</p>	<b>01 No</b>

	<p>xi) HEIGHT: 762.00 MM (30 inches) - Tolerance +/- 2 inches</p> <p>NOTE: The following accessories are also to be provided along with each of the 18.3/4 inches x 10000 psi – 13.5/8 inches x 10000 psi Casing Spool:</p> <p>I) One Number BOP Test Plug with two sets of extra seals.</p> <p>II) C-29 / WC-29 Casing Hanger to hold / hang and seal 244.48 MM (9.5/8 inches), 53.50 ppf API Casing in the 346.08 MM (13.5/8 inches) x 10000 psi Top flange. Manufactured as per API Specification 6A (20<sup>th</sup> edition), Temperature Rating U, Material Class AA, PSL-3, PR-2, Pressure Rating: 10000 psi, Minimum Load Rating: 1,000,000 Lbs – 02 (TWO) Numbers.</p> <p>III) RING JOINT GASKET, BX-154 (Pressure energised for use on type 6BX flanges as per API Spec 6A) - 06 (SIX) Numbers</p> <p>IV) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 1" x 7.1/4" (Alloy steel full threaded stud bolt, material ASTM - A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM - A194, Grade 2H or EN19; Thread designation for stud: 1"-8UNC-2A and for nut: 1"-8UNC-2B) - 16 (SIXTEEN) Sets.</p> <p>V) RING JOINT GASKET, BX-159 (Pressure energised for use on type 6BX flanges as per API Spec 6A) - 04 (FOUR) Numbers</p> <p>VI) STUDS WITH NUTS MANUFACTURED AS PER API SPEC 20E: 1.7/8" x 17.3/4" (Alloy steel full threaded stud bolt, material ASTM - A193, Grade B7 or EN19 with two (02) heavy hexagonal nuts, material ASTM - A194, Grade 2H or EN19; Thread designation for stud: 1.7/8"-8UNC-2A and for nut: 1.7/8"-8UNC-2B) - 20 (TWENTY) Sets.</p>	
40	<p>TUBING HEAD SPOOL Assembly: 10 K, 13.5/8" X 11"</p> <p>Tubing Head Spool Assembly: 346.075 mm (13.5/8") x 279.4 mm (11"), 704 kg/cm<sup>2</sup> (10,000 psi) W.P., conforming to API specification 6A, latest edition and API monogrammed.</p> <p><b>(a) Tubing Head Spool:</b> Straight Bore Bowl design with a landing shoulder to accept mandrel type tubing hanger as specified in para (d) below. It shall have the following minimum requirement and provisions:</p> <p>Material: Minimum 75 K API forged alloy steel  Material for all ring grooves at the flanges &amp; Ring Gasket: Alloy 625  Product Specification Level (PSL): 3  Performance Requirement (PR): 2  Material Class / Retained Fluid service: BB  Temperature Rating: U  Working Pressure: 704 kg/cm<sup>2</sup> (10,000 psi)  Test pressure: 1056 kg/cm<sup>2</sup> (15,000 psi)  Drift Diameter of the spool: 217.17 mm (8.55")  Pack-Off Casing Size: 244.48 mm (9.5/8")</p> <p>Tubing Head Spool Shall be furnished with the following:</p> <p>(a) (i) Top Connection:  Type: Flanged RTJ API type 6 BX  Size: 279.4 mm (11") with ring grooved BX 158  W.P. : 704 kg/cm<sup>2</sup> (10,000 psi)</p>	02 Nos

	<p>Top preparation: It shall be suitable to accommodate Tubing Hanger mentioned in the (item d). The top flange shall be provisioned for Tie-down Screws, to be designed with packing in front of the threads to prevent contamination of the threads by well bore fluid and eliminate a build-up of solids behind the tie-down screws which might prevent retraction. These will also provide external oil seals on tie-down screws to protect the threads from atmospheric corrosion.</p> <p>(a) (ii) Bottom Connection:  Type: Flanged RTJ API type 6 BX  Size: 346.075 mm (13.5/8") with ring grooved BX 159  W.P. : 704 kg/cm2 (10,000 psi)  Bottom Preparation: Suitable to accommodate removable/integral type Bit Pilot / Bit Guide (item b) and Secondary Seal Assembly (item c).  Preparation shall be such that the Bit Pilot / Bit Guide is held in place by snap / retainer ring and Secondary Seal Assembly sits in the counter bore properly without resting on the primary seal. Bottom flange shall be provided with testing port facilities with 3/4" NPT outer plug having Allen head, and 3/8" NPSC check valve having Allen head installed, for testing the following two areas:</p> <ul style="list-style-type: none"> <li>• The space between the two seals of FS Seal of Secondary Seal Assembly.</li> <li>• The space formed by the ring joint gasket (size BX 159), the bottom sealing element of FS seal, the sealing element available in the casing head spool.</li> </ul> <p>(a) (iii) Side connection: Two diametrically (180 deg. Apart) opposite side outlets to be provided as under:  Type: Studded RTJ, API 6 BX complete with Stud Bolts &amp; Nuts  Size: 52.4 mm (2.1/16") with ring grooved BX 152  W.P.: 704 kg/cm2 (10,000 psi)  Both side outlets are to be provided with 38.1 mm (1.1/2") LP Threads. Requisite nos. of studs &amp; nuts shall be provided.</p> <p><b>(b) <u>Bit Pilot / Bit Guide</u></b> (for 9.5/8"Casing, Qty-1 no. per set):</p> <p>Removable/integral type bit pilot to be used in conjunction with Secondary Seal Assembly (item c) for installation in tubing head spool (item a) and held in place by snap/retainer ring and suitable for 244.48mm (9.5/8") OD casing. Bit pilot shall be such that it prevents casing and secondary seal assembly from getting damaged during running-in of any downhole tools. The minimum ID of the bit pilot shall be 217.17mm (8.55"). The bit pilot along with the Secondary Seal Assembly (item c) shall be positioned to accommodate casing length of 4.1/2" from the bottom surface of the Tubing Head Spool.</p> <p><b>(c) <u>Secondary Seal Assembly</u></b> (For 9.5/8"Casing, Qty-1 no. per set):</p> <p>Removable/integral self energised (System Pressure Actuated) type, FS (Double Seal, Material –RGD resistant HNBR Elastomers) design, 704 kg/cm2 (10,000 psi) W.P. to suit bottom preparation of Tubing Head spool (item a) and to pack / Seal off 244.48 mm (9.5/8") OD casing. The Secondary Seal Assembly along with the bit pilot shall be positioned to accommodate casing length of 4.1/2" from the bottom surface of the Tubing Head Spool.</p>	
--	--	--

**(d) Tubing Hanger** (Qty-1 no. per set):

Single completion suspended mandrel type with extended seal neck, complete with additional upper seal ring to be energised by pack off adapter flange (item e) and complete with lower seal ring to be energised by the tubing weight/ self-energised type.

The Tubing Hanger, suitable for above Tubing Head Spool (item a), shall be made of forged alloy steel (Minimum 75 K API material) with bottom thread to hang 73.03 mm (2.7/8") OD VAM TOP tubing and top thread to lift the tubing hanger with 73.03 mm (2.7/8") OD VAM TOP pup joint.

The Tubing Hanger shall also be provided with 2.1/2" type-H BPV 4TPI 90 degree LH thread for installing 2.1/2" type-H Back Pressure Valve, with minor diameter 2.4075+/-0.0025" (61.1505 mm +/-0.0635 mm) which will be the minimum ID of the Tubing Hanger.

**(e) Pack Off Adapter Flange** (for 10 M XMT, Qty-1 no. per set):

Suitable for mounting on above Tubing Head spool (item a) and fit over extended neck of Tubing hanger (item d). The Pack Off Adapter Flange shall be designed as below:

(i) Top Connection: Studded, 78 mm (3.1/16"), BX-154 ring grooved, 704 kg/cm<sup>2</sup> (10,000 psi) W.P. The top of the vertical bore shall be suitably chamfered to guide the wireline tools.

(ii) Bottom Connection: Flanged, 279.4 mm (11") with BX-158 ring grooved, 704 kg/cm<sup>2</sup> (10,000 psi) W.P. Bottom flange shall be provided with testing port facilities with 3/4" NPT outer plug having Allen head and 3/8" NPSC check valve having Allen head installed.

**(f) Casing Valves** (Qty-2 nos per set):

Gate valves, forged alloy steel, 52.39 mm (2.1/16"), 704 kg/cm<sup>2</sup> (10,000 psi) W.P., flanged end, BX-152 ring grooved, full bore through conduit, complete with hand wheel and shall be installed at both the side outlets (item a-iii) of Tubing Head Spool (Item a). The gate vales shall have replaceable gate and seat assembly, parallel solid slab gate construction with floating seat, back seat arrangement on the stem; non-rising stem supported on two thrust bearings with plastic packing and grease injection ports.

**(g) Studs & Nuts:** Requisite nos. of Studs & Nuts with different sizes shall be provided based on the design of the above items.

**(h) Ring Joint Gaskets:** Ring Joint Gaskets with matching sizes and requisite nos. shall be provided for each ring groove of the flange connections.

**(i) Other Accessories/spares:**

The following accessories/spares are to supplied along with the tubing head spool:

(i) Redress Kit for tubing hanger (Seal ring of the body & extended neck): 02 nos. per set.



	(ii) Redress Kit for 9.5/8" Secondary Seal Assembly (Seal packing): 02 nos. per set. (iii) Back Pressure Valve 2.1/2" Nom (To installed in within the Tubing Hanger above): 01 no per set. (iv) Casing Valve Removal Plug, Size 1.1/2" LP: 1 no per set. (v) Set of Tool- Circlip Plier or any other suitable tool for removing/installing snap / retainer ring of pilot: 1 no per set. (vi) Set of Allen Keys of suitable sizes for removing / installing outer plug and inner check valve of test port : 1 no per set.	
--	--	--

**BB:: SPECIAL NOTES TO BIDDERS:**

- 1.0 All the tendered items shall be procured from a single source for the reason of compatibility. Bidder must quote for all items and evaluation will out accordingly on total value basis.
- 2.0 The bidder should be either Original Equipment manufacturer (OEM) of the items or authorized distributor / dealer / supply house of the Original Equipment manufacturer (OEM).
- 2.1 In case the bidder is an authorized distributor / dealer / supply house of the Original Equipment manufacturer (OEM), then bidder must furnish Authorization certificate cum warranty backup letter (sealed and signed) from the manufacturer in original on manufacturer's letter head along with the offer. This certificate must be valid at the time of bidding and should remain valid during the entire execution period of the order. The concerned manufacturer should also guarantee of supplying the items to the bidder in the event of an order on the bidder.
- 3.0 The items supplied shall be brand new, unused & of recent manufacture (not prior to six months from date of issuance of Letter Of Intent). Supplier shall warrant that the product supplied will be free from all defects & fault in material, workmanship & manufacture. This clause shall be valid for 18 months from date of despatch or 12 months from the date of receipt at site, whichever is earlier. Defective goods / materials or parts notified by OIL to the Seller shall be replaced immediately by the Seller on FOR destination basis including payment of all taxes and duties at Seller's expense. Suppliers must confirm the same in their quotations.
- 4.0 Bidder to note that the casing head and casing spools should be forged construction. Casing head and Casing spools manufactured from Cast steel will not be acceptable.
- 5.0 The 20 inches Slip lock Slip type casing head should be supplied with two (02 numbers) of 2.1/16 inches x 3000 psi flanged type manual gate valves with RX-24 API ring groove and two (02 numbers) of 2.1/16 inches x 3000 psi blind flanges with RX-24 API ring groove (Product specification level - PSL 3, Temperature class - PU and Material Class - BB for both gate valves and blind flanges).
- 6.0 The 18.3/4 inches x 5M - 18.3/4 inches x 10M Casing spool should be supplied with two (02 numbers) of 3.1/8 inches x 5000 psi flanged type manual gate valves with RX-35 API ring groove and two (02 numbers) of 3.1/8 inches x 5000 psi blind flanges with RX-35 API ring groove (Product specification level - PSL 3, Temperature class - PU and Material Class - BB for both gate valves and blind flanges).


- 7.0 The 18.3/4 inches x 10M - 13.5/8 inches x 10M Casing spool should be supplied with two (02 numbers) of 3.1/16 inches x 10000 psi flanged type manual gate valves with BX-154 API ring groove and with two (02 numbers) of 3.1/16 inches x 10000 psi blind flanges with BX-154 API ring groove (Product specification level - PSL 3, Temperature class - PU and Material Class - BB for both gate valves and blind flanges).
- 8.0 All Gate valves should be forged alloy steel, full bore through conduit, complete with hand wheels.
- 9.0 Offers shall be complete in all respects and all the items / equipment as specified in the tender must be included in the package. Offers deemed to be incomplete shall be liable for outright rejection.
- 10.0 Quotations shall be accompanied by detailed technical specifications, manufacturer's printed specification sheets, literature, drawings & catalogues in English (UK & US).
- 11.0 Supplier must specify the weight of casing head and casing/tubing spools indicating the major dimensions.
- 12.0 Bidder should indicate the country of origin and port of dispatch of the casing head and casing/tubing spools.
- 13.0 Bidder should categorically confirm in the technical bid for delivery of the **Slip lock Slip type casing head (item no. 10) along with its accessories within four (04) months from the issuance of Firm Purchase Order** and for delivery of the **Casing/tubing spools (item nos. 20, 30 & 40) along with its accessories within six (06) months from the issuance of Firm Purchase Order.**
- 14.0 Bidder to note that the Tubing Head Spool Assemblies should be forged construction. Tubing Head Spool Assemblies manufactured from Cast steel will not be acceptable.

**CC:: GENERAL NOTES TO BIDDERS:**

Sl No	Clause description
1.0	<p>a) Bidders without having E-tender Login ID and Password should complete their online registration at least seven (7) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E- tender site <a href="https://etender.srm.oilindia.in/irj/portal">https://etender.srm.oilindia.in/irj/portal</a></p> <p>b) Necessary Login ID &amp; Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID &amp; Password and request for bid closing date extension on that plea shall not be entertained by Company.</p>
2.0	Clause deleted
2.1	Clause deleted

2.2	Clause deleted
3.0	<p>Successful bidder shall be required to furnish a <b>Performance Security</b> equivalent to ten percent (10%) of total evaluated value of Order within 30 days of receipt of LOI/notification of award. The Performance Bank Guaranty must remain valid throughout the period of execution, including extension if any. Non-submission of Performance Security as above by the successful Bidder shall lead to cancellation/termination of award including forfeiture of their Bid Security, besides other penal actions as per OIL's Banning Policy. Bidders should undertake in their bids to submit Performance Security as stated above.</p> <p>Performance Security clause (Clause No. 10.0 of Section-A) of "General Terms &amp; Conditions for Global Tenders (MM/GLOBAL/01/2005)" has been amended and the new clause is detailed in the Amendment dated 25.04.2016 issued to MM/GLOBAL/01/2005. Bidders to note the above and to confirm its acceptance in their offers.</p> <p>The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:</p> <ul style="list-style-type: none"> <li>(i) MT 760 / MT 760 COV for issuance of Bank Guarantee</li> <li>(ii) MT 760 / MT 767 COV for amendment of Bank Guarantee</li> </ul> <p>The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code – HDFC0002118; SWIFT Code - HDFCINBBCAL.</p> <p>Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602.</p>
4.0	<p>The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.</p> <p>OIL's Independent External Monitors at present are as under:</p> <p>SHRI RUDHRA GANGADHARAN, IAS (Retd.), Ex-Secretary, Ministry of Agriculture e-Mail ID : <a href="mailto:rudhra.gangadharan@gmail.com">rudhra.gangadharan@gmail.com</a></p> <p>SHRI RAJIV MATHUR, IPS (Retd.), Former Director (IB) Govt. of India e-Mail ID : <a href="mailto:rajivmathur23@gmail.com">rajivmathur23@gmail.com</a></p> <p>SHRI JAGMOHAN GARG, Ex-Vigilance Commissioner, CVC e-Mail id : <a href="mailto:jagmohan.garg@gmail.com">jagmohan.garg@gmail.com</a></p>

4.1	Online Bid must be uploaded together with the Integrity Pact and the same must be duly signed digitally. If any bidder refuses to sign Integrity Pact or declined to submit Integrity Pact with the offer, their bid shall be rejected straightway.
5.0	FURNISHING FRAUDULENT INFORMATION/ DOCUMENT: If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. In this regard, bidders are requested to submit an Undertaking as per <b>Appendix-A1</b> along with their offer failing which their offer shall be liable for rejection.
5.1	Bids containing incorrect/false/misleading statement(s) shall be rejected.
6.0	<p>The items covered in this Tender shall be used by Oil India Limited in the PEL/ML areas and hence <b>Nil rate of Customs Duty</b> towards import (for foreign bidders) and concessional <b>GST @5%</b> (for foreign &amp; indigenous bidder) will be applicable as per Govt. Policy in vogue.</p> <p>Overseas Bidders are not required to include Customs Duty and IGST components in their quoted cost, since all applicable taxes &amp; Duties in India shall be to the account of Oil India Limited.</p> <p>In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC) under Deemed Export Benefit Scheme, where import content is declared by the bidder for availing Custom Duty benefit on the import content.</p> <p>Supplier shall arrange to provide all necessary documents (invoice etc.) to OIL for applying Essentiality Certificate on receipt of request from OIL, if any. Further, Suppliers shall affect dispatch only on receipt of relevant certificates/shipment clearance from OIL, failing which all related liabilities shall be to Supplier's account.</p>
7.0	<b>Payment terms:</b> Refer to "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders)
8.0	<b>Liquidated Damage:</b> Refer to "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). The applicable GST on the Liquidated Damage shall have to be borne by the seller. Accordingly, the Liquidated Damage shall be recovered from the seller along with applicable GST.
9.0	Bid must be submitted online through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
10.0	Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time, failing which the offer shall be rejected.
11.0	Clause deleted

12.0	Bids received in physical form against online invitation shall be rejected (except the documents specifically called for in hard copies, if any). Also, modifications to bids received after the bid closing date & time shall not be entertained.				
13.0	All the Bids must be Digitally Signed using “Class 3” digital certificate (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3” digital certificate, will be liable for rejection.				
14.0	<p>The tender is invited under SINGLE STAGE-COMPOSITE BID SYSTEM. The bidder has to submit both the “TECHNO-COMMERCIAL UNPRICED BID” and “PRICED BID” through electronic form in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The “Techno-commercial Unpriced Bid” shall contain all technical and commercial details except the prices which shall be kept blank. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab “Notes and Attachments”.</p> <p><b>Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.</b></p> <table border="1"> <tr> <td>Notes and Attachments</td><td>Only Price Details Should Be Uploaded</td></tr> <tr> <td>Technical attachments</td><td>All technical bid documents except price details</td></tr> </table> <p>Please do refer “NEW INSTRUCTION TO BIDDER FOR SUBMISSION” for the above two points and also please refer “New Vendor Manual (effective 12.0.2017) ” available in the login Page of the OIL’s E-tender Portal.</p> <div>  <p>Click here for the New Manual &amp; Instruction</p> </div>	Notes and Attachments	Only Price Details Should Be Uploaded	Technical attachments	All technical bid documents except price details
Notes and Attachments	Only Price Details Should Be Uploaded				
Technical attachments	All technical bid documents except price details				
14.1	Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.				
14.2	Clause deleted				

14.3	Clause deleted
14.4	For convenience of the qualified Bidders and to improve transparency, the rates/cost quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment from under "Notes & Attachment" (i.e. NO PRICE CONDITION), Bidders must upload their detailed Price-Bid as per the prescribed format under "NOTES & ATTACHMENT", in addition to filling up the "TOTAL BID VALUE" tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE condition (i.e. Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the inter- se-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of the e-tender.
15.0	The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e- Procurement.
16.0	Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
17.0	Please mention clearly in your quotation the Net. Weight, Gross Weight & Volume, Indian Agent's Name and its Commission, Payment Terms, Ocean Freight/Air Freight Charges, Port of Loading, Delivery period, Country of origin with manufacturer's name, etc.
18.0	To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of tender clauses and such clarifications fulfilling the tender clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected.
19.0	Other terms and conditions of the tender shall be as per "General Terms & Conditions" for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E- procurement (ICB Tenders). However, if any of the Clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the Clauses in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

20.0	Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
21.0	Original Bid Closing Date shall be considered by OIL for evaluation in case of any extension of the original bid closing date.
22.0	Clause deleted
23.0	In case of placement of order, OIL reserves the right to convert the order from FOB Port of export to C&F Kolkata term considering the ocean freight quoted by the party in their offer. In case the order is converted to C&F Kolkata Port, the performance security amount shall also be enhanced considering the quoted ocean freight charges.
24.0	Bidder should confirm in their quotation that in case of C&F order, their nominated freight forwarder should provide Delivery Order under Single Window facility having office of local agent in India at Kolkata and offer 14 days free detention time of containers at discharging port.
25.0	Quantity of Individual item may be increased or decrease at the time of final placement of order. The minimum FOB/FCA charges in case of partial order for reduced quantity/enhanced quantity shall have to be indicated by the bidder. In case, this is not indicated specifically, the charges quoted would be pro-rata calculated and the same will be binding on the bidder.
26.0	Validity of the bid shall be <b>minimum 90 days</b> from the date of actual Bid Closing Date. Bids with lesser validity shall be straightway rejected.
27.0	<b>All the tendered items (item nos 10 to 40 and quantity as per the tender)</b> shall be procured from a single source for the reason of compatibility. Bidder must quote for all items and evaluation will out accordingly on total value basis.
28.0	Bidders shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection: <ul style="list-style-type: none"> <li>i) Liquidated Damages</li> <li>ii) Warranty/Guarantee of material</li> <li>iii) Arbitration / Resolution of Dispute</li> <li>iv) Force Majeure</li> <li>v) Applicable Laws</li> </ul>
29.0	A bid shall be rejected straightway if it does not conform to any one of the following clauses: <ul style="list-style-type: none"> <li>a) Validity of bid shorter than the validity indicated in the Tender.</li> <li>b) Original Bid Security not received within the stipulated date &amp; time mentioned in the Tender.</li> <li>c) Bid Security with (i) validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.</li> </ul>

30.0	The prices/rates offered against the tender must remain firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price condition
31.0	Bidders are required to submit their price bids strictly as per the formats provided vide <b>Appendix –A2</b>
32.0	The evaluation of bids shall be done as per the Price Bid Format (SUMMARY) provided in the Tender and as mentioned in para 36.0
33.0	If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
34.0	For conversion of foreign currency into Indian currency, B.C. selling (Market) rate declared by State Bank of India, one day prior to the date of price bid opening shall be considered. However, if the time lag between the opening of the bids and final decision exceed 3(three) months, then B.C. Selling(Market) rate of exchange declared by SBI on the date prior to the date of final decision shall be adopted for conversion and evaluation.
35.0	<p>To ascertain the inter-se-ranking, the comparison of the responsive bids will be made as mentioned in para 36.0, subject to corrections / adjustments given herein.</p> <p><u>Note:</u> a) Domestic Bidders must quote inland freight charges upto Duliajan. In case bidder fails to quote inland freight charges, highest freight quoted by domestic bidder (considering pro-rata distance) against this tender or OIL's estimated freight, whichever is higher, shall be loaded to their offer for comparison purpose.</p> <p>b) For enquiries with duty exemption benefit – The items covered under this enquiry shall be used by OIL in the PEL/ML areas and hence, applicable customs duty for import of goods shall be zero in case of Foreign Bidders. However, IGST @5% shall be applicable. Indigenous bidder shall be eligible for concessional rate of GST @5% against Essentiality Certificate.</p>



36.0	<p><b>A) <u>When only foreign bidders are involved:</u></b>  The Total Value of Foreign bidder as worked out as per para <b>Appendix-A2 (i) H</b> shall be compared</p> <p>NOTE: *Banking charge in the country of the foreign bidder shall be borne by the bidder. Banking charge 1% for payment through Letter of Credit. And 1.5 % if confirmed LC at buyer's account is required.</p> <p><b>B) <u>When only domestic bidders are involved or when more than one domestic bidders are in contention in case of mixed response:</u></b>  The Total Value of Domestic bidder as worked out as per para <b>Appendix-A2 (ii) H</b> shall be compared</p> <p><b>C) <u>When both foreign and domestic bidders are involved:</u></b>  The Total Value of domestic bidder as worked out as per para <b>Appendix-A2 (ii) E</b> above and Total Value of the foreign bidder worked out as per Para <b>Appendix-A2 (i) H</b> above will be compared.</p> <p>Note: If the Government of India revises these evaluation criteria the same as applicable on the bid closing date will be adopted for evaluation of the offers.</p>
37.0	<p>Other terms and conditions of the enquiry shall be as per General Terms and Conditions for Global Tender. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BEC / BRC) mentioned here contradict the Clauses in the General Terms &amp; Conditions of Global Tender of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.</p>

38.0	<p><b><u>Clauses related to Goods &amp; Service Tax (GST)</u></b></p> <ol style="list-style-type: none"> <li>1. For the purposes of levy and imposition of GST, the expressions shall have the following meanings: <ol style="list-style-type: none"> <li>(a) GST - means any tax imposed on the supply of goods and/or services under GST Law.</li> <li>(b) Cess – means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.</li> <li>(c) GST Law - means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017 and all related ancillary Rules and Notifications issued in this regard from time to time.</li> </ol> </li> <li>2. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties &amp; levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax Invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.</li> <li>3. Offers without giving any of the details of the taxes (Including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates &amp; amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder.</li> <li>4. Bidders are required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017.</li> </ol>
------	---

Accordingly, for supplies made under GST, the bidders should confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidders to ensure that the intended benefits of GST have been passed on to OIL.

5. Oil India Ltd. shall declare the value of free issue of materials and services, if any, involved in the execution of the contract. The Contractor should consider the same while working out the GST liability, if any. Further in cases where GST is leviable on any facilities provided by OIL and used by bidders and the consideration for which is recovered by OIL in the form of reduction in the invoice raised by bidders then OIL will raise GST invoices on such transactions and the same will be reimbursed by bidders.

**When Input tax credit is available for Set Off**

Evaluation of L-1 prices shall be done based on Quoted price after deduction of Input Tax Credit (ITC) of GST, if available to OIL. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders

**When Input tax credit is NOT available for Set Off**

Evaluation of L-1 prices shall be done based on Quoted price only. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders

6. Bidders agree to do all things not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and enable OIL to claim input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.
7. In case Input Tax Credit of GST is denied or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by bidders, including non-payment of GST charged and recovered, the Vendor/ Supplier/Contractor shall indemnify OIL in respect of all claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such disputed amount from the pending payments of the bidders.

**Format of undertaking by Bidders towards submission of authentic information/documents (To be typed on the letter head of the bidder)**

Ref. No \_\_\_\_\_

Date \_\_\_\_\_

**Sub: Undertaking of authenticity of information/documents submitted**

**Ref: Your tender No.** \_\_\_\_\_ **Dated** \_\_\_\_\_

To,  
The HOD-Materials  
Materials Deptt, OIL, Duliajan

**Sir,**

With reference to our quotation against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our EMD and/or PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,  
For (type name of the firm here)

Signature of Authorised Signatory Name:

Designation :

Phone No.

Place:

Date :

(Affix Seal of the Organization here, if applicable)

**PRICE BID FORMAT**

**(i) Price Bid Format (SUMMARY) for FOREIGN BIDDERS:**

Name of the Bidder:				
Currency Quoted:				
Item No.	Item Description	Quantity (Nos)	Unit Cost	Total Cost
10	20 inches Slip Lock Casing Head	1		
20	Casing Spool: 18.3/4 inches x 5000 psi – 18.3/4 inches x 10000 psi	1		
30	Casing Spool: 18.3/4 inches x 10000 psi – 13.5/8 inches x 10000 psi	1		
40	Tubing Head Spool Assembly: 13.5/8" X 11"	2		
A	Total Basic Material Value (10+20+30+40)			
B	Packing & FOB charges, if any			
C	FOB Value, A+B			
D	Ocean Freight Charges upto Kolkata			
E	Banking & Insurance, @1.5% of C			
F	CIF Value, C+D+E			
G	IGST @ 5% on F			
H	TOTAL CIF+GST Value, F+G			
I	Gross Weight			
J	Gross Volume			

**(ii) Price Bid Format (SUMMARY) for INDIGENOUS BIDDERS:**

Name of the Bidder:				
Currency Quoted:				
Item No.	Item Description	Quantity (Nos)	Unit Cost	Total Cost
10	20 inches Slip Lock Casing Head	1		
20	Casing Spool: 18.3/4 inches x 5000 psi – 18.3/4 inches x 10000 psi	1		
30	Casing Spool: 18.3/4 inches x 10000 psi – 13.5/8 inches x 10000 psi	1		
40	Tubing Head Spool Assembly: 13.5/8" X 11"	2		
A	Total Basic Material Value (10+20+30+40)			
B	Packing & Forwarding charges, if any			
C	Total Ex-Works Value, A+B			
D	GST @ 5% on C (against Essentiality Certificate)			
E	Total FOR Despatching Station Value, C+D			
F	Inland Freight Charges upto Duliajan, Assam including GST			
G	Transit Insurance Charges, if any including GST			
H	TOTAL FOR DULIAJAN VALUE, E+F+G			
I	Gross Weight			
J	Gross Volume			
K	Import Content, if any			

**CHECK LIST**

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT "Yes" OR "No" TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

Sl#	REQUIREMENT	COMPLIANCE
1.0	Whether bid submitted under Single Stage Composite Bid System?	Yes / No
2.0	Whether quoted as manufacturer?	Yes / No
2.1	Whether quoted as OEM Dealer / Supply House. To Specify-	
2.2	If quoted as OEM Dealer / Supply House	
	(a) Whether submitted valid and proper authorization letter from manufacturer confirming that bidder is their authorized Dealer / supply House for the product offered ?	
	(b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted?	
<b>3.0</b>	<b>Whether ORIGINAL Bid Bond (not copy of Bid Bond) as per Revised Format? If YES, provide details</b>	Yes / No
	<b>(a) Amount :</b>	
	<b>(b) Name of issuing Bank :</b>	
	<b>(c) Validity of Bid Bond :</b>	
4.0	Whether offered firm prices?	Yes / No
4.1	Whether quoted offer <b>validity of 90 days from</b> the bid closing date of tender?	Yes / No
4.2	Whether quoted a firm delivery period?	Yes / No
4.3	Whether agreed to the NIT Warranty clause?	Yes / No
<b>5.0</b>	<b>Whether confirmed to submit PBG as asked for in NIT?</b>	<b>Yes / No</b>
<b>5.1</b>	<b>Whether agreed to submit PBG within 30 days of placement of order?</b>	<b>Yes / No</b>
6.0	Whether Price submitted as per Price Schedule indicated in the tender?	Yes / No
7.0	Whether quoted as per NIT (without any deviations)?	Yes / No
7.0	Whether quoted any deviation?	Yes / No
7.1	Whether deviation separately highlighted?	Yes / No
8.0	Whether indicated the country of origin for the items quoted?	Yes / No
8.1	Whether technical literature / catalogue enclosed?	Yes / No
8.2	Whether weight & volume of items offered indicated?	Yes / No
9.0	For Foreign Bidders - Whether offered FOB / FCA port of despatch including sea / air worthy packing & forwarding?	Yes / No
9.1	For Foreign Bidders – Whether port of shipment indicated. To specify:	Yes / No
9.2	For Foreign Bidders only - Whether indicated ocean freight up to Kolkata port (Excluding marine insurance)?	Yes / No
9.3	Whether Indian Agent applicable ?	Yes / No
	If YES, whether following details of Indian Agent provided?	

	(a) Name & address of the agent in India – To indicate	
	(b) Amount of agency commission – To indicate	
	(c) Whether agency commission included in quoted material value?	
10.0	For Indian Bidders – Whether indicated the place from where the goods will be dispatched. To specify :	Yes / No
10.1	For Indian Bidders – Whether road transportation charges up to Duliajan quoted?	Yes / No
10.2	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	Yes / No
10.3	For Indian Bidders only - Whether indicated import content in the offer?	Yes / No
10.4	For Indian Bidders only - Whether offered Deemed Export prices?	Yes / No
10.5	For Indian Bidders only – Whether all applicable Taxes & Duties have been quoted?	Yes / No
11.0	Whether all BRC/BEC clauses accepted ?	Yes / No