

Conquering Newer Horizons

INDEG DEPARTMENT P.O. Duliajan, Dist. Dibrugarh ASSAM, PIN-786 602, INDIA TEL: (+91) 374 2808747

E-mail: indeg@oilindia.in



FORWARDING LETTER

Subject: Tender No. TPI00125IN Dated. 18.12.2023 for hiring of Third-Party Inspection services (TPI)

Dear Sir/Madam,

- oil India Limited (OIL) is a premier National Oil Company engaged in the business of Exploration, Production and Transportation of Crude Oil and Natural gas. A Maharatna Company under the Ministry of Petroleum and Natural gas, Government of India (GOI), with its Headquarters at Duliajan, Assam. Duliajan is connected by Air with nearest Airport at Dibrugarh, 45 km away.
- 2.0 In connection to its operations, OIL invites **SHORTLISTED BIDDERS ONLY** to submit their bids through OIL's e-procurement site for the services mentioned below. One complete set of Bid Document for above is uploaded in OIL's e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL's e-procurement portal.
- 3.0 Tender has been issued to following short listed bidders only. Other bidders are not eligible to quote against the tender.
 - (i) M/s. LRQA Inspection Services LLP (formerly Lloyds)
 - (ii) M/s. Bureau Veritas (India) Pvt. Ltd.
 - (iii) M/s. RITES Ltd.
 - (iv) M/s. IRCLASS Systems and Solutions Pvt. Ltd.
 - (v) M/s. DNV MES India Pvt. Ltd.
 - (vi) M/s. Tuboscope Vetco*
 - * M/s Tuboscope Vetco shall be allowed after they establish office in India.
- 4.0 For your ready reference, few salient points of the Tender are highlighted below:

E-Tender No.	:	TPI00125IN Dated. 18.12.2023
Type of Bidding	:	SINGLE STAGE COMPOSITE BID SYSTEM – LIMITED TENDER.
Bid Closing Date & Time	:	As mentioned in OIL's E- procurement portal (11:00 HRS).
Technical Bid Opening Date & Time	:	As mentioned in OIL's E- procurement portal (14:00 HRS).
Bid Submission Mode	:	Bids must be uploaded online in OIL's E- procurement portal

D:10 : 51		
Bid Opening Place	:	Office of GM-INDEG (HoD), Materials
		Department, Oil India Limited, Duliajan -
		786602, Assam, India.
Bid Validity	:	Bid should be valid for 60 days from actual bid
		closing date.
Performance Guarantee	••	Applicable @ 10% of Order value if contract
		value exceeds INR 10 lakhs
MSE Purchase	:	Applicable
Preference		
Contact Details	:	Amit Kumar Prasad
		e-mail: amit_prasad@oilindia.in
		TEL: 0374 - 2808747
E-Tender technical	:	TEL: 0374- 2804903, 2807171, 2807192,
Support		E-MAIL: erp_mm@oilindia.in
		<u> </u>
Bids to be addressed to	•	GM-INDEG (HoD), INDEG Department, Oil
		India Limited, Duliajan -786602, Assam, India.
LIST OF ANNEXURES & APP	Eľ	VDIX
Annexure-I		Scope of Work for TPI, QAP etc.
		,
Annexure-II		Priced Format (available under "Notes and Price
		bid attachment" tab of e-tender)
		ord attachment tas of a terracity
Annexure-III		BEC / BRC
initexare in		BBC / BRC
Annexure-IV		Copy of PO(s) placed on Supplier.
Ailliexure-rv		Copy of FO(s) placed off Supplier.
Annexure-V		Special conditions of Contract (SCC)
Ailliexule-v		Special conditions of Contract (SCC)
A man or strong VII	H	Compared conditions of Compared (CCC)
Annexure-VI		General conditions of Contract (GCC)
Appendix-I		Acceptance of Scope of Work.
Appendix-i		Acceptance of Scope of Work.

5.0 OIL looks forward to your active participation in the Tender.

Thanking You Yours Faithfully, OIL INDIA LIMITED

(Amit Kumar Prasad)
Sr. Manager-INDEG
For GM- INDEG (HoD)
For Resident Chief Executive

Annexure-I:

Scope of Work for TPI, QAP etc.

Scope of Works

S1. Nos.	Description of items	Qty.
	Inspection of 7" premium P110 Casing (Qty. 5000 mtr.), pup-joints (10 Nos.), Crossovers (20 Nos.) & Coupling (20 Nos.) as per QAP No.:	
01	ISMT/B/2023/10/02 Revision No.: 01 Date: 13.11.2023	1 Lot
	Reference Contract No. PO No. 7400318	
	Place of inspection: United Drilling Tools Limited. C41, Sector-81, Gautam Buddha Nagar, NOIDA- 201305, Uttar Pradesh	
	Contact Person: Name: Mr. Jyoti Kumar Singh Contact Email: sales@udtltd.com , enquiry@udtltd.com Contact No.: +91-9718282444	

QAPs

inspection of Billets Stretch Reducing Mill (a) Surface Condition Straightening Straightening Inspections Straightening Straightening Inspections Inspection of Billets Inspec	IITED 9 PPF API SCT 10 Type of Inspection	Tube Plant -	Plant - B, B-13, MIDC Industrial Area. Baramati - 413133	AS BAIDO :					
(a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	TED PPF API SCT 10 Type of nspection			Industrial Ar	ea. Baramati - 41	2122			
a) a) b) a)	PPF API 5CT 10 Type of nspection	11000		QAP No.: ISMT/B/2023/10/02	/2023/10/02	Rev: 01	DATE	DATE: 13.11.2023	14
ring Inspection & Teathing & a) realment an	Type of nspection)th Edition (2018), ,	Addendum -1 (2	021) Grade: D110	NIA IO				
tion of Billets a) Suppliers approval b) Results of supplier's T.C c) Marking Heat No. & Grade d) Billet Diameter & Surface Heat Analysis (Chemical e) Elements) as per API 5CT 10.3.2 cess Inspection b) Out Side Diameter, Wall Thickness, Length realment a) Surface Condition Thickness, Length Austenitizing Temperature Austenitizing Temperature a) Tempering Temperature & Time traing) b) Tempering Temperature & Time a) Straightening a) YST, UTS, %EL,	-10-1	Frequency of	Reference	Reference Document	rot-i, PLAIN END	SEAMLESS CA Records	SIME PIPES		
a) Suppliers approval b) Results of supplier's T.C c) Marking Heat No. & Grade d) Billet Diameter & Surface Heat Analysis (Chemical e) Elements) as per API 5CT 10.3.2 a) Surface Condition b) Out Side Diameter, Wall Thickness, Length a) Austenitizing Temperature & Time b) Tempering Temperature & a) Straightening v) YST, UTS, %EL,		checks by ISMT	Procedure	Work Inst.	Acceptance Norm	(Format)	P	Inspection by:	E C
b) Results of supplier's T.C c) Marking Heat No. & Grade d) Billet Diameter & Surface Heat Analysis (Chemical Elements) as per API 5CT 10.3.2 Stretch Reducing Mill / a) Surface Condition Stretch Reducing Mill / b) Out Side Diameter, Wall Thickness, Length Austenitizing Temperature Tempering & Time Straightening a) Straightening Physical Properties YST. UTS, %EL,	Review of records	On receipt of material	QSPB-QU-03	QSWB-QU-25 / BCP-RM INSP	Approved Supplier List	QFB-QU-58	F		
c) Marking Heat No. & Grade d) Billet Diameter & Surface Heat Analysis (Chemical Flements) as per API 5CT 10.3.2 Stretch Reducing Mill (a) Surface Condition Stratch Reducing Mill (b) Out Side Diameter, Wall Thickness, Length Austenitizing Temperature Tempering) b) Tempering Temperature & Time Straightening a) Straightening (b) Time Straightening a) Straightening (b) Thysical Properties a) YST, UTS, %EL,	-op-	Each TC	-op-	-op	Pur Spec. & PO	ф	+		2
d) Billet Diameter & Surface Heat Analysis (Chemical Elements) as per API 5CT 10.3.2 In Process Inspection Stretch Reducing Mill (a) Surface Condition Sizing Mill Heat Treatment (Quenching & Austenitizing Temperature Tempering) Straightening a) Straightening (b) Tempering Temperature & Tempering) Physical Properties a) YST. UTS, %EL,	Visual	100%	-op-	-op-	-op-	do	1		(%,00,1%)
In Process Inspection Stretch Reducing Mill (a) Surface Condition String Mill Heat Treatment (Quenching & Time Tempering) Straightening a) Straightening (b) Tempering Temperature & Tempering Temperature & Time (Time Straightening a) Straightening (b) Tempering Temperature & Time Straightening (b) Time (Time Straightening a) YST. UTS, %EL,	Measurement	5 No's (Random)	-op-	-op-	-do-	-0			
Stretch Reducing Mill (a) Surface Condition Sizing Mill Sizing Mill Sizing Mill Dut Side Diameter, Wall Heat Treatment (Quenching & Thickness, Length Thickness, Length Austenitizing Temperature (Quenching & Time Tempering) Distraightening (a) Straightening Arst. UTS, %EL,	Spectro, analysis	Two Samples per Heat	1	QSWB-QU-07	Pur Spec. / PO	QFB-QU-58			
b) Surface Condition b) Out Side Diameter, Wall Thickness, Length a) Austenitizing Temperature & Time b) Tempering Temperature & a) Straightening AYST, UTS, %EL,	-								
b) Out Side Diameter, Wall Thickness, Length a) Austenitizing Temperature & Time b) Tempering Temperature & Time a) Straightening VST, UTS, %EL,	Visual	Size Setting Conformation. Subsequent Once in 4 Hours	QSPB-QU-03	BCP-HM (AM) BCP-PQF (PQF)	Process Card	QRB-HM-13			
a) Austenitizing Temperature & Time b) Tempering Temperature & Time a) Straightening VST, UTS, %EL,	Measurement	-op-	φ	-op-	-op-	ф			,
b) Tempering Temperature & Time a) Straightening \(\text{N} \)	Verification	Initial Setting and Hourly	1	BCP-CASING	Heat Treatment Plan	QRB-EFS-12	14	3	(,100%)
a) Straightening \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Verification	Initial Setting and Hourly	ı	BCP-CASING	Heat Treatment Plan	QRB-EFS-12	T X		=(100%)
a) YST, UTS, %EL,	rement /	Size Setting and Once in 2 Hours	i	QSWB-EFS-03 / BCP-CASING	API 5CT / Process Card	QRB-EFS-01			
	Physical Testing	1 Sample per Heat/Lot	QSO-QU-11	QSWB-QU-06	API 5CT / Process Card / PO &	QRB-QU-04		α,	.100%)
b) Hardness(if applicable) Physic	Physical Testing	2 Sample per Heat/Lot	QSO-QU-11	-op-	-op-	QRB-QU-04	v	2	
c) CVN Impact Physic	Physical Testing 1	1 Set (3Samples) per Heat/Lot	QSO-QU-11	-op-	-op-	QRB-QU-04	*	N	. (
Product Chemical a) Chemical Elements Spectro	Spectro. Analysis	Two sample per heat / Lot	QSO-QU-11	QSWB-QU-07	API 5CT / PC / PO	QFB-QL-59		2	WIT I

Prepared by (ISMT)

Page 1 of 3

Baramati - 413133 Baramati - 413133 DATE: 13.11.2023 L-1, PLAIN END SEAMILESS CASING PIPES Inspection by W W Ceptance Norm Records (Format) P/M W -1 6CT / Process 1 ** RW (Min. 10%) -do- 1 ** RW (Min. 10%) API 5CT / PC -do- 1 ** RW (Min. 10%) API 5CT / PC -do- 1 ** RW (Min. 10%) API 5CT / PC -do- -do- -do- -do- -do- -do- -	(<u>)</u>	SW LIMITED				SM	ISMT LIMITED	Q					
GAP No.: ISM/TIB/2023/10/02 Rev.: 01 DATE: 13.11.2023			1000		-Tube Plant -	B, B-13, MIDG	Industrial Ar	ea. Baramati - 41°	8433				
Iten (2018), Addendum -1 #2021) Grade: P110, PSL-1, PLAIN END SEAMLESS CASING PIPES Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Fecords Inspection by the procedure Monk list, Acceptance Norm Acceptance Nor	CUSTOME	£	: UNITED DRILLING TOOLS	LIMITED	comments of the man passenger of		OAP No ISMITTE	יייי בשומוומנו - 11.	2133	ĺ			
liten (2018), Addendum -1 po21) Grade: P110, PSL-1, PLAIN END SEAMLESS CASING PIPES tency of Procedure Port Reference Document Procedure Procedure Power Inches Reference Document Procedure	Purchase	Order No.	: 566 Dated: 18.10.2023				CAT NO. 10 MILIO	70073110107	kev: 01	Δ	ATE: 13,11,2023		
Procedure	PRODUCT	DESCRIPTION	: 177.8mm OD x 10.36mm V	VT 29 PPF API 5CT	10th Edition (2018).	Addendum -1 C	024) Grade, 0440	DCI 4 DI AIN TAID					
OSWB-QU-20 API 6CT / Process 1	S. Inspec No stage	tion/ Test	Checks	Type of inspection	Frequency of checks by ISMT	Reference Procedure	Document Work Inst.	Acceptance Norm	Records (Format)	SING PIR			
D0%	Non De Examin	OE)		EMI/UT	100%	i	QSWB-QU-20 /QSWB-QU-57/ BCP-CASING	API 5CT / Process Card / PO	(1)	-	2 ** RW (Min.10%)	2 (400%)	r v
10% Cash C			ALCOHOL: UNKNOWN	Visual	100%	1	QSWB-EFS-04/	-op-	QRB-EFS-02		2		
OSWB-EFS-137 API 5CT / PC QRB-EFS-06 1	Drift Te length)	sting (full	-	Visual	100%	1	OSWB-EFS-08/ BCP-CASING	API 5CT / PC	1	+	T KW (Min.10%) 2 2 → BW (Min.40%)	2	19
0% — QSWB-QU-50/ BCP-CASING API 5CT / PC QRB-QU-12 1 — RW (Min.10%) 0% — -do- -do- -do- -do- -do- -do- -do- -do	Hydros		() Leakage / Holding Time	Review of Records / G-aphs	100%	1	QSWB-EFS-44/ QSWB-EFS-13/ BCP-CASING	API 5CT / PC	QRB-EFS-06	-	2 ** RW (Min.10%)	2 (100%)	
0% — QSWWB-QU-50/ BCP-CASING API 5CT / PC QRB-QU-12 1 — 40- -do- -do- -do- -do- -do- -do- -do- -d		isual & Dimensio	nal Inspection										
0%	Final In		a) Outside Diameter	Dimensional	10%		QSWB-QU-50/ BCP-CASING	API 5CT / PC	QRB-QU-12	-	2 =====================================	2	1
0% - do- -do-			b) Wall Thickness	Dimensional	10%	1.	-op-	-op-	-op	7.7	-do-	(6,001)	,
0%dodododo- 1 -dododo-			c) Length	Measurement	10%	1	ф	-op-	-do-	15	e ė	2 c	
0%			d) Weight	Measurement	10%	1	-op-	-dp-	ф) ģ	3 5	1
30% -do-				Dimensional	10%	1	-op-	-op	-op-		-op-	o op	9
10% -do-				Visual	100%	1	-op-	-op-	-op-		-op	þ	0
30% -do-				Visual	100%	i i	-qo-	-op-	-op-	3.7	-0P-	þ	8
10% -dodo- 1 -do- 1 -do- 1000 PS J PE J D / H.NO. /PIPE NO/LENGTH IN FEET / LENGTH IN METER / PO : 566				Visual	100%	1	QSWB-EFS-20	ф	-op-	y-	ф	òp	,
OSPB-QU-10/ Reports / API 5CT / QFB-QU-14 1 QSWB-QU-104 PO				Visual	100%	1	-op-	op	-op-	-	-op	òp	1
	D Issue c	of Mill Test ate	Confermance to the specified requirements ,Certificate of confermance as per Specification content (Clause 13.3) of API 5 CT & Mill Test Certificate .	Review of Records		1	QSPB-QU-10/ QSWB-QU-104	Stage Inspection Reports / API 5CT / PO	QFB-QU-14	-	i i i	2 (100%)	*
	Marking: I	SMT B/ API 5CT-I	ICENSE NUMBER API MONO	/ MM - YY / OD / P		F/ P- 10000 PS /	PE / D / H.NO. /P	PE NO/LENGTH IN	FEET / LENGT!	I IN ME	TER / PO : 566		

m. P. Hayam

Dy. Chief Engineer (PLG)
Drilling Department
Oil India Limited
Duliajan, Assam

Reviewed Approved by

Page 2 of 3



Prepared by (ISMT) SPM

Tube Plant - B, B-15, MIDC Industrial Area, Baramati - 413133 o. 1566 Dated: 18.10.2023 SIPTION : 177.8mm OD x 10.36mm WT 29 PPF API 5CT 10th Edition (2018), Addendum -1 (2021) Grace: P110, PSL-1, PLAIN END SEAMLESS CASING PIPES Type of Frequency of Reference Document Work Inst. Acceptance Norm (Format) PIM Fitting of Process inspection Tetime of Process inspection Tetime of Final Inspection Tetime of Final Inspection Table reviewed only etime of Final Inspection Table reviewed only	ISMT LIMITED		*)		ISN	ISMT LIMITED	ED						
API 5CT 10th Edition (2018), Addendum -1 (2021) Grace: P110, PSL-1, PLAIN END SEAMLESS CASING PIPES of Frequency of Reference Document Checks by ISMT Procedure Work Inst. Acceptance Norm (Format) P/M Checks by ISMT Procedure Work Inst. Acceptance Norm (Format) P/M Checks by ISMT Procedure Work Inst. Acceptance Norm (Format) P/M Third Iset and dimensions will be as per API 5CT (Latest Edition) Drift test and dimensions will be as per API 5CT (Latest Edition) Third Iset and dimension Sheel P-Perform R - Review of Records Spec - Specification H - Monitor W - Witness by TPIA 1-ISMT H - Hold RW - Review M - Mitness by TPIA 1-ISMT	CUSTOMER	UNITED DRILLING TOOL	CHEMILE	Tube Plant	- B, B-13, MI	DC Industrial A	rea, Baramati -	113133					
Signature of Frequency of Frequ	Irchase Order No.	: 566 Dated: 18.10.2023	0.00			QAP No. ISMT/	B/2023/10/02	Rev: 01	DATE	E: 13.11.2023		I	
Checks Inspection checks by ISMT Procedure Work Inst. Acceptance Norm Records (Format) PIM (Form	RODUCT DESCRIPTION	: 177.8mm OD x 10.36mm	WT 29 PPF API 5C1	10th Edition (2018)), Addendum -1	(2021) Grace: P11(0. PSI -1 PI AIN EN	D SEAMI ESS O	Chica Chica				
ertificate will be reviewed only e time of Process inspection the time of Final Inspection setting the of Final Inspection sition, Mechanical Properties, Hydro Test Pressure, Drift test and dimensions will be as per API 5CT (Latest Edition) sispection release Note after satisfactory inspection TSS: Technical Specification Sheef P-Perform R - Review of Records sertificate Specification - API 5CT H - Hold RW - Random Witness by TPIA H - Hold RW - Random Witness By TPIA	stage	Checks	Type of inspection	Frequency of	Referen	ce Docume-t	Acceptance Norm	Records	ASING PIPES	Inspection by			
e time of Process inspection e time of Process inspection e time of Final Inspection ne time of Final Inspection setting, Mechanical Properties, Hydro Test Pressure, Drift test and dimensions will be as per API 5CT (Latest Edition) sition, Mechanical Properties, Hydro Test Pressure, Drift test and dimensions will be as per API 5CT (Latest Edition) sition, Mechanical Properties, Hydro Test Pressure, Drift test and dimensions will be as per API 5CT (Latest Edition) sition, Mechanical Specification - API 5CT (Latest Edition) sition, Mechanical Mechanical Specification - API 5CT (Latest Edition)	ote:			in or the mineral	riocedure				P/M	Μ	œ	Ξ	
r Fartificate Specification - API 5CT M - Monibr W - Witness by TPIA H - Hold RW - Random Witness by TPIA	** Indicates at the time of the fine of the indicates at the time of Chemical Composition, Mr TPI shall issue inspection in	Process inspection Final Inspection echanical Properties, Hydro Te release Note affer satisfactory	st Pressure, Drift tes inspection	t and dimensions will	be as per API 5	CT (Latest Edition)							
r TSS: Technical Specification Sheet P-Perform R - Review of Records Specification - API 5CT M - Monitor W - Witness by TPIA H - Hold RW - Rendom Witness States	gend:					55							
TILL AG SOUTH AN HOLD IN A AN I	Purchase Order C-Works Test Certificate - Process Card	£ .	TSS: Tecnnical Sp Specification - API	ecification Sheef 5CT	P-Perform M - Monitor H - Hold	R - Review of Re W - Witne∋s by T RW - Rardom W	cords PPIA Thess by TPIA	Spec - Specific 1-ISMT 2-Third party In	ation				

2-Third party Inspecting Agency (TPIA)



Reviewed Approved by

Page 3 of 3



Prepared by (ISMT)

Annexure-III

BID EVALUATION CRITERIA (BEC) / BID REJECTION CRITERIA (BRC)

The bids shall conform to the specifications and terms & conditions given in the Tender. Bids shall be rejected in case the items offered do not conform to the required parameters stipulated in the technical specifications and to the relevant international/national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms & conditions, the following requirements must be particularly met by the bidders, without which the offer shall be considered as non-responsive and rejected:

BID REJECTION CRITERIA (BRC):

Vital criteria for acceptance of bids: -

The following vital conditions should be strictly complied with failing which the bid will be rejected:

A.1 Technical: Bid should conform to the scope of work stipulated in tender documents. Non-conforming bids shall not be considered and may be rejected.

A.2 Commercial:

- A.2.1 Bid complete in all aspects should be submitted digitally signed by the authorised signatory of the bid failing which bid will be rejected.
- A.2.2 Duly filled price format and acceptance to scope of work are to be submitted through OIL'S E-Procurement portal only before the scheduled date and time for the tender closing. The documents are to be digitally signed by the authorized signatory.
- A.2.3 The Priced bid shall contain only the prices duly filled in the price format of OIL's e-procurement engine. Filled in price format should be uploaded in the e-bid by bidders at "Notes and Price bid attachment". The online price field in SRM item data may be left blank. Prices if any filled in the online price field in SRM portal shall not be given any cognizance.
- A.2.4 Offers of following kinds will also be rejected:
- (a) Offers not submitted in e-form through OIL's e-procurement engine.
- (b) Offers which do not confirm unconditional validity of the bid, for 60 days from the date of opening of bid.
- (c) Offers where the prices are not firm and / or with any qualifications.
- (d) Offers which do not conform to OIL's price bid format.
- (e) Offers and all attached documents not digitally signed using digital signatures issued by an acceptable Certifying Authority (CA) as per Indian IT Act 2000 by the person as per power of attorney submitted.

B. Evaluation methodology:

B.1 Price Evaluation criteria: - Evaluation shall be carried out on item wise L1 basis (i.e., each item shall be evaluated separately) and individual Letter of Award (LOAs) shall be issued against each item mentioning individual **Reference Contract No.** as mentioned against each item.

B.2 PURCHASE PREFERENCE TO MICRO AND SMALL ENTERPRISES:

Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. Policy for procurement of goods from Micro and Small Enterprises (MSE) including Amendments is applicable. Bidders are requested to take note of the same and to submit their offers accordingly.

- i) Categorisation and various criteria applicable to MSE bidders shall be guided by the Gazette notification no. CG-DL-E-26062020-220191 dated 26.06.2020 issued by Ministry of Micro, Small and Medium Enterprises.
- ii) The bidder claiming as MSE status (MSE-General, MSE-SC/ST, MSE Woman) against this tender has to submit following documents for availing the benefits applicable to MSEs:
- a). Udyam Registration No. with Udyam Registration certificate

Note: In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ ST entrepreneur/ Woman Entrepreneurs should also be enclosed.

- iii) For availing benefits of Purchase Preference under Public Procurement Policy, the interested MSE Bidders must ensure that they are registered with the appropriate authority for the said service(s). The technical offer of such MSE Bidders must include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the service as per tender. Purchase Preference of 15% (fifteen percent) shall be extended to the eligible MSE Bidder over non-MSE L1 Bidder and PO shall be awarded for full tender quantity on such MSE bidder, subject to matching their quoted rates/costs with non-MSE L1 Bidder.
- B.3. **Payment Terms:** 100% payment will be made only after submission of Inspection report in totality for the lot wise order quantities of OIL's Purchase order on its supplier as per SOW.

C. General

- C.1. Discount: Bidders are advised not to indicate any separate discount. Discount, if any, should be merged with the quoted prices. Discount of any type indicated separately will not be considered for evaluation purpose. However, in the event such offer without considering discount is found to be lowest, Corporation shall avail of such discount at the time of award of contract.
- C.2. Other terms and conditions of the tender shall be as per General conditions of Contract (GCC). However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BEC / BRC) mentioned here contradict the Clauses in the General conditions of Contract (GCC) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

Annexure-IV:

Copies of Orders placed on suppliers



Vendor Code [217100]
M/s. UNITED DRILLING TOOLS LTD.

C-41, Sector-81, Gautam Buddha Nagar NOIDA 201305 Uttar Pradesh PURCHASE ORDER NO: 7400318/IDS PURCHASE ORDER DATE: 04.10,2023

ABOVE PO NO & DATE MUST APPEAR ON ALL DOCUMENTS / CORRESPONDENCE ETC.

Dear Sirs,

Reference:

Amendment no. 1 as per your E-mail dated 19.10.2023 and your quotation Ref. No.: UDT/MKTG/2023-24/644 dated 01.08.2023 vide E-mail dated 29.08.2023 and subsequent E-mail dated 20.09.2023 against OIL's Development Tender No. IDS4080L24 dated 28.07.2023.

With reference to above, we have pleasure in placing with you our FIRM ORDER for supply of the goods noted below. This order will be governed by the general instructions given below and standard terms & conditions as per attached Annexure-I. Changes, additions and deletions thereto including those to the ordered equipment or material shall be authorised solely by an amendment oorder executed in the same manner as this order. Please return the enclosed acknowledgment form duly signed and sealed in token of your acceptance of the order within two (2) weeks from the date of receipt this order.

Item No./ Mat. Code	Material Description	Quantity (UOM)	Unit Rate (Currency)	Total Value (Currency)
V	This order is placed under Integrated Goods and Services Act, 2017(13 of 2017) as the item(s) is/are required for the purpose in respect of which Ministry of Finance, Department of Revenue has allowed supply at IGST @12% vide Notification No. 8/2022-Integrated Tax (Rate) dated 13.07.2022.			
	CASING - API			
10 01011302	7" Premium Threaded Casing(Grade:P110) Casing, API Seamless Steel, Threaded & Coupled, shall conform to API 5CT, with API monogram, in Range - 3 length but maximum length of each joint shall be restricted to 12.19 M (40 Ft.), fitted with pressed steel or Elastomer-cum-metallic (composite) thread protector on both ends.	5000 (M)	9296.30 (INR)	46481500.00 (INR)
	Size : 7" (177.80 mm) OD Weight : 29 lbs/ft (43.16 Kg/m) Group : 3 Grade : P110 Type : 1			
	Connection : Premium Threaded (BOX x PIN) Drift Diameter : Standard Coupling : Regular Color Code : One White band on pipe & entire coupling White.	٨	2	

Item No./ Mat. Code	Material Description	Quantity (UOM)	Unit Rate (Currency)	Total Value (Currency)
<u>20</u> 01011303	Casing Pup Joint, API Seamless Steel, Premium Threaded & Coupled, shall conform to API 5CT, with API monogram, fitted with pressed steel or Elastomer-cum-metallic (composite) thread protector on both ends.	10 (NO)	138301.15 (INR)	1383011.50 (INR)
	Size: 7" (177.80 mm) OD Weight: 29 lbs/ft (43.16 Kg/m) Group: 3 Grade: P110 Connection: Premium Threaded			
	Length : 79" (2000 mm) from box end to pin End.			
3 <u>0</u> 01011304	Tolerance +/- 6" (152 mm) Casing Cross-Over Joint, API Seamless Steel, Premium Threaded & Coupled, shall conform to API 5CT, with API monogram, fitted with pressed steel or Elastomer-cum-metallic (composite) thread protector on both ends.	10 (NO)	106976.54 (INR)	1069765.40 (INR)
-	Size : 7" (177.80 mm) OD Weight : 29 lbs/ft (43.16 Kg/m) Group : 3 Grade : P110 Connection : Premium Threaded Box x Buttress Threaded Pin		-	
	Drift Diameter: Standard Coupling: Regular Color Code: One White band on pipe & entire coupling White. Length: 39" (1000 mm) from box end to pin End.			
	Tolerance +/- 6" (152 mm)			
40 01011305	Casing Cross-Over Joint, API Seamless Steel, Premium Threaded & Coupled, shall conform to API 5CT, with API monogram, fitted with pressed steel or Elastomer-cum-metallic (composite) thread protector on both ends.	10 (NO)	87087.40 (INR)	870874.00 (INR)
	Size : 7" (177.80 mm) OD Weight : 29 lbs/ft (43.16 Kg/m) Group : 3 Grade : P110 Connection : Buttress Threaded Box x Premium			
	Threaded Pin Drift Diameter : Standard Coupling : Regular Color Code : One White band on pipe & entire coupling White.		a de la constantina della cons	

Item No./	Material Description	Quantity	Unit Rate	Total Value
Mat. Code		(UOM)	(Currency)	(Currency)
	Length: 39" (1000 mm) from box end to pin End. Tolerance +/- 6" (152 mm			,
<u>50</u>	Coupling for above API casing, regular shall conform to API 5CT, with API monogram.	20	71801.61	1436032.20
01011306		(NO)	(INR)	(INR)
e e	Casing OD: 7" (177.80 mm) Grade: P110 Connection: Premium Threaded Color Code: White			×

Total Value:

51,241,183.10

Total FOR Despatching Station Value:

51,241,183.10

Total FOR Destination Value:

51,241,183.10

F.O.R. DULIAJAN VALUE, INCLUDING PACKING/ FORWARDING CHARGES, GST @12% AGAINST EC, TRANSIT INSURANCE, TRANSPORTATION & UNLOADING CHARGES

THIS ORDER IS FOR DEVELOPMENT OF NEW SOURCE OF SUPPLY. AFTER SUCCESSFUL EXECUTION OF THE ORDER, IF FELT NECESSARY, OIL MAY PLACE ORDER FOR A LARGER QUANTITY FOR EXTENSIVE TRIAL OF THE PRODUCT.

IN CASE OIL DO NOT PLACE ANY ORDER FOR FURTHER TRIAL AFTER SUCCESSFUL EXECUTION OF THIS ORDER, THE VENDOR SHOULD APPLY AND PURSUE FOR REGISTRATION OF THEIR NAME IN OILS VENDORS LIST.

Order Note(s): A. MANUFACTURING DETAILS:

Suppliers will do the following jobs in respect of the Casing to be supplied by them:

i) Threading of:

Mother/Processed pipe Coupling Stock/blanks

and End finishing jobs.

B. GENERAL NOTES:

The following documents are to be submitted to INDEG dept., Oil India Limited, Duliajan, Assam - 786602:

- i) Original Mill Test Certificate.
- ii) Original Tally Sheet duly sealed and signed by TPI & Manufacturer.
- iii) Original Certificate of Compliance from the Manufacturer
- iv) Warranty/ Guarantee certificate
- v) TPI Declaration Certificate as per PROFORMA-6

C. SPECIAL NOTES:

1.0 Premium threaded end connection shall be any one of the following
a) ATLAS BRADFORD TC-II

et

- b) HSC (High Sealed & Coupled)
- c) HUNTING SEAL LOCK-HC
- d) KAWASAKI PREMIM FOX
- e) NEW VAM or VAM TOP
- f) NIPPON STEEL NSCC-FGL
- g) TENARIS HYDRIL WEDGE 563 OR TENARIS HYDRIL 3SB OR TENARIS HYDRIL MS
- h) HUNTING SEAL LOCK-XD
- i) INTER PIPE UPJ-M
- 2.0 The premium threads specified above shall be cut by licensor / authorized license only. In case the casing manufacturer / Processor / Threader is not the licensor of the quoted premium thread, they should submit the valid Authorization / license issued by licensor in favour of Licensee or cutting the quoted premium threads.
- 3.0 Supplier must submit the technical catalogue/ literature along with the supplied material indicating performance properties, recommended torque charts, operating/running guide and détails of leak resistance of the quoted premium threaded connection.

D. GENERAL NOTES FOR CASING:

1.0 SPECIFICATIONS:

- 1.1 Casings/short nipples/change nipples/ couplings must be manufactured as per API Spec.5CT, latest edition and must bear API monogram. A copy of valid API Spec. 5CT certificate from the manufacturer shall be submitted along with the supplied items.
- 1.2 Casings /short nipples/change nipples/couplings shall be brand new, unused, and of prime quality.
- 1.3 Casing short nipples/change nipples shall be seamless, threaded and fitted with power tightened couplings as per API Spec. 5CT (Latest Edition).
- 1.4 Couplings: Couplings shall be as specified in API Spec.5CT (latest edition) and must be manufactured by API approved mills.
- 1.5 Coating: Coating shall be done as per API Spec. 5CT (latest edition) and adequately oiled to withstand sea voyage.
- 1.6 Pipe Ends: Ends must be prepared as per relevant API specifications including clear triangle mark in case of Buttress thread. Suitable pressed steel thread protectors at both ends as specified in API 5CT (latest edition) shall be used to protect the ends.

Note: Elastomer-cum-Metallic (Composite) thread protectors for pin and box end of the casing should be extra strong, closed end & of Drilltech make or it's suitable equivalent. The protector should be designed in such a way that it covers the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active.

1.7 The various performance properties of the offered product viz. collapse resistance, internal yield pressure, pipe body yield tength & joint strength (these properties should not be less than those stipulated by API, BUL 5C2, latest edition in any case.)

2.0 MILL INSPECTION, TESTING & CERTIFICATION:

2.1 The following tests and inspections shall be carried out as per API Spec. 5CT (latest

g h

Page: 5 / 10

PURCHASE ORDER NO: 7400318/IDS PURCHASE ORDER DATE: 04.10.2023

edition) and results thereof furnished to OIL along with the supply.

- i) Testing of Chemical Composition
- ii) Testing of Mechanical Properties
- iii) Hydrostatic Tests
- iv) Dimensional testing (wall thickness, drift test, length, weight determination and straightness).
 - v) Visual Inspection
 - vi) Non-Destructive Inspection

The manufacturer shall furnish a certificate of compliance stating that the material has been manufactured, sampled, tested and inspected in accordance with API Spec. 5CT (SR-15), latest edition.

2.2 End threading, gauging, thread inspection and certification shall be carried out as per API Std. 5B (latest edition).

3.0 IDENTIFICATION MARKING:

- 3.1 Marking is to be done on each joint strictly as per Appendix `D' of API Spec. 5CT (Latest Edition).
- 3.2 Additionally, `OIL' logo/mark and the purchase order number shall be die stamped or paint stencilled on each joint.
- 3.3 Colour Coding: The colour coding shall be done as per API Spec. 5CT (latest edition). The colour band shall be 50.8 mm (2") wide and shall be encircling the pipe at a distance not greater than 2 ft. from the coupling or box with entire paint on the outside surface of coupling.
- 3.4 For Buttress threaded casing short nipples/change nipples, a 1" wide by 24" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the field end; additionally, a 1" wide by 4" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the mill end.

4.0 THIRD PARTY INSPECTION:

number

- 4.1 OIL shall arrange and bear for Third Party Inspection of the materials at plant as per the broad Scope of Work mentioned herein. Supplier shall extend all necessary facilities to the Third-Party Inspection Agency for smooth conduct of the inspection at its cost.
 - 4.2 Scope of Third Party Inspection:
 - i) APPLICABLE API STANDARD: API 5CT
 - ii) Broad scope of third party inspection to be as under:
 - a) Stage Inspection at random visit basis during manufacturing.
 - b) Kind of inspection: Review of documents, Visual inspection and as per serial
 - iii) Review of documents shall include:
 - a) Manufacturers QA Plan and API qualification certificate.
 - b) General Assembly drawing.
 - c) Production Record.
- d) Raw Materials and Components Certificate and Test Report (Chemical, Physical, Heat Treatment and NDT)
 - e) Product Inspection report.
 - f) Performance verification test Records as per API 5CT.



Page: 6 / 10

PURCHASE ORDER NO: 7400318/IDS PURCHASE ORDER DATE: 04.10.2023

- iv) Visual inspection shall include:
 - a) Overall Visual and Dimensional Inspection.
 - b) Verify the material and components are brand new and recently manufactured.
 - c) Verify that the item is in accordance with the PO specification.
- d) Witness final testing / performance testing as per API 5CT certification and submission of the records.
 - 4.3 Inspection by the third party shall also include the following:
 - i. Material identification
 - ii. Audit and endorsement of all chemical analysis and physical
 - iii. Test reports.
 - iv. Witness dimensional checks
 - v. Witness mechanical test
 - vi. Witness NDT
 - vii. Visual inspection for imperfections
 - viii. Longitudinal defect identification
 - ix. Transverse defects identification
 - x. Wall thickness measurement
 - xi. Grade comparison
 - xii. Joint inspection
 - xiii. End area defect identification
 - xiv. Thread inspection
 - xv. Coating
 - xvi. Issue of certificates
 - 4.4 Broad scope of Third- Party Inspection:
 - a. Manufacturer QAP for Third Party Inspection to be submitted by the bidder.
- b. Supplier shall convey to OIL the production schedule within 02(two) weeks from the date of receipt of Purchase order so that OIL can deploy the TPI agency to carry out inspection at bidder's/manufacturer's premises accordingly. Additionally, Supplier shall send a notice in writing/e-mail to OIL at least 15 days in advance specifying the exact schedule and place of inspection (TPI) as per the Purchase Order and OIL upon receipt of such notice shall notify to the supplier the date and time when the materials would be inspected by any of OIL nominated TPI Agency viz. LRQA (Formerly Lloyds), Bureau Veritas, RITES, IRCLASS and DNV-GL.
- c. The supplier shall provide, without any extra charge to OIL, all materials, tools, labour and assistance of every kind which the OIL nominated TPI Agency may demand for any test or examination required at supplier's premises. The supplier shall also provide and deliver sample from the material under inspection, free of charge, at any such place other than their premises as the TPI Agency may specify for acceptance tests for which the supplier does not have the facilities for such tests at their premises. In the event of testing outside owing to lack of test facility at supplier's premises, the supplier shall bear cost of such test, if any.
- d. The supplier shall not be entitled to object on any ground whatsoever to the method of testing adopted by the OIL nominated TPI Agency.
- e. Unless otherwise provided for in the Purchase Order, the quantity of materials expended in test will be borne by supplier.
- f. The decision of the Third Party Inspection Agency nominated by OIL regarding acceptance/rejection of material shall be final and binding on the supplier.

eh

- g. Upon successful completion of the TPI and acceptance of the TPI reports by OIL, Bidder/Supplier shall be intimated by OIL for dispatch of the materials. **The materials should be despatched only after receipt of dispatch clearance from OIL**.
- h. Acceptance of the TPI reports and receipt of dispatch intimation from OIL do not absolve the supplier from any warranty obligations or waive the supplier from OIL's right for rejection of the materials after receipt at site.
- i. Notwithstanding clauses contained herein above, in the event the materials under inspection fails to conform to Purchase order specification and are rejected by OIL nominated Third Party Inspection agency, OIL may recover all cost incurred for re-inspection of the materials from the supplier.

E. ORDER NOTES

- 1.0 Goods, materials to be supplied shall be new, of recent make, of the best quality & workmanship and shall be guaranteed by you for a period of 12 months from the date of despatch/shipment against defects arising from faulty materials, workmanship or design. This guarantee shall survive and hold good not-withstanding inspection, payment for and acceptance of the goods.
- 2.0 Quantity Tolerance: Supplier note that, in the event of order, quantity tolerance of +0%/-2% of order quantity will be applicable.
- 3.0 **Tax Collected at Source (TCS)** applicable under the Income-Tax Law and charged by you shall also be payable by OIL along with consideration for procurement of goods. If TCS is collected by you, a TCS certificate in prescribed Form shall be issued by you to OIL within the statutory time limit.

Payment towards applicable TCS u/s 206C (1H) of Income Tax Act, 1961 will be made to you provided you are claiming it in your invoice and on submission of following undertaking along with the invoice stating that:

- a. TCS is applicable on supply of goods invoiced to OIL as turnover of the supplier in previous year was more than Rs. 10 Cr. and
- b. Total supply of goods to OIL in FY 2021-2022 exceeds Rs. 50 Lakh and
- c. TCS as charged in the invoice has already been deposited (duly indicating the details such as challan No. and date) or would be deposited with Exchequer on or before the due date and
- d. TCS certificate as provided in the Income Tax Act will be issued to OIL in time.

The above payment condition is applicable only for release of TCS amount charged by supplier u/s 206C (1H) of Income Tax Act, 1961.

- 4.0 Requisite Indigenous Supplies Certificate (Essentiality Certificate) shall be applied against this order after receipt of your Invoice/ Proforma Invoice at least one month before the scheduled despatch. Please refer the IGST clause for details. You are requested not to despatch the ordered materials without receiving the digitally signed Essentiality Certificate issued by DGH, failing which liabilities, if any, shall be to your account.
- 5.0 **Liquidated Damages** are not applicable for development order for delay in delivery. However, OIL reserves the right to cancel the order if delivery is delayed beyond 06 (six) months from the due date of delivery.
- 6.0 Payment Term: 50% payment will be made after receipt of ordered material at user

material at 1

Page: 8 / 10

PURCHASE ORDER NO: 7400318/IDS PURCHASE ORDER DATE: 04.10.2023

department after satisfactory inspection and balance 50% will be made against the satisfactory performance certificate issued by OIL after field trial testing.

- 7.0 A development order shall be considered as executed and Head of INDEG shall consider the respective vendor as developed / proven source only after satisfactory inspection and field trial testing and issuance of a certificate.
- 8.0 Successful development and or supply to OIL thereof does not guarantee the vendor any assured order(s) from OIL.

9.0 GST no. of Oil India Limited, Duliajan: 18AAACO2352C1ZW

Terms:

F.O.R Duliajan - Destination basis

Delivery Instruction (Refer Annexure-I)

To be delivered within 08.04.2024

Despatch Instruction (Refer Annexure-I):

[A] Goods may be despatched preferably through OIL's approved transporter on "freight & insurance paid" basis consigned to GM-Materials (For GM - INDEG(HoD)), Oil India Limited, Duliajan, Assam, Pin - 786602.

M/s. Western Carriers (India) Ltd.,
Address:- 206 Central Plaza,216 Sarat Bose Road, Kolkata 700020.
Contact: (033) 24858519/20, e-mail ID: klbaid@westcong.com,
Krishna@westcong.com, Contact Person: K. L. Baid (Executive Director),
Krishna Mishra (Manager Operations), Mobile No.: 0983127 5659, 09903
082551, Fax: (033) 24858525.

- [B] Considering the safety aspect in unloading of tubulars (casing, tubing, line pipe), following shall be the scope of unloading at destination (Duliajan).
- (I) For the cases where Tubular Consignment is received at Destination (Duliajan) through Rail: Unloading of Tubular from Railway Wagaons at Destination (Duliajan) shall be completely in OIL's scope.
- (II) For the cases where Tubular Consignment is Received at Destination (Duliajan) through Road: Supplier shall depute unloading Crew at Destination (Duliajan) with necessary safety gears i.e. helmet, safety boots, hand gloves etc. at unloading point. OIL shall provide Crane for unloading of tubulars. It will be responsibility of the Crew deputed by the supplier to fasten/fix Crane's hook sling to bundles on the loaded vehicle. Once the hook sling is securely fastened complying to the safety instructions, OIL's Crane shall the lift and unload tubulars from the vehicle. Following points are to be noted and complied in this connection:
- (a) Supplier to ensure that height of the loaded tubulars is below the cabin height of the vehicle for safe off-loading.
- (b) Supplier to ensure that tubular bundles are securely fastened by very strong material to withstand the rigors of road transportation and capable of lifting by Crane. In the case tubular bundles are found loosened and/or tubulars found completely resting on the side support/bales of vehicle in way that it may free fall upon unshackling, OIL will not unload such vehicle

J.h

due to safety reasons.

[C] OIL reserves the right to divert any truck / trailer originally booked for a particular destination to nearby areas within a distance of 50 km from Duliajan.

No. of Despatches:

Restricted to Single lot

TIN No.

Oil India Limited Duliajan's TIN no. is GST 18620023278

Duties & Taxes (Refer Annexure-I):

GST: Applicable @12%. To avail concessional GST @12%, you need to furnish the invoice to OIL before one month of the despatch for obtaining essentiality certificate from DGH.

Bill Submission:

Being statutory requirement, while submitting your bill(s) / invoices against the order please provide the following information to facilitate payment:-

- i) Your Permanent Account Number (PAN) alloted by the Income tax authorities. In the event PAN not yet alloted to you, please enclose copy of application made by you for PAN allotment.
- ii) Name and address of your banker indicating your bank Account Number.
- iii) Your AGST Registration Number (wherever applicable).
- iv) Service tax Registration Number (wherever applicable).
- v) PF Code Number (wherever applicable).
- vi) VAT Registration Number.

Documentation:

It is very important requirment and the same as stipulated in relevant para of Annexure-I must be strictly complied with.

Transit Insurance (Refer Annexure-I): Transit Insurance will be arranged and paid for by you.

gh

Performance Security (Refer Annexure-I):

Not applicable

Payment Term :

As mentioned in note:

Any terms and conditions which have been mentioned by you in the quotation but have not been incorporated in this purchase order will not be applicable. the order, please make sure you register to the vendor portal to utilize the electronic invoicing service.

Update from OIL:

In order to have better visibility and tracking of your invoices against the order, please make sure you register to the vendor portal to utilize the electronic invoicing service.

Yours faithfully, OIL INDIA LIMITED

Binita Deka Borah General Manager - INDEG (HoD)

For Resident Chief Executive

Annexure - V

SPECIAL CONDITIONS OF CONTRACT (SCC)

1. Experience of TPI Personnel:

The TPI Agency shall only depute their personnel who have minimum 1 (one) year working experience (or) who have carried out minimum 2 (Two) Inspection jobs of similar items which covers most of the applicable standards and processes to be adopted for similar items as per scope & specification of Purchase order (PO). An undertaking in this regard shall be submitted by the TPI agency while submission of their technical bids. OIL may on its own discretion verify the credentials of TPI personnel during any stage of inspection.

2. Quality of inspection Services:

The TPI agency shall be responsible to ensure complete quality of inspection services to be executed. All services shall be of the respective quality/kinds described in the contract / PO documents and/or in accordance with the instructions of OIL from time to time. If quality of any part of work is proved inferior to the acceptable quality, during execution or after completion of work, it shall be treated as TPI agency's failure in its obligations and accordingly action shall be taken as per termination clause mentioned in Tender. Moreover, all the payments and performance security shall be forfeited and TPI agency shall be barred to participate in any TPI empanelment from OIL's future and/or existing projects.

3. TPI Agency's Personnel:

3.1 TPI Agency shall ensure that it shall deploy adequate number of qualified personnel for providing inspection services as required by OIL for timely performance of services. An organization chart of the TPI Agency's key personnel shall be submitted. No person deployed for OIL's work shall be replaced without written permission of OIL. In case of misbehavior, proven incompetence or gross negligence, OIL shall require the replacement of the personnel deployed for assignment. These personnel shall be replaced with a competent person by the TPI agency immediately after taking approval from OIL. OIL also has the right to ask for replacement of TPI agency's personnel without assigning any reason. Agency shall also arrange and provide their personnel safety equipment's like helmet, goggles, safety dress, safety shoes, etc., at their own cost for protection of their personnel wherever required.

4. Mobilisation Period:

- 4.1 Contractor shall be required to mobilize their personnel for commencement of services at the specified site within a maximum of 7 (seven) days from the date of **first intimation of mobilization** from OIL for inspection after placement of Letter of Award (LOA).
- 4.2 Subsequently, TPI Agency shall depute its Inspectors at the location specified in notification by OIL within 7 (Seven) days of written intimation.
- 4.3 The TPI agency should mobilize/demobilize their TPI inspector(s) as per the approved "Work plan".

5. Third Party Inspection Agency's Deliverables:

5.1 **Reports:**

The different categories of reports covering the entire scope of work/ inspection indicating Imperfections, Non-Conformities etc. along with photographs and statistics in both electronic and hard (print) copy are to be generated by agency are;

- Material inspection reports and relevant certificates,
- Relevant final certificates,
- Job completion report with all supportive documents.

5.2 **Documentation & Data Management:**

- All reports shall carry a unique identification number and table of contents. To enhance authenticity, all the hard (print) copies shall be duly signed & stamped by the TPI agency Inspector/Nodal Representative. Electronic copies of the reports in editable (native files) formats shall be forwarded to OIL.
- 01 hard (print) copy of report shall be submitted to OIL's supplier for removal of defects/nonconformity before completion and for his record.
- 03 copies of the same report shall be submitted to OIL.
- A Register of visit by TPI agency shall be maintained from time to time, in which date
 wise visits along with Inspection activities carried out by agency's Inspectors and their
 remarks if any shall be maintained clearly.

6. Completion Schedule:

The completion period of TPI contract shall be within delivery period of respective orders from the date of issue of Letter of Award (LOA). The Contract shall be effective from the date of LOA. The TPI inspection shall be carried out concurrently within the Delivery period specified in the PO.

However, OIL reserve its right for the extension of contract for further period till actual completion of the work on same quoted rate/price and terms and conditions and shall be binding on the TPI agency.

7. Terms and Mode of Payment:

- 7.1 TPI agency shall raise the Invoice of Inspection charges after completion of TPI, giving all the relevant information.
- 7.2 Payment as per the contract shall be made on receipt of invoice complete in all respects along with submission of TPI documents. The invoices should indicate the GST registration number of Contractor.
- 7.3 OIL shall verify the invoice and make the payment as per terms and conditions agreed in Contract.
- 7.4 Payment shall be made only for the actual Inspection services/work carried out, duly certified by OIL. The decision of "OIL" regarding this shall be final and binding to the TPI agency.
- 7.5 The following documents which TPI agency need to furnish additionally wherever applicable while claiming the payments are:
 - I. Job completion reports.
 - II. List of items inspected.
 - III. Any other document required but not specified but required.

- 7.6 Final bill along with 'No Claim certificate' shall be submitted within 30 days of completion of contract period.
- 7.7 In case of dispute concerning the invoice(s), OIL shall return said invoice(S) to the TPI agency within 14 days from its/their receipt specifying in writing the reasons for rejection.
- 7.8 The agency shall send its claim for payment in writing as per "Proforma for Bill for Payments", when contractually due, along with relevant documents etc., duly signed & stamped with date, while claiming payment, the agency is also to certify in the bill that the payment being claimed is strictly in terms of the contract awarded.
- 7.9 All Bills along with relevant supporting documents shall be submitted in triplicate addressed to GM-INDEG, INDEG Department, Oil India Limited, Duliajan, Assam 786602. The TPI agency should submit the invoice in sealed envelopes superscripting the following:
 - a. LOA/Contract No.:
 - b. Vendor Name & No.:
 - c. Invoice No. & Date:
 - d. Reference contract no. (as mentioned in Annexure-II):
 - e. Email Id of the vendor / Supplier:
- 7.10 The invoices should contain the following particulars as per Rule 4A of GST Rules:
 - a. The Name, address & registration number of service provider (Contractor)
 - b. The Name and address of the service receiver (OIL, Duliajan)
 - c. Description, classification and value of taxable service and
 - d. GST amount (GST and applicable cess, etc., separately)

Payment shall be made within 30 (thirty) calendar days from the date of receipt of invoice complete in all aspects at the above office.

The original invoice should also accompany the following documents/details:

(I) ALONG WITH INVOICE:

Following documents /details should be invariably furnished along invoice:

- a) Invoice (i.e. Tax invoice as per relevant GST rules, in original and duplicate, clearly indicating GST registration number, Service Classification, Rate and amount of GST shown separately).
- b) Details of statutory payments like EPF and ESI / medical and workmen compensation insurance of previous month. (For applicability of EPF & ESI please refer clause below)
- c) Undertaking by the Contractor regarding compliance of all statutes.
- d) Certificate by the Contractor starting that Inspectors have been paid not less than Minimum Wage as per contract conditions, (As applicable)
- e) Any other document specifically mentioned in the Contract or supporting documents in respect of other claims (if any), permissible under the Contract.
- f) Copy of valid registration certificate under the GST Rules/Act.
- g) Particulars required for making payments through 'Electronic Payment Mechanism', in accordance with the clause on 'MODE OF PAYMENT' appearing in contract.

- h)Copy of EPF Registration & ESI Registration/ medical and workmen compensation Insurance.
- i) Mobile No. (Optional) & E-mail ID.

8. **EPF:**

a. Contractor falling under the purview of EPF Act/Rules at the time submission of Bid:

(Please refer GENERAL CONDITIONS OF CONTRACT (GCC) Contractor should either submit valid EPF Code no. (along with supporting documentary evidence thereof attested by notary public) or submit an undertaking to produce the same subsequent to award of contract within 30 days of issue of LOA and before the signing of the contract , failing which his EMD/ SD shall stand forfeited and contract be cancelled.

- b. Contractor not falling under the purview of EPF Act/ Rules at the time of submission of Bid:
 - I. Contractor should submit an undertaking that at present they are not covered under the EPF Act/Rules, supported by a certificate from a Chartered Accountant towards this effect and should submit the same along with the techno commercial offer, failing which his offer will be rejected.
 - ii. The Contractor further has to give an undertaking that they shall obtain and produce the EPF code No. within 30 days from the date on which they fall under the provision of EPF Act/ Rules, during the currency of the contract period, failing which his EMD/SD shall stand forfeited and contract be cancelled.

9. Delay in the TPI Agency's Performance:

- 9.1 The time and the date specified in the contract shall be deemed to be the essence of the contract and the agency shall perform the Inspection services under the contract within the time schedule specified by OIL.
- 9.2 Any delay attributable to the agency in maintaining its contractual obligations towards inspection and performance of services shall render the agency liable to any or all of the following sanctions besides any administrative action:
 - a) Imposition of liquidated damages.
 - b) Forfeiture of its performance security and
 - c) Termination of the contract for default.

10. Delay in Mobilization and Liquidated Damages:

If the TPI agency fails to commence any or all of the inspection services within the time frames(s) incorporated in the contract, OIL shall, without prejudice to other rights and remedies available to OIL under the contract, impose the following penalties.

- a. TPI agency shall mobilize and deploy the required resources like provisions, personnel, equipment's, etc., so as to commence the services at Vendor's works or the location on specified date mentioned in inspection call letters.
- b. If the TPI agency fails to mobilize and deploy the required resources and /or fails to commence the services within the period specified in sub clause (a) above, OIL shall

- have, without prejudice to any other right or remedy in law or contract including sub clause(c) below, the right to terminate the contract.
- c. If the TPI agency is unable to mobilize/deploy the required resources and commence the services within the period specified in sub clause (a) above, it may request OIL for extension of the time with unconditionally agreeing for levy and recovery of LD. Upon receipt of such a request, OIL may at its discretion, extend the period of mobilization and shall recover from the contractor, as an ascertained and agreed Liquidated Damages, a sum equivalent to 0.5 % of the respective work over value, for each week of delay or part thereof, subject to a minimum of 7.5 % of the contract value.
- d. LD will be calculated on the basis of contract value excluding duties and taxes, where such duties/taxes have been shown separately in the contract.

 The parties agree that the sum specified above is not a penalty but a genuine preestimate of the loss /damage which will be suffered by OIL on account of delay on the part of the Contractor and the sad amount will be payable without proof of actual loss of damage caused by such delay.

11. Termination for Default:

- 11.1 OIL, without prejudice to any other contractual rights and remedies available to it (OIL), may be written notice of default sent to the agency, terminate the contract in whole or in part, if the agency fails to deliver any contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by OIL in following circumstances.
 - a. Failure to undertake services / work as per scope.
 - b. Lapses in providing the services in accordance with contract or failure to provide services to the satisfaction of the OIL.
 - c. Delay in providing services for reasons solely attributable to the TPI agency.
 - d. Failure to provide agreed personnel for the assignment.
 - e. Unapproved substitution of any personnel on the assignment.
 - f. Failure to meet standards and to follow Good Industry Practices.
 - g. Non-observation of safety rules/statutory requirements, misbehavior/ misconduct by TPI agency or Sub-contractors.
 - h. Service breach of any obligations under contract by TPI agency or Sub-contractors.
- 11.2 In the events of OIL terminates the contract in whole or in part, OIL shall pay to TPI agency only such portion of services which have been satisfactorily completed by the agency and approved by OIL prior to the termination subject to the right of OIL to deduct any amount due/recoverable from the agency under provision of the contract.

Acceptance of Scope of Work

We, M/s	hereby certify that we accept the Scope of Work for
Third party inspection as given at	Annexure-I of the tender as well as the terms and
condition of the tender uncondition	nally.
	·
Authorized Signatory of	
The bidder	
Place	
Data	
Date	
