OIL INDIA LIMITED

(A GOVT. OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT, DULIAJAN
DISTRICT: DIBRUGARH (ASSAM), PIN-786602

TEL: (91) 374-2800548, FAX: (91) 374-2803549

E-mail ID: contracts@oilindia.in Website: www.oil-india.com

AMENDMENT NO. 3 DATED 14.10.2020 TO IFB NO. CDH5053P21 FOR 'CHARTER HIRE OF 5 (FIVE) NOS. EFFLUENT TREATMENT PLANTS (ETP) AND MANAGEMENT SERVICE FOR ON-SHORE DRILLING OPERATION'.

This Amendment to Tender No. CDH5053P21 is issued to notify the following:

1) Bid Closing date & Technical Bid Opening date stands amended as below:

(i) Bid Closing date & Time: : 22ND OCTOBER 2020

[11:00 Hrs (IST)]

(ii) Technical Bid Opening date &: 22ND OCTOBER 2020

Time: [14:00 Hrs (IST)]

2) Annexure-VII of the original tender stands replaced with Revised Annexure-VII enclosed herewith.

Please note that, there will no further extension of the Bid Closing date and further pre-bid queries shall not be entertained.

All other Terms and Conditions of the Tender/Bid Document (Considering all previous Amendments/Addendums, if any) will remain unchanged.

Sd/(B. Brahma)
Sr. Manager – Contracts (G)
For Chief General Manager – Contracts

REVISED ANNEXURE-VII

DECLARATION BY BIDDER REGARDING CONCURRENT COMMITMENT

I/We _			age	son of	do hereby
solemn	nly affirm and o	declare as follo	ows for a	nd on behalf of the	Firm:
LIST (OF EXISTING CO	OMMITMENT A	ND ONGC	DING WORKS	
Sr. No.	Name of Works	Client Name & Address	Work Order Value (INR)	Work executed till date of submission of bid (INR)	which may fall for
1	2	3	4	5	6
	Balance commitments in 12 months from the date of expiry of the bid validity				(INR)
	It is certified that the above particulars furnished are true and correct. If any information given is found to be misleading at a later date OIL will have the authority to take necessary action as per provision of the Contract and as per laid down procedure of the Company (OIL).				
SIGN A	AND STAMP OF I	BIDDER (AUTH	ORISED S	IGNATORY HAVING	G POWER OF ATTORNEY)

Note: Accuracy level of balance commitments as per total of column 6 above should be within +/- $10\%\,$