

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**P.O. Duliajan, Pin – 786602**  
**Dist-Dibrugarh, Assam**

**CORRIGENDUM NO. 1 DATED 29.02.2016 TO E-TENDER NO. CDI0033P16**

**RENOVATION OF CONFERENCE HALL ( GEOPHYSICS DEPARTMENT)**

This Corrigendum is issued to notify the following:

**A)**

1. **For Part II (SOQ):** Description of Services for Item no. 160 to be read as: “**OVERHEAD PROJECTION AND SCREEN**”.
2. **For Part-III ( SCC ):** The following should be read as :

a) “ **Line Item no. 100 – Aluminium Partition with Swing Door** : Aluminium frame of minimum thickness 1.5 mm- 2 mm with vertical and intermediate section and fixed up to false ceiling level ( Size: 2.7 mtr) and fitted with 5-6 mm thick designed etched glass.

Fixing aluminium work for windows and partitions with extruded built up standard tubular sections /appropriate Z sections and other sections of approved make conforming fixed with raw plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, aluminium snap beading for glazing/ panelling, C.P. brass / stainless steel screws, all complete as directed by OIL official. (Glazing and panelling to be paid for separately).

: For fixed portion Polyester powder coated aluminium

: For shutters of doors & windows fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required.”

b) “ **Line Item no. 110 - Aluminium framing with clear glass of Windows** : Aluminium frame of minimum thickness 1.5 mm- 2 mm with vertical and intermediate section and fitted with 4-6 mm thick clear glass.”

c) “ **Line Item no. 160- OVERHEAD PROJECTION AND SCREEN:** Providing installation and commissioning 2 nos. of ceiling mounted projector with proper clamp .

**Specification of Projectors:**

- i) Make: NEC/PANASONIC/TOSHIBA/EPSON/SANYO/3M or equivalent
- ii) Brightness: Minimum 3000 lm
- iii) Resolution: WXGA or better
- iv) Lens: Zoom and Focus
- v) Keystone Correction:
  - Automatic Keystone correction:  $\pm 15^\circ$
  - Horizontal Keystone correction:  $\pm 15^\circ$
- vi) Interfaces:
  - Input for 2 Computers,
  - 1 Component Video, 1 Composite video,
  - 1 S-Video, 1 RJ45 for Wired LAN

- 1 USB for PC Less Presentation
- HDMI for digital Input
- vii) Remote: Full function remote
- viii) Weight: Not more than 4 kg
- ix) Software: Preloaded for wireless and PC less presentation.
- x) Carrying Case: OEM Carrying Case to be provided.
- xi) Power: 230 V ± 10% AC (As per Indian standard).

**Accessories:**

- i) Cordless Presenter - 2no.
- ii) Laser Pointer (Professional) - steady, pen shaped conforming to Class 1 standards - 4 Nos.
- iii) Extended VGA Cable of 10 m length for connectivity between Projector and Notebook - 3 Nos.
- iv) Extended HDMI Cable of 10 m length for connectivity between Projector and Notebook - 3 Nos.
- v) Complete with interface cable, video cable, S-Video cable, power cable and all accessories for projector.
- vi) All other standard accessories and user manuals to be supplied along with the projectors.

**Projectors Screen:** 2Nos. Ceiling mounted motorized screen with display surface of 80" diagonal with light proof back on reverse of the screen surface for image enhancement with remote.

**Note:**

- i) Both the projectors should have provision for simultaneous projection from single source.
- ii) Internal cabling for the power, HDMI Cable, SVGA cable etc from the conference table to projector to be provided."

**d) " Line Item no. 170 – A/C ( 1.5 Tr. Capacity) :**

- i) 5 nos. AC: 1.5 Ton split AC. Piling (including condenser /evaporator) made of copper. BEE rating -5 star. Power source 230 V ± 10% AC (As per Indian standard). Make: Voltas/LG/Samsung/Haier.

**INTERNAL ELECTRIFICATION:**

Supplying and fixing of internal electrical system of the entire conference room including all accessories and labour, to be complete as per requirement as detailed below.

**Note:**

- i) OIL will provide electricity at single point up-to outside the conference hall within 10mtrs. Contractor has to arrange for electrification from the designated electrical point provided by OIL.
- ii) All electrical drawing power scheme, cable layout and supports, detail conduit layout plan,SB/Socket position, detail position of light/AC, detailed wiring scheme with labelling of all items is to be prepared by the supplier and submitted to OIL for comments, amendments and approval prior to start of the work.
- iii) 10% spares for the items like CFL lamp, Ballast and Modular Switch are to be provided for future maintenance."

**B) Bid Closing / Opening Date & Time extended up to 22/03/2016 (11:00 Hrs / 14:00 Hrs IST)**

**Except for above, there are no other changes in the original NIT published earlier. Prospective bidders are requested to take note of these changes.**

---

Sd/  
HEAD-CONTRACTS  
For RESIDENT CHIEF EXECUTIVE