



OIL INDIA LIMITED
(A Government of India Enterprise)
P.O. Duliajan - 786602, Assam, India
FAX: 91-0374-2800533; E-mail : material@oilindia.in

CORRIGENDUM

THE TECHNICAL SPECIFICATION VIDE ANNEXURE – 1A AND THE BEC BRC CLAUSE VIDE ANNEXURE CCC OF E –TENDER NO SDI5583P15 DATED 04.12.2014 FOR 06 NOS ACOUSTIC ENCLOSURE NOS HAS BEEN REPLACED BY AMENDMENT NO. 1 DATED 20.03.2015 TO ANNEXURE - 1A AND AMENDMENT NO. 1 DATED 20.03.2015 TO ANNEXURE - CCC. BIDDERS ARE REQUESTED TO QUOTE AS PER DOCUMENT AMENDMENT NO. 1 DATED 20.03.2015 TO ANNEXURE - 1A AND ANNEXURE - CCC ONLY.

ALSO BID CLOSING DATE OF E –TENDER NO SDI5583P15 DATED 04.12.2014 HAS BEEN EXTENDED UPTO 16.04.2015 (UPTO 11.00 HRS). APPLICATION FOR ISSUE OF USER ID AND PASSWORD WILL BE ACCEPTED UPTO 09.04.2015 (UPTO 15.30 HRS) & BIDS SHALL BE OPENED ON 16.04.2015 (AT 14.00 HRS).

Note : All other terms and conditions of the press E- tender shall remain unchanged.

Amendment No 1 dated 20.03.2015 to ANNEXURE-CCC

NOTE: Document No. Amendment No 1 dated 20.03.2015 to ANNEXURE-CCC shall supersede the previous document ANNEXURE-CCC. Bidders are requested to quote as per document Amendment No 1 dated 20.03.2015 to ANNEXURE-CCC only.

Tender No & Date: SDI5583P15 DT: 04.12.2014

BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	Complied / Not Complied. (Remarks if any)
<p>1.0 BID REJECTION CRITERIA (BRC):</p> <p>The bid shall conform generally to the terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p>A) TECHNICAL:</p> <p>1) Bidder must have the experience of successful execution of one single order consisting of minimum 2 no of acoustic canopy for 1000 KVA Diesel generator or higher capacity in Govt Organisation/PSU/Public Limited/MNC, during last 5(five) years before the bid closing date of this enquiry. Documentary evidence in the form of Purchase order, Tax Invoice/ commissioning report towards successful execution of above must be provided along with the offer. <u>(Amended)</u></p> <p>B) COMMERCIAL:</p> <p>i). Validity of the bid shall be minimum 120 days from the Bid Closing Date.</p> <p>ii). Bid security: The bid must be accompanied by Bid Security of Rs 2,03,000.00 in OIL's prescribed format as Bank Guarantee or a Bank Draft/Cashier cheque in favour of OIL. The Bid Security may be submitted manually in sealed</p>	

envelope superscribed with Tender no. and Bid Closing date to Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. **The Bank Guarantee towards Bid Security shall be valid for 10 months from Bid closing date. (i.e. upto 16.02.2016). (Amended)**

Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.

If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.

For exemption for submission of Bid Security, please refer Clause No. 8.8 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.

The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.

In case of extension of Bid Closing date against the tender where a bidder has already submitted his bid with requisite bid security validity within the original B.C. Date, such bidders will extend validity of bid security covering the extended period of the bid closing date.

- iii). Bids are invited under “Single Stage Two Bid System”. Bidders have to submit both the “Techno-commercial Unpriced Bids” and “Priced Bids” through electronic form in the OIL’s e-Tender portal within the bid Closing date and time stipulated in the e-tender. The Techno-commercial Unpriced bid is to be submitted as per scope of works and Technical specification of the tender and the priced bid as per the online Commercial bid format. For details of submission procedure, please refer relevant para of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. Any offer not complying with the above shall be rejected straightway.
- iv). Performance Security:
- a) The successful Bidder will have to provide 1st Performance Security @ 10% of total cost of Equipment + Installation & Commissioning + Training. The Performance Security must be valid for one year from the date of successful commissioning of the equipment or 18 months from the date of despatch whichever is earlier.

The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.

For exemption for submission of Performance Security, please refer Clause No. 9.12 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.

- v). *The Bank Guarantee should be allowed to be encashed at all branches within India.*
- vi). The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.
- vii). Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.
- viii). All the Bids must be Digitally Signed using “Class 3” digital certificate with Organisation’s name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3 with Organisation’s Name” digital certificate, will be rejected.
- ix). Technical RFx Response folder is meant for Technical bid only. Therefore, No price should be given in Technical RFx Response folder, otherwise the offer will be rejected.
- x). Price should be maintained in the “online price schedule” only. The price submitted other than the “online price schedule” shall not be considered.

xi). Integrity Pact :

OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide **Annexure DDD** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL’s competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. **Any bid not accompanied by Integrity Pact Proforma duly signed (digitally) by the bidder shall be rejected straightway.** Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder’s authorized signatory who sign the Bid.

2.0 BID EVALUATION CRITERIA (BEC)

The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below.

A) TECHNICAL:

i) For evaluation of bids cost of all items shall be considered together.

B) COMMERCIAL:

i). To evaluate the inter-se-ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Govt. of Assam guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.

ii) Priced bids of only those bidders will be opened whose offers are found technically acceptable. The technically acceptable bidders will be informed before opening of the "priced bid".

iii). To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

-----XXXX-----

NOTE: Document No. Amendment No 1 dated 20.03.2015 to ANNEXURE-IA shall supersede the previous document ANNEXURE-IA. Bidders are requested to quote as per document Amendment No 1 dated 20.03.2015 to ANNEXURE-IA only.

	Complied / Not Complied. (Remarks if any)
<p><u>ITEM NO. 10.</u></p> <p><u>SUPPLY AND INSTALLATION OF ACOUSTIC ENCLOSURE – QTY - 06 NOS</u></p> <p>Supply and installation of 6 no acoustic enclosure in the existing skid having dimensions 7250mm(L)X 2400mm(W)X505mm(H).Small modification of the existing skid for installation of the offered enclosure is permitted with dimension not exceeding 7500mm(L)X 3000mm(W)X3000mm. The height of the acoustic enclosure including the base .frame shall not exceed 3000mm.The acoustic (sound attenuated and weather protective) enclosure shall be designed and manufactured conforming to latest CPCB norms on noise limits under Environment Protection Act 1986. Radiator Dimensions:-H:-2200MM;W:-2100MM;T:-590MM (Amended)</p> <p>The specifications of the acoustic enclosure are:-</p> <p>a) The acoustic enclosure shall be designed and manufactured conforming to relevant standards suitable for outdoor installation exposed to weather conditions, and to limit overall noise to meet the latest CPCB norms under free field conditions. (Environment Protection Act 1986). The noise level at the source is 109dB(A).Each acoustic canopy has to be certified at site of meeting CPCB norms on noise for DG sets of above 800 kw by MOEF approved third party.(Amended)</p> <p>b) The construction shall be such that it prevents entry of rain water splashing into the enclosure and allow free& quick flow of rain water to the ground in the event of heavy rain.</p> <p>c) The enclosure will be fabricated out of not less than 2 mm thick on the outside cover and not less than 1mm thick perforated powder coated CRCA sheet.</p> <p>d) The hinged doors shall be made out of not less than 2 mm thick CRCA sheet and will be made air tight with neoprene rubber gasket and heavy duty locks. The hinges, door handles and bolts and nuts shall be of stainless steel.</p> <p>e) The enclosure /canopy shall be powder coated and the color should be CAT yellow. (Amended)</p> <p>f) The enclosure shall be of modular construction.</p> <p>g) Insulating material shall be high quality noise absorbent and fire retardant complying IS8183 specification for better sound attenuation.</p> <p>h) The enclosure shall be provided with suitable number of hinged doors along the length of the enclosure on each side for easy access inside the enclosure for inspection, maintenance and operation.</p> <p>i) The front panel with radiator exhaust louvers and the rear panel with inlet louvers shall be hinged type doors for easy access for maintenance and inspection. The panel shall have locking facility.</p> <p>j) The canopy shall have adequate ventilation to meet the air requirement for running the engine at rated load at site conditions and to expel the heat to maintain temperature rise not to be more than 7degree C inside the canopy.(Amended)</p>	

- k) There shall be provision for draining lub oil and coolant and filling of coolant.
- l) Durable sealing shall be provided between the radiator and the canopy to prevent re-circulation of the hot air.
- m) The enclosure shall have openings for large known penetrations, pipe and conduit penetrations shall be located and cut in the field and sealed in accordance with OIL's specification.
- n) See through window of suitable size made of transparent polymer sheet of thickness not less than 5 mm shall be provided for reading instrument panel.
- o) The Inside of the enclosure shall be provided with minimum 6 no 23 watt CFL Flameproof Well glass fitted luminaire for illumination with necessary wirings and ISI marked accessories.

Weather Condition

- p) Ambient temperature (max.) :- 45°C
- q) Ambient temperature (min.) :- 10°C
- r) Max. relative humidity at 21°C :- 98 %
- s) Max. relative humidity at 35°C :- 95 %
- t) Max. relative humidity at 41°C :- 70 %
- u) Altitude (max) :- 130 metres
- v) Average annual rainfall :- 343cms

Pre Despatch Inspection

The acoustic enclosure will be inspected at supplier's premises prior to despatch. The supplier shall give inspection call well in advance (Min. One month). **Pre despatch Inspection will be carried out by OIL personnel. The cost will be on OIL India.(Amended)**

Special Note:-

- 1) Interested bidder may inspect the skid before submitting their offer. **Only photograph of the skid will be allowed, not of the drilling location.(Amended)**
- 2) Bidder should provide design and detailed lay out drawing of the offerd acoustic enclosure/canopy along with dimensions for technical scrutiny.
- 3) Purchase Order No **with OIL logo** to be embossed on the acoustic enclosure.**(Amended)**

ITEM NO. 20

INSTALLATION & COMMISSIONING – 01 AU

a) The bidder shall install the acoustic enclosure on the existing base frame of dimension 7250mm(L)X 2400mm(W)X505mm(H).The following jobs have to carried out by the bidder in addition to the jobs required while installing the acoustic enclosure on the existing base frame with small modification , the dimensions not exceeding 7500mm(L)X 3000mm(W)X3000mm . The installation job will be done at the operational area of Oil India Limited in Assam. Installation will be carried out at different rigs. **The approx distance will be not more than 60 KM from Duliajan. Security personnel are available at the drilling locations. Definite time frame will be provided the same. (Amended)**

The installation job will be done at the operational area of Oil India Limited in Assam.

- Removal of existing muffler, exhaust pipe
- Removal of existing canopy.
- Removal of existing Fuel Line
- Removal of existing air line (for starting)
- Surface preparation of existing base for placement of Acoustic.
- Fitment of Acoustic Enclosure.
- Refitting of existing exhaust pipe, muffler, fuel line and air line.

- Final Commissioning the Acoustic Enclosure and checking sound level (dB) as per standard norms.

In case of any unintentional damage, OIL will provide the item free of cost.(Amended)

The bidder should arrange for necessary material and equipment for installation and commissioning of the acoustic enclosure. However, Oil will provide necessary logistic support namely crane service, welding and gas cutting set.

GENERAL NOTES

1. We use both Oil field truck and cranes for loading and unloading of the power packs. Lifting hooks on the top of the canopy should be provided for lifting the canopy as an unit. Rope catchers should be provided to avoid any damage to the canopy while loading and unloading.
2. Acoustic enclosures should have built in ladders provided in the acoustic enclosure without protruding the external walls of the acoustic enclosure.
3. Bidders to follow the standard payment terms i.e 70% against despatch documents through bank and balance 30% after receipt and successful installation and commissioning of each unit along with commissioning charges.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.