



OIL INDIA LIMITED
(A GOVERNMENT OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT
P.O.: DULIAJAN -786602, ASSAM

CORRIGENDUM DATED 30.11.2018 TO TENDER NO. CDC9605P19

This corrigendum is issued to all concerned bidders of Tender No. CDC9605P19 to notify the following:

1. The quantity of item no. 30 of Group B Section B (Supply of Granular materials) has been revised to 1044 m³ from 1160 m³.
2. Tender value against this job has been revised to ₹ 1,98,63,116.11.
3. As per Clause no. 2.1.1 of BEC/BRC of this tender, minimum value of one successfully completed similar work sought was ₹ 1,00,06,000 which has now been revised to ₹99,32,000.00. (Details specified in Revised BEC/BRC)
4. As per Clause no. 2.1.2 of BEC/BRC of this tender, minimum Annual Financial Turnover of the bidder during any of preceding three financial / accounting years from the original bid closing date sought was ₹ 60,04,000 which has now been revised to ₹59,59,000.00. (Details specified in Revised BEC/BRC)
5. Bid Security against the tender has been revised to ₹ 99,500.00.
6. OIL's registered 'A' class bidders are exempted from submitting documents fulfilling their experience & turnover criteria as well as depositing the bid security amount.
7. Wages component of this tender has been revised to 28.98%.
8. Bid Closing/Opening date & time has been extended to 20.12.2018 (11:00 /14:00 hrs)
9. The revised documents (BEC/BRC, Covering Letter, GCC, SOQ and Price Bid Format) are uploaded in the "amendments folder" of this tender in OIL's e-tender portal.
10. Any bidder who has already submitted response is requested to kindly withdraw the Price Bid and submit the revised Price Bid.


(J. S. Mazumdar)
GM-Contracts (Civil)
For CGM-Contracts (HOD)
For Resident Chief Executive



BID EVALUATION CRITERIA (BEC)/BID REJECTION CRITERIA (BRC)**(A). BID EVALUATION CRITERIA (BEC):**

1.0 The bid shall conform generally to the specifications and terms and conditions given in the Tender Documents. Bids will be rejected in case services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bid to the stipulated specifications, the following mandatory requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected. All the documents related to **BEC** must be submitted along with the Techno-Commercial Bid.

2.1 Interested bidders shall have to submit the following documents to qualify for the tender:

2.1.1

- a. One successfully completed similar work of minimum value of **₹ 99,32,000.00** under tender with CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking during the last seven (07) years **reckoned from the original bid closing date**.
- b. For proof of requisite experience of **SIMILAR work**, Job Completion Certificate clearly mentioning Gross value of job done, Nature of works, Contracts period/ Contract Start and Completion date issued by CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking must be submitted along with the bid.
- c. SIMILAR work executed by a bidder for its own organization / subsidiary will not be considered as experience for the purpose of meeting BEC.

2.1.2

- a) Annual Financial Turnover of the bidder during **any of preceding three financial / accounting years from the original bid closing date** should be at least **₹ 59,59,000.00**.
- b) **Net worth** of bidder must be positive for preceding financial/ accounting year.
- c) Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial/ accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit / undertaking certifying that "the balance sheet / Financial Statements" for the financial year(as the case may be) has actually not been audited so far.

Note: For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

- i) A certificate issued by a practicing Chartered/ Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in **Annexure-II**.

OR

- ii) Audited Balance Sheet along with Profit & Loss account.

Note: In case the bidder is Central Govt. organization/ PSU/ State Govt. organization/ Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder has to provide documentary evidence for the same.

2.1.3 Bids must be valid for minimum **90 (Ninety) days** from the date of Technical Bid opening. If bidder does not submit / declare bid validity period, it will be presumed that the bid validity is **90 (Ninety) days**.

Note: In case of extension of Bid Opening Date, Bid validity should be extended suitably by the bidder, as and when advised by OIL.

2.1.4 Bid Security must be furnished (except those exempted) as a part of the Technical Bid. Bidders already having User ID & Password for OIL's e-portal can pay the requisite Bid security against the individual IFBs through the online payment gateway on or before 1:30 p.m. on the bid closing date. Alternatively, bidder can submit Bid Security amount through Bank Guarantee (in original) in prescribed format enclosed with this tender, which must reach the Office of CGM-Contracts, OIL, Duliajan on or before 1:30 p.m. on the bid closing date.

Bid Security (EMD):- Only payments through online payment gateway or Bank Guarantee /LC (to be submitted in original) will be accepted. **DD/Cheques/Cashier Cheque etc. will not be accepted.**

The amount of Bid Security shall be as specified in the NIT.

Note:

(a) In case the Bidder submits Bid security in the form of Bank Guarantee (BG), the BG must be valid for **minimum 120 days** from the original bid opening date.

(b) In case of extension of Bid Opening Date, Bid Security validity should be extended suitably by the bidder, as and when advised by OIL.

2.1.5 OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Part-VI of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be uploaded by the bidder (along with the Un-priced Techno-Commercial Bid).-Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who sign the Bid.

2.1.6 The bidders must submit documentary evidence for BEC clause numbers 2.1.1 and 2.1.2. All the documents should be legible. The bidders **must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class 3 [Organization Type]** to upload all the documents.

OIL registered 'A' class bidders are exempted from submitting documents fulfilling their experience & turnover criteria as well as depositing the bid security amount as specified in the Clauses 2.1.1, 2.1.2 & 2.1.4 of BEC/BRC of this tender document, providing submission of his/her/their revised "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016, on or before 13:30 Hrs. of Bid Closing/Opening date of this tender. Moreover, no earnest money deposit / bid security will be necessary for procurement from Central Government department and Public Sector Undertaking.

3.0 Notes to Clause no. 2.1.1 above:

(a) "Similar work" mentioned in Paragraph 2.1.1 above means the following:

Definition of similar work: Construction of Drilling Location / Road Works / RCC Building

(b) Non-submission of the documents as specified in all the paragraphs above will result in rejection of bids.

4.0 The bids conforming to the specifications, terms and conditions stipulated in the tender documents and considered to be responsive will be evaluated as per the procedure mentioned below:

- i. Bid will be opened on schedule date & time as specified in the NIT and all the bids where the bidders have quoted the lowest price (within the permissible percentage as per NIT) will be selected for conducting Draw of Lots (DoL). DoL will be conducted within a short period after Bid Closing Date. In the DoL, 7 (seven) numbers of bidders will be selected first, in the order of B-1 (Bidder-1), B-2 B-3, B-4, B-5, B-6 and B-7. The technical scrutiny will be carried out for these seven bidders only. If the bid of bidder B-1 is found to be technically qualified, B-1 will be the successful bidder (Priority-1

bidder) and the contract will be awarded to B-1. If B-1 is not found to be technically qualified but B-2 is technically qualified, B-2 will be awarded the contract, ---- and so on; i.e. whoever becomes the first technically qualified bidder in the order of B-1 → B-2 → B-3 → B-4 → B-5 → B-6 → B-7, will be the successful bidder (P-1). In this way, P-1 (Priority-1) and P-2 bidders will be selected. The contract will be awarded to the P-1 bidder only. However, in case the bidder P-1 is not able to carry out the job due to any reason, P-2 may be awarded the job, if the same is approved by Company's competent authority. In case, none of these seven bidders are found to be technically acceptable, the draw of Lot will be again conducted to select 7 more bidders as B-8 to B-14 and similar steps will be followed thereon as explained above. The system of conducting further draw of lots will be followed till a technically acceptable bidder is selected.

- ii. Bidder should note that deficit documents will not be sought from the bidders. The bids will be evaluated as per the documents received from the bidders at the time of bid opening. Any bid, which is not supported with the requisite documents as per the NIT, will be rejected straightway without seeking any further clarification and deficit document.

Note: The Company's Internal Estimated Rates, as indicated in Part-II, are inclusive of all overheads, taxes, duties, levies etc. except P.F. & GST.

(B). BID REJECTION CRITERIA (BRC):

1. The bids are to be submitted in single stage under composite bid system i.e. Un-priced Techno-Commercial Bid and Price Bid together. Only the Price Bid should contain the quoted price (percentage only).
2. Bid security shall be furnished as a part of the Techno Commercial Un-priced Bid. The amount of bid security should be as specified in the NIT. Any bid not accompanied by a proper bid security will be summarily rejected.
3. Bid Documents / User Id & Password for OIL's E-Tender portal are not transferable.
4. Any bid received in the form of Physical document/ Telex/Cable/Fax/E-mail will not be accepted.
5. Bidders must quote clearly and strictly in accordance with the price schedule outlined in Price Bidding Format attached under "Notes and Attachments" tab in the main bidding engine of OIL's e-Tender portal; otherwise the bid will be rejected. All other techno-commercial documents other than price details to be submitted with Un-priced Techno-Commercial Bid as per tender requirement in the c-Folder link (collaboration link) under "Technical RFx Response" Tab Page only.
6. Bidders must accept and comply with the following provisions as given in the tender document. Deviations to such provisions shall make the bid liable for rejection.
 - a. Firm price
 - b. EMD / Bid Bond
 - c. Scope of work
 - d. Specifications
 - e. Price schedule
 - f. Delivery / completion schedule
 - g. Period of validity of bid
 - h. Liquidated Damages
 - i. Performance bank guarantee / Security deposit
 - j. Guarantee of material / work
 - k. Arbitration / Resolution of Dispute
 - l. Force Majeure
 - m. Applicable Laws
 - n. Integrity Pact

(C). GENERAL:

- i. Submission of Forged Documents: Bidders should note that Company may verify authenticity of all the documents / certificates / information submitted by the bidder(s) against the tender. In case at

any stage of tendering process or Contract execution etc., if it is established that bidder has submitted forged documents / certificates / information towards fulfilment of any of the tender / contract conditions, Company shall immediately reject the bid of such bidder(s) or cancel / terminate the contract and forfeit EMD / SD submitted by the bidder(s), besides taking action as per OIL's Banning Policy dated 6th January 2017, available in the OIL's website.

- ii. In case bidder takes exception to any clause of bidding document not covered under BEC/BRC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw / modify the deviation when / as advised by company. The loading so done by the Company will be final and binding on the bidders. No deviation will however be accepted in the clauses covered under BRC.
- iii. To ascertain the substantial responsiveness of the bid the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC/BRC also and such clarifications fulfilling the BEC/BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be evaluated based on the submission. However, mere submission of such clarification shall not make the offer responsive, unless Company is satisfied with the substantial responsiveness of the offer.
- iv. If any of the clauses in the BRC contradicts with other clauses of Bidding document elsewhere, the clauses in the BRC shall prevail.
- v. Bidder(s) must note that requisite information/financial values etc. as required in the BEC/BRC & Tender are clearly understandable from the supporting documents submitted by the Bidder(s); otherwise Bids shall be rejected.
- vi. OIL will not be responsible for delay, loss or non-receipt of applications for participating in the bid sent by mail and will not entertain any correspondence in this regard.

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts Department, Duliajan

OIL INDIA LIMITED, a premier Public Sector Enterprise of Govt. of India engaged in drilling and exploration activities for hydrocarbon invites ON-LINE BIDS from experienced and established firms / contractors meeting the requisite criteria for the following mentioned work under **SINGLE STAGE Composite Bid System** through its e-Procurement site:

DESCRIPTION OF WORK/ SERVICE: Construction of 1.00 km long approach road (500.00 m long new road as per OIL standard and repairing 500.00 m long existing road); construction of plinth, road over plinth, effluent pits with suitable bundhs/embankments etc.; construction of C.C/R.C.C. foundations with pillows to suit VFD Rig outfit at NHK (N/S) area including supply of all materials except cement, empty bitumen drum sheets and empty cement bags.

REVISED TENDER VALUE: ₹ 1,98,63,116.11

LOCATION OF WORK: NHK(N/S) Area

CONTRACT PERIOD: 24 Weeks.

EXTENDED BID CLOSING/ OPENING DATE & TIME: 20.12.2018 (11:00 HRS/14:00 HRS)

REVISED BID SECURITY DEPOSIT: ₹ 99,500.00 /-(Rupees Ninety Nine Thousand Five Hundred only).

a) Bid Security deposited vide Bank Guarantee/LC No. _____ dated _____ of _____

(Original hard copy of (a) should reach the office of CGM-CONTRACTS before Bid opening date and time, otherwise Bid will be rejected. A scanned copy of this document should also be uploaded along with the Un-priced bid documents.)

b) Bidders to confirm that in the event of the award of Contract he/she/they will submit Performance Security Deposit @ 2.5% of the total contract price within two weeks of issue of LOI/LOA and this will not earn any interest. Immediately after deposit of Performance security, successful bidder shall have to sign the formal contract Agreement.

2.0 SEALED ENVELOPES containing the Bid Security Deposit (EMD) shall be marked with the above Tender Number and description of work and addressed to

CGM-CONTRACTS
CONTRACTS DEPARTMENT
OIL INDIA LIMITED
Duliajan – 786602
Assam.

2.1 The bidders shall pay the requisite Bid security against the individual IFBs through the online payment gateway. Alternatively, the bidders may deposit the requisite BID SECURITY in the form of Letter of Credit/Bank Guarantee {BG should be submitted in the prescribed format enclosed with this tender (Annexure-III)} from a Nationalized / Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. **DD/Cheques/ Cashier Cheque etc. will not be accepted.** This Bid Security shall be refunded to all unsuccessful bidders, but is liable to be forfeited in full or part, at Company's discretion, as per Clause No. 6 below. **Bids without Bid Security in the manner specified above will be summarily rejected.** Bid should be submitted on-line through OIL's e-Tendering Portal up to 11:00 hrs (IST) (Server Time) on the date as mentioned and will be opened on the same day at 14:00 hrs (IST) at Office of the CGM-Contracts in presence of authorized representative of the bidder. **If the bid security is submitted in the form of BG/LC, the same should be dropped in the tender box placed at the office of the CGM-Contracts on or before 1:30 p.m. of the schedule date of opening of tender.**

Note: The bidders are requested to advise the Bank Guarantee issuing bank to comply with the following and ensure to submit, the receipt of the copy of SFMS message as sent by the issuing bank branch, along with the original Bank Guarantee in OIL's tender issuing office:

The Bank Guarantee issued by the Bank shall be routed through SFMS platform as per following details:

- i. "MT 760 / MT 760 COV for issuance of Bank Guarantee.
- ii. "MT 760 / MT 767 COV for amendment of Bank Guarantee.

The above message/intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code: UTIB0001129, Branch address: AXIS Bank Ltd., Duliajan Branch, Daily Bazar, Jyotinagar, Duliajan, District Dibrugarh, PIN: 786602.

Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

Exemption from submission of bid security:

- a. Central Govt. Department & Public Sector Undertaking Companies are exempted from submission of bid security.
- b. OIL registered 'A' class bidders are exempted from depositing the bid security against this tender considering they have submitted revised "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016, on or before 13:30 Hrs. of Bid Closing/Opening date of this tender.

2.2 THE PHYSICAL BID SECURITY IS TO BE SUBMITTED ALONGWITH A COVERING LETTER MENTIONING THE e-TENDER NO AND THE BIDDER'S NAME AND ADDRESS IN A DULY SEALED ENVELOPE ADDRESSED TO CGM-CONTRACTS, OIL INDIA LIMITED, CONTRACTS DEPARTMENT, DULIAJAN – 786602

2.3 If the bidders deposit the requisite Bid security in the form of Bank Guarantee, then the Bank Guarantee should be valid for 30 days beyond the required bid validity period.

3.0 However, if the above mentioned closing / opening day of the tender happens to be non-working day due to Bandh / Strike or any other reason, the bids will be received and opened on the following working day at the same time except on Saturdays.

4.0 The rate shall be quoted in percentage (At par to +10%) of the internal estimate as specified in the "Price Bidding Format" attached just below the "Tendering text". Bidder should note that no pricing information is furnished in the "c-Folder" (Technical Bid) otherwise the bid will be rejected.

4.1 All other techno-commercial documents other than price details to be submitted with un-priced bid as per tender requirement placed in the 'un-priced' bid folder.

4.2 To participate in OIL's E-procurement tender, bidders must have a legally Valid Digital Signature of Class 3 [**Organizational Type**] with Organizations Name along with **Encryption Certificate** as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). Digital Signature Certificates having "**Organization Name**" field other than **Bidder's Name (i.e. Firm's Name)** are not acceptable.

4.3 The authenticity of above Digital Signature shall be verified through authorized CA after bid opening. If the **Digital Signature Certificate (DSC)** used for signing is not of "**Class -3**" & Organizational type with Organization's name, the bid will be rejected.

4.4 Bidder is responsible for ensuring the validity of Digital Signature Certificate (DSC) and its proper usage by their employee.

4.5 The bid including all uploaded documents shall be **digitally signed** by duly authorized representative of the bidding company.

4.6 Bidders without having E-tender Login ID and Password should complete their online registration at least seven (7) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E-tender site <https://etender.srm.oilindia.in/irj/portal>.

4.7 Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.

5.0 The Company reserves the right to reject any or all the tenders or accept any tender without assigning any reason.

6.0 (a) No Bidder can withdraw his bid within the validity or extended validity of the bid. Withdrawal of any bid within bid validity period will lead to forfeiture of his/her/their Bid Security in full and debarment from participation in future tenders, at the sole discretion of the Company and the period of debarment will be decided as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.

(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.

7.0

- a) The Bid must be valid for 90 (Ninety) days from the date of opening of the tender.
- b) In case of extension of Bid Opening Date, Bid validity must be extended suitably by the bidder, as and when advised by OIL.
- c) The amount of Bid Security shall be as specified in the NIT.
- d) In case the Bidder submits Bid security in the form of Bank Guarantee (BG), the BG must be valid for minimum 120 days (One Hundred Twenty) from the date of bid opening.
- e) In case of extension of Bid Opening Date, Bid Security validity must be extended suitably by the bidder, as and when advised by OIL.
- f) The bidders must upload the Integrity Pact, digitally signed by the authorized signatory (who is authorized to sign the bid) along with the Technical Bid.

8.0 Conditional bids are liable to be rejected at the discretion of the Company.

9.0 The work may be split up amongst more than one contractor at the sole discretion of the Company.

10.0 Before submission of bids, the bidder is advised to inspect the work site with permission from GM - Civil or his representative, to assess the nature and extent of work and the conditions under which it will be carried out. He may also seek such clarification from this office as are deemed necessary.

11.0 The bidder should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of "At Par" to "+10%" on the Company's internal estimated contract cost. The bids with overall rates quoted below "at par" and above (+10%) of Company's internal estimate will be rejected outright.

12.0 The bidders are required to furnish the composition and status of ownership of the firm in whose name bid documents have been purchased/issued along with one or more of the following documentary evidences (which are applicable to the bidder) in support of the same and scanned copies of the same should be uploaded along with the Un priced bid documents.

12.1 In case of Sole Proprietorship Firm, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, business and residential address, E-mail and phone numbers of the owner and copies of GST Registration Certificate.

12.2 In case of HUF, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form, Family Arrangement indicating therein the name, residential address, E-mail and phone numbers of the owners in general and Karta in particular and copies of GST Registration Certificate.

12.3 In case of Partnership Firm, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mails and phone numbers of all the partners (including the Managing Partner), registered partnership agreement/deed and copies of GST Registration Certificate.

12.4 In case of Co-Operative Societies, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mails and phone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from Registrar of Co-Operative Societies and copies of GST Registration Certificate.

12.5 In case of Societies registered under the Societies Registration Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from the Registrar of the state and copies of GST Registration Certificate.

12.6 In case of Joint Stock Companies registered under the Indian Companies Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, Certificate of Incorporation from the Registrar of Companies, Memorandum and Articles and copies of GST Registration Certificate.

12.7 In case of Trusts registered under the Indian Trust Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Trustee or persons who are at the helm of affairs, registration certificate from the Registrar of the state, Trust Deed and copies GST Registration Certificate.

NOTE: Point no. 12.1 to 12.7 is not applicable for contractors who are already registered with OIL INDIA LIMITED.

13.0 Wherever applicable, the bidder shall have itself registered under Employees' Provident Fund and Miscellaneous Provisions Act, 1952 and follow the relevant statutory provisions including Rules made there-under concerning contractual workers to be engaged by such bidder. If the bidder does not have P.F. Code number at the time of applying for this tender, then the bidder must apply for the same if the contract is awarded to the bidder. Such bidder shall furnish the Provident Fund code number issued by the appropriate Govt. Authority, within 45 days of signing of contract, to Company (or when advised by Company, after 45 days of signing the contract); and all PF related statutory guidelines shall be adhered to by the bidder.

14.0 Before Bidding :

- Bidder(s) are advised to inspect the work site with permission from GM-Civil or his representative, to assess the nature and extent of work and the conditions under which it will be carried out.
- Bidder(s) should clearly understand all the terms & conditions, criteria, specification etc. of this tender.

15.0 The selected bidder will be required to enter into a formal contract, which will be based on their bid, i.e. OIL's Standard Form of Contract.

16.0 PERFORMANCE SECURITY DEPOSIT:

The successful bidder shall furnish a Performance Security Deposit in the form of Letter of Credit/Bank Guarantee (PBG in prescribed format of **Annexure-IV**) as specified above before signing the formal contract. The Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Security Money shall not earn any interest.

Note: The bidders are requested to advise the Performance Bank Guarantee issuing bank to comply with the following and ensure to submit, the receipt of the copy of SFMS message as sent by the issuing bank branch, along with the original Performance Bank Guarantee in OIL's tender issuing office:

The Performance Bank Guarantee issued by the Bank shall be routed through SFMS platform as per following details:

- i. "MT 760 / MT 760 COV for issuance of Performance Bank Guarantee.
- ii. "MT 760 / MT 767 COV for amendment of Performance Bank Guarantee.

The above message/intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code: UTIB0001129, Branch address: AXIS Bank Ltd., Duliajan Branch, Daily Bazar, Jyotinagar, Duliajan, District Dibrugarh, PIN: 786602.

Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

17.0 OIL INDIA LIMITED reserves the right to curtail / enhance the scope of the work stated above or cancel, if required.

18.0 The amount of retention money shall be released after 6 (six) months from the date of completion certified by the concerned department.

19.0 The work shall have to be started within seven days from the date of work order.

20.0 Time Schedule: The time allowed for completing the work will be reckoned from the date of issue of work order. Time is the essence of the Contract and failure on part of the contractor to complete the work within the stipulated time, shall entitle the Company to impose liquidated damages and / or penalty from the contractor as per terms of the Contract.

21.0 The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers payment.

22.0 BACKING OUT BY BIDDER: In case any bidder withdraws their bid within the bid validity period, the Bid Security will be forfeited and be debarred from further tendering as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.

23.0 BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA: In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the Bid Security shall be forfeited and the bidder shall be dealt as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.

24.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT: If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party shall be debarred as per the OIL's Banning Policy dated 6th Jan 2017 available at OIL's website. **Annexure VI must be duly filled in bidder's letter head and upload the scanned copy of the same along with techno-commercial bid.**

25.0 Bidder(s) must also furnish the followings:

- a) NAME OF FIRM :
- b) DETAIL POSTAL ADDRESS :

- c) MOBILE / TELEPHONE NO :
- d) E-MAIL ADDRESS :
- e) FAX NO (If available) :
- f) CONTACT PERSON :
- g) VENDOR CODE :
- h) GST Registration Number (If available):

26.0 The tender will be governed by :

- a) Covering Letter.
- b) Part – I - General Terms and Conditions for Works Contract. (GCC)
- c) Part - II - Schedule of Work, Unit and Quantity (SOQ)
- d) Part - III - Particular Specification, Special Terms, Conditions & Instructions of Contract (SCC)
- e) Part - IV - SCPME
- f) Part- V- Safety Measures
- g) Part- VI - Integrity Pact
- h) Bid Rejection Criteria & Bid Evaluation Criteria (BRC/BEC).
- i) Annexure-III (Format for **Bid Security** in the form of Bank Guarantee.)
- j) Annexure-IV (Format for **Performance Bank Guarantee** in the form of Bank Guarantee.)

Special Note:

Please note that all tender forms and supporting documents are to be submitted on-line through OIL's E-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date at following address:

**CGM Contracts,
Contracts Department,
Oil India Limited,
Duliajan- 786602, Assam**

- a. ORIGINAL BID SECURITY (Only in case of Bidder(s) submitting Bid Security in the form of LC/Bank Guarantee.

A scanned copy of Bid Security should also be uploaded along with the Unpriced Techno-Commercial Bid documents.

- b. Any other document required to be submitted in original as per tender requirement.

Scanned copy(s) of the same should also be uploaded along with the Un-priced Techno-Commercial Bid documents.

The above documents including the Original Bid Security **{in case of bidders submitting Bid Security in the form of Bank Guarantee/LC}** must be received at OIL's CGM (Contracts) office at Duliajan on or before the scheduled date & time specified in the NIT, failing which the bid shall be rejected.

Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications. Offers sent without the requisite value of prescribed Bid Security (if called for in the bid) in original will be ignored straightway.

27.0 The tender is invited under SINGLE STAGE - COMPOSITE BID SYSTEM. The bidders shall submit both the "TECHNICAL" and "PRICED" bids through electronic form in the OIL's E-Procurement portal within the Bid Closing Date and Time stipulated in the E-Tender. The Technical Bid should be submitted as per Scope of Work & Technical Specifications along with all technical documents related to the tender and uploaded under **"Technical Attachment" Tab only. Bidders must note that no price details should be uploaded in "Technical Attachment" Tab Page. Details of prices as per Price Bid format/Priced bid to be uploaded under "Notes and Attachment" Tab. A screen shot in this regard is shown below. Offer**

not complying with above submission procedure will be rejected as per Bid Rejection Criteria. In Bid opening, both Technical & Priced Bids will be opened.

Please go through the "**General Guidelines to bidders**"> **NEW VENDOR MANUAL (Effective 12.04.17)**" provided in OIL's e-Portal, in detail before uploading the document.

NB: In order to bid for OIL e-tenders all the vendors are required to obtain a legally valid Digital Certificate Class III [Organization] along with Encryption Certificate as per Indian IT Act from the licensed Certifying Authorities (CA) operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. Digital Signature Certificate comes in a pair of Signing/verification and Encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system.

Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his Digital Signature Certificate then old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LTD is not responsible.

28.0 The Integrity Pact is applicable against this tender: OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide "Part-VI Integrity Pact" of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who sign the bid, i.e., who is duly authorized to sign the bid. Any bid not accompanied by Integrity Pact Proforma duly signed (digitally) by the bidder shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.

Note: Shri Rajiv Mathur, IPS (Retd.), Former Director, IB, Govt. of India, E-Mail ID: rajivmathur23@gmail.com, Shri Satyananda Mishra, IAS(Retd.) Former Chief Information Commissioner & Ex-Secretary, DOPT, Govt. of India, e-Mail id: satyanandamishra@hotmail.com and Shri Jagmohan Garg, Ex-Vigilance Commissioner, CVC e-Mail id: jagmohan.garg@gmail.com have been appointed as Independent External Monitors.

29.0 SCREEN SHOT :

On "**EDIT**" Mode, bidders are advised to upload "**Technical Bid**" and "**Priced Bid**" in the respective places as indicated below:

Note:

* The "Technical Bid" shall contain all techno-commercial details **except the prices**.

** The "Priced bid" must contain the price schedule and the bidder's commercial terms and conditions, if any. For uploading Priced Bid, first click on Add Attachment, a browser window will open, select the file from the PC and name the file under Description, Assigned to General Data and click on OK to digitally sign and upload the File. Please click on Save Button of the Response to Save the uploaded files.

A. Uploading of Technical Bid : Technical files to be added under RFX Information >"Technical Attachments"

RFX Response Number 60037504 RFX Number TESTARUP Status In Process Submission Deadline 15.04.2017 11:00:00 INDIA Opening Date 15.04.2019 00:00:00 INDIA

RFX Response Version Number Active Version RFX Version Number 1

Basic Data Questions **Technical Attachments**

▼ Notes

Clear

Category	Description
Conditions of Participation	-Empty-
Bid Invitation/Auction Text	-Empty-
Bidder's Remarks	-Empty-
Purchaser's Remarks	-Empty-

▼ Attachments

▼ cFolder Attachments

Add Attachment Delete Verify Signature

cFolder Name	Category	Description	File Name	Version	Processor	Ch
The table does not contain any data						

Go to this Tab **"Technical Attachment"** for Uploading "Technical Bid".

B. Uploading of Price Bid :

RFX Response - Internet Explorer

RFX and Auctions

Edit RFX Response:

Submit Read Only Print Preview Check Technical RFX Response Close Save Delete Verify Signature Sign Response Refresh Smartform System Information Create Memory Snapshot

RFX Response Number 60032949 RFX Number SCD0696P17 Status Saved Submission Deadline 28.02.2017 11:00:00 INDIA Opening Date 28.02.2019 11:00:00 INDIA Remaining Time 4 Days 01:50:00

RFX Owner BHARALI Total Value 0.00 INR RFX Response Version Number Active Version RFX Version Number 2

RFX Information Items **Notes and Attachments** Conditions Summary Tracking

▼ Notes

Add Clear

Assigned To	Category	Text Preview
The table does not contain any data		

▼ Attachments

Sign Attachment Add Attachment Edit Description Delete Create Qualification Profile

Assigned To	Category	Description	File Name	Version	Processor	Checked Out	Type	Size (KB)	Changed by	Changed on
The table does not contain any data										

Go to this Tab **"Notes and Attachment"** for Uploading "Price Bid".

C. After Uploading of Price bid Click 'Save'

RFX Response - Internet Explorer

RFX and Auctions

Edit RFX Response:

Submit Read Only Print Preview Check Technical RFX Response Close **Save** Delete Verify Signature Sign Response Refresh Smartform System Information Create Memory Snapshot

RFX Response Number 60032949 RFX Number SCD0696P17 Status Saved Submission Deadline 28.02.2017 11:00:00 INDIA Opening Date 28.02.2019 11:00:00 INDIA Remaining Time 4 Days 01:19:48

RFX Owner BHARALI Total Value 0.00 INR RFX Response Version Number Active Version RFX Version Number 2

RFX Information Items **Notes and Attachments** Conditions Summary Tracking

▼ Notes

Add Clear

Assigned To	Category	Text Preview
The table does not contain any data		


▼ Attachments

Sign Attachment Add Attachment Edit Description Delete Create Qualification Profile

Assigned To	Category	Description	File Name	Version	Processor	Checked Out	Type	Size (KB)	Changed by	Changed on
Document Header	Standard Attachment	PRICE BID	PRICE_BID.xls.sig	1		<input type="checkbox"/>	sig	10	V210445	24.02.2017


Once Saved ,the Data will be Encrypted & the Encryption Certificate will be in use.

D. Click to select the desired Encryption certificate & Encrypt Bid:




The Encrypted Data will be displayed only when click 'Decrypt data'

E. The Encrypted Data will be displayed only when click 'Decrypt data'



F. Click on 'Close'



G. Click on 'Refresh'. Then Click on 'Response No.'

Click on 'Response Number'

Event Number	Event Description	Event Type	Event Status	End Date	Response Number	Response Status	Event Version	Response Version	Q&A	Start Time	End Time
SG0315P13	1MW CRUDE OIL RUN GENERATOR SET	Open-2 Bid System	Published	29.05.2009		No Bid Created	11		0	00:00:00	11:00:00
SD0806P17	TEST TENDER	RFX-TWO STAGE OPEN	Published	28.02.2017	60032949	Saved	1		0	00:00:00	11:00:00
CD0351P13	Modernization of Toilets at C+SS Blows	RFX-OPEN TWO BID	Published	23.05.2009		No Bid Created			0	00:00:00	11:00:00

Now Uploading part is complete. Bidders are requested to go to the Initial screen. It is always better to come to the first screen and refresh the page and then going in into the response for the submission process.

- H. On 'Edit' mode Click to select the same Encryption certificate used for De-encryption else data will not Decrypt.

Please select an appropriate certificate

Issued To	Verst.	Email	Issued By	Purpose	Valid Till
BHARALI BALEN	3	balenbharali@gmail.com	e-Mudhra Sub CA for Class 2...	Encryption	10-Dec-2018

Decrypt Bid Cancel

- I. After Entering User pin, Click 'Check'. Bidder may submit the response in case there is no error.

Click 'Check'

☒ RFX response is complete and contains no errors

RFX Response Number: 60032949 RFX Number: SD0806P17 Status: Saved Submission Deadline: 28.02.2017 11:00:00 INDIA Opening Date: 28.02.2018 11:00:00 INDIA Remaining Time: 3 Days 21:23:24

RFX Owner: BHARALI Total Value: 0.00 INR RFX Response Version Number: Active Version RFX Version Number: 2

RFX Information Items Notes and Attachments Conditions Summary Tracking

Basic Data Questions Technical Attachments

Event Parameters

Currency: Indian Rupee Incoterm: EXW KOLKATA

Detailed Price Information: No Price Status and Statistics

Terms of Payment: SD Sight Draft (CAD)-Foreign Bidders Only Created On: 23.02.2017 10:34:53 INDIA

J. Click on 'Submit' button

Edit RFx Response:

Submit Read Only Print Preview Check Technical RFx Response Close Save Delete Verify Signature Sign Response Refresh Smartform System Information Create Memory Snapshot

RFx response is complete and contains no errors

RFx Response Number: 60032949 RFx Number: SDI0696P17 Status: Saved Submission Deadline: 28.02.2017 11:00:00 INDIA Opening Date: 28.02.2017 11:00:00 INDIA Remaining Time: 3 Days 21:23:24

RFx Owner: BHARALI Total Value: 0.00 INR RFx Response Version Number: Active Version RFx Version Number: 2

RFx Information Items Notes and Attachments Conditions Summary Tracking

Basic Data Questions Technical Attachments

Event Parameters

Currency: Indian Rupee

Detailed Price Information: No Price

Terms of Payment: SD Sight Draft (CAD)-Foreign Bidders Only

Incoterms: EXW KOLKATA

Status and Statistics

Created On: 23.02.2017 10:34:53 INDIA

Created By: Mr. V210445 Test vendor

Last Processed On: 24.02.2017 09:40:12 INDIA

Last Processed By: Mr. V210445 Test vendor

Before submit, Please do check all the documents uploaded and on-line data maintained are correct.

K. After Clicking 'Submit' below pop up will open. Select Digital Signature & Sign.

Check the document displayed below.

Print Save

Bid Response

Response Number : 60032949
Response Status : Saved

Bidder Details :
Company
test for transfer vendor2
duliajan
123456 DULIAJAN
INDIA

RFx Information :
RFx Number : SDI0696P17
Description: TEST TENDER

Payment Terms : Sight Draft (CAD)-Foreign Bidders Only

To sign the document select one of the certificates and choose Sign

C:\IN_OIL INDIA LIMITED_OU=ERP_CN=BHARALI BALEN_SERIALNUMBER=83d469013c1b48fe3d4ee8fd45398018e9a305c0d3911bd25

SAP Digital Signature

Sign Cancel

L. After Signing the response has to be encrypted again. Select the encryption certificate and **Encrypt Bid**.

RFx and Auctions - Oil India Ltd e-Procurement System - Internet Explorer


Issued To	Verst.	Email	Issued By	Purpose	Valid Till
BHARALI BALEN	3	balen_bharali@oilindia.in	e-Mudhra Sub CA for Class 3...	Encryption	22-Dec-2017

Encrypt Bid Cancel


E-TENDER NO.: CDC9605P19

REVISED COVERING LETTER

M. Click 'Close'



N. Click on 'Refresh'. The status of Response must be 'Submitted'



This is the end of **Response submission with Encryption key** process.

30.0 OIL now looks forward for your active participation in the tender.

CGM-CONTRACTS
For RESIDENT CHIEF EXECUTIVE

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts Department,
Duliajan, DISTRICT: DIBRUGARH
ASSAM, PIN: 786602
Works Contract

DESCRIPTION OF WORK/SERVICES: Construction of 1.00 km long approach road (500.00 m long new road as per OIL standard and repairing 500.00 m long existing road); construction of plinth, road over plinth, effluent pits with suitable bundhs/embankments etc.; construction of C.C/R.C.C. foundations with pillows to suit VFD Rig outfit at NHK (N/S) area including supply of all materials except cement, empty bitumen drum sheets and empty cement bags.

GENERAL CONDITIONS OF CONTRACT (GCC)

MEMORANDUM OF AGREEMENT made this _____ day of _____ between OIL INDIA LIMITED a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam (hereinafter called Company) of the one part and Shri/Smti _____ and Shri/Smti _____ carrying on business as partners /proprietor under the firm name and style of M/s. _____ with the main Office at _____ in the District of _____ aforesaid (hereinafter called 'Contractor') on the other part.

WITNESSETH:

1. a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms part-II of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms Part-III of the contract utilizing any materials/services as offered by the Company as per Part-IV of the contract at location _____.

b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.

c) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.

2. i) The contractor shall provide all labour, supervision and transport and such specified materials described in part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not specifically mentioned in this contract are necessary for its completion in a sound and workman like manner.

ii) Contractor shall have to produce necessary cash memos towards forest produce used against the contract to Head (Civil) used against this contract from the authorities prior to processing of final payment. In absence of cash memos, the final bill shall not be processed.

3. The Company's Engineer shall have power to:

a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not up to the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.

b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.

c) Order the Contractor to remove or replace any workman/ supervisor/ engineer/ project-in-charge or any other contactor's personnel who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any personnel engaged by the Contractor shall be final and binding on the Contractor.

d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.

e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed. The rates to be applied for such Deviation Order shall be the same for those appearing in Company's Schedule of Rate in force on the date of issue of such Deviation Order, to which the contractor has no objection.

4. The Contractor shall have no claim against the Company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities and items stipulated in Part-II (SOQ). In case of positive variation in quantities of any items from the quantity mentioned in the tender / contract, the contractor will have to carry out the positive varied quantity at the contract rate, or the internally estimated rate, whichever is lower.

However, during the actual execution of the contract, if the contract is to be utilised in a different zone due to Company's operational requirement, where the rates of the contractual items in the OIL's Schedule of Rates (SOR) are different from the contractual rates, then the rates of OIL's SOR, prevailing in the working zone (the zone where the contract is actually utilised) at the time of floating the tender, will be applicable for the contractual items (for the contractual quantities as well as for the additional quantities, if required to be executed).

If any additional items (items not covered in the tender / contract) are required to be executed during actual execution of works, the payment of such items shall be made as per the rates of OIL Schedule of Rates (SOR) prevailing in the working zone (the zone where the contract is utilized) at the time of issuance of advice by Company to execute such additional items.

5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.

6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-

- I. The Mines Act.
- II. The Minimum Wages Act, 1948.
- III. The Workman's Compensation Act, 1923.
- IV. The Payment of wages Act, 1963.
- V. The Payment of Bonus Act, 1965.
- VI. The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- VII. Employees' Pension Scheme, 1995.
- VIII. Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- IX. The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
- X. Goods and Service Tax (GST) Law,

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.

8. The Contractor must complete the work within **24** weeks of the written order to commence work. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half percent) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) per week of delay of the total contract cost subject to a maximum of 7.5% of total contract cost.

The GM Civil's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots, or in any agitation prejudicial to the Company's interest and any such even taking shape or form at any place of the Company's works or and its neighbourhood.

10. The tendered all-inclusive Price (i.e. the Contract price) is ₹ _____ **(Not to be filled up by bidder while submitting the offer in c-Folder. This figure will be filled up by OIL at the time of award of the contract to the successful bidder.)**
(₹ _____ only) but the Company shall pay the Contractor only for actual work done at the all inclusive rates set down in the Schedule of work part II of this Contract.

On account payment may be made, not oftener than monthly, up to the amount of 92.5% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.

12. Wages shall be paid by the Contractor to the workmen directly without any intervention of any Jamadars or Thekadars and that the Contractor shall ensure that no amount by way of commission or otherwise be deducted/ recovered by the Jamadar from the wages of the workmen.

13. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalised.

14. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.

15. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with the Oil Mines Regulations 2017. The Company's representative shall not allow/accept those men who are not provided with the same.

16. All Statutory taxes levied by the Central and State Government or any other competent authority from time to time, except PF & GST, will be borne by Contractor and the contract cost is inclusive of all tax liabilities except PF & GST. However, any subsequent increase in such statutory taxes after bid opening day will be borne by the Company. Similarly if there is any decrease in such statutory taxes after bid opening, the Company shall recover the decreased amount of such taxes from the contractor.

17. The Contractor shall deploy local persons in all works.

18. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.

19. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act (Latest editions).

20. **SPECIAL CONDITIONS:**

a) The amount of retention money shall be released after 6(six) months from the actual date completion of the work.

b) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.

c) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to P.F. Contribution on wage component.

d) In case P.F. is not included in the contract cost and later on required to be deposited by the Contractor, the same will be reimbursed on production of documentary evidence of depositing the same to the authority concerned. 12% P.F. will be applicable on the wage component of the contract cost.

e) All safety precautions to be maintained by the Contractor at his own cost as per safety rules and regulations.

f) The Contractor shall use pump if needed for dewatering of pit while excavation for which no extra payment will be made.

g) The Contractor shall have to work during rainy seasons also.

h) Watch and ward, loss or damage to Company's property, theft and other incidental charges shall be Contractor's responsibility.

i) Efficient workmen to be engaged by the Contractor.

j) The Contractor's representative should report to Engineer-in-charge on all working days at 7.00 A.M. and 3.00 P.M. for instructions.

k) Materials if rejected should be removed from site within 48 (forty- eight) hours of rejection, failing which the Company reserves the right to get the rejected materials removed at the risk and cost of the Contractor.

l) The Company reserves the right to get the part or whole work complete at the risk and cost of the Contractor if he fails to complete the work within the stipulated time without any valid reason. The Company's decision shall be final and binding on the Contractor.

m) The Contractor must complete all statutory formalities within 7(seven) days of issuance of LOI.

n) Water that may accumulate on the site during progress of the works or in trenches and excavations from other than accepted risks shall be removed from the site to entire satisfaction of the Engineer-in-charge and at the Contractor's expense.

o) The Contractor shall be in a position to execute 2(two) locations simultaneously.

p) If required, the Contractor shall have to work in two shifts for which no extra payment will be admissible to him/them.

q) If needed water and electricity will have to be arranged by the Contractor at his own cost.

r) The Contractor and his workmen are to strictly observe the safety precautionary rules as per Mines Act (Latest edition) while executing the work.

s) The Contractor shall have to provide temporary latrine facilities in the entire work site for use of their workmen during progress of work.

t) The contractor himself (the signatory of the contract) must visit the site at least twice in a week as fixed for taking necessary instruction from the Engineer-in charge.

u) The program of works to be submitted in the form of Bar Chart within 3 days of receipt of work order.

v) The Contract cost is excluding P.F. & GST. Wage component of the Contract cost is **28.98 %**.

21. SPECIAL INSTRUCTION

The contractor must quote considering the prevailing minimum Labour wage rate for each day of work.

22. GOODS AND SERVICES TAX (GST) CLAUSES UNDER GCC

22.1 GENERAL REMARKS ON TAXES & DUTIES:

In view of **GST** Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in **GST**. Accordingly reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of **GST** mentioned in the bidding document shall be ignored.

22.2 Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever **GST** (CGST & SGST/UTGST or IGST) is applicable.

22.3 "**GST**" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "**GST**" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import / interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.

22.4 Quoted price/rate(s) should be inclusive of all taxes and duties, except **GST (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service**. Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods /Services (Service Provider) only. Supplier of Goods / Services (Service Provider) providing taxable service shall issue an Invoice/ Bill, as the case may be as per rules/ regulation of **GST**. Further, returns and details required to be filed under GST laws & rules should be timely filed by Supplier of Goods / Services (Service Provider) with requisite details.

22.5 Where OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of **GST** paid. In case of any variation in the executed quantities, the amount on which the **GST** is applicable shall be modified in same proportion. Returns and details required to be filed under GST laws & rules should be timely filed by supplier with requisite details.

22.6 Where OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of **GST**.

22.7 Payments to Service Provider for claiming **GST** amount will be made provided the above formalities are fulfilled. Further, OIL may seek copies of challan and certificate from Chartered Accountant for deposit of **GST** collected from OIL.

22.8 Contractor/vendor shall be required to issue tax invoice in accordance with GST Act and/or Rules so that input credit can be availed by OIL. In the event that the contractor / vendor fails to provide the invoice in the form and manner prescribed under the GST Act read with GST Invoicing Rules thereunder, OIL shall not be liable to make any payment on account of **GST** against such invoice.

22.9 **GST** shall be paid against receipt of tax invoice and proof of payment of **GST** to government. In case of non-receipt of tax invoice or non-payment of **GST** by the contractor/vendor, OIL shall withhold the payment of **GST**.

22.10 **GST** payable under reverse charge mechanism for specified services or goods under GST act or rules, if any, shall not be paid to the contractor/vendor but will be directly deposited to the government by OIL.

22.11 Where OIL has the obligation to discharge **GST** liability under reverse charge mechanism and OIL has paid or is /liable to pay **GST** to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to OIL or ITC with respect to such payments is not available to OIL for any reason which is not attributable to OIL, then OIL shall be entitled to deduct/ setoff / recover such amounts against any amounts paid or payable by OIL to Contractor / Supplier.

22.12 Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the **GST** charged by the Contractor / Vendor is denied by the tax authorities to OIL for reasons attributable to Contractor / Vendor, OIL shall be entitled to recover such amount from the Contractor / Vendor by way of adjustment from the next invoice. In addition to the amount of **GST**, OIL shall also be entitled to recover interest at the rate prescribed under GST Act and penalty, in case any penalty is imposed by the tax authorities on OIL.

22.13 TDS under GST, if applicable, shall be deducted from contractor's/vendor's bill at applicable rate and a certificate as per rules for tax so deducted shall be provided to the contractor/vendor.

22.14 The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the contractor shall be to contractor's account.

22.15 Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.

22.16 Beyond the contract period, in case OIL is not entitled for input tax credit of **GST**, then any increase in the rate of **GST** beyond the contractual delivery period (in case the delay is attributable to the service provider), shall be to Service provider's account whereas any decrease in the rate of **GST** shall be passed on to the OIL.

Beyond the contract period, in case OIL is entitled for input tax credit of **GST**, then statutory variation in applicable **GST** on supply and on incidental services, shall be to OIL's account.

Claim for payment of **GST**/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) **GST**, otherwise claim in respect of above shall not be entertained for payment of arrears.

22.17 The contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable, and to submit self-attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

22.18 Documentation requirement for GST

The vendor will be under the obligation for invoicing correct tax rate of tax/duties as prescribed under the GST law to OIL, and pass on the benefits, if any, after availing input tax credit.

Any invoice issued shall contain the following particulars

- a) Name, address and GSTIN of the supplier;
 - b) Serial number of the invoice;
 - c) Date of issue;
 - d) Name, address and GSTIN or UIN, if registered of the recipient;
 - e) Name and address of the recipient and the address of the delivery, along with the State and its code,
 - f) HSN code of goods or Accounting Code of services[SAC];
 - g) Description of goods or services;
 - h) Quantity in case of goods and unit or Unique Quantity Code thereof;
 - i) Total value of supply of goods or services or both;
 - j) Taxable value of supply of goods or services or both taking into discount or abatement if any;
 - k) Rate of tax (IGST,CGST, SGST/ UTGST, cess);
 - l) Amount of tax charged in respect of taxable goods or services (IGST,CGST, SGST/UTGST, cess);
 - m) Place of supply along with the name of State, in case of supply in the course of interstate trade or commerce;
 - n) Address of the delivery where the same is different from the place of supply and
 - o) Signature or digital signature of the supplier or his authorised representative.
- GST invoice shall be prepared in triplicate, in case of supply of goods, in the following manner
- i. The original copy being marked as ORIGINAL FOR RECIPIENT;
 - ii. The duplicate copy being marked as DUPLICATE FOR TRANSPORTER and
 - iii. The triplicate copy being marked as TRIPLICATE FOR SUPPLIER.

22.19 ANTI-PROFITEERING CLAUSE

In case the GST rating of vendor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by OIL. Further, in case rating of bidder is negative / black listed after award of work for supply of goods / services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by OIL.

22.20 OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.

23. ARBITRATION:

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration: Duliajan, Dibrugarh, Assam.

24. FORCE MAJEURE:

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. 421) is hereby incorporated in this contract.

25. I.B. VERIFICATION REPORT AND SECURITY REVIEW:

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

26. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

27. SET OFF CLAUSE:

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

28. FURNISHING FRAUDULENT INFORMATION/DOCUMENT:

If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party shall be debarred as per the OIL's Banning Policy dated 6th Jan 2017 available at OIL's website.

29. LIQUIDATED DAMAGES FOR DELAY IN MOBILISATION AND/ OR COMPLETION OF WORKS AND SERVICES

In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization /completion date subject to a maximum ceiling of 7.5% of contract value .

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED & DELIVERED FOR AND
ON BEHALF OF

(Signature of Contractor or his legal Attorney)

By the hand of

(Full Name of Signatory)

It's Partner/Legal Attorney

(Seal of Contractor's Firm)

And in presence of

(Signature of witness)

Date: _____

(Full Name of Signatory)

Address:

(Signature of Acceptor)

SIGNED & DELIVERED FOR & ON
BEHALF OF OIL INDIA LIMITED

Designation _____

Date_____

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Duliajan, Assam
WORKS CONTRACT

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
	Group A SEC-A				
10	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m. All kinds of soil	2500.00	M2	INR	13.68
20	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable .Beyond 30 cm girth upto and including 60 cm girth.	20.00	EA	INR	215.02
30	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 60 cm girth upto and including 120 cm girth.	10.00	EA	INR	954.63
40	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 120 cm girth upto and including 240 cm girth.	5	EA	INR	4421.64
50	Cutting and removing bamboos (Jati / Bhaluka) and stacking them at about 30m distance away from site of operation including cutting branches and cleaning the site.	300.00	NO	INR	10.49
60	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre.	20	EA	INR	176.25
70	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre but for girth of tree over one metre and upto 2 metre.	10.00	EA	INR	303.28
80	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre but for girth of tree over one metre and upto 2 metre. , but for girth of tree over 2m and beyond.	5.00	EA	INR	727.04
90	Uprooting bamboo stumps	60.00	M2	INR	860.27
100	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and compacting, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	4000.00	M3	INR	359.79

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
110	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.	250.00	OME	INR	423.08
120	Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, removal of stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned up to a lead of 1000 metres including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201. By Manual Means:-In area of light jungle	0.43	HEC	INR	66332.79
130	Removing all types of Hume pipes and stacking within a lead of 1000 m including Earthwork and Dismantling of Masonry Works as per Technical Specification Clause 202. above 900 mm dia	55.00	M	INR	463.75
140	Cutting and uprooting manually all kinds of tea bushes, small bamboo stumps or any other small under growth etc.	500.00	EA	INR	30.78
150	Construction of 150mm (consolidated) granular sub-base consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75mm deep to required level and as per clause 401. (Road roller supplied by contractor).	2300.00	M2	INR	86.21
160	Constructions of 150 mm thick (consolidated) gravelled road including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	2500.00	M2	INR	89.35
170	Repairing of damaged road surface by 100 mm thick WBM with 63mm to 45mm hand broken road metal, consolidated by road roller / manually to correct grade / course including excavation or raking out damaged portions as per direction (Ref. to MoRTH Spec.404) (Road roller supplied by Contractor).	500.00	M2	INR	95.25
180	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	250.00	M3	INR	251.79
190	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50.00	M3	INR	113.31

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
200	Levelling and dressing road sides and verges including dressing the area and cutting earth upto 150mm depth and filling depression and breaking large earth lumps as directed.	2500	M2	INR	13.68
210	Laying Brick Flat Soling (75mm thick) including grading the base and spreading 25mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00m.	60.00	M2	INR	124.55
220	Labour for Assembling and placing Hume pipe (R.C.C.) Culverts manually in line with proper grading, levelling, jointing with collar, if necessary, including earth cutting, back filling upto a limiting depth of 1.00m and ramming filled up earth in layers of 150mm and filling-up the joints with cement mortar (prop. 1 cement:3 sand) for 0.60m dia. culvert, including de-watering and temporary diversion of stream and blocking of water flow where applicable and handling, lifting of R.C.C. Hume pipes and collars from a distance of at least 30.00m from work place, including transporting the R.C.C. Hume pipes / collars upto 8Km. (Necessary finishing works like gravelling, pre-mixing / Bituminous works etc. to be carried out separately).	15.00	M	INR	982.87
230	Labour for Assembling and placing Hume pipe (R.C.C.) Culverts in line Manually with proper grading, levelling, jointing with collar, if necessary, including earth cutting, back filling upto a limiting depth of 1.00m and ramming filled up earth in layers of 150mm and filling-up the joints with cement mortar (prop. 1 cement : 3 sand) for 0.90m dia. culvert, including de-watering and temporary diversion of stream and blocking of water flow where applicable and handling, lifting of R.C.C. Hume pipes and collars from a distance of at least 30.00m from work place, including transporting the R.C.C. Hume pipes / collars upto 8Km. (Necessary finishing works like gravelling, pre-mixing / Bituminous works etc. to be carried out separately).(Manually)	15.00	M	INR	1260.84
240	Filling empty cement bags with sand of minimum volume of 0.025 Cu. m per bag, tying open end with rope / wire and stacking at filling yard ready for transporting, excluding supply of sand and empty cement bags, but including placing in position (within 100.00m from place of filling) of stacks upto 2.00m height.	2000.00	BAG	INR	13.70
250	Supply And Making Standard 6.09m x 6.09m Bamboo Rafts with full size 'Jati' bamboo horizontally both ways at 0.61m apart, tying with 18 gauge G.I. wire, placing and anchoring in position as directed by engineer at site and tying big sized tree branches on the raft fully packed, including supply of all materials such as brushwood, bamboo etc. and also transport of all materials to work site (necessary raft will be supplied by company).	6	ER	INR	5771.62
260	Removal of unserviceable soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.)	500.00	M3	INR	61.65

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
	Group A SEC-B				
10	Supply of Full size Jhama Bricks (slightly over burnt not badly out of shape)	2100.00	NO	INR	9.79
20	Supply of Gravel (65mm graded down to 25mm), hard, clean and free from foreign materials	588.00	M3	INR	1371.89
30	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5mm), clean and free from clay and rubbish etc.	63.00	M3	INR	1099.20
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	403.00	M3	INR	1281.21
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	63.00	M3	INR	917.70
60	Supply of Jhama bricks bats-each bat not smaller then 1/3 of a full brick	100.00	M3	INR	2157.20
70	Supply of Hand broken hard stone metal from river boulder fairly cubical in shape, free from dust/dirt disintegrated pieces, organic and other foreign matters(63mm to 45mm graded)	100	M3	INR	2100.03
	Group A SEC-C				
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	50.00	TON	INR	117.81
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials I on every additional KM: Beyond 5KM and Upto 10KM	250.00	TPM	INR	8.56
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 10KM and Upto 20KM	500	TPM	INR	6.98
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	300.00	TPM	INR	5.73
	Group B SEC-A				
10	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m. All kinds of soil	13000.00	M2	INR	13.68
20	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 30 cm girth upto and including 60 cm girth.	30.00	EA	INR	215.02
30	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable .Beyond 60 cm girth upto and including 120 cm girth.	20.00	EA	INR	954.63

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
40	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 120 cm girth upto and including 240 cm girth.	10	EA	INR	4421.64
50	Cutting and removing bamboos (Jati / Bhaluka) and stacking them at about 30m distance away from site of operation including cutting branches and cleaning the site.	300.00	NO	INR	10.49
60	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre.	30	EA	INR	176.25
70	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre but for girth of tree over one metre and upto 2 metre.	20.00	EA	INR	303.28
80	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre but for girth of tree over one metre and upto 2 metre. , but for girth of tree over 2m and beyond.	10.00	EA	INR	727.04
90	Uprooting bamboo stumps	150.00	M2	INR	860.27
100	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and compacting, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	8500.00	M3	INR	359.79
110	Making shallow kutchra drains with base width 225mm and maximum depth 400mm including disposing spoil within 30m, dressing, grading, ramming, levelling, spreading etc. complete directed by Engineer in charge.	700.00	M	INR	20.99
120	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.	350.00	OME	INR	423.08
130	Cutting and uprooting manually all kinds of tea bushes, small bamboo stumps or any other small under growth etc.	2500.00	EA	INR	30.78
140	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to the embankment location within all lifts and lead upto 1000m)(Ref. to MoRTH Spec.301)	9500.00	M3	INR	60.80

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
150	Construction of embankment with approved materials deposited at site from roadway cutting and excavation from drain and foundation of other structures graded and compacted to meet requirement of table 300-2 (Road roller supplied by Company)	9500.00	M3	INR	75.11
160	Construction of 150mm (consolidated) granular sub-base consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75mm deep to required level and as per clause 401. (Road roller supplied by contractor).	5800.00	M2	INR	86.21
170	Construction of 150 mm thick (consolidated) gravelled road including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	5800.00	M2	INR	89.35
180	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	175.00	M3	INR	251.79
190	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50.00	M3	INR	113.31
200	Laying Flat Brick Soling (150mm thick) in 2 layers including necessary grading the base and packing joints with loamy earth, including spreading loamy earth on top upto 25mm thick, with carriage of all materials from a distance of upto 30.00m.	500	M2	INR	124.12
210	Bamboo piling including stiffness etc. using #Bhaluka bamboo# or big size #Jati# bamboo at river bank and water logging areas, including supply of bamboo and necessary ropes etc. complete.	1500.00	M	INR	163.85
220	Filling empty cement bags with sand of minimum volume of 0.025 Cu. m per bag, tying open end with rope / wire and stacking at filling yard ready for transporting, excluding supply of sand and empty cement bags, but including placing in position (within 100.00m from place of filling) of stacks upto 2.00m height.	5000.00	BAG	INR	13.70
230	Supply And Making Standard 6.09m x 6.09m Bamboo Rafts with full size 'Jati' bamboo horizontally both ways at 0.61m apart, tying with 18 gauge G.I. wire, placing and anchoring in position as directed by engineer at site and tying big sized tree branches on the raft fully packed, including supply of all materials such as brushwood, bamboo etc. and also transport of all materials to work site (necessary raft will be supplied by company).	10.00	ER	INR	5771.62
240	Removal of unserviceable soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.)	2000.00	M3	INR	61.65
250	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter,	160	M3	INR	351.37

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
	dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Ordinary Soil by Manual Means (Depth upto 3 m)				
260	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	20.00	M3	INR	1199.80
270	Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	185	M3	INR	1495.50
280	Centring and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns, etc. for mass concrete.	1500.00	M2	INR	130.55
290	Supplying/ Providing reinforcement, cutting, straightening, cleaning, and bending to proper shape & length Medium Tensile steel/ reinforcement bars for R.C.C. work and placing in proper position as per detail drawing by binding with 20 G annealed black wire with cover blocks, supports, chairs, spacers etc., ready for laying concrete as directed, including making and placing of C.C. blocks.	5500.00	KG	INR	62.25
Group B SEC-B					
10	Supply of Gravel (65mm graded down to 25mm), hard, clean and free from foreign materials	1090.00	M3	INR	1371.89
20	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5mm), clean and free from clay and rubbish etc.	145.00	M3	INR	1099.20
30	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	1044.00 (REVISED QUANTITY)	M3	INR	1281.21
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	429.00	M3	INR	917.70
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	100.00	M3	INR	2157.20
60	Supply of Jhama bricks bats-each bat not smaller then 1/3 of a full brick	12000.00	DM3	INR	25.27
70	Supply of broken stone-Boulder broken(18mm graded - down to 10mm) heard & clean	178	M3	INR	2549.57
Group B SEC-C					
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	64.00	TON	INR	117.81
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 5KM and Upto 10KM	320.00	TPM	INR	8.56
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM:	640	TPM	INR	6.98

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
	Beyond 10KM and Upto 20KM				
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	940.00	TPM	INR	5.73
	Group C SEC-A				
10	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Ordinary Soil by Manual Means (Depth upto 3 m)	312.00	M3	INR	351.37
20	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	52.00	M3	INR	1199.80
30	Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	510.00	M3	INR	1495.50
40	Centring and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns, etc. for mass concrete.	384	M2	INR	130.55
50	Trowel finishing concrete surface.	713.00	M2	INR	62.85
60	BAMBOO PILING including stiffness etc. using #Bhaluka bamboo# or big size #Jati# bamboo at river bank and water logging areas, including supply of bamboo and necessary ropes etc. complete.	1496	M	INR	163.85
70	Reinforcement for R.C.C works including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.	11679.00	KG	INR	62.25
	Group C SEC-B				
10	Supply of Timber for shuttering	3200.00	DM3	INR	25.27
20	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	244.00	M3	INR	917.70
30	Supply of broken stone-Boulder broken(18mm graded - down to 10mm) heard & clean	488.00	M3	INR	2549.57
	Group C SEC-C				
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	175.00	TON	INR	117.81
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 5KM and Upto 10KM	875.00	TPM	INR	8.56
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM:	1750	TPM	INR	6.98

Sl. No.	Description of Work	Qty	UOM	Curr.	Rate
	Beyond 10KM and Upto 20KM				
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	3500.00	TPM	INR	5.73

- Bidder must include all liabilities including statutory liabilities in their quoted rates (excluding PF and GST).

Note:

1. The Company's Internal Estimated Rates, as indicated in Part-II, are inclusive of all overheads, taxes, duties, levies etc. except P.F. & GST.

	TENDER NO. : CDC9605P19: Construction of 1.00 km long approach road (500.00 m long new road as per OIL standard and repairing 500.00 m long existing road); construction of plinth, road over plinth, effluent pits with suitable bundhs/embankments etc.; construction of C.C/R.C.C. foundations with pillows to suit VFD Rig outfit at NHK (N/S) area including supply of all materials except cement, empty bitumen drum sheets and empty cement bags.					
	NAME OF THE FIRM:					
	VENDOR CODE:					
	PRICE BIDDING FORMAT				OIL's	
Sl. No.	Description of Work	Qty	UOM	Curr.	Rate	Total
	Group A SEC-A	A			D	X=A*D
10	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.All kinds of soil	2500.00	M2	INR	13.68	34200.00
20	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 30 cm girth upto and including 60 cm girth.	20.00	EA	INR	215.02	4300.40
30	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 60 cm girth upto and including 120 cm girth.	10.00	EA	INR	954.63	9546.30
40	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 120 cm girth upto and including 240 cm girth.	5	EA	INR	4421.64	22108.20
50	Cutting and removing bamboos (Jati / Bhaluka) and stacking them at about 30m. distance away from site of operation including cutting branches and cleaning the site.	300.00	NO	INR	10.49	3147.00
60	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre.	20	EA	INR	176.25	3525.00
70	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre. but for girth of tree over one metre and upto 2 metre.	10.00	EA	INR	303.28	3032.80
80	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre. but for girth of tree over one metre and upto 2 metre. , but for girth of tree over 2m and beyond.	5.00	EA	INR	727.04	3635.20
90	Uprooting bamboo stumps	60.00	M2	INR	860.27	51616.20
100	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and compacting, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	4000.00	M3	INR	359.79	1439160.00
110	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.	250.00	OME	INR	423.08	105770.00
120	Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, removal of stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned up to a lead of 1000 metres including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201. By Manual Means:-In area of light jungle	0.43	HEC	INR	66332.79	28523.10
130	Removing all types of Hume pipes and stacking within a lead of 1000 mincluding Earthwork and Dismantling of Masonry Works as per TechnicalSpecification Clause 202. above 900 mm dia	55.00	M	INR	463.75	25506.25
140	Cutting and uprooting manually all kinds of tea bushes, small bamboo stumps or any other small under growth etc.	500.00	EA	INR	30.78	15390.00
150	CONSTRUCTION OF 150MM (CONSOLIDATED) GRANULAR SUB-BASE consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75mm deep to required level and as per clause 401. (Road roller supplied by contractor).	2300.00	M2	INR	86.21	198283.00
160	CONSTRUCTIONS OF 150 MM THICK (CONSOLIDATED) GRAVELLED ROAD including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	2500.00	M2	INR	89.35	223375.00
170	REPAIRING OF DAMAGED ROAD SURFACE BY 100 MM THICK WBM with 63mm to 45mm hand broken road metal, consolidated by road roller / manually to correct grade / course including excavation or raking out damaged portions as per direction (Ref. to MoRTH Spec.404) (Road roller supplied by Contractor).	500.00	M2	INR	95.25	47625.00
180	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	250.00	M3	INR	251.79	62947.50
190	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50.00	M3	INR	113.31	5665.50
200	Levelling and dressing road sides and verges including dressing the area and cutting earth upto 150mm depth and filling depression and breaking large earth lumps as directed.	2500	M2	INR	13.68	34200.00
210	Laying Brick Flat Soling (75mm thick) including grading the base and spreading 25mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00m.	60.00	M2	INR	124.55	7473.00
220	Labour for Assembling and placing Hume pipe (R.C.C.) Culverts manually in line with proper grading, levelling, jointing with collar, if necessary, including earth cutting, back filling upto a limiting depth of 1.00m and ramming filled up earth in layers of 150mm and filling-up the joints with cement mortar (prop.1cement:3 sand)for 0.60m dia.culvert.including de-watering andtemporary diversion of stream and blocking of water flow where applicable and handling, lifting of R.C.C. Hume pipes and collars from a distance of at least 30.00m from work place, including transporting the R.C.C. Hume pipes / collars upto 8Km. (Necessary finishing works like gravelling, pre-mixing / Bituminous works etc. to be carried out separately).	15.00	M	INR	982.87	14743.05

230	Labour for Assembling and placing Hume pipe (R.C.C.) Culverts in line Manually with proper grading, levelling, jointing with collar, if necessary, including earth cutting, back filling upto a limiting depth of 1.00m and ramming filled up earth in layers of 150mm and filling-up the joints with cement mortar (prop. 1 cement : 3 sand) for 0.90m dia. culvert, including de-watering and temporary diversion of stream and blocking of water flow where applicable and handling, lifting of R.C.C. Hume pipes and collars from a distance of at least 30.00m from work place, including transporting the R.C.C. Hume pipes / collars upto 8Km. (Necessary finishing works like gravelling, pre-mixing / Bituminous works etc. to be carried out separately).(Manually)	15.00	M	INR	1260.84	18912.60
240	Filling empty cement bags with sand of minimum volume of 0.025 Cu. m per bag, tying open end with rope / wire and stacking at filling yard ready for transporting, excluding supply of sand and empty cement bags, but including placing in position (within 100.00m from place of filling) of stacks upto 2.00m height.	2000.00	BAG	INR	13.70	27400.00
250	Supply And Making Standard 6.09m x 6.09m Bamboo Rafts with full size 'Jati' bamboo horizontally both ways at 0.61m apart, tying with 18 gauge G.I. wire, placing and anchoring in position as directed by engineer at site and tying big sized tree branches on the raft fully packed, including supply of all materials such as brushwood, bamboo etc. and also transport of all materials to work site (necessary raft will be supplied by company).	6	ER	INR	5771.62	34629.72
260	Removal of unserviceable soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.)	500.00	M3	INR	61.65	30825.00
Group A SEC-B						
10	Supply of Full size Jhama Bricks(slightly over burnt not badly out of shape)	2100.00	NO	INR	9.79	20559.00
20	Supply of Gravel (65mm graded down to 25mm), hard, clean and free from foreign materials	588.00	M3	INR	1371.89	806671.32
30	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5mm), clean and free from clay and rubbish etc.	63.00	M3	INR	1099.20	69249.60
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	403.00	M3	INR	1281.21	516327.63
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	63.00	M3	INR	917.70	57815.10
60	Supply of Jhama bricks bats-each bat not smaller than 1/3 of a full brick	100.00	M3	INR	2157.20	215720.00
70	Supply of Hand broken hard stone metal from river boulder fairly cubical in shape, free from dust/dirt disintegrated pieces, organic and other foreign matters(63mm to 45mm graded)	100	M3	INR	2100.03	210003.00
Group A SEC-C						
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	50.00	TON	INR	117.81	5890.50
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials 1 on every additional KM: Beyond 5KM and Upto 10KM	250.00	TPM	INR	8.56	2140.00
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 10KM and Upto 20KM	500	TPM	INR	6.98	3490.00
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	300.00	TPM	INR	5.73	1719.00
Group B SEC-A						
10	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m All kinds of soil	13000.00	M2	INR	13.68	177840.00
20	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 30 cm girth upto and including 60 cm girth.	30.00	EA	INR	215.02	6450.60
30	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 60 cm girth upto and including 120 cm girth.	20.00	EA	INR	954.63	19092.60
40	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunks and branches removing the roots and stacking of serviceable material and disposal of unserviceable. Beyond 120 cm girth upto and including 240 cm girth.	10	EA	INR	4421.64	44216.40
50	Cutting and removing bamboos (Jati / Bhaluka) and stacking them at about 30m. distance away from site of operation including cutting branches and cleaning the site.	300.00	NO	INR	10.49	3147.00
60	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre.	30	EA	INR	176.25	5287.50
70	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre. but for girth of tree over one metre and upto 2 metre.	20.00	EA	INR	303.28	6065.60
80	Uprooting tree stumps and removing them to 30m from site of operation for girth of tree from 300mm upto one metre. but for girth of tree over one metre and upto 2 metre. , but for girth of tree over 2m and beyond.	10.00	EA	INR	727.04	7270.40
90	Uprooting bamboo stumps	150.00	M2	INR	860.27	129040.50
100	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and compacting, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	8500.00	M3	INR	359.79	3058215.00
110	Making shallow kutchra drains with base width 225mm and maximum depth 400mm including disposing spoil within 30m, dressing, grading, ramming, levelling, spreading etc. complete directed by Engineer in charge.	700.00	M	INR	20.99	14693.00
120	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.	350.00	OME	INR	423.08	148078.00
130	Cutting and uprooting manually all kinds of tea bushes, small bamboo stumps or any other small under growth etc.	2500.00	EA	INR	30.78	76950.00
140	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tipper, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to the embankment location within all lifts and lead upto 1000m)(Ref. to MoRTH Spec.301)	9500.00	M3	INR	60.80	577600.00

150	Construction of embankment with approved materials deposited at site from roadway cutting and excavation from drain and foundation of other structures graded and compacted to meet requirement of table 300-2 (Road roller supplied by Company)	9500.00	M3	INR	75.11	713545.00
160	CONSTRUCTION OF 150MM (CONSOLIDATED) GRANULAR SUB-BASE consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75mm deep to required level and as per clause 401. (Road roller supplied by contractor).	5800.00	M2	INR	86.21	500018.00
170	CONSTRUCTIONS OF 150 MM THICK (CONSOLIDATED) GRAVELLED ROAD including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	5800.00	M2	INR	89.35	518230.00
180	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	175.00	M3	INR	251.79	44063.25
190	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50.00	M3	INR	113.31	5665.50
200	Laying Flat Brick Soling (150mm thick) in 2 layers including necessary grading the base and packing joints with loamy earth, including spreading loamy earth on top upto 25mm thick, with carriage of all materials from a distance of upto 30.00m.	500	M2	INR	124.12	62060.00
210	BAMBOO PILING including stiffness etc. using #Bhaluka bamboo# or big size #Jati# bamboo at river bank and water logging areas, including supply of bamboo and necessary ropes etc. complete.	1500.00	M	INR	163.85	245775.00
220	Filling empty cement bags with sand of minimum volume of 0.025 Cu. m per bag, tying open end with rope / wire and stacking at filling yard ready for transporting, excluding supply of sand and empty cement bags, but including placing in position (within 100.00m from place of filling) of stacks upto 2.00m height.	5000.00	BAG	INR	13.70	68500.00
230	Supply And Making Standard 6.09m x 6.09m Bamboo Rafts with full size 'Jati' bamboo horizontally both ways at 0.61m apart, tying with 18 gauge G.I. wire, placing and anchoring in position as directed by engineer at site and tying big sized tree branches on the raft fully packed, including supply of all materials such as brushwood, bamboo etc. and also transport of all materials to work site (necessary raft will be supplied by company).	10.00	ER	INR	5771.62	57716.20
240	Removal of unserviceable soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.)	2000.00	M3	INR	61.65	123300.00
250	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Ordinary Soil by Manual Means (Depth upto 3 m)	160	M3	INR	351.37	56219.20
260	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	20.00	M3	INR	1199.80	23996.00
270	Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	185	M3	INR	1495.50	276667.50
280	Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.	1500.00	M2	INR	130.55	195825.00
290	Supplying/ Providing reinforcement , cutting, straightening, cleaning, and bending to proper shape & length Medium Tensile steel/ reinforcement bars for R.C.C. work and placing in proper position as per detail drawing by binding with 20 G annealed black wire with cover blocks, supports, chairs, spacers etc., ready for laying concrete as directed, including making and placing of C.C. blocks.	5500.00	KG	INR	62.25	342375.00
Group B SEC-B						
10	Supply of Gravel (65mm graded down to 25mm), hard, clean and free from foreign materials	1090.00	M3	INR	1371.89	1495360.10
20	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5mm), clean and free from clay and rubbish etc.	145.00	M3	INR	1099.20	159384.00
30	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	1044.00	M3	INR	1281.21	1337583.24
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	429.00	M3	INR	917.70	393693.30
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	100.00	M3	INR	2157.20	215720.00
60	Supply of Jhama bricks bats-each bat not smaller then 1/3 of a full brick	12000.00	DM3	INR	25.27	303240.00
70	Supply of broken stone-Boulder broken(18mm graded - down to 10mm) heard & clean	178	M3	INR	2549.57	453823.46
Group B SEC-C						
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	64.00	TON	INR	117.81	7539.84
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 5KM and Upto 10KM	320.00	TPM	INR	8.56	2739.20
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 10KM and Upto 20KM	640	TPM	INR	6.98	4467.20
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	940.00	TPM	INR	5.73	5386.20
Group C SEC-A						
10	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Ordinary Soil by Manual Means (Depth upto 3 m)	312.00	M3	INR	351.37	109627.44
20	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	52.00	M3	INR	1199.80	62389.60
30	Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	510.00	M3	INR	1495.50	762705.00

40	Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.	384	M2	INR	130.55	50131.20
50	Trowel finishing concrete surface.	713.00	M2	INR	62.85	44812.05
60	BAMBOO PILING including stiffness etc. using #Bhaluka bamboo# or big size #Jatifi# bamboo at river bank and water logging areas, including supply of bamboo and necessary ropes etc. complete.	1496	M	INR	163.85	245119.60
70	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.	11679.00	KG	INR	62.25	727017.75
Group C SEC-B						
10	Supply of Timber for shuttering	3200.00	DM3	INR	25.27	80864.00
20	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	244.00	M3	INR	917.70	223918.80
30	Supply of broken stone-Boulder broken(18mm graded - down to 10mm) heard & clean	488.00	M3	INR	2549.57	1244190.16
Group C SEC-C						
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials : Beyond 4KM and Upto 5KM	175.00	TON	INR	117.81	20616.75
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 5KM and Upto 10KM	875.00	TPM	INR	8.56	7490.00
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 10KM and Upto 20KM	1750	TPM	INR	6.98	12215.00
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia and other heavy materials on every additional KM: Beyond 20KM	3500.00	TPM	INR	5.73	20055.00
Total =					₹	198,63,116.11
***Bidder's Quoted offer is			(percentage) above the Company's Internal Estimated Cost.			
*** The bidders should offer their percentage in figures upto two decimal places only. *** If bidder's quoted offer is at par with the Company's Internal Estimated Cost, select "at par" from the above dropdown list. *** If bidder's quoted offer is above Company's Internal Estimated Cost, fill the above blank cell with quoted percentage (upto 10% above on Company's I.E. cost).						
Please note that :-						
1.0	The bidder should not quote their rates for individual items. They should only fill up the percentage in the blank cell as advised above. The bids with overall rates quoted below at par (below 0.00 %) and above (+10%) of Company's internal estimated Cost will be rejected outright.					
2.0	The Rates of Company's Internal Estimate are exclusive of P.F. & GST. The Bidders must quote their rates excluding P.F. & GST.					
3.0	The Wages Component for the Work is (Civil Part) : 28.98 %					
4.0	The Contractor must quote considering the prevailing minimum labour wage rate for each day of work.					
5.0	Offers not furnished in the above format as per instruction given shall be summarily rejected.					