

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**P.O. Duliajan, Pin – 786602**  
**Dist.-Dibrugarh, Assam**

**INVITATION FOR BID**  
**DOMESTIC COMPETITIVE BIDDING**

OIL INDIA LIMITED (OIL) invites Bids through its E-Procurement Portal "<https://etender.srm.oilindia.in/irj/portal>" against (i) IFB No. CDC4983P18 for "Construction of Pucca road (Dust Free Road) to well approach at Kathaloni area (Well no: WBT#01 Plinth ).Approximate length 2800.00 M."(ii) IFB No. CDC4984P18 for "Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet."(iii) IFB No. CDC4986P18 for " Construction/Repairing of approach road, Preparation of plinth, Road over plinth, Effluent pits and RCC foundation for drilling location to suit 1400 AC/SCR outfit at Chandmari & Barekuri area of Tinsukia district or any other locations including supply of all materials and equipments except cement".The details of IFBs and procedures for applying & participation can be viewed using "Guest Login" provided in the E-Procurement portal and also in OIL's web site [www.oil-india.com](http://www.oil-india.com). The link to OIL's E-Procurement portal has also been provided through OIL's web site. All corrigenda, addenda, amendments, time extension, clarifications etc. to the tender will be hosted on the website and in the e-tender portal only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website and e-portal to keep themselves updated.

OIL INDIA LIMITED  
(A GOVT. OF INDIA ENTERPRISE)  
P.O.DULIAJAN-786602, ASSAM  
E-TENDR NOTICE

OIL INDIA LIMITED (OIL) invites Bids under Composite bid System from established Civil Engineering firms / contractors through its E-Procurement portal "[https://etender.srm.oilindia.in/irj\\_/portal](https://etender.srm.oilindia.in/irj_/portal)" for the following works.

IFB No.	SHORT DESCRIPTION OF SERVICE	BID SECURITY	COST OF BID DOCUMENT
CDC4984P18	Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet.	₹ 77,000/-	₹ 1000/-
<b>Period of Sale of Bid Doc. for above work: 17-06-2017, 07:00 AM to 13-07-2017, 03:30 PM.</b>			
<b>Bid Closing / Opening Date &amp; Time for the above work : 20-07-2017 at 11.00/14.00 Hrs.</b>			
<p>Bidder shall require User ID and Password for online submission of Bid. Vendors having user ID &amp; password can purchase bid documents on-line through OIL's electronic Payment Gateway. <b>Tender fee:</b> Only payment made through online payment gateway on or before the last date of sale of bid document shall be acceptable and no other instrument (cash/ DD/ Cheques/Cashier Cheque, etc.) shall be acceptable.</p> <p>New Vendors who do not have User ID &amp; password shall request OIL for the issue of the same well in advance and OIL will take up to 5 working days to issue the same. Therefore bidder should not delay in making request till the last moment in their own interest. In case of delay because of late request by the bidders, OIL shall not be responsible for non-submission of Bid in absence of user ID and Password. Alternatively, User ID and Password may be generated online by the bidders by using the link for supplier enlistment given in OIL's e-tender portal and can purchase bid documents subsequently in the similar manner.</p>			
<b>EXEMPTION OF TENDER FEE:</b> Central Govt. Departments and Central Public Sector Undertakings (PSU) are exempted from payment of tender fee. Application for exemption of Tender Fee must reach the office of GM-Contracts, Contracts Department, Oil India Limited, Duliajan-786602(Assam) within the bid selling period.			
<b>No physical Bid documents will be issued.</b> The details of IFB can be viewed using "Guest Login" provided in the E-Procurement portal and also in OIL's web site <a href="http://www.oil-india.com">www.oil-india.com</a> . The link to OIL's E-Procurement portal has also been provided through OIL's web site <a href="http://www.oil-india.com">www.oil-india.com</a> .			
All corrigenda, addenda, amendments, time extension, clarifications etc. to the tender will be hosted on the OIL's website and in the e-tender portal only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website and e-portal to keep them updated.			

**Date: 17-06-2017**

**Chief Manager Contracts- Civil.  
For, RESIDENT CHIEF EXECUTIVE**

OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
Contracts Department, Duliajan

OIL INDIA LIMITED, a premier Public Sector Enterprise of Govt. of India engaged in drilling and exploration activities for hydrocarbon invites ON-LINE BIDS from experienced and established firms / contractors meeting the requisite criteria for the following mentioned work under **SINGLE STAGE Composite Bid System** through its e-Procurement site:

**DESCRIPTION OF WORK/ SERVICE :** Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except Cement and Drum sheet.

**LOCATION OF WORK :** Makum/Hapjan Area.

**CONTRACT PERIOD :** 20 Weeks.

**BID CLOSING/ OPENING DATE & TIME:** 20.07.2017 at 11:00 HRS/14:00 HRS.

**BID SECURITY DEPOSIT:** ₹ 77,000.00 /-(Rupees Seventy Seven Thousand Only).

a) Bid Security deposited vide Bank Guarantee/LC No. \_\_\_\_\_ dated \_\_\_\_\_ of \_\_\_\_\_

(Original hard copy of (a) should reach the office of GM-CONTRACTS before Bid opening date and time, otherwise Bid will be rejected. A scanned copy of this document should also be uploaded along with the Un-priced bid documents.)

b) Bidders to confirm that in the event of the award of Contract he/she/they will submit Performance Security Deposit @ 2.5% of the total contract price within two weeks of issue of LOI/LOA and this will not earn any interest. Immediately after deposit of Performance security, successful bidder shall have to sign the formal contract Agreement.

**2.0** SEALED ENVELOPES containing the Bid Security Deposit (EMD) shall be marked with the above Tender Number and description of work and addressed to

GM-CONTRACTS  
CONTRACTS DEPARTMENT  
OIL INDIA LIMITED  
Duliajan – 786602  
Assam.

**2.1 The bidders shall pay the requisite Bid security against the individual IFBs through the online payment gateway.** Alternatively, the bidders may deposit the requisite BID SECURITY in the form of Letter of Credit/Bank Guarantee {BG should be submitted in the prescribed format enclosed with this tender (Annexure-III)} from a Nationalized / Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. **DD/Cheques/ Cashier Cheque etc. will not be acceptable.** This Bid Security shall be refunded to all unsuccessful bidders, but is liable to be forfeited in full or part, at Company's discretion, as per Clause No.

6 below. **Bids without Bid Security in the manner specified above will be summarily rejected.** Bid should be submitted on-line through OIL's e-Tendering Portal up to 11:00 hrs (IST) (Server Time) on the date as mentioned and will be opened on the same day at 14:00 hrs (IST) at Office of the GM-Contracts in presence of authorized representative of the bidder. **If the bid security is submitted in the form of BG/LC, the same should be dropped in the tender box placed at the office of the GM-Contracts on or before 1:30 p.m. of the schedule date of opening of tender.**

**Exemption from submission of bid security:**

- a. Central Govt. Department & Public Sector Undertaking Companies are exempted from submission of bid security.
- b. **OIL registered 'A' class bidders are exempted from depositing the bid security against this tender considering they have submitted revised "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016, on or before 13:30 Hrs. of Bid Closing/Opening date of this tender.**

2.2 THE PHYSICAL BID SECURITY IS TO BE SUBMITTED ALONGWITH A COVERING LETTER MENTIONING THE e-TENDER NO AND THE BIDDER'S NAME AND ADDRESS IN A DULY SEALED ENVELOPE ADDRESSED TO GM-CONTRACTS, OIL INDIA LIMITED, CONTRACTS DEPARTMENT, DULIAJAN – 786602.

2.3 If the bidders deposit the requisite Bid security in the form of Bank Guarantee, then the Bank Guarantee should be valid for 30 days beyond the required bid validity period.

**3.0** However, if the above mentioned closing / opening day of the tender happens to be non-working day due to Bandh / Strike or any other reason, the bids will be received and opened on the following working day at the same time except on Saturdays.

**4.0** The rate shall be quoted in percentage (0.00 % (At par) to +10%) of the internal estimate as specified in the "Price Bidding Format" attached just below the "Tendering text". Bidder should note that no pricing information is furnished in the "c-Folder" (Technical Bid) otherwise the bid will be rejected.

4.1 All other techno-commercial documents other than price details to be submitted with un-priced bid as per tender requirement placed in the 'un-priced' bid folder.

4.2 To participate in OIL's E-procurement tender, bidders must have a legally Valid Digital Signature of Class 3 [**Organizational Type**] with Organizations Name along with **Encryption Certificate** as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). Digital Signature Certificates having "**Organization Name**" field other than **Bidder's Name (i.e. Firm's Name)** are not acceptable.

4.3 The authenticity of above Digital Signature shall be verified through authorized CA after bid opening. If the **Digital Signature Certificate (DSC)** used for signing is not of "**Class -3**" & Organizational type with Organization's name, the bid will be rejected.

4.4 Bidder is responsible for ensuring the validity of Digital Signature Certificate (DSC) and its proper usage by their employee.

4.5 The bid including all uploaded documents shall be **digitally signed** by duly authorized representative of the bidding company.

**5.0** The Company reserves the right to reject any or all the tenders or accept any tender without assigning any reason.

**6.0** (a) No Bidder can withdraw his bid within the validity or extended validity of the bid. Withdrawal of any bid within bid validity period will lead to forfeiture of his/her/their Bid Security in full and debarment from participation in future tenders, at the sole discretion of the Company and the period of debarment will be decided as per OIL's banning policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.

**7.0**

- a) The Bid must be valid for 90 (Ninety) days from the date of opening of the tender.
- b) In case of extension of Bid Opening Date, Bid validity must be extended suitably by the bidder, as and when advised by OIL.
- c) The amount of Bid Security shall be as specified in the NIT.
- d) In case the Bidder submits Bid security in the form of Bank Guarantee (BG), the BG must be valid for minimum 120 days (One Hundred Twenty) from the date of bid opening.
- e) In case of extension of Bid Opening Date, Bid Security validity must be extended suitably by the bidder, as and when advised by OIL.
- f) The bidders must upload the Integrity Pact, digitally signed by the authorized signatory (who is authorized to sign the bid) along with the Technical Bid.

**8.0** Conditional bids are liable to be rejected at the discretion of the Company.

**9.0** The work may be split up amongst more than one contractor at the sole discretion of the Company.

**10.0** Before submission of bids, the bidder is advised to inspect the work site with permission from GM -Civil or his representative, to assess the nature and extent of work and the conditions under which it will be carried out. He may also seek such clarification from this office as are deemed necessary.

**11.0** The bidder should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of 0% (at Par) to +10% on the Company's internal estimated contract cost. The bids with overall rates quoted below at par and above (+10%) of Company's internal estimate will be rejected outright.

**12.0** The bidders are required to furnish the composition and status of ownership of the firm in whose name bid documents have been purchased/issued along with one or more of the following documentary evidences (which are applicable to the bidder) in support of the same and scanned copies of the same should be uploaded along with the Un priced bid documents.

**12.1** In case of Sole Proprietorship Firm, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, business and residential

address, E-mail and phone numbers of the owner and copies of Service Tax and Central Excise Registration Certificate.

**12.2** In case of HUF, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form, Family Arrangement indicating therein the name, residential address, E-mail and phone numbers of the owners in general and Karta in particular and copies of Service Tax and Central Excise Registration Certificate.

**12.3** In case of Partnership Firm, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mails and phone numbers of all the partners (including the Managing Partner), registered partnership agreement/deed and copies of Service Tax and Central Excise Registration Certificate.

**12.4** In case of Co-Operative Societies, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mails and phone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from Registrar of Co-Operative Societies and copies of Service Tax and Central Excise Registration Certificate.

**12.5** In case of Societies registered under the Societies Registration Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from the Registrar of the state and copies Service Tax and Central Excise Registration Certificate.

**12.6** In case of Joint Stock Companies registered under the Indian Companies Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, Certificate of Incorporation from the Registrar of Companies, Memorandum and Articles and copies of Service Tax and Central Excise Registration Certificate.

**12.7** In case of Trusts registered under the Indian Trust Act, Copies of Telephone/Electricity/Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Trustee or persons who are at the helm of affairs, registration certificate from the Registrar of the state, Trust Deed and copies Service Tax and Central Excise Registration Certificate.

**NOTE: Point no. 12.1 to 12.7 is not applicable for contractors who are already registered with OIL INDIA LIMITED.**

**13.0** The selected bidder will be required to enter into a formal contract, which will be based on their bid, i.e. O.I.L's Standard Form of Contract.

**14.0 PERFORMANCE SECURITY DEPOSIT:**

The successful bidder shall furnish a Performance Security Deposit in the form of Letter of Credit/Bank Guarantee (PBG in prescribed format of **Annexure-IV**) as specified above before signing the formal contract. The Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Security Money shall not earn any interest.

**15.0** OIL INDIA LIMITED reserves the right to curtail / enhance the scope of the work stated above or cancel, if required.

**16.0** The amount of retention money shall be released after 6 (six) months from the date of completion certified by the concerned department.

**17.0** The work shall have to be started within seven days from the date of work order.

**18.0** Time Schedule: The time allowed for completing the work will be reckoned from the date of issue of work order. Time is the essence of the Contract and failure on part of the contractor to complete the work within the stipulated time, shall entitle the Company to impose liquidated damages and / or penalty from the contractor as per terms of the Contract.

**19.0** The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers payment.

**20.0 BACKING OUT BY BIDDER:** In case any bidder withdraws their bid within the bid validity period, the Bid Security will be forfeited and be debarred from further tendering as per OIL's banning policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

**21.0 BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA:** In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the Bid Security shall be forfeited and the bidder shall be dealt as per OIL's banning policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

**22.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:** If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party shall be debarred as per the OIL's Banning Policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

**23.0 SUBSEQUENTLY ENACTED LAWS:** In case of change in existing law/enactment of new law or Statutory Order from a Statutory Authority during the execution of the Contract affects the Contract price, any increase against documentary evidence shall be reimbursed to the Contractor and any decrease shall be passed on to the Company by the Contractor. The date of such enactment or change in law or Statutory order shall be considered after closing date of the bid submission as the Contractor has submitted the bid price based on the existing condition on that day and the Contract is awarded based on the bid as submitted.

**24.0 Bidder(s) must also furnish the followings:**

- a) NAME OF FIRM :
- b) DETAIL POSTAL ADDRESS :
- c) MOBILE / TELEPHONE NO :
- d) E-MAIL ADDRESS :
- e) FAX NO (If available) :
- f) CONTACT PERSON :
- g) VENDOR CODE (If available) :

**25.0 The tender will be governed by :**

- a) Covering Letter.
- b) Part – I - General Terms and Conditions for Works Contract. (GCC)
- c) Part - II - Schedule of Work, Unit and Quantity (SOQ)
- d) Part - III - Particular Specification, Special Terms, Conditions & Instructions of Contract (SCC)
- e) Part - IV - SCPME

- f) Part- V- Safety Measures
- g) Part- VI - Integrity Pact
- h) Bid Rejection Criteria & Bid Evaluation Criteria (BRC/BEC).
- i) Annexure-III (Format for **Bid Security** in the form of Bank Guarantee.)
- j) Annexure-IV (Format for **Performance Bank Guarantee** in the form of Bank Guarantee.)

**Special Note:**

Please note that all tender forms and supporting documents are to be submitted on-line through OIL's E-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date at following address:

**GM Contracts,  
Contracts Department,  
Oil India Limited,  
Duliajan- 786602, Assam**

- a. **ORIGINAL BID SECURITY (Only in case of Bidder(s) submitting Bid Security in the form of LC/Bank Guarantee.**

A scanned copy of Bid Security should also be uploaded along with the Unpriced Techno-Commercial Bid documents.

- b. Any other document required to be submitted in original as per tender requirement.

Scanned copy(s) of the same should also be uploaded along with the Un-priced Techno-Commercial Bid documents.

The above documents including the Original Bid Security **{in case of bidders submitting Bid Security in the form of Bank Guarantee/LC}** must be received at OIL's GM (Contracts) office at Duliajan on or before the scheduled date & time specified in the NIT, failing which the bid shall be rejected.

Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications. Offers sent without the requisite value of prescribed Bid Security (if called for in the bid) in original will be ignored straightway.

**26.0** The tender is invited under SINGLE STAGE - COMPOSITE BID SYSTEM. The bidders shall submit both the "TECHNICAL" and "PRICED" bids through electronic form in the OIL's E-Procurement portal within the Bid Closing Date and Time stipulated in the E-Tender. The Technical Bid should be submitted as per Scope of Work & Technical Specifications along with all technical documents related to the tender and uploaded under **"Technical Attachment" Tab only. Bidders must note that no price details should be uploaded in "Technical Attachment" Tab Page. Details of prices as per Price Bid format/Priced bid to be uploaded under "Notes and Attachment" Tab. A screen shot in this regard is shown below. Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria. In Bid opening, both Technical & Priced Bids will be opened.**

Please go through the **"General Guidelines to bidders"> NEW VENDOR MANUAL (Effective 12.04.17)"** provided in OIL's e-Portal, in detail before uploading the document.



**NB:** All the Bids must be Digitally Signed using "Class 3" [Organisational Type] Digital Signature certificate with Organization's Name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India.

**27.0 The Integrity Pact is applicable against this tender:** OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide "Part-VI Integrity Pact" of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who sign the bid, i.e., who is duly authorized to sign the bid. Any bid not accompanied by Integrity Pact Proforma duly signed (digitally) by the bidder shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.

**Note:** Shri Rajiv Mathur, IPS (Retd.), Former Director, IB, Govt. of India, E-Mail ID: [rajivmathur23@gmail.com](mailto:rajivmathur23@gmail.com) and Shri Raghaw Sharan Pandey, IAS (Retd.), Former Secretary, Ministry of Petroleum & Natural Gas, E-mail Id : [rspandey\\_99@yahoo.com](mailto:rspandey_99@yahoo.com) have been appointed as Independent External Monitors.

## 28.0 SCREEN SHOT :

On "EDIT" Mode, bidders are advised to upload "Technical Bid" and "Priced Bid" in the respective places as indicated below:

### Note:

\* The "Technical Bid" shall contain all techno-commercial details **except the prices**.

\*\* The "Priced bid" must contain the price schedule and the bidder's commercial terms and conditions, if any. For uploading Priced Bid, first click on Add Attachment, a browser window will open, select the file from the PC and name the file under Description, Assigned to General Data and click on OK to digitally sign and upload the File. Please click on Save Button of the Response to Save the uploaded files.

**A. Uploading of Technical Bid :** Technical files to be added under RFX Information > "Technical Attachments"

The screenshot displays the E-Tendering System interface. At the top, it shows the RFX Response Number (60037504), RFX Number (TESTARUP), Status (In Process), Submission Deadline (15.04.2017 11:00:00 INDIA), and Opening Date (15.04.2099 00:00:00 INDIA). Below this, there are tabs for RFX Information, Items, Notes and Attachments, Conditions, Summary, and Tracking. The 'Notes and Attachments' tab is selected, and within it, the 'Technical Attachments' sub-tab is active. The 'Notes' section is highlighted with a red box, and the 'Attachments' section is highlighted with a yellow box. A callout box points to the 'Technical Attachments' tab with the text: "Go to this Tab 'Technical Attachment' for Uploading 'Technical Bid'." Below the 'Attachments' section, there is a table for 'cFolder Attachments' with columns: cFolder Name, Category, Description, File Name, Version, Processor, and Che. The table is currently empty, with a message stating "The table does not contain any data".

## B. Uploading of Price Bid :

**Edit RFX Response:**

Submit Read Only Print Preview Check Technical RFX Response Close Save Delete Verify Signature Sign Response Refresh Smartform System Information Create Memory Snapshot

RFX Response Number: 60032949 RFX Number: SDIO69P17 Status: Saved Submission Deadline: 29.02.2017 11:00:00 INDIA Opening Date: 28.02.2019 11:00:00 INDIA Remaining Time: 4 Days 01:50:00

RFX Owner: BHARALI Total Value: 0.00 INR RFX Response Version Number: Active Version RFX Version Number: 2

RFx Information Items **Notes and Attachments** Conditions Summary Tracking

**Notes**

Add Clear

Assigned To	Category	Text Preview

**Attachments**

Sign Attachment Add Attachment Edit Description Delete Create Qualification Profile Filter Settings

Assigned To	Category	Description	File Name	Version	Processor	Checked Out	Type	Size (KB)	Changed by	Changed on
The table does not contain any data										

## C. After Uploading of Price bid Click 'Save'

**Edit RFX Response:**

Submit Read Only Print Preview Check Technical RFX Response Close **Save** Delete Verify Signature Sign Response Refresh Smartform System Information Create Memory Snapshot

RFX Response Number: 60032949 RFX Number: SDIO69P17 Status: Saved Submission Deadline: 29.02.2017 11:00:00 INDIA Opening Date: 28.02.2019 11:00:00 INDIA Remaining Time: 4 Days 01:19:45

RFX Owner: BHARALI Total Value: 0.00 INR RFX Response Version Number: Active Version RFX Version Number: 2

RFx Information Items Notes and Attachments Conditions Summary Tracking

**Notes**

Add Clear

Assigned To	Category	Text Preview

**Attachments**

Sign Attachment Add Attachment Edit Description Delete Create Qualification Profile Filter Settings

Assigned To	Category	Description	File Name	Version	Processor	Checked Out	Type	Size (KB)	Changed by	Changed on
Document Header	Standard Attachment	PRICE BID	PRICE_BID.xls.sig	1		<input type="checkbox"/>	sig	10	V210445	24.02.2017

Once Saved ,the Data will be Encrypted & the Encryption Certificate will be in use.

## D. Click to select the desired Encryption certificate &amp; Encrypt Bid:

Please select an appropriate certificate


Issued To	VerSt	Email	Issued By	Purpose	Valid Till
BHARALI BALEN	3	balen_bharali@oilindia.in	e-Mudhra Sub CA for Class 3...	Encryption	22-Dec-2017

**Encrypt Bid** Cancel


Click here to Encrypt Bid

The Encrypted Data will be displayed only when click 'Decrypt data'


E. The Encrypted Data will be displayed only when click '**Decrypt data**'



F. Click on 'Close'



G. Click on '**Refresh**'. Then Click on '**Response No.**'




Now Uploading part is complete. Bidders are requested to go to the Initial screen. It is always better to come to the first screen and refresh the page and then going in into the response for the submission process.


- H. On 'Edit' mode Click to select the same Encryption certificate used for De-cryption else data will not Decrypt.



- I. After Entering User pin , Click '**Check**'. Bidder may submit the response in case there is no error.




- J. Click on '**Submit**' button




Before submit, Please do check all the documents uploaded and on-line data maintained are correct.




K. After Clicking 'Submit' below pop up will open. Select Digital Signature & Sign.



L. After Signing the response has to be encrypted again. Select the encryption certificate and Encrypt Bid.



M. Click 'Close'



E-TENDER NO.: **CDC4984P18**

**Covering Letter**

N. Click on 'Refresh'. The status of Response must be 'Submitted'

The screenshot shows the Oil India Limited e-tender portal. The user is logged in as 'DUMMY VENDOR 3 V210445'. The page displays a list of eRFxs (eRequests for Information) with columns for Event Number, Event Description, Event Type, Event Status, Start Date, End Date, Response Number, Response Status, Event Version, Response Version, Q&A, Start Time, and End time. The 'Response Status' column for the event 'CDC4984P18' is highlighted with a red box and labeled 'Submitted'. A red arrow points to the 'Refresh' button in the toolbar, with a text box saying 'Click \'Refresh\''.

Event Number	Event Description	Event Type	Event Status	Start Date	End Date	Response Number	Response Status	Event Version	Response Version	Q&A	Start Time	End time
SD08156P13	1MW CRUDE OIL RUN GENERATOR SET	Open -2 Bid System	Published		29.05.2009		No Bid Created	11		0	00:00:00	11:00:00
SD0866P17	TEST TENDER	RFX-TWO STAGE OPEN	Published		28.02.2017	60032949	Submitted	1	2	0	00:00:00	11:00:00
CD0851P13	Modernization of Toilets at D+SS Blows	RFX-OPEN TWO BID	Published		23.05.2009		No Bid Created			0	00:00:00	11:00:00
CD0850P13	Modernization of Toilet TD + Blows	RFX-OPEN TWO BID	Published		23.05.2009		No Bid Created			0	00:00:00	11:00:00
CD0877P13	Construction of Oilline / OCMSC at Inlet area	Open -2 Bid System	Published		24.08.2009		No Bid Created			0	00:00:00	11:00:00

This is the end of **Response submission with Encryption key** process.

**29.0** OIL now looks forward for your active participation in the IFB.

**GM-CONTRACTS**  
**For RESIDENT CHIEF EXECUTIVE**

OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
Contracts Department,  
Duliajan, DISTRICT: DIBRUGARH  
ASSAM, PIN: 786602

### WORKS CONTRACT

**DESCRIPTION OF WORK/SERVICES** : Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet.

### GENERAL CONDITIONS OF CONTRACT (GCC)

MEMORANDUM OF AGREEMENT made this \_\_\_\_\_ day of \_\_\_\_\_ Between OIL INDIA LIMITED a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam ( hereinafter called Company ) of the one part and Shri/Smti \_\_\_\_\_ and Shri/Smti \_\_\_\_\_ carrying on business as partners /proprietor under the firm name and style of M/s. \_\_\_\_\_ with the main Office at \_\_\_\_\_ in the District of \_\_\_\_\_ aforesaid ( hereinafter called 'Contractor') on the other part.

### WITNESSETH:

1. a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms part-II of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms Part-III of the contract utilizing any materials/services as offered by the Company as per Part-IV of the contract at \_\_\_\_\_ .

b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.

c) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.

2. The contractor shall provide all labour, supervision and transport and such specified materials described in part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and

Contractor

- 1

Company

his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not specifically mentioned in this contract are necessary for its completion in a sound and workman like manner.

3. The Company's Engineer shall have power to:

a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not up to the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.

b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.

c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.

d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.

e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed. The rates to be applied for such Deviation Order shall be the same for those appearing in Company's Schedule of Rate in force on the date of issue of such Deviation Order, to which the contractor has no objection.

4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities stipulated in Part-II. During the actual execution of the contract, if any, additional items (deviation items) are required, which are not covered in the tender, payment of such items shall be made at the current OIL schedule of rate. In case of positive variation in quantity of any items for the quantity mentioned in the schedule of work during the actual execution of work, the contractor will have to carry out the positive varied quantity at the contract rate, or internally estimated rate whichever is lower.

5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.



6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-

- I. The Mines Act.
- II. The Minimum Wages Act, 1948.
- III. The Workman's Compensation Act, 1923.
- IV. The Payment of wages Act, 1963.
- V. The Payment of Bonus Act, 1965.
- VI. The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- VII. Employees' Pension Scheme, 1995.
- VIII. Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- IX. The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
- X. VAT Act.
- XI. Service Tax Act.

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.

8. The Contractor must complete the work within 20 weeks of the written order to commence work. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half percent) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) per week of delay of the total contract cost subject to a maximum of 7.5% of total contract cost.

The Chief Engineer's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots, or in any agitation prejudicial to the Company's interest and any such even taking shape or form at any place of the Company's works or and its neighbourhood.

10. The tendered all-inclusive Price (i.e. the Contract price) is ` \_\_\_\_\_ **(Not to be filled up by bidder while submitting the offer in c-Folder. This figure will be filled up by OIL at the time of award of the contract to the successful bidder.)**  
( \_\_\_\_\_ only.)

but the Company shall pay the Contractor or only for actual work done at the all inclusive rates set down in the Schedule of work part II of this Contract.

On account payment may be made, not oftener than monthly, up to the amount of 92.5% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.

12. Wages shall be paid by the Contractor to the workmen directly without any intervention of any Jamadars or Thekadars and that the Contractor shall ensure that no amount by way of commission or otherwise be deducted/ recovered by the Jamadar from the wages of the workmen.

13. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalised.

14. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.

15. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with regulation 89(a) and 89(b) in the Oil mines Regulations 1984. The Company's representative shall not allow/accept those men who are not provided with the same.

16. All Statutory taxes levied by the Central and State Government or any other competent authority from time to time will be borne by Contractor and the amount of the contract specified in the contract is inclusive of all tax liabilities.

17. The Contractor shall deploy local persons in all works.

18. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.

19. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act. (Latest editions).

20. **Special Conditions:**

a) The amount of retention money shall be released after 6(six) months from the date of issue of completion certificate from concerned department.

b) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.

c) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & Employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to applicable P.F. Contribution.

d) In case P.F. is not included in the contract cost and later on required to be deposited by the Contractor, the same will be reimbursed on production of documentary evidence of depositing the same to the authority concerned. 12% P.F. will be applicable on the wage component of the contract cost. The following points are incorporated in the contract based on Contractor's declaration at the time of submission of offer against this contract.

(i) 12% P.F. is included / not included in the contract cost.

(ii) Wage component of the contract cost is : 21.28 %.

e) As per Service Tax Act, the contractors are required to furnish service Tax Invoices Containing the following details:

(i) Name, address and registration No of the contractor

(ii) Name and address of the service recipient i.e. OIL

(iii) Description and value of taxable services and the service Tax payable thereon

Note: In absence of Service Tax invoices, Service Tax will not be reimbursed and the consequences of the same shall entirely rest upon the Contractors

The Contractor shall have to submit Invoice of Service Tax as per the following Format:  
Format of Invoice (As per Rule 4A (1) of the Service Tax Rule's 1994)

### **TAX INVOICE**

Name of the Service Provider.....

Address of the Service Provider.....

Service Tax Regn. No of the service provider.....

Name & address of the Service Receiver

Oil India Limited, Duliagan, Assam

Invoice Serial No.....

Invoice Date.....

Particulars	Amount (Rs)
Description of the service provided or agreed to be provided (e.g. AMC Bill against Contract No.....for the period.....)	A
Add service Tax 15 % on (A) above (In case of taxable value of service is not 100 %, than specify the value of taxable service and apply 15 % of the qualifying amount) (e.g. if the value of service is only 40%, than service tax should be calculated at 15 % on 40% of the value declared at (A) above.)	B
Total amount (Including service Tax) (A + B)	C
Less: Service Tax Payable by Oil India Limited under reverse charge	D
Net Bill Amount	E

Signature of Proprietor/partner

#### **21. ARBITRATION:**

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration: Duliagan, Dibrugarh, Assam.

#### **22. FORCE MAJEURE:**

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. 421) is hereby incorporated in this contract.

#### **23. I.B. VERIFICATION REPORT AND SECURITY REVIEW:**

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

24. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

### **25. SET OFF CLAUSE:-**

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

### **26.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:**

If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party shall be debarred as per the OIL's Banning Policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

### **27.0 LIQUIDATED DAMAGES FOR DELAY IN MOBILISATION AND/ OR COMPLETION OF WORKS AND SERVICES**

27.1 In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization /completion date subject to a maximum ceiling of 7.5% of contract value .

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED & DELIVERED FOR AND  
ON BEHALF OF

-----  
(Signature of Contractor or his legal Attorney)

By the hand of  
-----  
It's Partner/Legal Attorney

(Full Name of Signatory)  
-----  
(Seal of Contractor's Firm)

And in presence of  
-----

(Signature of witness)

Date: \_\_\_\_\_

-----  
(Full Name of Signatory)

Address:

-----

-----  
(Signature of Acceptor)

SIGNED & DELIVERED FOR & ON  
BEHALF OF OIL INDIA LIMITED

Designation \_\_\_\_\_

Date \_\_\_\_\_

Contractor

**Part-II SOQ**

OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
Duliajan, Assam  
**WORKS CONTRACT**

**E-Tender No.: CDC4984P18**

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
	<b>Group A SEC-A</b>				
10	Jungle cutting and clearing including removal of cut materials upto 100 m from site, including plants and trees upto 150 mm in girth, jungle cutting considered cut at ground level.	200	M2	INR	1.05
20	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and dry ramming, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	2,617.00	M3	INR	287.24
30	Providing & erecting protecting bamboo palisade to prevent erosion of road embankment or bridge/culvert abutments using matured Jati bamboo piles driven 1.0m deep underground and projecting 1.0 metres above ground closely spaced touching each other in a line and tying the exposed lengths of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wires. All materials tools supplied by contractor.	130	OME	INR	285.15
40	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside ) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and	150	OME	INR	289.36

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
	tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.				
50	Excavation in ordinary rock for roadway/culverts using Manual means including loading in a truck and carrying of excavated material to embankment site within all lifts and leads upto 1000 metres.(Ref. to MoRTH Spec.301)	210	M3	INR	205
60	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Marshy Soil Manual Means (Depth upto 3 m)	96	M3	INR	473.82
70	CONSTRUCTION OF 150MM (CONSOLIDATED) GRANULAR SUB-BASE consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75 mm deep to required level and as per clause 401. (Road roller supplied by contractor).	4,400	M2	INR	61.78
80	CONSTRUCTIONS OF 150 MM THICK (CONSOLIDATED) GRAVELLED ROAD including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	4,400	M2	INR	66.11
90	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	100	M3	INR	173.02
100	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50	M3	INR	69.59
110	Levelling and dressing road sides and verges including dressing the area and cutting earth upto 150mm depth and filling depression and breaking	13,690	M2	INR	10.24

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
	large earth lumps as directed.				
120	Laying Brick Flat Soling (75mm thick) including grading the base and spreading 25mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00m.	100	M2	INR	87.33
130	Supplying & Laying Reinforced cement concrete pipe NP3 900 mm dia pre stressed concrete pipe for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets .	30	M	INR	7,550.00
140	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 ( 1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	25	M3	INR	924.78
150	Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	26	M3	INR	868.25
160	12 mm cement plaster finished with a floating coat of neat cement of mix:1:3 (1 cement : 3 fine sand)	155	M2	INR	108
170	Hiring of 8-10 Ton Road Roller including operator, Jugali, watch and ward, fuel etc. (complete services) required for any job or any item	30	HR	INR	592.85
	<b>Group A SEC-B</b>				
10	Supply of Local bricks- First Class	18,760	NO	INR	11.24
20	Supply of Gravel (65 mm graded down to 25 mm), hard, clean and free from foreign materials	870	M3	INR	1,716.86
30	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5 mm), clean and free from clay and rubbish etc.	88	M3	INR	1,429.83
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	770	M3	INR	1,612.03
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	81	M3	INR	1,238.77
60	Broken stone (Boulder broken 18mm Greaded down to 10mm) hard & clean	24	M3	INR	2,899.62
	<b>Group A SEC-C</b>				



Sl. no	Description of Work	Qty	UOM	Curr.	Rate
10	Carriage of material by mechanical transport including loading unloading and stacking: A.C. Pipes, Steel Cylinder, RC Pipes, CI Pipes and unreinforced cement pipes: 900 mm dia : Beyond 4KM and Upto 5KM	160	M	INR	61.69
20	Carriage of material by mechanical transport including loading unloading and stacking: A.C. Pipes, Steel Cylinder, RC Pipes, CI Pipes and unreinforced cement pipes: 900 mm dia : Upto 10KM	800	M	INR	4.52
30	Carriage of material by mechanical transport including loading unloading and stacking: A.C. Pipes, Steel Cylinder, RC Pipes, CI Pipes and unreinforced cement pipes: 900 mm dia : Upto 20KM	1,600	M	INR	3.72
40	Carriage of material by mechanical transport including loading unloading and stacking: A.C. Pipes, Steel Cylinder, RC Pipes, CI Pipes and unreinforced cement pipes: 900 mm dia : Beyond 20KM	3,200	M	INR	3.04
	<b>Group B SEC-A</b>				
10	Jungle cutting and clearing including removal of cut materials upto 100 m from site, including plants and trees upto 150 mm in girth, jungle cutting considered cut at ground level.	1,850	M2	INR	1.05
20	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and dry ramming, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	3,200.00	M3	INR	287.24
30	Providing & erecting protecting bamboo palisade to prevent erosion of road embankment or bridge/culvert abutments using matured Jati bamboo piles driven 1.0m deep underground and projecting 1.0 metres above ground closely spaced touching each other in a line and tying the exposed lengths of bamboo piles to two half bamboo horizontal (one inside and one outside) spaced 300mm apart with thick gauge tying wires. All materials tools supplied by contractor.	150	OME	INR	451.9

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
40	Providing & erecting bamboo palisade to prevent erosion/damage of road embankment or bridge/culvert abutments, effluent pit bundh etc using matured jati bamboo piles driven 1.5m deep underground and projecting 2m above ground at interval of 200mm to 250mm in a line and tying the exposed length of bamboo piles to two half bamboo horizontal (one inside and one outside ) spaced 300mm apart with thick gauge tying wire and fitting inside drum sheet lining and tying the same to frame work as directed including cutting & straightening empty drums. All materials and tools to be supplied by the contractor except empty drum., but without cutting, straightening placing and tying /fitting drum sheets.	200	OME	INR	450.56
50	Excavation in ordinary rock for roadway/culverts using Manual means including loading in a truck and carrying of excavated material to embankment site within all lifts and leads upto 1000 metres.(Ref. to MoRTH Spec.301)	2,950.00	M3	INR	205
60	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Marshy Soil Manual Means (Depth upto 3 m)	1,350.00	M3	INR	473.82
70	Embankment Construction with Material Obtained from Borrow Pits : Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5(Road roller cost included)	2,100.00	M3	INR	167.82
80	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.All kinds of soil	8,000	M2	INR	10.48

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
90	<b>CONSTRUCTION OF 150MM (CONSOLIDATED) GRANULAR SUB-BASE</b> consolidated by dry rolling to proper grade including providing well compacted berms with earth on either side 1.2m wide levelled with finished road surface, dressing sub-grade including cutting surface upto 75mm deep to required level and as per clause 401. (Road roller supplied by contractor).	5,000	M2	INR	61.78
100	<b>CONSTRUCTIONS OF 150 MM THICK (CONSOLIDATED) GRAVELLED ROAD</b> including providing well compacted side berms with earth on either sides, one metre wide and 50mm thick above final level of gravelled road, dressing sub-grade (including cutting of earth up to 75mm deep) to required level, spreading gravel in two layers with bindage of dry earth and dry rolling each layer separately until fully compacted and finally spreading sand shingles uniformly to 25mm thick and re-rolled as directed.(Ref. to MoRTH Spec.401)(Road roller provided by contractor).	5,000	M2	INR	66.11
110	Spreading gravel, pea-gravel or brick bat over sunken road surface, including carrying from a distance of 30.00m.	200	M3	INR	173.02
120	Spreading sand / filling, dry sand over sunken road surface, including carrying from a distance of 30.00 m.	50	M3	INR	69.59
130	Hiring of 8-10 Ton Road Roller including operator, Jugali, watch and ward, fuel etc. (complete services) required for any job or any item	50	HR	INR	592.85
140	Laying Brick Flat Soling (75mm thick) including grading the base and packing joints with earth and including spreading loamy earth on top upto 25mm thick with all materials carried from upto a distance of 30.00m.	1,000	M2	INR	47.15
150	Laying Flat Brick Soling (150mm thick) in 2 layers including necessary grading the base and packing joints with loamy earth, including spreading loamy earth on top upto 25mm thick, with carriage of all materials from a distance of upto 30.00m.	500	M2	INR	84.66
160	Sand Piling 150mm to 200 mm dia: Sand Piling 150mm to 200mm dia. to improve sub-soil bearing condition of the earth. Making hole with auger, manually or by making holes with locally made piles and filling holes cavity with dry sand upto 2.00m depth (All equipments to be arranged by contractor).(Supply of sand to be paid separately).	500	M	INR	86.3

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
	<b>Group B SEC-B</b>				
10	Supply of Full size jhama Bricks(slightly over burnt not badly out of shape)	64,000	NO	INR	10.37
20	Supply of Gravel (65mm graded down to 25mm), hard, clean and free from foreign materials	1,075.00	M3	INR	1,716.86
30	Supply of Sand Shingle(containing 60 to 80% sand & 40 to 20% shingle of size 20mm graded down to 5mm), clean and free from clay and rubbish etc.	100	M3	INR	1,429.83
40	Supply of approved quality granular materials from approved quarry, free from organic matter including stacking in measurable stacks as directed.	875	M3	INR	1,612.03
50	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	160	M3	INR	1,238.77
	<b>Group C SEC-A</b>				
10	Excavation for roadway in hard rock (blasting prohibited) with rock breakers including breaking rock, loading in tippers and disposal within all lifts and lead upto 1000 metres, trimming bottom and side slopes in accordance with requirements of lines, grades and cross sections.(Ref. to MoRTH Spec.301)- Mechanised	124.41	M3	INR	344.36
20	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work.)for Ordinary Soil by Manual Means (Depth upto 3 m)	245.01	M3	INR	220.55
30	:Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	369.42	M3	INR	93.91
40	Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 ( 1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	8.82	M3	INR	924.78

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
50	Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	342	M3	INR	1,139.11
60	Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.	221	M2	INR	103.84
70	6mm thick cement plaster(1 cement:3 sand) sponge smooth finished including making and removing of staging, working platform where necessary including curing.	41	M2	INR	81.64
80	Trowel finishing concrete surface.	423	M2	INR	45.18
90	Providing and Laying Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position with Thermo-Mechanically Treated bars and binding with 22gauge Black binding wire complete in all respect.	7,778.00	KG	INR	69.76
	<b>Group C SEC-B</b>				
10	Supply of Timber for shuttering	1,839	DM3	INR	24.36
20	Supply of Sand for general use with normal moisture content to be clean and free from clay rubbish	154	M3	INR	1,238.77
30	Supply of broken stone-Boulder broken(18mm graded - down to 10mm) heard & clean	302	M3	INR	2,899.62
	<b>Group C SEC-C</b>				
10	Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia. and other heavy materials : Upto 5KM	112	TON	INR	100.36
20	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia. and other heavy materials on every additional KM: Beyond 5KM and Upto 10KM	560	TPM	INR	7.35
30	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia. and other heavy materials on every additional KM: Beyond 10KM and Upto 20KM	1,120	TPM	INR	6.05

Sl. no	Description of Work	Qty	UOM	Curr.	Rate
40	Extra on Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia. and other heavy materials on every additional KM: Beyond 20KM	2,240	TPM	INR	4.94

- **Bidder must include all liabilities including statutory liabilities in their quoted rates (excluding PF and service tax).**

Note: The Company's Internal Estimated Rates, as indicated in Part-II, are inclusive of all overheads, taxes, duties, levies etc. except P.F. & Service Tax.

**OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
DULIAJAN (ASSAM)  
WORKS CONTRACT**

**PARTICULAR SPECIFICATIONS AND INSTRUCTIONS:**

**DESCRIPTION OF WORK/SERVICES :** Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet.

**1.0 APPROACH & PLINTH :**

**1. SITE CLEARANCE :** All the dismantled goods to be handed over to the Company in proper condition. Contractor will be responsible for any items missing from site and the same will be recovered from his bill.

**2. EARTH WORK IN EXCAVATION :** In works specified involving widening of existing pavements or providing treated shoulders, unless otherwise specified, the shoulder shall be removed to their full width and to levels shown on drawing or as indicated by the Engineer-In- Charge. While doing so, care shall be taken to see that no portion of the existing pavement designated for retention is loosened or disturbed. If the existing pavement gets disturbed or loosened, it shall be dismantled and cut to a regular shape with sides vertical and the disturbed/loosened portion removed completely and re-laid as directed by Engineer-In-Charge, at the cost of Contractor. The materials obtain from the excavation of shoulder shall be used for filling up of Road way embankment, the existing pits in the right -of-way as directed by Engineer-In-Charge including levelling and spreading with all lifts and lead up to 1000m and no extra payment shall be made for the same. Unsuitable and surplus materials not intend for use within the lead specified above shall also, if necessary, be transported with all lifts and lead, disposed of or used as directed by the Engineer-In-Charge. The Contractor shall have full responsibility of the stability of the excavation and safety of the workmen.

**3. GRANULAR SUB-BASE :** Prior to the laying of sub-base, the sub-grade shall be prepared by removing all vegetation and other extraneous matter, lightly sprinkled with water if necessary and rolled with 8 to 10tonne capacity smooth wheeled roller. The sub-base material of specified grading shall be spread in two layers on the prepared sub grade with required slope. Immediately after laying the materials rolling to be done at the edge and proceed towards the upper edge longitudinally for portions having unidirectional cross fall and super elevation and shall commence at the edges and progress towards the centre for portions having cross fall on both sides. During rolling, the grade and cross fall(Camber) shall be checked and any high spots or depressions, which become apparent, corrected by removing or adding fresh material. The speed of the roller shall not exceed 5Km per hour. Rolling shall be continued till the density achieved is at least 98% of the maximum dry density for the materials.

**4. GRAVELLING :** After preparation of sub-grade/sub-base ,the coarse aggregate shall be spread uniformly and rolling shall be started with three wheeled power roller of 8 to 10 tone capacity the edge and proceed towards the upper edge longitudinally

for portions having unidirectional cross fall and shall commence at the edges and progress towards the centre for portions having cross fall on both sides. Rolling shall be discontinued when the aggregate are partially compacted with sufficient void space in them to permit application of binding material. During rolling a light sprinkling of water may be done. Any high spots or depressions, which become apparent, corrected by removing or adding fresh material. Screening materials of earth shall be applied at a slow and uniform rate so as to ensure filling all voids shall be accompanied by dry rolling and brooming with mechanical or hand brooms. The screening rolling and brooming of the screenings shall be carried out in only such lengths which could be completed in one days operation. The sprinkling, sweeping and rolling operation shall be continued with additional screenings applied as necessary, until the coarse aggregate has been thoroughly keyed, well bonded and firmly set in its full depth.

## **2.0 FOUNDATION :**

**1. EARTH WORK IN EXCAVATION :** All excavations shall be done to the minimum dimensions as required for safety and working facility. Prior approval of the Engineer shall be obtained by the Contractor, in each individual case, for the method he proposes to adopt for the excavations including dimension, side slopes, shoring, dewatering, disposal, etc. This approval, however, shall not in any way make the Engineer responsible for any consequent loss or damage. The excavation must be carried out in the most expeditious and efficient manner. All excavation in open cuts shall be made true to line, slopes and grades shown on the drawing or directed by the Engineer.

The Contractor shall have full responsibility of the stability of the excavation and safety of the workmen.

If the excavation is done to a depth greater than that shown on the drawing, or directed by the Engineer, due to the Contractor's fault, the excess depth shall be filled up to the required level at the latter's cost (with cement concrete not leaner than 1:4:8 ordinary concrete or richer) as directed by the Engineer in each individual case.

**2. DISPOSAL :** The excavated spoils will be disposed off in any or all the following manners :

- a. By using it for backfilling straightway.
- b. By stacking it temporarily for use in backfilling at a later date during execution of the Contract.
- c. i) By either spreading, Or  
ii) Spreading and compacting at designated disposal areas as shown by Engineer-in- Charge.

**3. REINFRCED CEMENT CONCRETE WORK :** All reinforced cement concrete work to be done as per drawing with 18 mm to 12 mm downgraded down broken stone as per related drawings and instructions of site Engineer to be followed in case of any discrepancies. Proper vibration to be done as per IS recommendation.

**4. PLANKING AND STRUTTING :** The contractor is responsible for the design, fixing and removal of planking, strutting shoring etc. of sufficient strength required for earth pressure for which no extra claim on this amount will be granted.

In normal circumstances and where ordinary Portland cement is used, shuttering may generally be removed after the expiry of the recommended periods as advice by Engineer-in-charge.



**5. CEMENT MORTAR :** Cement mortar shall be of proportions specified for each type of work in the schedule. It shall be composed to cement and sand. The ingredients shall be accurately gauged by measured and shall be well and evenly mixed together in a mechanical mixer or hand mix. Care being taken not to add more water than is required. No mortar that has begun to set shall be used. River sand shall be used unless otherwise specified.

In hand mixing it shall be done on pucca water proof platform. The gauged materials shall be put on the platform and mixed dry water will then be added and the whole mixed again until it is homogeneous and of uniform colour. Not more than one bag of cement shall be mixed at one time and which can be consumed within half an hour of its mixing.

**6. CURING OF CONCRETE :** Curing shall be done in accordance with IS:456 by keeping the concrete surface covered with wet hessian cloths, canvas or similar absorbent materials and kept constantly wet for a period of not less than 7 days from the date of pouring of concrete. Plastered surface to be kept wet by sprinkling with water for at least 7 days.

**7. MEASUREMENT & PAYMENT :** Payment for all works done shall be made on the basis of actual work done as per the schedule of rates. For all extra work done on the advice of the Company's Engineer and which is not included in the Contract, deviation order for the same shall be made on the rates of Schedule of rate of OIL SOR.

**8. SAFETY MEASURE :** Safety measure as per OIL regulations shall be strictly adhered to by the Contractor. Safety belts and other measure taken by the Contractors shall be borne by the Contractor. If any loss or damage caused to life during the erection and execution, the contractor shall be fully responsible for the loss.

**9. STORAGE :** Materials issued from Company's stock pile shall be transported, handled and stored at site carefully to the approval of Engineer so as to prevent any damage of any kind to be kept at his own risk and cost.

Cement shall be stored in a weather proof shed, the floor of which shall be raised 300 mm clear from the ground and 450 mm away from the wall all round in order to protect from rain and moisture. Empty cement bag shall be returned to the Company in good condition.

**10. WATER :** Water shall be clear, clean and free from all harmful impurities which must be approved by the Engineer. Arrangement of water for concreting and other purpose shall be made by the contractor at his own cost. Water from excavation shall not be used for construction work and curing.

**11. TEST REPORT :**

a) Water for construction and curing to be tested from Govt approved Organisation/Institution before use ('PH' value should not be less than 6.)at contractor's own cost

b) Test certificate for steel, aggregate materials (M.S. rod & Tor steel, Coarse aggregate and Fine aggregate) should be tested from Govt approved Organisation/Institution before execution of work by the contractor at his own cost.

**3.0 MATERIALS AND WORK SPECIFICATIONS :**

**1. CEMENT :** Cement shall be issued by the company from its Store at Duliajan.

Cement shall be stored in weatherproof shade with raised wooden plank flooring to prevent deterioration by dampness or intrusion of foreign matter. It shall be stored in such a way as to allow the removal and use of cement in chronological order of

receipt, i.e. first received being first used. Cement deteriorated and or clotted shall not be used on work but shall be removed at once from the site.

**2. FINE AGGREGATE :** It shall pass through an IS sieve 4.75(3/16 BS) test sieve, leaving a residue not more than 5%. It shall be from natural source or crushed stone screening, if allowed. Chemically inert, clean, sharp, hard, durable, well graded and free from dust, clay, shale, large pebbles, salt, organic matter, loam mica, or other deleterious matter. The sum of percentage of all such deleterious materials in sand shall not exceed 5% by weight. It shall be washed if directed to reduce the percentage of deleterious substances to acceptable limits. Sand shall not contain any trace of salt and it shall be tested and sand containing any trace of salt shall be rejected.

The Fine aggregate shall be stacked carefully on a clean, hard, dry surface so that it will not get mixed up with deleterious foreign materials. If such a surface is not available a platform of planks or corrugated iron sheets or brick floor or a thin layer of lean concrete shall be prepared.

**3. COARSE AGGREGATE :** Shall consist of crushed or broken stone 95% of which shall be retained on 5.75 mm IS test sieve. It shall be obtained from similar approved stones from approved quarry and shall conform to IS-383 and IS-515. Coarse aggregate shall be chemically inert when mixed with cement and shall be fairly cubical in shape and free from soft, feeble, thin, porous, laminated or flaky pieces. It shall be free from dust and any other foreign matter.

**4. REINFORCEMENT :** Reinforcement shall be of mild steel of tested quality conforming to IS-432(part-I) #1996 and any other applicable or TMT bar conforming to IS-1786-1985 of Fe 415 Grade and IS-1139-1966 or hard drawn steel wire fabric conforming to IS 1566-1967.

All reinforcement shall be free from cracks, surface flaws, laminations, jagged, imperfect edges, loose mill scales, loose rust and coats of paints, oil or other coating which may destroy or reduce bond.

#### **4.0 SPECIAL INSTRUCTION TO THE CONTRACTOR :**

**1.** Contractor must have mixture machine and vibrator for the RCC works. The Contractor shall use pump if needed for de-watering for excavation job for which no extra payment will be made.

**2.** Watch and ward, loss or damage to Company's property's' theft and other incidental charges shall be Contractor's responsibility.

Efficient workmen to be engaged by the Contractor.

**3.** The Contractor's representative should report to Engineer-in charge on all working day's at 7.30 AM for day to day instruction.

**4.** Materials if rejected should be removed from site within 48(forty eight) hours of rejection, failing which the company reserves the right to get the rejected materials removed at the risk and cost of the contractor.

**5.** The Company reserves the right to get the part or whole work completed through other agency at the risk and cost of the contractor if he fails to complete the work within the stipulated time without any valid reasons. The Company's decision shall be final and binding on the Contractor.

**6.** The Contractor shall apply for labour clearance within seven days of signing the contract.

**7.** Water that may accumulate on the site during progress of the works or in trenches or at any excavated place of working site have to be evacuated from site by the contractor to entire the satisfaction of the Engineer-in-charge and at the Contractor's expense.

8. If needed water and electricity will have to be arranged by the Contractor at his own cost.
9. The Contractor and his workmen have to strictly observe the safety precautionary rules as per Mines Act.(Latest edition) while executing the work.
10. No road closure will be allowed during execution of work and necessary traffic signal/road boards to be displayed at proper place by the Contractor at his own cost. The Contractor shall be wholly responsible for any accident arising out of non-fulfilment of this condition.
11. The Contractor will be required to work expeditiously at the site and must visit the site before tendering.
12. Signatory of the contract agreement must attend at site of work at least once in a week along with the Engineer-in-charge for necessary instruction / advice.
13. Hot and Cold permit, Gas leakage testing certificate issued by the Concerned Department to be submitted by the contractor to Engineer-in-charge.
14. Quantity of cement or Bitumen used will be calculated as per consumption of CPWD standard.
15. The contractor should submit the work program in form of a bar chart within 3 days of receipt of work order.
16. The security of materials issued to the contractor in connection with the work is the responsibility of the contractor, for which no extra payment will be made.
17. All materials supply by the contractor must be approved by Engineer In-charge and necessary Test certificate from competent authority will have to be produced by contractor before execution of the work.
18. Company's Internal Estimate is excluding of PF component.
19. The contractor has to work during Rainy seasons also.

**5.0** The bidder shall also furnish following information / documents along with the bid. Company reserves the right to reject the bid in the event of non submission of such information / documents.

- Wherever applicable, the bidder shall have itself registered under Employees' Provident Fund and Miscellaneous Provisions Act, 1952 and follow the relevant statutory provisions including Rules made there-under concerning contractual workers to be engaged by such bidder. The bidder shall furnish the Provident Fund code number issued by the appropriate Govt. Authority, with supporting documents, or a declaration / undertaking in stamped paper in the **Format Annexure-I.**

**6.0** The bidder shall furnish following information / documents on issuance of LOI within 15 (Fifteen) days from the date of issuance. Company reserves the right to cancel the contract / LOI if these documents are not submitted within the stipulated period.

- a. PAN, VAT Registration number (Not required for OIL registered contractors).
- b. Service Tax Registration number issued by the appropriate Govt. Authority or exemption certificate from the concerned authority or a declaration / undertaking in stamped paper in the prescribed Format to the extent that provisions of the Service Tax are not applicable to him / her / them and in the event of any claim from the Service Tax Authority upon Company at a later date with respect to the services provided under the contract, the bidder shall

deposit such amount to the Company, as per the rules applicable from time to time.

**7.0** The bidder must provide the following minimum numbers of equipment in operational condition capable of providing uninterrupted services under the contract as and when required.

**LIST OF MATERIALS & EQUIPMENTS TO BE SUPPLIED BY CONTRACTOR:**

- Excavator -01 (One) no.
- Road Roller - 01 (One) no.
- Dumper - 02 (Two) nos.
- Mixer machine - 02 (Two) nos.
- Vibrator with nozzle - 02 (Two) nos.
- Pump - 01 (One) no.
- Vibratory Roller - 01 (One) no.

**8.0** (I) The following check list to be enclosed (uploaded) by the bidder along with the bid document:-

**CHECK LIST:**

SL NO	DESCRIPTION	
1	Location /construction site visited & assessed.	YES
2	Item descriptions clearly understood and availability of materials verified.	YES
3	Understood that Mandatory Material tests to be performed (wherever applicable)	YES
4	PF code No. / Annexure-I as <b>per clause no. 5.0 of Part-III SCC</b> have been submitted by me /us	YES
5	Bid validity from the date of technical bid opening is 90 days	YES
6	<p>I / We shall provide the following minimum numbers of equipments in operational condition capable of providing uninterrupted services under the contract as and when required, failing which company shall have the right to terminate the contract, besides taking action as per OIL's banning policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.</p> <p><b><u>List of equipment's:</u></b></p> <ul style="list-style-type: none"> <li>• Excavator -01 (One) no.</li> <li>• Road Roller - 01 (One) no.</li> <li>• Dumper - 02 (Two) nos.</li> <li>• Mixer machine - 02 (Two) nos.</li> <li>• Vibrator with nozzle - 02 (Two) nos.</li> <li>• Pump - 01 (One) no.</li> <li>• Vibratory Roller - 01 (One) no.</li> </ul>	YES

Bidder(s) should clearly understand these criteria before submission of the bid and in case of any doubt he / she / they may seek clarification from Engineer – in charge / GM-Civil Engineering department, before submitting the bid.

(II) Information / List of other Civil works contract, if any, being executed by the bidder(s) in his / her / their firm's name in OIL and expected to continue beyond 6 months time from date of opening of bid document to be furnished to GM-Civil by all bidders before issuance of work order.

(III) Company reserves the right to debar the bidder / contractor during processing of tender and / or during continuation of the contract as per OIL's banning policy dated 6<sup>th</sup> Jan 2017 available at OIL's website.

**9.0** Defect liability period shall be 6 months beyond the date of completion of works as certified by Engineer-In-Charge. During defect liability period, all corrective works shall be carried out entirely at Contractor's own expenses. If such corrective works are not carried out within a reasonable time, the Company, at its discretion, may have such remedial works carried out by other agencies and charge the cost thereof to the Contractor. This amount shall be deducted from contractor's bill/Retention money/Performance security.

**10.0 SUBSEQUENTLY ENACTED LAWS :** In case of change in existing law/enactment of new law or Statutory Order from a Statutory Authority during the execution of the Contract affects the Contract price, any increase against documentary evidence shall be reimbursed to the Contractor and any decrease shall be passed on to the Company by the Contractor. The date of such enactment or change in law or Statutory order shall be considered after closing date of the bid submission as the Contractor has submitted the bid price based on the existing condition on that day and the Contract is awarded based on the bid as submitted.

**Part- IV SCPME**  
OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
Contracts, Duliajan  
**WORKS CONTRACT**

**Schedule of company's Plants, Materials and Equipment**

**E-Tender No. CDC4984P18**

A. SCHEDULE OF MATERIALS AVAILABLE AT THE COMPANY'S STORES/STOCK PILES for permanent incorporation in works and

B. SCHEDULE OF COMPANY'S PLANTS AND EQUIPMENT for use in the execution of work.

1) **MATERIALS :-** Cement & Drum Sheet will be issued from Company's godown at Duliajan or other go-downs.

2) **PLANTS AND EQUIPMENT : - Nil.**

**NOTE:**

1. All empty cement bags must be returned to Materials Go-down Duliajan failing which Rs 8/-(Rupees Eight only) per bag for empty cement bags will be recovered from the Contractor's bill.

2. The Contractor is to arrange transport of the above materials to site of work and for safety thereof for which no extra payment will be made.

3. If the materials listed above are not available suitable substitute will be provided by the Company and Contractor shall incorporate the same in the works without extra cost.

4. Containers must be returned to Company in good condition.

5. Plants and equipment if issued to Contractor must be under proper watch so that no part is pilfered. These must be handled only by Company's operators. Contractor shall be responsible for any loss or damage to these plants and equipment while these are under his/their use.

Tender No: CDC4984P18

**PART-V SAFETY MEASURES**

To,  
GM-CONTRACT  
OIL INDIA LIMITED  
DULIAJAN-786602

**SUB: SAFETY MEASURES**

**DESCRIPTION OF WORK/SERVICE : - Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet.**

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

- a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.
- b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:
  - i) \_\_\_\_\_
  - ii) \_\_\_\_\_
  - iii) \_\_\_\_\_

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

- c) Due notice would be given for any change of personnel under item(b) above.
- d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.
- e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

**Tender No: CDC4984P18**

- f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.
- g) We shall abide by the following HSE (Health Safety & Environment) points:

**GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) POINTS:**

1. It will be solely the Contractor's responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. . Ensure that all sub-contractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub contractors.
2. Every person deployed by the contractor in a mine must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. . However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work. All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.
3. The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.
4. The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.
5. Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner /Agent /Manager.
6. Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a Contractor 1 Company SCC safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.
7. All persons deployed by the contractor for working in a mine must undergo Mines Vocational Training, initial medical examination, PME. They should be issued cards stating the name of the contractor and the work and its validity period, indicating status of MVT, IME & PME.



**Tender No: CDC4984P18**

- 8.** The contractor shall submit to DGMS returns indicating - Name of his firm, Registration number, Name and address of person heading the firm, Nature of work, type of deployment of work persons, Number of work persons deployed, how many work persons hold VT Certificate, how many work persons undergone IME and type of medical coverage given to the work persons.
- 9.** The return shall be submitted quarterly (by 10th of April, July, October & January) for contracts of more than one year. However, for contracts of less than one year, returns shall be submitted monthly.
- 10.** It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/Junior Engineer for safe operation.
- 11.** Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- 12.** Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- 13.** The contractor shall have to report all incidents including near miss to Installation Manager / departmental representative of the concerned department of OIL.
- 14.** The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- 15.** If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc) the contractor will not have any objection to any such training.
- 16.** The health check up of contractor's personnel is to be done by the contractor in authorized Health Centers as per OIL's requirement & proof of such test(s) is to be submitted to OIL. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.
- 17.** To arrange daily tool box meeting and regular site safety meetings and maintain records.
- 18.** Records of daily attendance, accident report etc. are to be maintained in Form B, E, J (as per Mines Rules 1955) by the contractor.
- 19.** A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- 20.** A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
- 21.** Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.

**Tender No: CDC4984P18**

**22.** In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.

**23.** When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures Company will have the right to direct the contractor to cease work until the non-compliance is corrected.

**24.** The contractor should prevent the frequent change of his contractual employees as far as practicable.

**25.** The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.

**26.** For any HSE matters not specified in the contract document, the contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

**27.** All essential personal protective equipments (Hand gloves, Safety Boot etc.) are to be provided to the labours at the time of execution of work by the contractor at his own cost.

**28.** All necessary road safety sign boards are to be provided by the contractor at site of work at his own cost.

(Seal)

Yours Faithfully

Date\_\_\_\_\_

M/s\_\_\_\_\_

FOR & ON BEHALF OF CONTRACTOR

**INTEGRITY PACT**

Between  
**Oil India Limited (OIL)** hereinafter referred to as "The Principal"  
And  
(Name of the bidder).....hereinafter referred to as  
"The Bidder/Contractor"

**Preamble:**

The Principal intends to award, under laid down organizational procedures, contract/s for **Construction/Repairing of Approach road, Construction of plinth, Road over plinth, Effluent pits, Pillow foundations, RCC foundation to suit 1400 AC/SCR out fit for locations in Makum & Hapjan area in Tinsukia district or any other locations including supply of all materials and equipments except cement and drum sheet.** The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organisation "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

**Section 1 - Commitments of the Principal**

(1) The Principal commits itself to take all measures necessary to prevent Corruption and to observe the following principles:-

- I. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
- II. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/ additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.

Contractor

Company

- III. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

**Section 2 - Commitments of the Bidder/Contractor**

- (1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
- I. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- ii. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelisation in the bidding process.
- iii. The Bidder/Contractor will not commit any offence under the relevant anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- iv. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

**Section 3 - Disqualification from tender process and exclusion from future Contracts**

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.
2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

**Section 4 - Compensation for Damages**

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to 3 % of the value of the offer or the amount equivalent to Earnest Money Deposit/Bid Security, whichever is higher.
2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to

section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to 5% of the contract value or the amount equivalent to Security Deposit/Performance Bank Guarantee, whichever is higher.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

#### **Section 5 - Previous transgression**

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### **Section 6 - Equal treatment of all Bidders/Contractor/Subcontractors**

1. The Bidder/Contractor undertakes to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
2. The Principal will enter into agreements with identical conditions as this one with all Bidders, Contractors and Subcontractors.
3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

#### **Section 7 - Criminal charges against violating Bidders/Contractors/Subcontractors**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

**Section 8 - External Independent Monitor/Monitors  
(three in number depending on the size of the contract)  
(to be decided by the Chairperson of the Principal)**

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.
4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.
7. If the Monitor has reported to the Chairperson of the Board a substantiated suspicion of an offence under relevant Anti-

Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8. The word 'Monitor' would include both singular and plural.

### **Section 9 - Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

### **Section 10 - Other provisions**

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.
2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.
4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

-----  
For the Principal

-----  
for the Bidder/Contractor

Place: Duliajan.

Witness 1: .....

Date:

Witness 2: .....

Contractor

Company



**BID EVALUATION CRITERIA (BEC)/BID REJECTION CRITERIA (BRC)****(A). BID EVALUATION CRITERIA (BEC):**

**1.0** The bid shall conform generally to the specifications and terms and conditions given in the Tender Documents. Bids will be rejected in case services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bid to the stipulated specifications, the following mandatory requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected. All the documents related to BEC must be submitted along with the Techno-Commercial Bid.

**2.1** Interested bidders shall have to submit the following documents to qualify for opening of the Price Bid:

**2.1.1**

- a. One successfully completed similar work of value **₹ 76,77,000.00** under tender with CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking during the last seven (07) years reckoned from the original bid closing date.
- b. For proof of requisite experience of **SIMILAR** work, Job Completion Certificate clearly mentioning Gross value of job done, Nature of works, Contracts period/Contract Start and Completion date issued by CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking must be submitted along with the bid.
- c. SIMILAR work executed by a bidder for its own organization / subsidiary will not be considered as experience for the purpose of meeting BEC.

**2.1.2**

- a) Annual Financial Turnover of the bidder during **any of preceding three financial / accounting years from the original bid closing date** should be at least **₹ 46,06,000.00**.
- b) **Net worth** of bidder must be positive for preceding financial/ accounting year.
- c) Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial/ accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit / undertaking certifying that 'the balance sheet / Financial Statements for the financial year .....(as the case may be) has actually not been audited so far.

**Note:** For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

- i) A certificate issued by a practicing Chartered/ Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in **Annexure-II**.
- OR**
- ii) Audited Balance Sheet along with Profit & Loss account.

Note: In case the bidder is Central Govt. organization/ PSU/ State Govt. organization/ Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder has to provide documentary evidence for the same.

**2.1.3** Bids must be valid for minimum 90 (Ninety) days from the date of Bid opening. If bidder does not submit / declare bid validity period, it will be presumed that the bid validity is 90 (Ninety) days.

Note: In case of extension of Bid Opening Date, Bid validity must be extended suitably by the bidder, as and when advised by OIL.

**2.1.4** Bid Security must be furnished (except those exempted) as a part of the Technical Bid. Bidders already having User ID & Password for OIL's e-portal can pay the requisite Bid Document cost & Bid Security against the individual IFBs through the online payment gateway on or before 1:30 p.m. on the bid closing date. Alternatively bidder can submit Bid Security (in original) amount through Bank Guarantee/LC in prescribed format enclosed with this tender (Annexure III), which must reach the Office of GM-Contracts, OIL, Duliagan on or before 1:30 p.m. on the Bid Closing Date. **Bid Security (EMD):-** Only payments through online payment gateway or Bank Guarantee/LC in prescribed format as per Annexure III of this tender (to be submitted in original) will be acceptable. **DD/Cheques/Cashier Cheque etc. will not be acceptable.**

**The amount of Bid Security shall be as specified in the NIT.**

**Note:**

(a) In case the Bidder submits Bid security in the form of Bank Guarantee (BG), the BG must be valid for minimum 120 days from the Bid Opening Date.

(b) In case of extension of Bid Opening Date, Bid Security validity must be extended suitably by the bidder, as and when advised by OIL.

**2.1.5** OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Part-VI of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the Un-priced Techno-Commercial Bid) duly signed (digitally) by the same signatory who sign the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who sign the Bid.

**2.1.6** The bidders must submit documentary evidence for BEC clause numbers **2.1.1 and 2.1.2.** All the documents should be legible. The bidders **must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class 3 [Organization Type]** to upload all the documents.

OIL registered 'A' class bidders are exempted from submitting documents fulfilling their experience & turnover criteria as well as depositing the bid security amount as specified in the Clauses 2.1.1, 2.1.2 & 2.1.4 of BEC/BRC of this tender document, providing submission of his/her/their revised "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016, on or before 13:30 Hrs. of Bid Closing/Opening date of this tender.

**3.0 Notes to Clause no. 2.1.1 above:**

(a) "Similar work" mentioned in Paragraph 2.1.1 above means the following:

**Definition of similar work: Construction of Drilling Location /Road Works/RCC Building.**

(b) Non-submission of the documents as specified in all the paragraphs above will result in rejection of bids.

**4.0 SUBMISSION OF FORGED DOCUMENTS:** Bidders should note that Company may verify authenticity of all the documents /certificates / information submitted by the bidder(s) against the tender. In case at any stage of tendering process or Contract execution etc., if it is established that bidder has submitted forged documents / certificates / information towards fulfilment of any of the tender / contract conditions, Company shall immediately reject the bid of such bidder(s) or cancel / terminate the contract and forfeit EMD / SD submitted by the bidder(s), besides taking action as per OIL's banning policy dated 6<sup>th</sup> January 2017, available in the OIL's website.

**5.0** The bids conforming to the specifications, terms and conditions stipulated in the tender documents and considered to be responsive will be evaluated as per the procedure mentioned below:

- i. Bid will be opened on schedule date & time as specified in the NIT and all the bids where the bidders have quoted the lowest price (within the permissible percentage as per NIT) will be selected for conducting Draw of Lots (DoL). DoL will be conducted within a short period after Bid Closing Date. In the DoL, 7 (seven) numbers of bidders will be selected first, in the order of B-1 (Bidder-1), B-2 B-3, B-4, B-5, B-6 and B-7. The technical scrutiny will be carried out for these seven bidders only. If the bid of bidder B-1 is found to be technically qualified, B-1 will be the successful bidder (Priority-1 bidder) and the contract will be awarded to B-1. If B-1 is not found to be technically qualified but B-2 is technically qualified, B-2 will be awarded the contract, ---- and so on; i.e. whoever becomes the first technically qualified bidder in the order of B-1 →B-2→B-3→ B-4→ B-5→ B-6→ B-7, will be the successful bidder (P-1). In this way, P-1 (Priority-1) and P-2 bidders will be selected. The contract will be awarded to the P-1 bidder only. However, in case the bidder P-1 is not able to carry out the job due to any reason (action will be taken as per the OIL's banning policy dated 6<sup>th</sup> January 2017, available in the OIL's website), P-2 may be awarded the job, if the same is approved by Company's competent authority. In case, none of these seven bidders are found to be technically acceptable, the draw of Lot will be again conducted to select 7 more bidders as B-8 to B-14 and similar steps will be followed thereon as explained above. The system of conducting further draw of lots will be followed till a technically acceptable bidder is selected.
- ii. Bidder should note that deficit documents will not be sought from the bidders. The bids will be evaluated as per the documents received from the bidders at the time of bid opening. Any bid, which is not supported with the requisite documents as per the NIT,

will be rejected straightway without seeking any further clarification and deficit document.

**Note:** The Company's Internal Estimated Rates, as indicated in Part-II, are inclusive of all overheads, taxes, duties, levies etc. except P.F. & Service Tax.

**(B). BID REJECTION CRITERIA (BRC):**

1. The bids are to be submitted in single stage under composite bid system i.e. Un-priced Techno-Commercial Bid and Price Bid together. Only the Price Bid should contain the quoted price (percentage only).
2. Bid security shall be furnished as a part of the Techno Commercial Un-priced Bid. The amount of Bid Security should be as specified in the NIT. Any bid not accompanied by a proper bid security will be summarily rejected.
3. Bid Documents / User Id & Password for OIL's E-Tender portal are not transferable. Bid made by parties who have not submitted the requisite tender fees will be rejected.
4. Any bid received in the form of Physical document/Telex/Cable/Fax/E-mail will not be accepted.
5. Bidders must quote clearly and strictly in accordance with the price schedule outlined in Price Bidding Format attached under "Notes and Attachments" tab in the main bidding engine of OIL's e-Tender portal; otherwise the bid will be rejected. All other techno-commercial documents other than price details to be submitted with Un-priced Techno-Commercial Bid as per tender requirement in the c-Folder link (collaboration link) under "Technical RFx Response" Tab Page only.
6. Bidders must accept and comply with the following provisions as given in the Tender Document. Deviations to such provisions shall make the bid liable for rejection.
  - a. Firm price
  - b. EMD / Bid Bond
  - c. Period of validity of Bid
  - d. Price Schedule
  - e. Bid Security deposit / Performance Bank Guarantee
  - f. Delivery / Completion Schedule
  - g. Scope of work
  - h. Guarantee of material / work
  - i. Liquidated Damages clause
  - j. Tax liabilities
  - k. Arbitration / Resolution of Dispute Clause
  - l. Force Majeure
  - m. Applicable Laws
  - n. Specifications
  - o. Integrity Pact

**(C.) GENERAL:**

- i. In case bidder takes exception to any clause of bidding document not covered under BEC/BRC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw / modify the deviation when / as advised by Company. The loading so done by the Company will be final and binding on the bidders. No deviation will however be accepted in the clauses covered under BRC.

- ii. To ascertain the substantial responsiveness of the bid the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC/BRC also and such clarifications fulfilling the BEC/BRC clauses in toto must be received or before the deadline given by the Company, failing which the offer will be will be evaluated based on the submission.. However, mere submission of such clarification shall not make the offer responsive, unless Company is satisfied with the substantial responsiveness of the offer.
- iii. If any of the clauses in the BRC contradict with other clauses of bidding document elsewhere, the clauses in the BRC shall prevail.
- iv. Bidder(s) must note that requisite information(s)/financial values etc. as required in the BEC/BRC & Tender are clearly understandable from the supporting documents submitted by the Bidder(s); otherwise Bids shall be rejected.
- v. OIL will not be responsible for delay, loss or non-receipt of applications for participating in the bid sent by mail and will not entertain any correspondence in this regard.

**Annexure-I**

(ON THE NJSP OF RS.100/-)

**TO BE NOTORISED**

To  
GM-CONTRACTS  
OIL INDIA LIMITED  
DULIAJAN

Dear Sirs,

**Sub: UNDERTAKING/DECLARATION BY THE BIDDER (S) IN  
RESPECT OF TENDER NO. CDC4984P18**

(To be submitted by the Bidders who are not covered under EPF&MP Act, 1952)

This is in connection with the Bid submitted by .....(Name of the Bidder) against Tender .....for .....(subject of the Tender). As per the conditions stipulated in Clause no.....(Name of the Provision/SCC etc.), we/I ,being authorized on behalf of .....(Name of the Contractor) hereby confirm and undertake as follows;

- That our Firm/Company shall be responsible to comply with all the applicable labour laws in respect of the present Contract.
- That we are fully conversant with the applicable laws and confirm that our Firm/Company is not covered under the Employees Provident Funds and Misc. Provisions Act, 1952 and applicable Rules there under, and therefore I we have not obtained any registration or Provident Fund Code under the Act.
- That if, during the period of the present Contract, we/our Firm /Company comes within the coverage of the aforesaid Acts or any other statutes; we shall comply with the same and submit the necessary documents to OIL. We further confirm that we will indemnify OIL towards any future statutory compliances/claims raised from any corner including statutory authorities against the Labour engaged by our Firm/Company in the Contract.
- That in the event of any contravention towards the applicable laws found on our part in respect of the present Contract, we undertake to indemnify OIL and deposit the claims, if any.

## **Annexure-I**

- That we shall fulfill all the obligations arising from under the labour laws in force from time to time and keep OIL indemnified against any loss/liability arising out of failure of our avoiding the laws.

We, further agree and undertake that in case of any violation of the above undertaking, OIL shall be at liberty to take appropriate action against us in terms of the Tender including but not limited to termination of contract and debarment from future business with OIL.

I/We declare that the information given above is true and any misstatement or misrepresentation or suppression of facts in connection with the above undertaking may entail rejection of the bid and cancellation of contract, if awarded.

Yours faithfully,

**1. Authorized Signatory** \_\_\_\_\_  
**(BIDDER)**

**Place:-**

**Date:-**

**CERTIFICATE OF ANNUAL TURNOVER & NET WORTH**

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER  
HEAD

**TO WHOM IT MAY CONCERN**

This is to certify that the following financial positions extracted from the audited financial statements of  
M/s..... (Name of the Bidder) for the last three (3) completed accounting years upto  
.....(as the case may be) are correct.

<b>YEAR</b>	<b>TURN OVER</b> In INR (Rs.)	<b>NET WORTH</b> In INR (Rs.)

Place:

Date:

Seal:

Membership No. :

Registration Code. :

Signature



# **E-TENDER NO. CDC4984P18**

## **FORMAT OF BID SECURITY (BANK GUARANTEE)**

To:

M/s. OIL INDIA LIMITED,  
CONTRACTS DEPARTMENT,  
DULIAJAN, ASSAM, INDIA, PIN - 786 602.

WHEREAS, (Name of Bidder) \_\_\_\_\_ (hereinafter called "the Bidder") has submitted their offer Dated \_\_\_\_\_ for the provision of certain services (hereinafter called "the Bid") against OIL INDIA LIMITED, Duliajan, Assam, India (hereinafter called the Company)'s Tender No. \_\_\_\_\_ KNOW ALL MEN BY these presents that we (Name of Bank) \_\_\_\_\_ of (Name of Country) \_\_\_\_\_ having our registered office at \_\_\_\_\_ (hereinafter called "Bank") are bound unto the Company in the sum of (\*\_\_\_\_\_ ) for which payment well and truly to be made to Company, the Bank binds itself, its successors and assignees by these presents.

SEALED with the said Bank this \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_.

THE CONDITIONS of these obligations are:

1. If the Bidder withdraws their Bid within its original/extended validity; or
2. The Bidder modifies/revises their bid suomoto; or
3. The Bidder does not accept the contract; or
4. The Bidder does not furnish Performance Security Deposit within the stipulated time as per tender/contract; or
5. If it is established that the Bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice.

We undertake to pay to Company up to the above amount upon receipt of its first written demand (by way of letter/fax/cable), without Company having to substantiate its demand provided that in its demand Company will note that the amount claimed by it is due to it owing to the occurrence of any of the conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including the date (\*\*--/--/--) and any demand in respect thereof should reach the Bank not later than the above date.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO.:  
IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:  
Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_

Name of Bank & Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_  
(Signature, Name and Address)

Date: \_\_\_\_\_

Place: \_\_\_\_\_

\* The Bidder should insert the amount of the guarantee in words and figures.

\*\* Date of expiry of Bank Guarantee should be minimum 30 days after the end of the validity period of the Bid /as specified in the Tender.

## **E-TENDER NO. CDC4984P18**

### **STANDARD FORMAT OF PERFORMANCE SECURITY (BANK GUARANTEE)** **(TO BE FURNISHED BY THE CONTRACTOR IN CASE OF SUBMITTING PERFORMANCE SECURITY IN THE FORM OF BANK GUARANTEE AFTER ISSUE OF LOA)**

To,  
M/s. OIL INDIA LIMITED,  
CONTRACTS DEPARTMENT  
DULIAJAN, ASSAM, INDIA, PIN - 786 602.

WHEREAS \_\_\_\_\_ (Name and address of Contractor) (hereinafter called "Contractor") had undertaken, in pursuance of Contract No. \_\_\_\_\_ to execute (Name of Contract and Brief Description of the Work) \_\_\_\_\_ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) \_\_\_\_\_ (in words \_\_\_\_\_), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:

BANK EMAIL ID:

BANK TELEPHONE NO.:

IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_

Designation \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_

Date .....

Place \_\_\_\_\_

**Note: Bank details of Oil India Limited may be required by Bank for issuance of Bank Guarantee (BG):**

	<b>Bank Details of Beneficiary</b>	
<b>a</b>	Bank Name	STATE BANK OF INDIA
<b>b</b>	Branch Name	Duliajan
<b>c</b>	Branch Address	Duliajan, Dist.-Dibrugarh
<b>d</b>	Banker Account No.	10494832599
<b>e</b>	Type of Account	Current Account
<b>f</b>	IFSC Code	SBIN0002053
<b>g</b>	MICR Code	786002302
<b>h</b>	SWIFT Code	SBININBB479
<b>i</b>	Contact No.	9435554859
<b>j</b>	Contact Person Name	Mr. K. L. K. Banik, AGM
<b>k</b>	Fax No.	0374-2802729
<b>l</b>	Email Id	<a href="mailto:sbi.02053@sbi.co.in">sbi.02053@sbi.co.in</a>