



ऑयल इंडिया लिमिटेड
(भारत सरकार का उद्यम)
Oil India Limited
(A Government of India Enterprise)

Tender Sl No:

Issued By : _____
(Signature)

Name : _____

(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati
Assam

Designation: _____

To,

TENDER NOTICE NO. : GCO 1294 P17

OIL INDIA LIMITED invites SEALED TENDERS from experienced and approved Contractors/
Firms for the under mentioned work:

Description of Work / Service.	Location	Contract Period	i) Bid Closing Date (BCD) / Opening date. ii) Earnest money deposit (EMD).
Supply, Installation & Commissioning of Anode Bed at location 254 (Duliajan), Assam	Location 254, Duliajan, Dist- Dibrugarh, PIN- 786602	1(One) Year	i) If submitted at Place <u>BCD/Opening date</u> BCD at : Guwahati: 15-07-2016, 13:30Hr <u>Bid opening at:</u> Guwahati:15-07-2016, 14:00Hr ii) EMD : ` 16,400.00 (Rupees Sixteen Thousand Four Hundred only) iii) Tender Fee : Rs.500.00 (Rupees Five Hundred only)

- a) Earnest money deposited /Not deposited vide Bank Guarantee / D. Draft/B.Cheque/Money Receipt No. _____ dated _____ of _____ (strike out which is not applicable).
- b) **Performance Security Deposit: 7.5%** (initial security deposit along with acceptance of contract is to be deposited for 2.5% and remaining 5% is to be recovered from running account bill)of the estimated contract value

Contractor

Company

c) Conditional/Non Conditional offer as per letter attached.

Bidders interested to provide the services and interested to participate in the above tender are requested to obtain the bid document available in the office of the **CHIEF MANAGER (CONTRACTS), OIL INDIA LIMITED ,PHQ, NARENGI,GUWAHATI,ASSAM** against payment of **Rs.500/- (Rupees Five Hundred only)** by Demand Draft/Banker's Cheque/Pay-in-slip, favouring OIL INDIA LIMITED, Payable at Guwahati issued by any Nationalised Bank from 14-06-2016 (from 08.00 A.M. to 10.00 A.M.) during working days (excluding Sundays/Holidays). NO OTHER MODE OF PAYMENT WILL BE ACCEPTED BY THE COMPANY.

This bid document is not transferable and Bids will be on sale w.e.f **14-06-2016** to **14-07-2016** (during office hours 08 AM to 10 AM).

The company reserves the right to refuse issuance of bid document without assigning any reason thereof.

2.0 SEALED ENVELOPES Containing the Tender shall be marked with the above Tender Number and description of work and addressed to the:

CHIEF MANAGER (CONTRACTS),
OIL INDIA LIMITED (A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati 781 171

All tenderers shall deposit the requisite EARNEST MONEY along with the Tender in the form of Demand Draft/Banker's Cheque/Bank Guarantee in favour of M/s Oil India Limited and payable at Guwahati. This Earnest Money shall be refunded to all unsuccessful tenderers, but is liable to be forfeited in full or part, at Company's discretion, as per Clause No. 6 below. **Tenders received without Earnest Money in the manner specified above will be summarily rejected.** The bid is to be submitted in **Original**. A copy of the Bank Guarantee (EMD) format is enclosed as **Annexure –A.**

3.0 Tenders will be received upto **01:30 PM (IST)** on the date as mentioned above and opened on the **date mentioned above** day at **02:00 PM (IST)** at **CHIEF MANAGER(CONTRACTS), PHQ** office before any attending tenderers. Tender box is placed at the office of Chief Manager(Contracts). However, if the above mentioned closing / opening day of the tender happens to be non-working day due to Bundh / Strike or any other reason, the tenders will be received and opened on the following working day at the same time except on Saturdays.

4.0 The rates shall be quoted per unit as specified in the Schedule of Work (Part II) and shall be in words as well as in figures. No overwriting shall be allowed, but all corrections may be inserted in the blank space above the corrected word / figure and must be initialled. However, white fluid shall not be used for making correction. Any bid not meeting this requirement will be rejected. In case of discrepancy the unit rate quoted in words shall be considerate to be correct.

5.0 The Company reserves the right to reject any or all the tenders or accept any tender in full or in part, without assigning any reason.

6.0 (a) No Tenderer must withdraw the tender after its public opening. Any such withdrawal will make the tenderer liable of forfeit his/her/their Earnest Money in full and debarred from further tendering at the sole discretion of the company and the period of debarment will not be less than 6(six) months.

(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.

7.0 The tender must be valid for **90 (Ninety)** days from the date of opening of the tender.

8.0 Conditional tenders are liable to be rejected at the discretion of the Company.

9.0 Tenders can be dropped at the box placed at the office of Contract Department or can be sent by registered post addressed to

CHIEF MANAGER (CONTRACTS), PHQ
OIL INDIA LIMITED
(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati,
Assam

so as to reach his office before scheduled closing date and time. Company will not be responsible for any postal delay or non-receipt of the same.

10.0 The work may be split up amongst more than one contractor at the sole discretion of the Company.

11.0 The bidders are required to furnish the composition and status of ownership of the firm in whose name tender documents have been purchased/issued along with one or more of the following documentary evidences(which are applicable to the bidder) in support of the same.

01. In case of Sole Proprietorship Firm-Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the name, business and residential address, E-mail and telephone numbers of the owner and copies of Service Tax and Central Excise Registration Certificate.

02. In case of HUF-Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return, Family Arrangement indicating therein the name, residential address, E-mail and telephone numbers of the owners in general and Karta in particular and copies of Service Tax and Central Excise Registration Certificate.

03. In case of Partnership Firm-Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the name, residential address, E-mail and telephone numbers of all the partners(including the Managing Partner), registered partnership agreement/deed and copies of Service Tax and Central Excise Registration Certificate.

04. In case of Co-Operative Societies-Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from Registrar of Co-Operative Societies and copies of Service Tax and Central Excise Registration Certificate.

05. In case of Societies registered under the Societies Registration Act -Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from the Registrar of the state and copies Service Tax and Central Excise Registration Certificate.

06. In case of Joint Stock Companies registered under the Indian Companies Act - Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the

name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, Certificate of Incorporation from the Registrar of Companies, Memorandum and Articles and copies of Service Tax and Central Excise Registration Certificate.

07. In case of Trusts registered under the Indian Trust Act - Copies of Telephone/Electricity/Mobile Bill, PAN, latest Income Tax Return indicating therein the name, residential address, E-mail and telephone numbers of all the Trustee or persons who are at the helm of affairs, registration certificate from the Registrar of the state, Trust Deed and copies Service Tax and Central Excise Registration Certificate.
- 12.0 The selected tenderer will be required to enter into a formal contract, which will be based on their tender i.e O.I.L's Standard Form of Contract.
- 13.0 **PERFORMANCE SECURITY:**
- 13.1 Successful bidder shall be required to furnish an amount equivalent to **7.5% (initial security deposit along with acceptance of contract is to be deposited for 2.5% and remaining 5% is to be recovered from running account bill)** of the estimated total contract value as Performance Security Deposit within 30 days of notification of award of contract and before signing of the formal contract. In case of default the award of contract may be cancelled and Security deposit forfeited. The Performance Security Deposit may be in the form of Demand Draft / Banker's Cheque/ Bank Guarantee issued by a Nationalized Bank. A copy of the Bank Guarantee format is enclosed as **Annexure –B.**
- 13.2 The performance security and retention money shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil its obligations under the Contract.
- 13.3 The performance security in the form of Bank Guarantee as specified above must be valid for **90 (Ninety)** days after the date of expiry of the tenure of the contract to cover the warranty obligations. The same will be discharged by company not later than 30 days following its expiry.
- 13.4 Failure of the successful Bidder to comply with the requirements of **clause 13.1 and /or 13.4** shall constitute sufficient grounds for annulment of the award and forfeiture of the Bid Security. In such an event the Company may award the contract to the next evaluated Bidder or call for new bid or negotiate with the next lowest bidder as then case may be.
- 14.0 The amount of retention money shall be released after expiry of Contractor's performance obligation under this contract.
- 15.0 The work shall have to be started within **2(Two) WEEKS** from the date of issue of work order.
- 16.0 Time will be regarded as the essence of the Contract and the failure on the part of the Contractor to complete the work within the stipulated time shall entitle the Company to recover liquidate damages and / or penalty from the Contractor as per terms of the tender /contract.
- 17.0 The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers payment.

18.0 DISCOUNTS / REBATES:

- 1.1 Unconditional Discounts/ Rebates if any given in the bid or along with bid will be considered for evaluation.
- 1.2 Post bid or conditional discounts / rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract and if they have offered any discount/rebate, the contract shall be awarded after taking into consideration such discount / rebate. These provisions shall be incorporated suitably in the Bid Document.

19.0 BACKING OUT BY BIDDER:

In case any bidder withdraws their bid within the bid validity period, Bid Security will be forfeited and the party will be debarred for a period of 2(two) years from the date of withdrawal of bid.

20.0 BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA:

In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the Bid Security shall be forfeited and the bidder shall be debarred for 2(two) years from the date of default.

21.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:

If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party shall be debarred for period of 3(three) years from date of detection of such fraudulent act, besides the legal action.

22.0 RESPONSIVENESS OF THE BIDS:

The bids shall conform generally to the terms and conditions given in the bidding documents. Notwithstanding the general conformity of the bid, the following requirement under **Bid Rejection criteria (BRC)/ Bid Evaluation Criteria (BEC)** will have to be particularly met by the bidders without which the same will be considered non-responsive and rejected.

BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)

The bid shall conform generally to the specifications and terms and conditions given in the Bidding Documents. Bids will be rejected in case material and services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bid to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected. All the documents related to BEC/BRC shall be submitted along with the Techno-Commercial Bid.

1.0 Financial capability: Bidders must have:

- (A) Annual financial turnover as per Audited Annual Reports **in any of the preceding three(3) financial years (ending 31st March, 2015)** should be at least ` **2,44,700.00**

FOR CONSORTIUM :

At least one member of the consortium to meet the above criteria of 50% turnover. The other members of consortium should meet minimum 25% turnover requirement.

(B) Net Worth should be positive for the preceding financial year.

For Proof of **Annual Turnover** and **Net Worth** any of the following documents /photocopy must be furnished

- A Certificate issued by a practicing Chartered / Cost Accountant Firm, with membership number certifying the Annual Turnover and nature of business.
- Audited Balance Sheet and Profit & Loss account.

2.0 **Experience: Bidders must have:**

2.1. Experience of having successfully completed **similar works** in previous **7(seven)** years to be reckoned from the original bid closing date in which applications are invited should be the following :

- (i) Experience of at least **1(one)** similar work of **Rs.4,07,800.00**

Similar type of works mean :

a) Work of Supply, Installation and Commissioning of **Impressed Current Cathodic Protection System** for hydrocarbon pipeline(s) and/or Tanks and/or Bullets.

OR

b) Cathodic Survey Work of any one or any combination of the following viz **Synchronous ON-OFF or CAT or CIPL or DCVG or A-FRAME or Coating Conductance or Current Requirement or Interference.**

OR

c) Impressed Current Cathodic Protection System **Monitoring & Maintenance Work** for hydrocarbon pipeline

Documentary proof must be furnished in support of the experience by way of purchase order / work order / contract document along with completion certificate from the organization to whom such services have been rendered. **The Work Order and/or Contract Document shall contain detailed scope of work in support of work done.**

3.0 **Deviation to the following provision of the tender document shall make the bid liable for rejection:**

- i. Firm price
- ii. EMD / Bid Bond
- iii. Scope of work
- iv. Specifications
- v. Price Schedule
- vi. Delivery / Completion Schedule

- vii. Period of Validity of Bid
- viii. Liquidated Damages
- ix. Performance Bank Guarantee / Security deposit
- x. Guarantee of material / work
- xi. Arbitration / Resolution of Dispute
- xii. Force Majeure
- xiii. Applicable Laws
- xiv. Integrity Pact, if applicable
- xv. Any other condition specifically mentioned in the tender documents elsewhere that non-compliance of the clause lead to rejection of the bid.

23.0 Evaluation of Bids:

The Bids will be evaluated as per the Bid Evaluation Criteria (BEC) as stated herein under:

BID EVALUATION CRITERIA (BEC)

- 23.1 The bids conforming to the technical specifications, terms and conditions stipulated in the tender documents and considered to be responsive after subjecting to Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria given below.
- 23.2 To ascertain the inter-se-ranking, the comparison of the responsive bids will be made subject to loading for any deviation. Comparison of offers will be done on total evaluated cost on the basis of rates quoted in the Price Bid Format.
- 23.3 In case of identical lowest offered rate by more than 1 (one) bidder, the selection will be made by draw of lot between the parties offering the same lowest price.

24.0 OPENING OF COMMERCIAL/ PRICE BIDS:

- 24.1 *Company will open the Commercial/Price Bids of all the Bidders on a specific date in presence of interested bidders.*
- 24.2 The Company will examine the Price quoted by Bidders to determine whether they are complete, any computational errors have been made, the documents have been properly signed, and the bids are generally in order.
- 24.3 *Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (that is obtained by multiplying the unit price and quantity) the unit price shall prevail and the total price shall be corrected accordingly. If any Bidder does not accept the correction of the errors, their bid will*
- 24.4 All entries in the offer must be made in English. Rates quoted must be firm and shall be both in figures and words. In case of any discrepancy the rates quoted in words will prevail. No overwriting shall be allowed and all corrections must be initiated. The quoted price shall be the net price inclusive of all taxes/charges/expenses. (However taxes, duties, charges etc. considered should also be shown separately). In absence of these details the quoted price shall be considered as net price inclusive of all taxes, duties, charges/expenses for providing the services at the required place/location.

21.5 Bidders are requested quote their rates in the Price Format enclosed as per SOQ. Rates quoted shall be both in figures and words. In case of any discrepancy the rates quoted in words will prevail.

25.0 EXEMPTION OF TENDER FEE AND EMD:

- (i) **Micro & small Enterprises (MSME)** ,Small Scale Industries (SSI) registered with NSIC under Single Point Registration Scheme are exempted from payment of tender fees for the items they are registered with NSIC. Valid registration certificate with NSIC must be enclosed along with the application for issuing tender documents.
- (ii) Public Sector Undertakings (PSU) ,**Central Govt. Departments** are also exempted from payment of tender fee.
- (iii) Firms registered with NSIC, PSU's & Government Departments claiming exemption from payment of tender fee should submit their request with all credentials to the tender administrator at least 7 days in advance from the date of closer of sale of bid documents, to get access for participation in the tender.
- (iv) Tender documents provided to SSI Units registered with NSIC on free of charge basis shall submit their offer for the service for which they are registered. Their offer for other than the registered service shall not be acceptable. Their offer as service provider also will not be acceptable and shall be rejected straightway.
- (v) **Public Sector Undertakings (PSU) , Central Govt. Departments ,Micro & small Enterprises (MSME)** ,Small Scale Industries (SSI) registered with NSIC under Single Point Registration Scheme are exempted from payment of Earnest money deposit for the items they are registered with NSIC. Valid registration certificate with NSIC must be enclosed along with the application for issuing tender documents

Thanking you,

Yours faithfully,
For OIL INDIA LIMITED

Chief Manager (Contracts)
For Group General Manager (Pipeline Services)

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati, Assam
WORKS CONTRACT

GCO 1294 P17

DESCRIPTION OF WORK/SERVICE:

Supply, Installation & Commissioning of Anode Bed at location 254 (Duliajan), Assam

=====

GENERAL CONDITIONS OF CONTRACT (GCC):

MEMORANDUM OF AGREEMENT made this _____ day of _____ Between OIL INDIA LIMITED a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam (hereinafter called Company) of the one part and Shri/Smti _____ and Shri/Smti _____ carrying on business as partners/proprietor under the firm name and style of M/s. _____ with the main Office at _____ in the District of _____ aforesaid hereinafter called ('Contractor') on the other part.

WITNESSETH :

1.
 - a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms part-II of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms Part-III of the contract utilizing any materials/services as offered by the Company as per Part-IV of the contract at **Location 254 , Duliajan, Dist - Dibrugarh , PIN- 786602.**
 - b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.
 - c) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.
2. The contractor shall provide all labour, supervision and transport and such specified materials described in part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not are necessary for its completion in a specifically mentioned in this contract sound and workman like manner.
3. The Company's Engineer shall have power to:

Contractor

Company

- a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not upto the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.
 - b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.
 - c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.
 - d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.
 - e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed. The rates to be applied for such Deviation Order shall be the same for those appearing in Company's Schedule of Rate in force on the date of issue of such Deviation Order, to which the contractor has no objection.
4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities stipulated in Part-II if so ordered by the company at the same rates, terms and conditions.
 5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract upto the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.
 6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-
 - i) The Mines Act.
 - ii) The Minimum Wages Act, 1948.
 - iii) The Workman's Compensation Act, 1923.
 - iv) The Payment of wages Act, 1963.
 - v) The Payment of Bonus Act, 1965.
 - vi) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed thereunder.
 - vii) Employees Pension Scheme, 1995.
 - viii) Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.

- ix) The Employees Provident Fund and Miscellaneous Provisions Act, 1952. x) AGST Act.
xi) Service Tax Act.

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.
8. The Contractor must complete the work within **1 (One) year** of the written order to commence the work. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half p.c) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of **1/2% (Half percent)** per week of delay of the total contract cost subject to a maximum of **7.5%** of total contract cost. The Chief Engineer's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots , or in any agitation prejudicial to the Company's interest and any such event taking shape or form at any place of the Company's works or and its neighbourhood.
10. The tendered all-inclusive Price (i.e. the Contract price) is Rs. _____ (Rupees _____ only.) but the Company shall pay the Contractor only for actual work done at the all inclusive rates set down in the Schedule of work part II of this Contract. On account payment may be made, not oftener than monthly, upto the amount of **92.5%** of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.
11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer

before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.

12. Wages shall be paid by the Contractor to the workmen directly without any intervention of any Jamadars or Thekadars and that the Contractor shall ensure that no amount by way of commission or otherwise be deducted/ recovered by the Jamadar from the wages of the workmen.
13. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the **clause 5** here of shall prevail and the accounts between the parties will be in accordance therewith finalised.
14. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.
15. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with regulation 89(a) and 89(b) in the Oil mines Regulations 1984. The Company's representative shall not allow/accept those men who are not provided with the same.
16. All Statutory taxes levied by the Central and State Government or any other competent authority from time to time will be borne by Contractor and the amount of the contract specified in the contract is inclusive of all tax liabilities.
17. The Contractor shall deploy local persons in all works.
18. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.
19. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act (Latest editions).
20. **SPECIAL CONDITIONS:**
 - a) Contractor shall be required to furnish an amount equivalent to **7.5% (initial security deposit along with acceptance of contract is to be deposited for 2.5% and remaining 5% is to be recovered from running account bill)** of of the estimated total contract value as Performance Security Deposit. The Performance Security Deposit may be in the form of Demand Draft / Banker's Cheque/ Bank Guarantee issued by a Nationalized Bank.
 - b) The performance security and retention money shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil its obligations under the Contract.
 - c) The performance security in the form of Bank Guarantee as specified above must be valid for **3** months after the date of expiry of the tenure of the contract to cover the warranty obligations. The same will be discharged by company not later than 30 days following its expiry.
 - d) The amount of retention money shall be released after 6 (six) months from the date of issue of completion certificate from concerned department.

- e) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.
- f) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & Employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to 12% P.F. Contribution on wage component.
- g) In case P.F. is not included in the contract cost and later on required to be deposited by the Contractor, the same will be reimbursed on production of documentary evidence of depositing the same to the authority concerned. 12% P.F. will be applicable on the wage component of the contract cost. The following points are incorporated in the contract based on Contractor's declaration at the time of submission of offer against this contract.
 - i) 12% P.F. is included / not included in the contract cost.
 - ii) Wage component of the contract cost is _____%.

21. ARBITRATION:

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration: **GUWAHATI, PHQ.**

22. FORCE MAJEURE:

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. **421**) is hereby incorporated in this contract.

23. I.B. VERIFICATION REPORT AND SECURITY REVIEW:

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

- 24. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

25. SET OFF CLAUSE:-

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

26.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:

If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party shall be debarred for period of 3(three) years from date of detection of such fraudulent act, besides the legal action.

27.0 LIQUIDATED DAMAGES FOR DELAY IN MOBILISATION AND/ OR COMPLETION OF WORKS AND SERVICES

27.1 In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization /completion date subject to a maximum ceiling of 7.5% of contract value .

28.0 PAYMENT TERMS:

28.1 The company shall make payment, subject to adjustment/deduction of TDS as necessary for the service, rendered in each calendar month on the basis of rates finalized by OIL and as mentioned in SOQ of this service agreement, provided bills which are to be submitted by the service provider are received not later that end day of subsequent calendar month.

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above :-

SIGNED & DELIVERED FOR AND ON BEHALF OF CONTRACTOR

(Signature of Contractor or his legal Attorney)

_____ by
the hand of _____ its
Partner/Legal Attorney

(Full Name of Signatory)

(Seal of Contractor's Firm)

And in presence of

(Signature of witness)

Date: _____

(Full Name of Signatory)
Address: _____

SIGNED & DELIVERED FOR & ON BEHALF OF OIL INDIA LIMITED

(Signature of Acceptor)

Date : _____

Designation _____

SOQ

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati,
Assam

WORKS CONTRACT**Tender No. GCO 1294 P17****SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.**

Service Line No	Description of Work	Quantity	Unit in Word	Rate per Unit(Figures & Words)	Amount (Rs.)
10	<p>Supply of material Horizontal Anode bed:</p> <p>Supply of materials for Horizontal Anode bed using 12 Nos MMO Anode in single string for location location 254 (Duliajan). Details as under-</p> <p>Anode string (Total) : 64 m Anode tail cable : 6 m Anode arrangement : 5 Amp x 12 Nos (Single String) Anode current output: 60 A Cable : 16 mm2 EPR /CSPE cable Anode type : MMO coated titanium anode Anode make : ELTECH,USA or TITANOR COMPONENT LTD. , GOA or ORONZID DE NORA S.A Calcined Coke Breeze: As required for horizontal anode bed of 60 m active Length of cross section size 30 cm X 30 cm.</p>	1	LSM		
20	<p>Supply of 35sq mm single core Cu cable:</p> <p>35sq mm single core, stranded, copper, XLPE Insulated ,PVC sheathed (ST2), Armoured (Non Magnetic) Anode header cable</p>	200	METER		
30	<p>Supply of Anode Junction Box:</p> <p>Anode Junction Box (consisting of 2 Nos shunts)</p>	1	NO		

Contractor

Company

Service Line No	Description of Work	Quantity	Unit in Word	Rate per Unit(Figures & Words)	Amount (Rs.)
40	CATHODE JUNCTION BOX (consisting of min 2 nos. shunt)	1	NO		
50	Laying of anode header cable in buried trench: Laying of anode header cable in buried trench , 1 m depth, including Trenching work for cable laying ,Supply of sand & brick ,sand filling 15 cm above and 15 cm below cable, brick laying and backfilling of the trench as well as transportation of cables & all other materials including labours as required	200	METER		
60	Transportation, Mobilisation, Complete Installation etc: Transportation, Mobilisation ,Complete Installation ,Testing , Commissioning of Horizontal Shallow Anode Bed, including Jungle cutting and cleaning of area. Making Anode bed of active length 60 m long at depth of 2m from ground level . Installation of anodes & coke breeze 60 m long and cross section size of 30 cm X 30 cm , along with backfilling with Bentonite & Native Soil, Installation/Painting of AJB & CJB, cable termination at AJB & TRU etc to make the system complete in all respect	1	LSM		
Total Amount (Rs):					

Rupees _____
_____) only.

Note :-Bidders must include all liabilities including statutory liabilities **but excluding Service Tax** in their quoted rates. Service Tax, if applicable shall be to the Company's account. However, Service tax portion payable directly by the service provider (if applicable) shall be reimbursed to the contractor on the basis of documentary evidence.

Contractor

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati,
Assam
WORKS CONTRACT

Tender No. GCO1294 P17

SPECIAL TERMS AND CONDITIONS

1. LOCATION OF THE SITE

- 1.1 The supply , installation & commissioning of HORIZONTAL ANODE BED has to be carried out in **OIL'S site location 254 , Duliajan in the state of Assam.**

2. SITE VISIT

- 2.1 The intending tenderers shall be deemed to have visited the site and familiarized themselves thoroughly with the working conditions as well as nature and quantum of job to be carried out by them at the work site before submitting their Offer/ bid.
- 2.2. Ignorance / Non familiarity with the site conditions will not be considered as a reason either for extra claims or for not carrying out the work in strict conformity with the specifications after the award of Contract.

3. LOCAL CONDITIONS

- 3.1. It will be imperative on the part of each tenderer to acquaint himself with all local laws, conditions and factors which may have any effect or bearing on the execution of works and supplies under the scope of this tender.
- 3.2. In their own interest, the tenderers are required to familiarize themselves with (but not limited to) the Indian Income Tax Act, Indian Companies Act, Indian Customs Act, Factories Act, Contract Labour(regulation and abolition) Act, Arbitration Act, PF Act and other related Acts and Laws and Regulations of India including their latest amendments as applicable.
- 3.3. The Owner shall not entertain any clarification from the tenderer(s) regarding such local conditions. It must be understood & agreed that above factors have been properly investigated and considered while submitting the offer.

4. CONTRACTOR'S RESPONSIBILITY

- 4.1. The contractor shall deploy only qualified supervisory personnel who are well conversant/experienced and authorized for this type of work. Any instruction given by the owner to the competent/supervisory person shall be construed as having been given to the contractor.
- 4.2. All men, material, equipment, tools & tackles required for carrying out the job, transportation to worksite, boarding and lodging is in the scope of contractor.
- 4.3. Party shall be fully responsible for safety and protection of all their personnel & equipment deployed at sites.

- 4.4. Any damage done knowingly or unknowingly to Pipeline / its CP system etc. shall be made good by the contractor without any cost and time implications to OIL.
- 4.5. Contractor shall be solely responsible for settling all compensation and disputes arising out of crop, property, any other damage caused thus, or his team during positioning the equipment and other associated works.
- 4.6. Contractor shall have to arrange required water and its storage at the site and own portable DG Set as a source of power at his own cost for execution of work. OIL shall not be held responsible for delay due to non-availability of electrical power & water .
- 4.7. Contractor shall have to keep the arrangement for dewatering of the trench excavated for installation of horizontal anode bed.
- 4.8. Contractor will be solely responsible for construction of Active anode bed of 100m long, cross section 30cm x30 cm) with an inactive depth of 2m from the ground level. Contractor has to repeat the work for any collapse of the anode bed trench.
- 4.9. **Contractor has to submit the Accidental Insurance for its work personnel deputed at the site prior to Contract Agreement.**

5. APPROVAL OF MATERIALS

- 5.1 Detailed Technical specifications(Data Sheet, Dimension etc along with drawings)for all materials viz, Anode String, Calcined Petroleum Coke, AJBs, Anode Header Cables etc shall be submitted to OIL for approval, prior to procurement of the materials.

6. WORK PROCEDURE

- 6.1 The work shall be executed as per direction/instruction of Engineer-in-Charge/Site Engineer. Decision of owner shall be final and binding in all matters namely procurement , work execution during installation ,interpretation and presentation of the results thereof and also adherence of time frame.

6.2 Specification of Anode and Cathode Junction Box

Contractor should submit the drawings of AJB and CJB showing the dimension & specificatio for OIL's approval . The followings are the minimum required specification which the AJB &CJB shall meet-

6.2.1.AJB & CJB shall be made of sheet steel of at least 3 mm thickness with hinged lockable door/shutter with pad & panel key locking facility in the front & back .Suitable canopy will be provided on Top .AJB & CJB should be dust & vermin proof & have certification for IP55 protection.

6.2.2.The AJB & CJB will be mounted on 1 Nos. minimum 100 mm dia 4.5mm thick C class Hot Dip Galvanized heavy duty M.S. pipes. The height of pipes above ground level will be minimum 1200mm . The pipes will be provided with suitable bends at the bottom to facilitate cable entry into the box. The concrete foundation of the AJB & CJB should be at a minimum height of 200mm from the ground level.

- 6.2.3. The inner and outer surface of the AJB & CJB shall be Epoxy painted
- 6.2.4. The AJB & CJB shall be provided with a common bus bar of Tin/Nickel plated copper. The size of bus bar shall be 25mm X 5mm minimum. .
- 6.2.5. Min 2(Two) nos of 50A ,75mV grade shunt of 0.1% accuracy of Manganin Alloy shall be provided in the AJB & CJB.
- 6.2.6. AJB of anode bed should accommodate one no of 1 x 35 sq mm, 1100V grade, XLPE insulated, PVC sheathed armoured, stranded copper anode header cable from CPTRU & 1 no of 16 sqmm EPR/CSPE copper cables for horizontal anode string. CJB of anode bed should accommodate two no of 1 x 35 sq mm, 1100V grade, XLPE insulated, PVC sheathed armoured, stranded copper cathode header cable from CPTRU.
- 6.2.7. The AJB&CJB should contain terminal plate of approximate size 400mm x 400 mm x 6 mm. Terminals shall be of made of 6-8 dia stud, double nut, double spring washer of stainless steel.
- 6.2.8. The cable entry to be sealed at the bottom of the AJB&CJB with Bitumen or equivalent sealing compound.
- 6.2.9. A nameplate of anodised aluminium with black background and white letters shall be fixed to the inner side of the junction box. The nameplate shall carry the following minimum information:
- Type of anode bed and No. of anodes
 - Ground bed current rating
 - Connection scheme.
 - Distance form pipeline in metres.
 - Distance form CP station in metres.

6.3 Installation Guidelines for Horizontal Anode Bed

- 6.3.1. Contractor should make all necessary arrangement for installation of horizontal anode string as per specification of the tender including arrangement of required water and its storage at the site and portable engine driven pump (if required) for dewatering of the excavated trench at his own cost for execution of work .Contractor will be solely responsible for any collapse of the trench.
- 6.3.2. The Horizontal anode string is to be placed in the coke breeze column. The coke breeze should be slurried prior to pouring in the excavated anode bed trench. Utmost care must be taken to avoid the problem of voids, contamination, poor compaction and poor settling.
- 6.3.3. Contractor must ensure that inactive depth of 2m is maintained from the ground level .
- 6.3.4. After installation of horizontal string anode in the coke breeze column of above mentioned size ,top of the carbonaceous backfill i.e the inactive length should be backfilled with the Native soil & Bentonite and anode bed area shall be flooded with water as per direction of EIC.

6.3.5. Soil resistivity test shall be carried out at the proposed site using 4-pin Wenner's technique as per direction of EIC and report to be submitted to OIL prior to installation work. Resistivity measurement shall be carried out at 2m depth. The depth of insertion of each pin while measuring resistivity shall not be more than 1/20th of the pin spacing. Soil resistivity shall be computed by the following formula and is to be expressed in ohm-cm.

$$\rho = 2 \times \pi \times a \times R$$

ρ = Soil Resistivity in ohm-cm

R = Resistance Observed in ohm

a = Spacing between two Consecutive Pins in cm

6.4. Specification of Calcined Petroleum Coke Breeze

Calcined Petroleum coke breeze should conform to the following specification as per IS 8502-1977, Grade A

1. Fixed carbon content by mass : 99% min.
2. Ash by mass : 0.5% max.
3. Moisture by mass : 0.1% max.
4. Volatile matters by mass : 0.4% max.
5. Bulk density : greater than 800 kg./M³
6. Real density : 2.03 g/cc (min).
7. Particle size : 1 mm max, dust free
8. Resistivity : 0.1 ohm cm max at 150 PSI

Contractor should provide the test certificate w.r.t above parameters of Calcined Petroleum coke breeze

The test certificate should contain make of coke breeze & its batch number

6.5. Specification of Anode Header Cable

6.5.1. ISI marked 35 mm², single core, 1100 V grade, stranded copper armoured (Non Magnetic), XLPE insulated and PVC (ST2) sheathed cable. The cable between AJB and CPTR shall be in single length. Contractor has to submit the datasheet & test certificate of the cable confirming to relevant BIS standard for OIL's approval. Holiday test of the cable to be done prior to installation of the cable.

6.6. Cable laying

All cables shall be laid underground at a minimum depth of 1000 mm and protected by 15 cm sand cushion above and below the cable and width wise laying of bricks at top. Suitable size G.I. pipe shall be provided at all road and drain crossings. Road and drain crossings may be undertaken either by open cut or by boring as per instruction of EIC. Necessary surface restoration after laying of cable shall be carried out by the contractor.

REPORT

Submission of the final report shall be in the form of 4 sets of hard copy in a bound form along with 4 sets of CD's. The final submitted report shall consist-

1. Original test reports of Anode Strings with tail cables, Calcined Petroleum Coke, AJBs, Anode Header Cables etc.
2. Drawings of installed Anode beds showing its distances from the existing facilities of CP station set up & the pipeline including cable routh of anode header cable as well as anode tail cables, AJBs etc.

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Udyan Vihar, Narengi, Guwahati,
Assam

WORKS CONTRACT

Schedule of company's Plants, Materials and Equipments (SCPME)

Tender No. GCO1294 P17

NIL

To

CHIEF MANAGER (CONTRACTS), PHQ
Oil India Limited
GUWAHTI, PHQ

SUB: SAFETY MEASURES

Tender No. GCO 1294 P17

Description of work/service:

Supply, Installation & Commissioning of Anode Bed at location 254 (Duliajan), Assam

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

- a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.
- b) The names of the authorised persons who would be supervising the jobs on day to day basis from our end are the following
 - i) _____
 - ii) _____
 - iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

- c) Due notice would be given for any change of personnel under item(b) above.
- d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

- e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.
- f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

(Seal)

Yours Faithfully

Date_____

M/s_____

CONTRACTOR FOR & ON BEHALF OF

ANNEXURE-A

BANK GUARANTEE FORMAT FOR EARNEST MONEY DEPOSIT (EMD)

To:
M/s. OIL INDIA LIMITED,
(CHIEF MANAGER -CONTRACTS)
Oil India Ltd. Pipeline Headquarter
Narangi, Guwahati-781171

WHEREAS _____ (Name and address of Bidder) (hereinafter called "Bidder") desires to participate against your Tender No. _____ to execute _____ (Brief Description of the Work) (hereinafter called "the Tender").

AND WHEREAS it has been stipulated by you in the said Tender that the Bidder shall furnish you with a Bank Guarantee as security for compliance with bidder's obligations in accordance with the terms and conditions of the Tender.

AND WHEREAS we have agreed to give the Bidder such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Bidder, up to a total of (Amount of Guarantee in figures) _____ (in words _____), such amount being payable in the types and proportions of currencies as desired by you and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Bidder before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Tender or the work to be performed there under or of any of the terms of the Tender which may be additionally made by you shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the date _____ (calculated at 1 month after Bid Validity date).

SIGNATURE AND SEAL OF THE GUARANTORS _____

Designation _____

Name of Bank _____

Address _____

Witness _____

Address _____

Date _____

Place _____

ANNEXURE-B

FORMAT FOR PERFORMANCE BANK GUARANTEE

To:
M/s. OIL INDIA LIMITED,
(CHIEF MANAGER -CONTRACTS)
Oil India Ltd. Pipeline Headquarter
Narangi, Guwahati-781171

WHEREAS _____ (Name and address of Contractor) (hereinafter called "Contractor") had undertaken, in pursuance of Contract No. _____ to execute (Name of Contract and Brief Description of the Work) _____ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) _____ (in words _____), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the date _____ (calculated at 3 months after Contract completion date).

SIGNATURE AND SEAL OF THE GUARANTORS _____

Designation _____
Name of Bank _____
Address _____
Witness _____
Address _____
Date _____
Place _____

VENDOR CODE NO. If the bidders already have vendor code the form need not to be filled up.)

TENDER NO. GCO 1294 P17

APPLICATION FORM FOR VENDOR CODE

Please go through the following points before filling up the format. The form should be filled up in the given format only.

- 1) Please indicate the vendor code as mentioned on top of the covering letter.
- 2) Please mention SSI or NSIC or PSU or DGS & D if you are a SSI or NSIC or PSU or DGS & D unit.
- 3) In the event PAN not allotted to you please enclose copy of application made by you for PAN allotment.
- 4) For Sales tax and service tax wherever applicable, provide the registration Number.
- 5) Please mention Company or non-Company in the field Corporate / Non-Corporate.
- 6) Please mention not applicable in case any of the data is not applicable.
- 7) Please put your signature, seal of your company at the bottom.

Required data	Your data to be filled up in this column
VENDOR CODE	
NAME	
ADDRESS	
DISTRICT	
POSTAL CODE	
CITY	
COUNTRY	
TELEPHONE NUMBER	
FAX NUMBER	
MOBILE NUMBER	
E-MAIL	
WEB SITE	
CONTACT PERSON	
TELEPHONE NUMBER OF CONTACT PERSON	
Whether SSI/NSIC/PSU/DGS & D UNIT	
CORPORATE/NON-CORPORATE	
TAX EXEMPTION CERTIFICATE NO.	
EXEMPTION FROM (Date)	
EXEMPTION TO (Date)	
CST REGISTRATION NO.	
LOCAL SALES TEX REGISTRATION NO	
ECC NO. (Excise Control Code)	
PAN	
VAT REGISTRATION NO. (TIN)	
SERVICE TAX REGISTRATION NO.	
PF CODE	

Contractor

Company

BANK A/C NUMBER	
BANK A/C TYPE (S/B, CC etc.)	
BANK NAME	
BANK BRANCH	
BANK ADDRESS	
BANK CITY	
SERVICE TAX REGISTRATION NO.	
PROVIDENT FUND CODE NO.	
NATURE OF BUSINESS	
CONSTITUTION OF THE FIRM	
SALES TAX REGISTRATION NO.	
VAT REGN. NO (TIN NO)	
EPF CODE NO.	
ESI CODE NO.	
TAN	

Signature of authorized person :

Name in block letter : _____ :

Date : _____ :

Seal of your company :