



GeM
Government
e Marketplace

Report ID: GEM/GARPTS/08042022/U9VGKLFQQH39

Report Name: Swarup

Generated By: Swarup Majumder , OIL INDIA Limited , Ministry of Petroleum and Natural Gas

Generated On: 08/04/2022

Valid till: 08/05/2022

GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

Order Count and Order Value displayed is on a cumulative basis since GeM inception.

1. Search String: Construction of Plinth, Approach Road to plinth, CC/RCC Rig foundations and various Ancillary jobs

Search type: Service

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

(FORWARDING LETTER)

NOTICE INVITING TENDERS

NATIONAL COMPETITIVE BIDDING

Sub: IFB No. CBI0113P23 for “Construction of Plinth, Approach Road to plinth, CC/RCC Rig foundations and various Ancillary jobs in Location OPUE of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha.”

Dear Sirs,

1.0 OIL INDIA LIMITED (OIL), a “Navaratna” Category, Government of India Enterprise, is a premier Oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Oil India Limited (OIL)’s Project office located at Bhubaneswar is presently entrusted to coordinate activities related to exploration of oil and natural gas from the Mahanadi on land basins in India. The Project Office of OIL at Bhubaneswar is well connected by road, rail and air.

2.0 In connection with its operations in Odisha, OIL invites National Competitive Bids (NCB) from experienced and established firms / contractors meeting the requisite criteria through OIL’s e-procurement site for **Construction of Plinth, Approach Road to plinth, CC/RCC Rig foundations and various Ancillary jobs in Location OPUE of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha**. One complete set of Bid Document covering OIL's IFB for hiring of above services is uploaded in OIL’s e-procurement portal. Interested and eligible contractors are invited to submit their most competitive bids on or before the scheduled bid closing date and time through OIL’s e-procurement portal. For ready reference of prospective bidders, few salient points of the IFB (covered in detail in the Bid Document) are highlighted below:

a)	IFB No. /E-Tender No.	:	CBI0113P23
b)	Type of Bidding	:	Online Indigenous e-Tender: Single Stage-Two Bid System
c)	Tender Fee	:	Not Applicable
d)	Bid Closing Date & Time	:	As mentioned in the E-procurement portal.

e)	Technical Bid Opening Date & Time	:	As mentioned in the E-procurement portal.
f)	Price Bid Opening Date & Time	:	Will be intimated to the eligible/qualified Bidders nearer the time.
g)	Bid Submission Mode	:	Bids must be uploaded online in OIL's E-procurement portal
h)	Bid Opening Place	:	Office of Chief General Manager (HSE & Admin) , Oil India Limited Bay Exploration Project IDCO Towers (3rd Floor) Janpath, Bhubaneswar-751022
i)	Bid Validity	:	120 (One Hundred Twenty) days from Bid Closing date
j)	Mobilization Time	:	Within 07 days from the date of issue of Letter of Award (LOA) / Mobilization notice, whichever is later.
k)	Bid Security Amount	:	Not applicable.
l)	Bid Security Validity	:	Not applicable.
m)	Amount of Performance Security	:	3% of estimated Contract Price.
n)	Validity of Performance Security	:	Up to 03 (three) months from date of completion of Contract.
o)	Location of job	:	Location OPUE of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha.
p)	Duration of the Contract	:	120 days
q)	Integrity Pact	:	Must be digitally signed & uploaded along with the Techno-commercial Bid.
r)	Bids to be addressed to	:	Chief General Manager (HSE & Admin) , Oil India Limited Bay Exploration Project IDCO Towers (3rd Floor) Janpath, Bhubaneswar-751022

3.0 Integrity Pact: The Integrity Pact must be uploaded in OIL's E-procurement portal along with the Technical Bid digitally signed by the same signatory who signed the Bid i.e., who is duly authorized to sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who signs the Bid.

4.0 GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT:

4.1 To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate **of Class 3 with Organization's Name and Encryption certificate** as per Indian IT Act

from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). **Digital Signature Certificates having “Organization Name” field as “Personal” are not acceptable.** However, aforesaid Digital Signature Certificates having Bidder’s Name in the “Organization Name” field are acceptable. **Only in case of sole proprietorship firms, Digital Signature Certificates issued in the name of the proprietor is also acceptable provided the bid is submitted in the capacity of a proprietorship firm.**

4.2 Digital Signature Certificate comes in a pair of Signing/verification and Encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to vendor’s system.

4.3 Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder changes his Digital Signature Certificate then old certificate [Used for encryption] is required in order to decrypt his encrypted response for getting the EDIT mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LTD. will not be responsible.

4.4 Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employee. The bid including all uploaded documents shall be digitally signed by duly authorized representative of the Bidder / Bidding Company to bind the Bidder / Bidding Company to the contract. If the digital signature used for signing is not of “Class -3” with Organization’s name, the bid will be rejected.

4.5 For participation, applicants already having User ID & Password for OIL’s E-Procurement Portal need to register against the IFB. New vendors/existing vendors not having User ID & Password for OIL’s E-Procurement Portal shall obtain User ID & password through online vendor registration system in E-Portal.

4.5.1 Bidders without having E-Tender Login ID and password should complete their online registration at least 07 (Seven) days prior to the scheduled Bid Closing Date and time of the tender. For online registration, bidder may visit OIL’s E-Tender site - <https://etender.srm.oilindia.in/irj/portal>.

4.5.2 Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.

4.6 Parties, who do not have a User ID, can click on Guest login button in the e-Tender portal to view and download the tender. The detailed guidelines are given in User Manual available in OIL’s E-Procurement site. For any clarification in this regard, bidders may contact E-Tender Support Cell at Duliajan at erp_mm@oilindia.in, Ph.: 0374- 2807171/7192.

4.7 The link for OIL’s E-Procurement Portal is available on OIL’s web site (www.oil-india.com).

5.0 Bid should be submitted online in OIL's E-Procurement site up to **13.00 PM (IST) (Server Time)** on the date as mentioned and will be opened on the same day at **15.00 PM (IST) (Server Time)** at the office of the CGM-HSE&A in presence of the authorized representatives of the bidders. However, if the above scheduled closing / opening day of the tender happens to be non-working day due to Bandh / Strike or any other reason, the bids will be received and opened on the following working day at the same time except on Saturdays.

Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders' risk and may result in the rejection of its offer without seeking any clarifications.

Before submission of bids, the bidder is advised to inspect the work site to assess the nature and extent of work and the conditions under which it will be carried out. They may also seek such clarifications from this office as are deemed necessary.

6.0 The rates shall be quoted as specified in the **"PRICE BIDDING FORMAT"** attached under **"Notes and Attachments"** tab. Bidder should note that **no pricing information is furnished in the "Technical Attachment"** (Un-priced Techno-Commercial Bid) otherwise the bid will be rejected.

7.0 (a) No Bidder can withdraw their bid within the validity or extended validity of the bid. Withdrawal of any bid within validity period will lead to debarment from participation in future tenders, at the sole discretion of the company.

(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.

8.0 Conditional bids are liable to be rejected at the discretion of the Company.

9.0 The bidders are required to furnish the composition and status of ownership of the firm in whose name bid documents have been purchased / issued along with one or more of the following documentary evidence (which are applicable to the bidder) in support of the same and scanned copies of the same should be uploaded along with the Un-priced Techno-Commercial Bid documents.

9.1 In case of Sole Proprietorship Firm, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, business and residential address, E-mail and telephone numbers of the owner and GSTIN number.

9.2 In case of HUF, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form, Family Arrangement indicating therein the name, residential address, E-mail and telephone numbers of the owners in general and Karta in particular and GSTIN number.

9.3 In case of Partnership Firm, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the partners (including the Managing Partner), registered partnership agreement / deed and GSTIN number.

9.4 In case of Co-Operative Societies, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and

telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from Registrar of Co-Operative Societies and GSTIN number.

9.5 In case of Societies registered under the Societies Registration Act, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from the Registrar of the state and GSTIN number.

9.6 In case of Joint Stock Companies registered under the Indian Companies Act, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, Certificate of Incorporation from the Registrar of Companies, Memorandum and Articles and GSTIN number.

9.7 In case of Trusts registered under the Indian Trust Act, Copies of Telephone / Electricity / Mobile Bill, PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Trustee or persons who are at the helm of affairs, registration certificate from the Registrar of the state, Trust Deed and GSTIN number.

10.0 SCREEN SHOTS

Go to this Tab “Notes and Attachments” for Uploading “Price Bid.”

Go to this Tab “Technical Attachment” for Uploading “Technical Bid”.

On “**EDIT**” Mode, bidders are advised to upload “**Technical Bid**” and “**Priced Bid**” in the respective places as indicated above:

Note:

*The “**Technical Bid**” shall contain all techno-commercial details **except the prices**.

** The “**Priced bid**” must contain the price schedule and the bidder’s commercial terms and conditions, if any. For uploading Priced Bid, first click on Add Attachment, a browser window will open, select the file from the PC and name the file under Description, Assigned to General Data and click on OK to digitally sign and upload the File. Please click on Save Button of the Response to Save the uploaded files.

11.0 Maintenance of Total bid value in the Response: For convenience of the Bidders and to improve transparency, the rates/costs quoted by bidders against the E-tender shall be available for online viewing after price bid opening to those bidders whose price bids have been opened in the system. For tenders where **Detailed Price Information under RFX Information Tab is “No price”**, the Price Bid is invited through attachment form under “Notes & Attachment”. As per the existing process, Bidders must upload their pricing as per the “Price Bidding Format” under “**Notes & Attachment**”. Additionally the bidders must fill up the on-line field “Total Bid Value” under Tab Page “**RFX Information**” with the Total Cost (Including the GST component) as per the amount of the Price Bid in attachment form.

The screenshot shows the 'Create RFX Response' interface. At the top, there are tabs: 'Submit', 'Read Only', 'Print Preview', 'Check', 'Technical RFX Response', and 'Close'. Below these, the 'RFX Information' tab is selected, showing fields for 'RFX Response Number' (60038748), 'RFX Number' (1396), 'RFX Owner' (BHARALI), 'Total Value' (0.00 INR), and 'RFX Res'. The 'Event Parameters' section contains three main fields: 'Currency' (set to 'Indian Rupee'), 'Detailed Price Information' (set to 'No Price'), and 'Terms of Payment'. A red box highlights the 'Currency' and 'Detailed Price Information' fields, with a callout stating: 'Bidder to select the currency of the Response' and '“Total Bid Value” is mandatory in “No Price” RFX'. Another red box highlights the 'Total Bid Value' field, with a callout stating: '“Total Bid Value” is mandatory in “No Price” RFX' and '“Total Bid Value” considering all the taxes & duties.'.

The “Total Bid Value” as entered by the Bidder in the on-line response shall be displayed in the e-tender portal amongst the Techno-Commercially qualified bidders and Company will not take any responsibility whatsoever towards incorrect information furnished by the bidders in the “Total Bid Value” field.

It is to be noted that Amount mentioned in the “Total Bid Value” field will not be considered for bid evaluation and evaluation will be purely based on the Price bid submitted as per the “Price Bid Format” under “Notes & Attachments” tab page.

12.0 The selected bidder will be required to enter into a formal contract, which will be based on their bid and OIL's Standard Form of Contract.

13.0 The successful bidder shall furnish a Performance Security Deposit @3% of total estimated contract price in the form of a Bank Guarantee (as per prescribed format vide **Annexure-B**)/Demand Draft in favour of Oil India Limited before signing the formal contract. The Performance Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if

any or for adjustment of compensation or loss due to the Company for any reason. This Performance Security Money shall not earn any interest.

14.0 BACKING OUT BY L1 BIDDER AFTER ISSUE OF LOA: In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the bidder shall be dealt as per the Banning Policy (available in OIL's website) of Company.

15.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT: The information and documents furnish by the bidder/contractor in respect of the subject tender/contract are accepted to be true and genuine. However, if it is detected during technical scrutiny or after award of the contract or after expiry of the contract, that the bidder had submitted any fake/ fraudulent document or furnished false statement, the offer/contract shall be rejected/ cancelled, as the case may be and the bidder (if fake document/false statement pertains to such bidder) shall be dealt as per the Banning Policy (available in OIL's website) of Company. The bidder has to submit an undertaking in this regard as per attached **Annexure-E**.

16.0 ERRING / DEFAULTING AGENCIES: Erring and defaulting agencies like bidder, contractor, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 6th January, 2017 available in OIL's website: www.oil-india.com.

17.0 Time Schedule:

Time will be regarded as the essence of the Contract. The work shall have to be started within 7 (Seven) days from the date of issue of work order by Company. Failure on the part of the Contractor to complete the work within the stipulated time shall entitle the Company to recover liquidated damages and / or penalty from the Contractor as per terms of the tender.

17.1 OIL reserves the right to curtail / enhance the scope of the work stated above or cancel, if required/ Contract.

17.2 The Contractor will be required to allow OIL officials to inspect the work site and documents in respect of their workers' payment.

18.0 Bidder(s) must also furnish the following in their Bid:

- a) NAME OF FIRM :
- b) DETAIL POSTAL ADDRESS :
- c) MOBILE / TELEPHONE NO :
- d) E-MAIL ADDRESS :
- e) FAX NO (If available) :
- f) CONTACT PERSON :
- g) VENDOR CODE (If available) :
- h) GST No. :

19.0The tender will be governed by:

- a) Forwarding Letter
- b) Part - I: General Conditions of Contract
- c) Part - II: Scope of Work.
- d) Part - III: Special Instructions & Specifications
- e) Part - IV: Special Conditions
- f) Part – V: Bid Evaluation Criteria

- g) Annexure-A & Annexure-B
- h) Annexure-C: Integrity Pact
- i) Annexure-D, Annexure -E, Annexure -F, Annexure -G & Annexure -H

20.0 Integrity Pact is applicable against this tender:

OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide “ANNEXURE-C Integrity Pact” of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL’s competent signatory. The proforma has to be returned by the bidder (along with the techno-commercial bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder’s authorized signatory who sign the Bid. In case of a Joint venture, all the partners of the joint venture should sign the Integrity Pact.

- a) Shri Shri Sutanu Behuria, IAS(Retd.);
E-mail: sutanu2911@gmail.com
- b) Shri Rudhra Gangadharan, IAS (Retd.), Ex-Secretary, Ministry of Agriculture;
E-mail: rudhra.gangadharan@gmail.com
- c) Shri Om Prakash Singh, IPS (Retd.);
E-mail: ops2020@rediffmail.com

In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of IEMs in a time bound manner. If required, the organizations may adopt any mediation rules for this purpose. In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organization may take further action as per the terms and conditions of the Contract. The fees/expenses on dispute resolution shall be equally shared by both the parties.

21.0 OIL now looks forward to active participation of contractors in the IFB.

Thanking you,

Yours faithfully,
OIL INDIA LIMITED

Date: 08.04.2022

(SWARUP MAJUMDER)
Sr. Manager-C&P (BEP)
For Chief General Manager (C&P)

PART – I

GENERAL CONDITIONS OF CONTRACT

MEMORANDUM OF AGREEMENT made this day _____ between Oil India Limited, a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam and Bay Exploration Project Office at IDCO Tower (3rd Floor), Janpath, Bhubaneswar -751022, Odisha (hereinafter called "The Company") of the one part and _____ carrying on business under the firm name M/s _____ with their office at _____ in the district of _____ aforesaid (hereinafter called "The Contractor") of the other part.

WHEREAS, in this Contract the following terms shall be interpreted as indicated below:

- a)** The "Contract" means the Contract entered into between the Company and Contractor, and terms & conditions as recorded in this document signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- b)** The "Contract Price" means the prices/costs/rates payable by Company to the Contractor under the agreement for the full and proper performance of its Contractual obligations.
- c)** The "Work" means each and every activity described in the Schedule of Work/ Specifications, detailed in Part-II.
- d)** "Company" or "OIL" means Oil India Limited and its executors, successors, administrators and assignees.
- e)** "Contractor" means the individual or firm or Company performing the "Work" under this Contract and its executors, successors and assignees.
- f)** "Contractor's personnel" means the personnel to be provided/deployed by the Contractor for due performance of the assigned work as per the Contract.
- g)** "Company Personnel" means the personnel to be provided by the Company. The Representative/Engineer of the Company are also included in the Company's personnel. The Company's Representative/Engineer means the person or persons appointed and approved from time to time by the Company to act on its behalf for overall co-ordination and project management at site.
- h)** "Site" means the land, installation and other places, provided and designated by the Company on which the works are to be executed by the Contractor.
- i)** "Company's items" means the equipment, materials, installations and services, which are to be provided by the Company at the expense of the Company.
- j)** "Contractor's items" means the equipment, materials and services, which are to be provided by the Contractor at the expense of the Contractor.
- k)** "Commencement date" means the date on which the Contractor's personnel starts the job as mentioned in the Contract.

l) “Gross Negligence” as used in this Contract shall mean “willful and wanton disregard for harmful, avoidable and foreseeable consequence”.

WITNESSETH:

1.0 (a) The Contractor hereby agrees to carry out the work set down in the Schedule of Work which forms Part-II of this Contract in accordance with General Specifications read in conjunction with any drawings and Particular Specifications and Instructions which forms Part-III of this Agreement utilizing the services as offered by the Company and listed in Part-IV of the Contract.

(b) In this Contract all words and expressions shall have the same meanings as are respectively assigned to them hereinabove which the Contractor has perused and is fully conversant with before entering into this Contract.

2.0 The Contractor shall provide all labour, supervision and transport and such specified materials described in Part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include all incidental and contingent work which, although not specifically mentioned in this Contract but are necessary for completion of the work in a sound manner and with good workmanship.

3.0 The Company’s Engineer shall have power to –

a) Reduce the rates at which payments shall be made if the quality of the work, although acceptable, is not up to the required standard, set forth in the Company’s standard specifications which have been perused and fully understood by the Contractor.

b) Order the Contractor to remove any inferior materials from the work site and to demolish or rectify any work of inferior workmanship, failing which the Company’s Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor’s expense.

c) Order the Contractor to remove or replace any workman whom he (the Engineer) considers incompetent or unsuitable. The Engineer’s opinion as to the competence and suitability of any workmen engaged by the Contractor shall be final and binding on the Contractor.

d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate executions and maintenance of the works and the Contractor shall carry out and be bound by the same.

e) Order deviations in Part-II and III of this Contract after obtaining approval from the Company’s management. All such deviation orders shall be in writing and shall show the financial effect, if any, and whether any extra time is to be allowed. The rates to be applied for such deviation order shall be the same as those appearing in the Basic Schedule of Rates of Odisha P.W.D. in force on the date of issue of such deviation order.

4.0 The Contractor shall have no claim against the Company in respect of any work which may be withdrawn, but only for work actually completed under this Contract. The Contractor shall have no objection to carry out work in excess of the quantities stipulated in Part-II, if so ordered by the

Company at the same rates, terms and conditions.

5.0 The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the Contractor for permanent incorporation in the work under this Contract particularly for execution of this Contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the Company's Engineer in presence of the Contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out ex-parte if Contractor fails to turn up despite reasonable notice, which will be binding on the Contractor.

6.0 The Contractor hereby undertakes to indemnify the Company against all claims which may arise against the under noted Act: -

- I. The Mines Act.
- II. The Minimum Wages Act, 1948.
- III. The Workman's Compensation Act, 1923.
- IV. The Payment of wages Act, 1963.
- V. The Payment of Bonus Act, 1965.
- VI. The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- VII. Employees' Pension Scheme, 1995.
- VIII. Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- IX. The Employees Provident Fund and Miscellaneous Provisions Act, 1952. X. Goods and Service Tax (GST) Law,

or any other Acts or statutes not herein above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labourer appointed by the Contractor. Such statutory increase in the wage rates of Contract Labourer shall be borne by the Contractor.

6.1 Contractor(s) whoever is liable to be covered under P.F. Act must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the contractor must deposit Provident Fund Contribution (covering employee's & employer's share) with the competent authority under their direct code. The contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the company. In case of failure to provide such documentary evidence, the company reserves the right to withhold the final bill.

7.0 The Contractor shall clear away all rubbish and surplus materials from the site on completion of work and shall leave the site clean and tidy.

8.0 Work Completion Time: The Contractor must commence the work within **7 (seven) days** from the date of issue of Work Order and the work should be completed within **120 days** from the date of issue of Work Order. Non-compliance of this time schedule will call for imposition of liquidated damage.

9.0 Validity of the Contract: The Contract shall remain valid for a period of **120 days** from the date of letter of award of the Contract or till the completion of work against the last Work Order issued within the currency of the Contract, whichever is later.

10.0 Schedule of Rates: Payment to the Contractor will be made against work completed by them at the rates entered in the Schedule of Rates, Part-II hereof.

11.0 Liquidated Damages: Time is the essence of this Contract. During the currency of the job, the work progress must be commensurate with the time elapsed. Work should be completed within stipulated period of completion. For any default in timely completion of assigned work from the date of assigning the work, Liquidated Damages at the rate of ½% (half percent) of the total value of the contract, per week or part thereof, upto a maximum of 7.1/2% (seven & half percent) of the total estimated value of the contract.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

12.0 In order to promote, safeguard and facilitate the general, operational economic interest of the Company, during the continuance of this Contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and/or support, assist maintain or help any person or persons engaged in antisocial activities, demonstrations, riots, or in any agitation prejudicial to the Company's interest and any such event taking shape or form at any place of the Company's work and its neighbourhood.

13.0 Estimated Value of Contract: The total evaluated value of the Contract (all inclusive) is estimated to be Rs _____ (Approx.), but the Company shall pay the Contractor only for actual work done at the all-inclusive rates set down in the Schedule of Rates which forms Part-II of this Contract.

14.0 Payment Terms: Payment shall be made against work completed by the Contractor and duly certified by Company's Engineer. Taxes will be deducted at source as per the existing Act, wherever applicable.

On account payment may be made, not oftener than monthly, up to the amount of 100% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

15.0 Performance Security: Upon receipt of Notification of Award of the Contract, the successful bidder shall furnish Performance Security to the Company in the Form of a Bank Draft or Bank Guarantee from a scheduled bank located in India as per format provided in **Annexure-B** of the Bid Document. The amount of Performance Security shall be equivalent to 3% of the total contract value of the Contract. The proceeds of the Performance Security shall be payable to the Company as

compensation for any loss resulting from Contractor's failure to complete his/her obligations under the Contract. The Performance Security shall be valid till 3 (three) months beyond the validity of the Contract and applicable warranty period of 6 months.

16.0 The Contractor employing more than 20 (twenty) workmen on any day of the preceding 12 (twelve) months shall be required to obtain requisite license at his cost from the appropriate licensing Officer before undertaking any contract work. The Contractor shall also observe the rules and regulations framed under the contract labour (Regulations & Abolition) Act.

17.0 Wages shall be paid by the Contractor to the workmen directly without the intervention of any Jamadars or Thekadars and that the Contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadars from wages of the workmen.

18.0 The Contractor will not be allowed to construct any structure (for storage/housing purpose) with thatch, bamboo or any other inflammable materials within industrial or other fenced area of the Company.

19.0 The Contractor shall ensure that all men engaged by him are provided with appropriate protective clothing and safety wear in accordance with Oil Mines Regulations 2017. The Company's representative shall not allow/accept those who are not provided with the same.

19.1 The Contractor shall deploy local persons in works. The Contractor shall not engage minor labour below 18 (Eighteen) years of age under any circumstances.

19.2 The Contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.

19.3 All safety precautions to be maintained by the Contractor at his own cost as per safety rules and regulations.

19.4 The Contractor shall have to work during rainy seasons also. Watch and ward, loss or damage to Company's property, theft and other incidental charges shall be Contractor's responsibility.

19.5 Efficient workmen to be engaged by the Contractor. The Contractor shall have to provide temporary latrine facilities in the entire work site for use of their workmen during progress of work.

19.6 If required, the Contractor shall have to work in two shifts for which no extra payment will be admissible to him/them.

19.7 The Contractor shall use pump if needed for dewatering of pit(s) while excavation for which no extra payment will be made. Water that may accumulate on the site during progress of the works or in trenches and excavations from other than accepted risks shall be removed from the site to entire satisfaction of the Engineer-in charge and at the Contractor's expense.

19.8 If needed water and electricity will have to be arranged by the Contractor at his own cost. The contractor himself (the signatory of the contract) must visit the site at least twice in a week as fixed for taking necessary instruction from the Engineer-in charge. The program of works to be submitted in the form of Bar Chart within 3 days of receipt of work order.

19.9 Materials if rejected should be removed from site within 48 (forty- eight) hours of rejection, failing which the Company reserves the right to get the rejected materials removed at the risk and cost of the Contractor.

19.10 The Contractor's representative should report to Engineer-in-charge on all working days for instructions.

19.11 The Contractor and his workmen are to strictly observe the safety precautionary rules as per Mines Act (Latest edition) while executing the work.

19.12 The contractor must quote considering the prevailing minimum Labour wage rate for each day of work.

19.13 The Company reserves the right to get the part or whole work complete at the risk and cost of the Contractor if they fail to complete the Work within the stipulated time without any valid reason. The Company's decision shall be final and binding on the Contractor.

20.0 LIABILITY:

20.1 Except as otherwise expressly provided, neither the Company nor its servants, agents, nominees, shall have any liability or responsibility whatsoever to whomsoever (including the owner) for loss or damage to the equipment and/or loss or damage to the property of Contractor and/or its sub-contractors, irrespective of how much loss or damage is caused unless caused by willful and gross negligence of the Company and/or its servants, agents, nominees, assignees. The Contractor shall protect, defend, indemnify and hold harmless the Company from and against such loss or damage and any suit, claim or expense resulting therefrom.

20.2 Neither the Company nor its servants, agents, nominees, assignees, sub-contractors shall have any liability or responsibility whatsoever for injury to, illness, or death of any employee of the Contractor irrespective of how such injury, illness or death is caused unless caused by willful and gross negligence of the Company and/or its servants, agents, nominees, assignees. The Contractor shall protect, defend, indemnify and hold harmless the Company from and against such loss or damage and any suit, claim or expense resulting there from.

21.0 FORCE MAJEURE:

21.1 In the event of either party being rendered unable by 'Force Majeure' to perform any obligation required to be performed by them under the contract, the relative obligation of the party affected by such 'Force Majeure' will stand suspended as provided herein. The term 'Force Majeure' as employed herein shall mean acts of God, war, revolt, agitation, strikes, riot, fire, flood, sabotage, civil commotion, road barricade (but not due to interference of employment problem of the party) and any other cause, whether of kind herein enumerated or otherwise which are not within the control of the party to the contract and which renders performance of the contract by the said party impossible.

21.2 Upon occurrence of such cause and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within Seventy-Two (72)

hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim.

21.3 Should 'Force Majeure' condition as stated above occurs and should the same be notified within seventy-two (72) hours after its occurrence, then either party will have the right to terminate the contract with prior written notice if such 'Force Majeure' condition continues beyond consecutive fifteen (15) days. Should either party decide not to terminate the contract even under such condition, no payment would apply during the force majeure period unless otherwise agreed to.

Time for performance of the relative obligation suspended by Force Majeure shall then stand extended by the period for which such cause lasts. If, however, relative obligation of the party affected by such 'Force Majeure' is limited to part of the obligation(s), the contract shall not be terminated and the parties shall continue to perform their respective obligations, which are not affected by the 'force majeure' condition, provided the obligations affected by the 'force majeure' do not preclude the parties in performing the obligations not affected by such conditions.

22.0 TERMINATION:

22.1 TERMINATION ON EXPIRY OF THE TERMS (DURATION)

The contract shall be deemed to be automatically terminated on the expiry of duration of the contract (or extension, if any, thereof) unless OIL has exercised its option to extend this contract in accordance with the provisions, if any, of this Contract.

22.2 TERMINATION ON ACCOUNT OF FORCE MAJEURE:

Either party shall have the right to terminate the Contract on account of Force Majeure as set forth herein clause 21.0 above.

22.3 TERMINATION OF CONTRACT FOR DEATH:

If the Contractor is an individual or a proprietary concern and the individual or the proprietor dies or if the Contractor is a partnership concern and one of the partners dies then unless, the Company is satisfied that the legal heir of the individual or the proprietary concern or the surviving partners are capable of carrying out and completing Contract, the Company is entitled to cancel the Contract for the uncompleted part without being in any way liable for any compensation payment to the estate of the deceased Contractor and/or to the surviving partners of the Contractor's firm on account of the cancellation of Contract. The decision of the Company in such assessment shall be final & binding on the parties. In the event of such cancellation, the Company shall not hold the estate of the deceased Contractor and/or the surviving partners of Contractor 's firm liable for any damages for non-completion of the Contract.

22.4 TERMINATION ON ACCOUNT OF INSOLVENCY:

In the event that the Contractor at any time during the term of the Contract, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt, then the Company shall, by a notice in writing have the right to terminate the Contract and all the Contractor's rights and privileges hereunder, shall stand terminated forthwith.

However, Company shall be at liberty to give the Receiver or Liquidator or Insolvency Professional Manager, as appointed by the Competent Court/ Tribunal, the option of carrying out the Contract

subject to its technical & financial competence and his providing a guarantee for due and faithful performance of the Contract.

22.5 TERMINATION FOR UNSATISFACTORY PERFORMANCE:

If the Company considers that, the performance of the Contractor is unsatisfactory, or not as per the provision of the Contract, the Company shall notify the Contractor in writing and specify in details the cause of dissatisfaction. The Company shall have the option to terminate the Contract by giving 15 days' notice in writing to the Contractor, if Contractor fails to comply with the requisitions contained in the said written notice issued by the Company. In the event Contractor rectifies its non-performance to the satisfaction of the Company, the option of termination may not be exercised by the Company. If, however Contractor repeats non-performance subsequently, Company shall exercise the option to terminate contract by giving 07 days' notice. Such Contractor shall be put on holiday as per the Banning Policy of OIL [available at www.oil-india.in].

22.6 TERMINATION DUE TO CHANGE OF OWNERSHIP & ASSIGNMENT:

In case the Contractor's rights and /or obligations under this Contract and/or the Contractor's rights, title and interest to the equipment/ material, are transferred or assigned without the Company's written consent, the Company may at its option, terminate this Contract. Company shall not be however under any obligation to accord consent to the Contractor for change of ownership & assignment of the contract.

22.7 If at any time during the term of the Contract, breakdown of Contractor's equipment results in Contractors being unable to perform their obligations hereunder for a period of 7 successive days (not including Force Majeure delay), the Company at its option, may terminate the Contract in its entirety without any further right or obligation on the part of the Company, except for the payment of money then due. No notice shall be served by the Company under the condition stated above.

22.8 Notwithstanding any provisions herein to the contrary, the Contract may be terminated at any time by the Company on giving 30 (thirty) days' written notice to the Contractor due to any other reason not covered under the above clauses from 22.1 to 22.7 and in the event of such termination the Company shall not be liable to pay any cost or damage to the Contractor except for payment for service charges and other charges as per the Contract up to the date of termination.

22.9 CONSEQUENCES OF TERMINATION:

In all cases of termination herein set forth, the relative obligations of the parties to the contract shall be limited to the period up to the date of termination. Notwithstanding the termination of the Contract, the parties shall continue to be bound by the provisions of the Contract that reasonably require some action or forbearance after such termination.

22.10 Upon termination of the Contract, Contractor shall return to the Company all of Company's items, which are in Contractor's possession at the time.

22.11 In the event of termination of contract, the Company will issue Notice of termination to the Contractor with date or event after which the contract will be terminated. The contract shall then stand terminated and the Contractor shall demobilize their personnel & materials. No demobilization charges shall be payable by Company in case of Clauses from 22.4 to 22.7.

23.0 ARBITRATION:

23.1 The Contractor and the Company shall make every effort to resolve amicably by direct informal negotiation any disagreement arising between them under or in connection with the Contract.

23.2 In the event of any disagreement or dispute arising in connection with execution of the Contract which cannot be settled in an amicable manner between the Contractor and the Company, the matter shall be referred to arbitration. Such arbitration shall be governed by the provisions of the Arbitration and Conciliation Act, 1996 as amended upto date by any statutory modification or re-enactment thereof for the time being in force. Arbitration proceeding will be held in New Delhi/Bhubaneswar.

24.0 In case of any doubt or dispute as to the interpretation of any clause herein contained the decision of the Company's Engineer shall be final and binding on the Contractor.

25.0 General Health, Safety and Environment aspects will be as per the terms set forth in Clause 13.0, Part-III.

26.0 SET OFF:- Any sum of money due and payable to the contractor (including security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (Or such other person or persons contracting through Oil India Limited).

27.0 Tax Liability: All statutory taxes/levies by the Central / State Govt. or other authority from time to time will be borne by the Contractor. Rates/Amounts under this Contract are inclusive of all taxes, royalty, etc. In respect of Royalty, the Contractor must submit to the Company - the proof of payment, Short-Term Permit (STP) within 15 days and N.O.C. / N.D.C. from the Mining department before payment of final bill. The rate of Royalty may vary from time to time as per Govt. directives and the same is binding on the Contractor.

28.0 SUB-LETTING: The contractor shall not sub-let the WHOLE of the Works. Except where otherwise provided by the contract, the Contractor shall not sub-let any PART of the Works without the written consent of the Engineer-in-Charge and such consent, if given, shall not relieve the Contractor from any liability or obligation under the Contract and he shall be responsible for the acts, defaults or neglects of any sub-contractor, his agents, servants or workmen, provided always that the provision of labour on a piece-work basis shall not be deemed to be a sub-letting under this Clause.

29.0 COMMISSION OF MISCONDUCT / SUBMISSION OF FRAUDULENT DOCUMENT BY THE BIDDER/CONTRACTOR AND BANNING THEREOF:

The information and documents furnished by the bidder/Contractor in respect of the tender/contract are accepted by Company to be true and genuine. However, if it comes to the notice of the Company anytime either during the pendency of the tender or after award of the contract or after completion the contract that a Bidder/ Contractor furnished fraudulent document/false information in relation to the subject tender/contract or committed any misconduct, appropriate action shall be taken against the Bidder/ Contractor for debarment/banning of the bidder/ Contractor from participating in any future tender of the Company in terms of the Company's Banning Policy, 2017 besides making the Contractor liable for other penal action including termination of ongoing contract(s) at his/her risk and peril. In such event, the Bid Security/Performance Security in respect of ongoing contract(s) shall be forfeited by the Company.

30.0 ERRING / DEFAULTING AGENCIES: Erring and defaulting agencies like bidder, contractor, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 6th January, 2017 available in OIL's website: www.oil-india.com. Moreover, OIL reserves the right to take legal or any other action on the basis of merit of the case.

31.0 COMMISSION OF MISCONDUCT / SUBMISSION OF FRAUDULENT DOCUMENT BY THE BIDDER/CONTRACTOR AND BANNING THEREOF:

The information and documents furnished by the bidder/Contractor in respect of the tender/contract are accepted by Company to be true and genuine. However, if it comes to the notice of the Company anytime either during the pendency of the tender or after award of the contract or after completion the contract that a Bidder/ Contractor furnished fraudulent document/false information in relation to the subject tender/contract or committed any misconduct, appropriate action shall be taken against the Bidder/ Contractor for debarment/banning of the bidder/ Contractor from participating in any future tender of the Company in terms of the Company's Banning Policy, 2017 besides making the Contractor liable for other penal action including termination of ongoing contract(s) at his/her risk and peril. In such event, the Bid Security/Performance Security in respect of ongoing contract(s) shall be forfeited by the Company.

IN WITNESS where of the parties hereunto set their hand and seals the day and year first above written.

<p>Signed in the name and on behalf of:</p> <p style="text-align: center;">M/s. _____ (CONTRACTOR)</p> <p>Signature: _____</p> <p>Name: _____ (Legal Power of Attorney)</p> <p>In presence of: Signature: _____ Name: _____</p>	<p>Signed in the name and on behalf of:</p> <p style="text-align: center;">OIL INDIA LIMITED (COMPANY)</p> <p>Signature: _____</p> <p>Name: _____ Designation: _____</p> <p>In presence of: Signature: _____ Name: _____</p>
---	--

END OF PART – I

PART-II
SCOPE OF WORK

Scope of Work: Construction of Plinth, Approach Road to plinth, CC/RCC Rig foundations and various Ancillary jobs in Location OPUE of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha.

SL. NO.	DESCRIPTION OF ITEMS	Estd. Qty	UOM
	SECTION A: Plinth		
10	Clearing jungle including uprooting of rank vegetation, grass, brushwood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	30,800.00	M2
20	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 30 cm girth upto and including 60 cm girth	15.00	EA
30	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 60 cm girth upto and including 120 cm girth.	5.00	EA
40	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 120 cm girth upto and including 240 cm girth.	8.00	EA
50	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.	4,763.10	M3
60	Extra for excavating all kinds of soil for depth exceeding 1.5 m, but not exceeding 3 m. (Rate is over corresponding basic item for depth upto 1.5 metre).	1,125.00	M3
70	Filling and forming bund using available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in		

	layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m	2,483.25	M3
80	Removal of unserviceable/excess soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.	3,404.85	M3
90	Forming embankment/Periphery bund with borrowed useful earth from outside road boundary by mechanical means upto SDR with all leads and lifts including pre-watering of soil at borrow area, removal of top soil, excavation of soils at borrowed area, conveyance of soil, depositing the soil on the embankment, spreading soil, breaking clods, sectioning, grading and consolidation with 8 to 10 Tonnes Vibratory Road Roller @ OMC to meet requirement of table 300-2 of MoRT&H, including all hire and operational charges of T&P , complete for finished item of work as per MoRT&H specification 305 (5th revision) (Payment will be made based on level for finished item of work).	5,630.25	M3
100	Construction of embankment with filling sand not exceeding 300 mm laid in layers including transportation of material from quarry, spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.	13,149.50	M3
110	Construction of embankment with good quality moorum not exceeding 300 mm laid in layers including transportation of material from quarry, spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.	2,817.75	M3
120	Providing, laying, spreading and compacting stone aggregates of 100mm thick, 90 to 45 mm sizes to water bound macadam (Grade-I) specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.	1,863.50	M3
130	Providing, laying, spreading and compacting stone aggregates of 75mm thick, 63 to 45mm size to water bound macadam (Grade-II) specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.	1,397.63	M3

140	Providing Vibrated Cement Concrete (1:3:6) mix using 40mm size HBG crushed stone aggregate and fine aggregate conforming to table 1000-2 of MoRT&H including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, Vibrating, curing etc., including all other incidental and operational charges of all T&P etc., complete for finished item of work as per MoRT&H specification 1500,1700,2100 (5th Revision) and as directed by the Engineer-in-Charge for foundation.	10.80	M3
150	Vibrated reinforced cement concrete M 20 grade using 20mm & 10mm HBG crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, vibrating, curing etc., including other incidental hire and operational charges of all T&P as per approved drawings and as directed during execution but excluding cost of steel and its fabrication charges for finished item as per MoRT&H specification 1500,1600,1700 & 2200 (4th revision) and as directed by the Engineer-in-Charge for (Sub-structure).	85.01	M3
160	Providing TMT bars (Fe-500) of different diameters, wrought and put up bars of all diameters including cost and conveyance of steel to site and all labour charges for fabrication of reinforcement including cutting, bending, binding rods, tying grills, placing them in position etc., complete including cost and conveyance of binding wire and all handling charges and operational charges etc., and including over lapping welding if required etc., complete for all R.C.C items for finished item of work as per standard drawings, as per the directions of the Engineer-in-Charge and as per MoRT&H specification 1600 & 2200 (5th revision) and as per I.S.1786 of 1985 for Sub structure of R.C.C items.	11.36	MT
170	Supplying and fixing galvanised steel barbed wire (IS: 278-1962 Type I) weighing 9.38 Kg per 100 metres (min.), Straining and fixing to any type of standard, rails, straining bolts, including securing with and provision of galvanised mild steel wire, stapples or steel pins, etc., as directed (Posts and struts of wood, concrete, steel, etc. and straining bolts shall be paid for separately).	13,104.00	M
180	Engaging Diesel Engine Pump 2 to 5 HP capacity for lifting of water and draining into approved source as directed by EIC including hire, operational, fuel, lubricant charges of pump and operator, Complete.	120.00	HR
190	Providing and placing in position finished size & shape Laminated high density polyethylene HDPE of mass 300 GSM, woven fabric,	6,750.00	M2

	Geo-membrane including loading, transportation, unloading and laying and fusion welding joints with heat welding machine confirming to detailed specification given in Part-III of special conditions of contract.		
200	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints etc. complete for 300mm dia.	40.00	M
210	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints etc. complete for 600mm dia.	25.00	M
220	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including tek sting of joints etc. complete for 1000mm dia.	10.00	M
230	Steel work for Entrance & Exit gates in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes.	327.04	KG
240	Providing and laying sand bags in stipulated places as instructed.	350.00	EA
<u>SECTION-B: APPROACH ROAD</u>			
10	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.	1,800.00	M2
20	Forming embankment/Periphery bund with borrowed useful earth from outside road boundary by mechanical means upto SDR with all leads and lifts including pre-watering of soil at borrow area, removal of top soil, excavation of soils at borrowed area, conveyance of soil, depositing the soil on the embankment, spreading soil, breaking clods, sectioning, grading and consolidation with 8 to 10 Tonnes Vibratory Road Roller @ OMC to meet requirement of table 300-2 of MoRT&H, including all hire and operational charges of T&P , complete for finished item of work as per MoRT&H specification 305 (5th revision) (Payment will be made based on level for finished item of work).	990.00	M3
30	Construction of embankment with filling sand not exceeding 300 mm laid in layers including transportation of material from quarry,	1,364.00	M3

	spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.		
40	Construction of embankment with good quality moorum not exceeding 300 mm laid in layers including transportation of material from quarry, spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.	334.50	M3
50	Providing, laying, spreading and compacting stone aggregates of 100mm thick, 90 to 45 mm sizes to water bound macadam (Grade-I) specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.	240.00	M3
60	Providing, laying, spreading and compacting stone aggregates of 75mm thick, 63 to 45mm size to water bound macadam (Grade-II) specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.	240.00	M3
SECTION-C: CC/RCC RIG FOUNDATIONS			
10	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.	974.01	M3
20	Filling with available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	349.02	M3
30	Removal of unserviceable/excess soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.	624.99	M3
40	Supply of Coarse Sand in trenches, sides of foundations and basement with initial lead in layers not exceeding 20 cm thick, consolidating each deposited layer by watering and ramming	166.37	M3

	including cost and conveyance of water to work site and all operational, incidental, labour charges, hire charges of T & P. complete for finished item of work.		
50	Providing Vibrated Cement Concrete (1:3:6) mix using 40mm size HBG crushed stone aggregate and fine aggregate conforming to table 1000-2 of MoRT&H including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, Vibrating, curing etc., including all other incidental and operational charges of all T&P etc., complete for finished item of work as per MoRT&H specification 1500,1700, 2100 (5th Revision) and as directed by the Engineer-in-Charge for foundation.	77.23	M3
60	Vibrated reinforced cement concrete M 20 grade using 20mm & 10mm HBG crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, vibrating, curing etc., including other incidental hire and operational charges of all T&P as per approved drawings and as directed during execution but excluding cost of steel and its fabrication charges for finished item as per MoRT&H specification 1500,1600,1700 & 2200 (4th revision) and as directed by the Engineer-in-Charge for (Sub-structure)	575.17	M3
70	Vibrated cement concrete M 15 Grade Concrete using 20mm and 10mm size HBG crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost and conveyance of all materials to site and all labour charges for machine mixing, laying in position, Compacting, Vibrating and curing including all other incidental and all other operational charges of T&P required etc., complete as per MoRT&H Specification 1500,1700, 2200 (5th Revision) for Sub structure.	38.99	M3
80	Providing TMT bars (Fe-500) of different diameters, wrought and put up bars of all diameters including cost and conveyance of steel to site and all labour charges for fabrication of reinforcement including cutting, bending, binding rods, tying grills, placing them in position etc., complete including cost and conveyance of binding wire and all handling charges and operational charges etc., and including over lapping welding if required etc., complete for all R.C.C items for finished item of work as per standard drawings, as per the directions of the Engineer-in-Charge and as per MoRT&H specification 1600 & 2200 (5th revision) and as	45.51	MT

	per I.S.1786 of 1985 for Sub structure of R.C.C items.		
90	Boring, providing and installation bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. by percussion drilling using Direct mud circulation (DMC) or Bailer and chisel technique by tripod and mechanical Winch Machine all complete, including removal of excavated earth with all its lifts and leads (length of pile for payment shall be measured up to bottom of pile cap). 600 mm dia pile.	660.00	M
100	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement Mortar 1:6 (1 cement: 6 coarse sand).	12.62	M3
110	12 mm cement plaster of mix of 1:4 (1 cement: 4 fine sand)	473.32	M2
120	Lowering of MS casing pipe of 30" (764mm) dia (The rate includes threading, moulding, welding etc. complete. A) Transportation of equipment such as winch, Tripod, vertical pump, guide pipe, casing head, casing hammer, drill pipes etc. complete with all accessories to the site of work including installation and removing the same and clearing the site after completion. B) Making suitable bore by drilling or boring for all types of strata from ground level duly supported by drilling fluid maximum upto 35 M depth. C) Aligning and lowering and fixing of 764 mm dia fabricated casing pipe vertically to a depth of 30 m BELOW THE GROUND LEVEL.	30.00	M
130	Engaging Diesel Engine Pump 2 to 5 HP capacity for lifting of water and draining into approved source as directed by EIC including hire, operational, fuel, lubricant charges of pump and operator, Complete.	60.00	HR
140	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of reinforced cement concrete including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead of 1000 metres.	18.65	M3
SECTION D -: ANCILLARY JOBS			

10	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.	936.12	M3
20	Filling with available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	444.70	M3
30	Removal of unserviceable/excess soil including excavation, loading and disposal upto 1000 metres lead but excluding replacement by suitable soil which shall be paid separately as per clause 305.	491.42	M3
40	Supply of Coarse Sand in trenches, sides of foundations and basement with initial lead in layers not exceeding 20 cm thick, consolidating each deposited layer by watering and ramming including cost and conveyance of water to work site and all operational, incidental, labour charges, hire charges of T & P. complete for finished item of work.	91.39	M3
50	Construction of embankment with filling sand not exceeding 300 mm laid in layers including transportation of material from quarry, spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.	650.00	M3
60	Construction of embankment with good quality moorum not exceeding 300 mm laid in layers including transportation of material from quarry, spreading in even, watering and compacting with vibratory road roller, all complete as per clause 313.	275.00	M3
70	Providing, Laying, spreading of laterite soling stone of 100mm to 150mm size, including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 KN static roller / Vibratory Roller 80-100 KN in stages to proper grade and camber, applying and brooming, crushable screening to fill up the interstices of coarse aggregate, watering and compacting to the required density. Grading 2 as per Technical including hire and operational charges of power roller, watering, including Labor charges for spreading and hand packing of soiling stone and including loading, transportation, unloading at site of work and staking the site etc. complete for finished item of work or as directed by Engineer in Charge. Clause 405 MORD. (P335 - RBR - SBBS -10 - 11)	92.28	M3
	Providing, laying, spreading and compacting stone aggregates of		

80	75mm thick, 63 to 45mm size to water bound macadam (Grade-II) specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.	54.63	M3
90	Providing Vibrated Cement Concrete (1:3:6) mix using 40mm size HBG crushed stone aggregate and fine aggregate conforming to table 1000-2 of MoRT&H including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, Vibrating, curing etc., including all other incidental and operational charges of all T&P etc., complete for finished item of work as per MoRT&H specification 1500,1700, 2100 (5th Revision) and as directed by the Engineer-in-Charge for foundation.	61.54	M3
100	Vibrated cement concrete M 15 Grade Concrete using 20mm and 10mm size HBG crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost and conveyance of all materials to site and all labour charges for machine mixing, laying in position, Compacting, Vibrating and curing including all other incidental and all other operational charges of T&P required etc., complete as per MoRT&H Specification 1500,1700, 2200 (5th Revision) for Sub structure .	171.23	M3
110	Vibrated reinforced cement concrete M 20 grade using 20mm & 10mm HBG crushed stone aggregate (Coarse aggregate conforming to table 1000-1 and fine aggregate conforming to table 1000-2) including cost, conveyance of all materials to site and labour charges, centering, machine mixing, laying, vibrating, curing etc., including other incidental hire and operational charges of all T&P as per approved drawings and as directed during execution but excluding cost of steel and its fabrication charges for finished item as per MoRT&H specification 1500,1600,1700 & 2200 (4th revision) and as directed by the Engineer-in-Charge for (Sub-structure).	49.58	M3
120	Providing TMT bars (Fe-500) of different diameters, wrought and put up bars of all diameters including cost and conveyance of steel to site and all labour charges for fabrication of reinforcement including cutting, bending, binding rods, tying grills, placing them in position etc., complete including cost and conveyance of binding wire and all handling charges and operational charges etc., and including over lapping welding if required etc., complete for	4.85	MT

	all R.C.C items for finished item of work as per standard drawings, as per the directions of the Engineer-in-Charge and as per MoRT&H specification 1600 & 2200 (5th revision) and as per I.S.1786 of 1985 for Sub structure of R.C.C items.		
130	Supply, fixing of Foundations bolts and nuts with MS rods and base plate into RCC foundations, including cost of MS Structural steel used for all sections, including cost of Labour charges for fixing Trusses, Stanchions, Heavy Beams and Girders erecting in position and fixing by using chain pulley blocks, Derek pole arrangements and cranes etc., complete in position etc., complete finished item of work or as directed by Engineer In-charge during execution.	496.51	KG
140	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes.	12,078.95	KG
150	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement Mortar 1:6 (1 cement: 6 coarse sand).	54.54	M3
160	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6 (1 cement: 6 coarse sand).	65.75	M3
170	12 mm cement plaster of mix of 1:4 (1 cement: 4 fine sand)	741.44	M2
180	Cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement. 20 mm cement plaster.	207.45	M2
190	Colour washing on works two or more coats with a base coat of white washing with lime to give an even shade, work includes cost and conveyance of all material and labour to work site.	182.46	M2
200	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work.	574.63	M2
210	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angels 40x40x6 mm for diagonal braces.	45.97	M2

220	Roofing with corrugated G.I sheets 0.80mm thick fixed with G.I 'J' bolts & nuts 8 mm dia with bitumen & G.I limpet washers filled with white lead & including a coat of approved steel primer and two coats of approved paint on over lapping of sheets complete (up to a pitch of 600) and seigniorage charges, etc., complete, excluding the cost of purlins, rafters, trusses & cost of conveyance of all materials.	547.32	M2
230	Roofing with 6 mm thick corrugated asbestos cement sheets, fixing with G.I 'J' bolts & nuts 8 mm dia G.I plain washers complete including seigniorage charges etc., complete for finished item of work, but excluding the cost of purlins, rafters, trusses & cost of conveyance of all materials – upto 600 pitch.	590.80	M2
240	Engaging Diesel Engine Pump 2 to 5 HP capacity for lifting of water and draining into approved source as directed by EIC including hire, operational, fuel, lubricant charges of pump and operator, Complete.	80.00	HR
250	Engaging roller of 8-10 T capacity wherever necessary including hire charges, fuel and operational charges of excavator. Complete as directed by Engineer-in-charge.	80.00	HR
260	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required, W.C. pan with ISI marked white solid plastic seat and lid.	1.00	EA
270	Providing and fixing white vitreous china water closet squatting pan (Indian type): Orissa pattern W.C. pan of size 580x440 mm.	1.00	EA
280	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.	2.00	EA
290	Providing and fixing wash basin (630x450 mm) with C.I. brackets, 15 mm C.P. brass pillar tap, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required.	2.00	EA
300	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design.	2.00	EA

310	Providing and fixing S.C.I Nahani Traps 100 mm dia.	4.00	EA
320	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms.	5.00	EA
330	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	2.00	EA
340	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete: 15 mm nominal bore.	4.00	EA
350	Providing and fixing PTMT bib cock of approved quality and colour 15mm nominal bore, 86 mm long, weighing not less than 88 gms.	2.00	EA
360	<p>Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.</p> <p>Internal work - Exposed on wall</p> <p>15 mm nominal dia Pipes</p>	25.00	M
370	<p>Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.</p> <p>Internal work - Exposed on wall</p> <p>25 mm nominal dia Pipes</p>	20.00	M
380	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	10.00	M

	Internal work - Exposed on wall 50 mm nominal dia Pipes		
390	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work 100 mm nominal dia pipes	10.00	M

Notes:

(i) Bidders are requested to quote for all the items mentioned above. Bids will be evaluated considering the entire requirement as above. The Rates/amounts should be quoted by the Bidders inclusive of all applicable taxes and duties, however, GST payable to be shown separately.

(ii) Bidders are also requested to refer the Taxes and Duties clause during GST regime attached vide Annexure-D for compliance.

(iii) Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (that is obtained by multiplying the unit price and quantity) the unit price shall prevail and the total price shall be corrected accordingly. If there is a discrepancy between words, and figures, the amount in words will prevail. If any Bidder does not accept the correction of the errors, their Bid will be rejected.

(iv) The quantities assumed above are only for evaluation purpose however, payment will be made on actual work done during the currency of the contract.

(v) Price Bids shall be evaluated on overall lowest cost to OIL (L-1 offer) basis i.e., considering total quoted price for all services including GST (CGST & SGST/UTGST or IGST). In the event of mismatch between quoted GST rate and GST amount, the percentage rate quoted will be treated as correct and amount will be adjusted accordingly. Likewise, any calculations errors in arriving at the total contract cost including GST for bid comparison will be rectified considering the quoted Unit Rates as correct.

(vi) Company reserves the right to increase/decrease the quantities of any item or delete any particular item(s) from the scope of work at the time of award of contract. If any bidder does not accept such deletion /modification to scope of work their bid will be rejected and the bidder will be debarred from future tendering.

(vii) Price Bid without giving any of the details of the taxes (Including rates and amounts) will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of contract on that bidder, taxes mentioned by OIL in the Contract will be binding on the bidder.

******END OF PART – II******

PART-III

SPECIAL INSTRUCTIONS & SPECIFICATIONS

Description of job: Construction of Plinth, Approach Road to plinth, CC/RCC Rig foundations and various Ancillary jobs in Location OPU of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha.

1.0 SCOPE OF WORK:

Brief specifications are given here under for general guidance purpose of the tenderers. The job scope includes construction of approach road, construction of plinth, road over plinth effluent pits, retainer pits, garland bund and barbed wire fencing as per detailed drawings and layout drawings and all other activities as spelt out in the detailed drawings and specifications. It shall be clearly be noted that the bidders are required to give their rates taking into consideration all aspects as per site requirements and specifications enclosed along with this tender document. Quoted offers shall be inclusive of all materials, labour and other taxes, levies and royalty etc. but exclusive of applicable GST (extra on OIL account). Water and Power shall have to be arranged by the contractor for execution of the tendered work. The contractor shall be responsible to complete the entire work in all respects and also any other works necessary to complete the job though especially not covered in the scope of work.

In general, the scope of work covers the following but not limited to:

- 1.1** Construction of Plinth and Approach Road by supplying, laying and compaction of earth / sand / moorum /granular materials etc. as specified for raising level of approach roads, plinths, hard-standing area etc.
- 1.2** Construction of CC/RCC Foundations of Rig Foundations and foundations of other Equipment included in the Rig Package.
- 1.3** Construction of Effluent pits and Garland bund.
- 1.4** Supplying and Laying 300GSM Laminated High Density Polyethylene (HDPE) woven fabric (geo-membrane) for disposal of drilling effluent in the effluent pits.
- 1.5** Providing and fixing barbed wire fence around the locations.
- 1.6** Providing and Fixing MS steel gates/frames made of Angles, Flats, Channels etc.
- 1.7** Providing and laying RCC /Hume pipes for drainage/culverts.
- 1.8** Construction of Earthen drain outside the boundary fencing of the Plinth.
- 1.9** Ancillary Work comprising mainly, Security huts, Toilets, Cement & Chemical sheds, Fire Water tank, Shed for Fire Brigade, Retainer Pits, CC Beams over HDPE lining, Flare pits, drains around mud tanks, construction of sound barrier walls, if required etc.

Generally, following nature of work covers the following but not limited to:

- a)** MoRTH /CPWD/BIS specifications as referred in the BOQ (Part-2 of the tender) will be followed for all works.
- b)** Jungle cutting and removal of rubbish outside the periphery of the area.

- c) Supplying, laying and compaction of earth / sand / moorum /granular materials etc. as specified for raising level of approach roads, plinths, hard-standing area etc.
- d) Earth Work in Excavation/filling/backfilling.
- e) Providing and laying P.C.C. in foundation bed as per instruction.
- f) Providing and laying R.C.C. at specified proportion mix including the cost of centering & shuttering.
- g) Providing, cutting, bending and placing of steel TMT reinforcement bars for RCC works as per instruction during the course of execution.
- h) Providing and fixing formworks for concrete.
- i) Construction of Effluent pits and Garland bund.
- j) Supplying and Laying 300GSM Laminated High Density Polyethylene (HDPE) woven fabric (geo-membrane) for disposal of drilling effluent in the effluent pits.
- k) Providing and fixing barbed wire fence around the locations.
- l) Providing and laying RCC /Hume pipes for drainage/culverts.
- m) Brick / Stone Masonry in sub-structure/superstructure up to about 2m height.
- n) Providing and Fixing MS steel gates/frames made of Angles, Flats, Channels etc.
- o) Supplying services of tractor trolley with levelling blades and other attachments for grading works.
- p) Providing equivalent man-days for miscellaneous jobs not measurable in specific items.

The above items are indicative for the purpose of assessing bidding rates. The actual jobs scope may be extended to any Civil Engineering related works including petty jobs as and when required.

2.0 SITE CLEARANCE:

Felling of trees, uprooting tree stumps as and when required, jungle cutting, grading, dressing and levelling up to the required depth, before starting of the job and removal of all debris from the site after completion of work.

3.0 EXCAVATION OF FOUNDATION:

(i) Earth work in excavation for foundation trenches of walls, column footing, plinth beam etc. including refilling the trenches after the completion of C.C. /R.C.C. /brick foundation work including bailing out of water if necessary. Trenches to be excavated to the exact length, width and depth as shown in the drawing or as may be directed by the Engineer- in- charge.

(ii) When the foundations are completed to a desired height above ground level and approved by the Engineer-in-charge, the excavated space round the foundations shall be cleared of rubbish or debris and refilled to the ground level with available excavated earth, watered and well rammed in layers not more than 150mm thick.

4.0 CONCRETE (P.C.C.) / REINFORCEMENT CEMENT CONCRETE(R.C.C.):

(i) Cement concrete work to be done with 20mm graded down aggregate. All PCC work to be done in proportion of 1:3:6.

(ii) All reinforcement cement concrete work to be done as directed by Engineer In-charge with 20mm graded down aggregate. The mixing shall be done thoroughly to receive uniform mass, colour and consistency. Mixing shall be done by using appropriate capacity mixture machine as specified. The concrete shall be thoroughly compacted around the reinforcement by punning, prodding and using vibrator (if advise) during the operation of placing. Unless and until directed by Engineer-in-charge all RCC work should be done in proportion of 1:1.5:3 but in dwarf wall RCC work should be done in proportion of 1:2:4.

(iii) Fine Aggregate: Sand shall conform to relevant portion of IS 515. It shall pass through an IS sieve 4.75 test sieve, leaving a residue not more than 5%. It shall be from natural source or crushed stone screening, if allowed. The sum of percentage of all deleterious materials such as dust, clay, shale, salt, loam etc. shall not exceed 5% by weight. Fine aggregate for concrete shall be graded within limits as specified in IS 383.

(iv) Coarse Aggregate: It shall consist of broken stone 95% of which shall be retained on 5.75mm IS sieve. It shall conform to IS-383 and IS-515. It should be chemically inert when mixed with cement and should be fairly cubical in shape.

5.0 REINFORCEMENT:

(i) Steel reinforcement shall be Thermo- Mechanically treated bars (at the discretion of the Engineer -in charge). All reinforcement to be supplied by the contractor after approval of the samples and relevant test report to be submitted by the contractor from the competent authority at his own cost. The reinforcement shall be placed in position and bent as per the drawings or instruction. Bars shall be fixed with 22G binding wire. the overlap jointing shall be staggered. Pre-cast block covers (1:2) cement mortar 50mm square and of necessary thickness shall be used to keep the reinforcement bars in proper position. For the cc block no extra payment will be made. Wire for binding shall not be measured separately.

(ii) The TMT bars used should conform to IS-1786-1985 of Fe-500 Grade and IS-1139-1966 or hard drawn steel wire fabric conforming to IS 1566-1967.

(iii) All reinforcement shall be free from cracks, surface flows, jagged, imperfect edges, loose mill scales, rust or any other coating which may destroy or reduce bond.

6.0 PLASTERING & MORTAR:

(i) 12mm thick & 15 mm thick cement plaster (1:4) on all surface. Surface to be plastered shall be scrubbed clean with wire brush to remove efflorescence etc. and shall be kept wet for minimum 6 hrs. before application of plaster. After completion of the work curing shall be done for a minimum of 7 days.

(ii) Cement mortar for brick work shall be (1:4) proportion.

7.0 FORM WORK:

25 mm thick timber shuttering shall conform to the slope lines and dimension of concrete and RCC structure as shown in the relevant drawings. It should be of proper shape and not previously used. The form work shall be sufficiently tightened to prevent loss of slurry. A sheet of polythene to be use as applicable to prevent the same at the contractors cost for the job.

8.0 CURING:

Concrete & plaster surface shall be carefully protected during first stage of hardening from harmful effects or excessive heat, drying winds, rain or running water and shock. It shall be covered with a layer of sacking, sand, canvas, hessian or similar absorbent materials and kept constantly wet for ten days from the date of placing of concrete and plastering. Alternatively, the concrete being thoroughly wetted and covered by layer of approved waterproof material which should be kept in contact with it for seven days.

9.0 WATER:

Water for mixing cement mortar or concrete shall not be salty or brackish and shall be clean, reasonably clear and free from objectionable quantity of silt and traces of oil, acid, injurious alkali, salts, organic matter and other deleterious materials which will either weaken the mortar or concrete or causes efflorescence or attack the steel in reinforced cement concrete. Potable water is generally considered satisfactory for mixing and curing concrete mortar masonry etc. Where water other than from main source is used this shall be tested in an approved testing laboratory to establish its suitability. All charges connected there with shall be borne by the contractors.

10.0 LAMINATED HIGH-DENSITY POLYETHYLENE (HDPE) WOVEN FABRIC (GEO-MEMBRANE)

Specification of Laminated High-Density Polyethylene (HDPE) woven fabric (geo-membrane) for disposal of drilling effluent in the effluent pits of OIL's drilling. The laminated HDPE woven fabric shall be manufactured from HDPE fabric to meet the requirement of mass 300 Grams Per Sqm (GSM) of Size 45M X 50 M.

Detailed specification with Property & Requirement is as under:

- a) Mass (g/m²): 300 (Tolerance positive +5% with zero percent negative).
- b) Dimensions: As declared +1% with no negative tolerance.
- c) Carbon black content (%): 2.5 ± 0.5 % (Min)
- d) Breaking load on 20×10 cm (Before UV exposure): Warp way (N): 3300 (Min) and Weft way (N): 3000 (Min).
- e) Breaking load on 20×10 cm (After UV exposure): - 80% of the original strength found before UV exposure.
- f) Strain at maximum load (%): 20±5.
- g) Impact failure load, at 1524 mm drop (gram force at 50): 1150 (Min).
- h) Tear resistance, (N): 100 (Min)
- i) Puncture resistance (N): 300 (Min)
- j) Bursting resistance (Ball burst), N/cm²: 60 (Min)
- k) Seam strength, N/mm: 15 (Min)

1) Hydrostatic resistance, Kg/cm²: 10 (Min)

The contractor has to provide valid test certificate from a Govt. recognized Test House confirming the various parameters of the specification detailed in above table. Each lot/consignment shall be dispatched to OIL along with the satisfactory test results from the third party. Material without satisfactory test result/report shall not be accepted.

All the expenditure for laboratory test/ third party inspection report will be borne by the contractor and no extra payment will be paid.

11.0 STORAGE:

Storage of construction materials and equipment at the work site shall be at the contractor's cost and risk. Contractor will engage his own security for watch and ward of his equipment and materials etc.

12.0 SPECIAL INSTRUCTION TO THE CONTRACTOR:

12.1 Contractor must have mixture machine and vibrator for the RCC works. The Contractor shall use pump if needed for de-watering for excavation job for which no extra payment will be made.

12.2 Watch and ward, loss or damage to Company's property's' theft and other incidental charges shall be contractor's responsibility.

12.3 Efficient workmen to be engaged by the Contractor.

12.4 The Contractor's representative should report to Engineer-in charge on all working day's at 10.00AM for day-to-day instruction.

12.5 Materials if rejected should be removed from site within 48(forty-eight) hours of rejection, failing which the company reserves the right to get the rejected materials removed at the risk and cost of the contractor.

12.6 The Company reserves the right to get the part or whole work completed through other agency at the risk and cost of the contractor if he fails to complete the work within the stipulated time without any valid reasons. The Company's decision shall be final and binding on the Contractor.

12.7 The Contractor shall obtain Labour License within fourteen (14) days of signing the contract. The Contractor will submit Labour License if they propose to engage 20 or more Contract Labour in any day during execution. If they propose to engage 19 or less Contract Labour, they need to give an undertaking that they will engage 19 or less number of Labour in any day in the year during execution of Contract.

12.8 Water that may accumulate on the site during progress of the works or in trenches and excavation shall be removed from the site as per the satisfaction of the Engineer-in-charge and at the Contractor's expense.

12.9 If needed water and electricity will have to be arranged by the Contractor at his own cost. Contractor will be responsible for supply & transportation of water to Work Site in the required quantities both for construction works and drinking purpose of his workers.

- 12.10** The Contractor and his workmen have to strictly observe the safety precautionary rules as per Mines Act (Latest edition) while executing the work.
- 12.11** Necessary traffic signal/road boards to be displayed at proper place by the Contractor at his own cost. The Contractor shall be wholly responsible for any accident arising out of non-fulfilment of this condition.
- 12.12** Welding and cutting sets with fuel & operator, welder, fitter etc. including supply of all necessary accessories shall be arranged by the Contractor at his cost at site for fabrication and erection work as and when required.
- 12.13** Hot and Cold permit, Gas leakage testing certificate issued by the Concerned Department to be submitted by the contractor to Engineer-in-charge.
- 12.14** Contractor should furnish the cube test report of RCC from govt approved laboratory. The total expenditure of the tests will be borne by the contractor.
- 12.15** Contractor shall furnish the necessary test certificates from Govt. Approved test laboratory for reinforcement bars and for any other materials as advised by Engineer In-charge. Expenditure of the tests will be borne by the contractor.
- 12.16** If materials supplied / used by contractor is not up to the desired specification or inferior (but acceptable) in quality, payment will be made by deducting suitably as per the actual usages of materials at site by incorporating the rates of the material used.
- 12.17** Contractor has to obtain all necessary permissions from the Government Departments, Public/Private or local Authorities to carry out the job and to settle local issues for successful completion of the same without any interference/ hindrance.
- 12.18** The Contractor to sort out issues, if any, encountered from the local villagers during execution for smooth progress and completion.
- 12.19** Since it is time bound project, Contractor must ensure that they will be able to complete the Work within the stipulated time and be able to execute Work on shift basis at least in 2(two) shifts of 8 Hours each with adequate manpower and materials to meet the target date of completion. Moreover, all necessary arrangements including the power for light shall have to be made to work in all days including the rainy days.
- 12.20** Contractor will engage his own security for watch and ward of his equipment and materials etc.
- 12.21** The Contractor must provide experienced and qualified Supervisor for continuous and efficient supervision of works. The name of such persons shall be intimated to the Company.
- 12.22** Contractor must submit a detail Work program for the project to complete the Work within the allotted time.
- 12.23** The Contractor shall have no claim for any delay arising out of emergencies, or land disputes etc. beyond the Company's control.

12.24 The rates must be valid for entire Contract period for which the Contractor shall have no objection. Otherwise, the Contract will be cancelled at the discretion of the Company (OIL).

12.25 The Company reserves the right to ask the Contractor to carry out work more than the quantities mentioned in Part-II of the Contract at the same rates, terms and conditions to which the Contractor shall have no objection. Likewise, the quantities of Work to be executed may be reduced by the Company, to which the Contractor will have no objection. The Contractor will be paid for actual quantities of Work executed by him at the directions of the Company, and at rates agreed in the Contract.

12.26 All debris, waste etc. to be cleared off and the surrounding areas to be levelled on completion of Work.

12.27 The Contractor must provide adequate tools, accessories in time for efficient execution of Work as per instruction of the Engineer.

12.28 Damages (if any) occurred in the existing approach road leading to Location OPUC, during the execution of this contract, shall be maintained by the Contractor at their own cost.

12.29 Contractor has to keep a Telephone connection/Mobile Phone connection exclusively for the Site and same should be communicated to OIL.

13.0 HSE POINTS:

(i) It will be solely the Contractors responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely, the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-contractors hired by him comply with the same requirement as the Contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub sub-contractors.

(ii) Every person deployed by the Contractor in a mine must wear safety gadgets to be provided by the Contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and Company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. However, it will be the Contractors sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at Work.

(iii) All the safety gears mentioned above are to be provided to the working personnel before commencement of the Work.

(iv) The Contractor shall prepare written Safe Operating Procedure (SOP) for the Work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The

SOP should clearly state the risk arising to me, machineries & material from the mining operation / operations to be done by the Contractor and how it is to be managed.

(v) The Contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the Contractor's Work.

(vi) Contractor has to ensure that all Work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For Work of a specified scope/nature, he should develop and provide to the mine owner a Site-specific code of practice in line.

(vii) It will be entirely the responsibility of the Contractor/his supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by Company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/ Junior Engineer for safe operation.

(viii) Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the Contractor only.

(ix) Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the Contractor.

(x) The Contractor shall have to report all incidents to the Installation Manager / departmental representative of the concerned department of OIL.

(xi) The Contractor has to keep a register of the persons employed by him/her. The Contractor's supervisor shall take and maintain attendance of his men every day for the Work, punctually.

(xii) If the Company arranges any safety class / training for the working personnel at Site (Company employee, Contractor worker, etc.) the Contractor will not have any objection to any such training.

(xiii) To arrange daily toolbox meeting and regular Site safety meetings and maintain records.

(xiv) A Contractor employee must, while at Work, take reasonable care for the health and safety of people who are at the employee's place of Work and who may be affected by the employee's act or omissions at Work.

(xv) A Contractor employee must, while at Work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.

(xvi) Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.

(xvii) In case Contractor is found non-compliant of HSE laws as required Company will have the right for directing the Contractor to take action to comply with the requirements, and for further non-compliance, the Contractor will be penalized prevailing relevant Acts/Rules/Regulations.

(xviii) When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures Company will have the right to direct the Contractor to cease Work until the non-compliance is corrected.

(xix) The Contractor should prevent the frequent change of his contractual employees as far as practicable.

(xx) For any HSE matters not specified in the Contract document, the Contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

Note: -

a) No road closure will be provided during execution of the job.

b) The contractor should submit the work program in form of a bar chart within 7days of receipt of work order.

c) All materials supplied by the contractor must be approved by Engineer In-charge and necessary Test certificate from competent authority for steel supply by the contractor will have to be produced by contractor as required by the Engineer In-charge.

14.0 List of Materials & Equipment's to be supplied by Contractor:

All the materials, plants and equipment required for successful completion of job will be supplied by the Contractor. For smooth & timely execution of Work, the Contractor have to deploy the requisite Equipment but not limited to the following:

- (i) Smooth wheeled and Vibratory Road roller 8-10MT capacity.
- (ii) Skilled and unskilled labour.
- (iii) Black smith / welding set.
- (iv) Excavator with breaker.
- (v) Backhoe loader (JCB) / excavator for loading.
- (vi) Hydraulic tipper / Dumper for carriage of construction materials.
- (vii) Concrete mixer machine and concrete vibrator.
- (viii) Adequate quantity of steel plate shuttering & scaffolding /suitable staging material.
- (ix) Water tankers.
- (x) DG Sets etc.
- (xi) Concrete Mixer machine & Concrete Vibrators.

*****END OF PART – III*****

PART – IV
SPECIAL CONDITIONS

(a) SCHEDULE OF MATERIALS AVAILABLE AT THE COMPANY’S STORES/STOCK PILES FOR PERMANENT INCORPORATION IN WORKS AND

(b) SCHEDULE OF COMPANY’S PLANTS AND EQUIPMENTS FOR USE IN THE EXECUTION OF WORK.

SL No.	Description	Remarks
(a)	Materials	Nil.
(b)	Plants and Equipment	Nil.
(c)	Working Drawings	Nil.

******END OF PART – IV******

PART – V

BID EVALUATION CRITERIA (BEC):

The bid shall conform generally to the specifications and terms and conditions given in this bid document. Bids shall be rejected in case the services offered do not conform to required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.

A. TECHNICAL EVALUATION CRITERIA

1.0 Bidder should meet the following minimum criteria:

1.1 One successfully completed similar work of minimum value of **Rs. 2,47,21,083.00** under tender with CPWD, Railways, MES, ONGCL, OIL or any other Government Organization / Public Sector Undertakings / Public Limited Company during the last seven (07) years reckoned from the original bid closing date.

1.2 For proof of requisite experience of similar work, Job Completion Certificate clearly mentioning Gross value of job done, Nature of works, Contracts period/ Contract Start and Completion date issued by CPWD, Railways, MES, ONGCL, OIL or any other Government Organization / Public Sector Undertakings / Public Limited Company must be submitted along with the bid.

1.3 Similar work executed by a bidder for its own organization / subsidiary will not be considered as experience for the purpose of meeting BEC.

Notes:

(i) "Similar work" mentioned in para 1.1 above means "**Construction of Drilling Location / Road Work / R.C.C. Building**".

(ii) Firms who have successfully executed and completed similar work with Oil India Limited, need not submit any documentary evidence. However, they shall give details of such executed works with Contract No.

(iii) Oil India Limited (OIL) reserves the right to contact the Client(s) referred by the Bidder for authentication of the documents submitted by the Bidder. OIL may contact the clients/operators under intimation/copy to the respective Bidder. OIL will not be responsible for Client(s) not conforming or not replying to OIL's request for information. If OIL does not get an affirmative response within the stipulated time, then such Bidder's technical bid will be considered as non-responsive. It will be the responsibility of the Bidder to take up the matter with his client(s) and arrange for the confirmation as desired by OIL.

B. FINANCIAL EVALUATION CRITERIA

1.0 Annual Financial Turnover of the Bidder during any of preceding three financial/ accounting years from the original bid closing date should be at least **Rs. 1,48,32,650.00**.

2.0 The **Net worth** of the bidder should be positive for the preceding financial/accounting year.

Note: The Net worth to be considered against the clause above, should be read in conjunction with the definition of Net worth as mentioned in Section 2 (57) of The Companies Act, 2013.

3.0 a) Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date/ within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial /accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an undertaking in support of the same along with their technical bid as per Annexure-G.

b) In case of non-submission of the Undertaking within the bid closing date and time, bid shall be rejected straightway and no further claim shall be entertained after the bid closing date.

Notes for Financial criteria:

a) For proof of Annual Turnover & Net worth any one of the following documents must be submitted along with the bid: -

(i) A certificate issued by a practicing Chartered/ Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per prescribed format (**Annexure-F**).

OR

(ii) Audited Balance Sheet along with Profit & Loss account.

b) In case the bidder is Central Govt. organization/ PSU/ State Govt. organization/ Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder has to provide documentary evidence for the same.

c) Mention of UDIN (Unique Document Identification Number) is mandatory for all certificates, tax audit reports etc. issued by Chartered Accountant as per the notifications issued by the Institutes of Chartered Accountant of India (ICAI). Certificates, tax audit reports etc. without mentioning of UDIN shall not be considered for evaluation and shall be summarily rejected. No further clarification or request from bidders shall be entertained thereafter in this regard.

4.0 All the certificates and documentary evidences required to be submitted in support of Para B (1.0) to B (3.0) above should be legible. Illegible /incomplete certificates or documents will not be considered for evaluation.

5.0 Contractors/Firms must fully mobilize all equipment and personnel and be prepared to commence work within 7 (seven) days from the date of issue of Work Order. Contractors/Firms must provide categorical confirmation of their capability and intent to meet this timing in their Bid.

C. GENERAL EVALUATION CRITERIA

1.0 No deviation or exception will be accepted in the clauses covered under BEC.

2.0 To determine the substantial compliance of a Bid, Company reserves the right to ask the Bidder for clarification of clauses covered by the BEC. Such clarifications to ensure compliance with the BEC clauses must be received on or before the deadline given by Company or the Bid will be rejected.

3.0 If any clauses in the BEC contradict clauses elsewhere in the Bid Document, then the clauses in the BEC shall prevail.

4.0 Any additional information, terms or conditions included in the Priced-Bid will not be considered by OIL for evaluation of the Tender.

5.0 Original Bid Closing Date shall be considered by OIL for evaluation of BEC criteria in case of any extension of the Original Bid Closing Date.

D. COMMERCIAL EVALUATION CRITERIA

1.0 Bids shall be submitted under Single stage Two Bid system i.e., Technical Bid and Priced Bid separately in the OIL's e-Tender portal within the Bid closing date & Time stipulated in the e-tender portal. The Technical Bid is to be uploaded as per Scope of Work & Technical Specification of the tender in "Technical RFx Response" Tab and Priced Bid as per "Price Bidding Format" uploaded in the "Notes & Attachments" Tab in the main bidding engine of OIL's e-tender portal. **Bids shall be rejected outright if the prices are indicated in the technical bids.** Bids not conforming to this two-bid system shall be rejected outright.

2.0 Bidder shall offer firm prices. Price quoted by the successful bidder must remain firm during the execution of the Contract and not subject to variation on any account.

3.0 Bids with shorter validity (i.e., less than 120 days from the scheduled bid closing date) will be rejected as being non-responsive.

4.0 Bid Security is not applicable against this tender. However, bidders shall submit along with their bid a signed "Bid Security Declaration" (Annexure-H) accepting that, if they withdraw or modify their bids during the period of validity; or if they are awarded the contract and they fail to sign the contract; or to submit a performance security before the deadline defined in the NIT, they will be suspended for a period of two years. This suspension of two year shall be automatic without conducting any enquiry.

5.0 The Integrity Pact must be uploaded in OIL's E-Procurement portal along with the Technical Bid digitally signed by the same signatory who digitally signed the Bid i.e., who is duly authorized to

sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid will be rejected.

6.0 Bids submitted after the Bid Closing Date and Time will be rejected.

7.0 Bids received through the e-procurement portal shall only be accepted. Bids received in any other form shall not be accepted.

8.0 Bid documents are non-transferable. Bid can only be submitted in the name of the bidder in whose name the User ID and Password have been issued. Unsolicited bids will not be considered and will be straightway rejected.

9.0 Bids shall be typed or written in indelible ink and shall be digitally signed by the bidder or his authorized representative.

10.0 Any physical documents wherever called for, submitted by bidders shall contain no interlineations, white fluid erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such correction shall be initialed by the person or persons who has/have digitally signed the Bid.

11.0 Any Bid containing false statement will be rejected.

12.0 Bidders shall quote their rates against individual items. The rates quoted shall be in figures upto two decimal places only.

13.0 Bidders must quote clearly and strictly in accordance with the price schedule outlined in “Price Bid Format” of Bid Document; otherwise, the Bid will be summarily rejected.

14.0 Bidder must accept and comply with the following clauses as given in the Bid Document in toto failing which bid will be rejected.

- a) Performance Guarantee Clause.
- b) Force Majeure Clause.
- c) Tax Liabilities Clause.
- d) Arbitration Clause.
- e) Acceptance of Jurisdiction and Applicable Law.
- f) Liquidated damage and penalty clause.
- g) Safety & Labour Law.
- h) Termination Clause.
- i) Period of validity of bids
- j) Completion Schedule

15.0 The Bids and all uploaded documents must be digitally signed using “Class 3” digital certificate [e-commerce application (Certificate with personal verification and Organization name)] as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India [except copies of the documents required in physical form] should invariably be submitted in the ‘Technical Attachment

Tab' through OIL's e-bidding portal, before the scheduled date and time for the tender closing. All the documents uploaded shall be digitally signed by the authorized signatory of the bidder.

E. PRICE BID EVALUATION CRITERIA

1.0 Bids will be technically evaluated on the requirements of the tender. The Offer should meet the requirements and specifications in the Bid Document.

2.0 Bids conforming to the technical specifications, the terms and conditions stipulated in the tender and conforming to the Bid Rejection Criteria will be evaluated using the Bid Evaluation Criteria.

3.0 The Priced-Bids will be evaluated using the rates quoted in the PRICE BID FORMAT & SCHEDULE OF WORK (Part-II) on the following basis: The quantities given in the Price Bid Format (Part-II) against each item are requirements for construction of plinth, approach road to plinth, CC/RCC rig foundations and various ancillary jobs in location OPUE of Mahanadi Basin in Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha. For the purpose of bid evaluation, the estimated quantities against items will be multiplied by the rates quoted by the bidders and the total amount against each item will be added to evaluate the grand total estimated value of the contract. Successful bidder will be decided based on the lowest evaluated bid including GST amount.

4.0 The estimated quantities indicated in Part-II against each item are for evaluation purposes only. The actual work to be carried out may be more or less depending upon actual site requirement and payment will be made for the actual work done/materials supplied.

******END OF PART – V******

**OIL INDIA LIMITED
(A Govt. of India Enterprise)
Bhubaneswar**

**CHIEF GENERAL MANAGER (HSE&A)
OIL INDIA LIMITED,
BHUBANESWAR**

Sub: Safety Measures against Contract no:

Description of Work/Services: _____

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same has been explained to us by the concerned authorities. We also give the following assurances.

- a) Only experience and competent persons shall be engaged by us for carrying out our work under the same contract.
- b) The names of the authorized persons who would be supervising the jobs on day-to-day basis from our end are the following.
 - i) _____
 - ii) _____
 - iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

- c) Due notice would be given for any change of personnel under item (b) above.
- d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.
- e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

- f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the company will not be responsible for any lapses on our part in this regard.

Yours faithfully

.....
Contractor
For & On Behalf of

Seal:

Date:

FORM OF PERFORMANCE BANK GUARANTEE

To,
M/s. OIL INDIA LIMITED,
3rd Floor, IDCO Towers, Janpath
Bhubaneswar, Odisha

WHEREAS _____ (Name and address of Contractor)
(hereinafter called "Contractor") had undertaken, in pursuance of Contract No. _____
_____ to execute (Name of Contract and Brief Description of the Work)
_____ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we (Name of Bank) of (Name of country)
having our registered office at (hereinafter called "the Bank") have agreed to give the Contractor such a Bank Guarantee.

NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) _____ (in words _____), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the _____ day of _____.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:
BANK FAX NO:
BANK EMAIL ID:
BANK TELEPHONE NO.:

IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS _____

Designation: _____

Name of Bank: _____

Address: _____

Witness: _____

Address: _____

Date: _____

Place: _____

INTEGRITY PACT

Between
Oil India Limited (OIL) hereinafter referred to as “The Principal”

And

_____ hereinafter referred to as “The Bidder/Contractor”

Preamble:

The Principal intends to award, under laid down organizational procedures, contract/s for services under Tender **CBI0113P23**. The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organisation “Transparency International” (TI). Following TI’s national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section: 1 -Commitments of the Principal

(1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
3. The Principal will exclude from the process all known prejudiced persons.

(2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section: 2 -Commitments of the Bidder/Contractor

(1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

(2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

(3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

Section 3 -Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.

2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such

exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.

3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.

4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings

Section 4 -Compensation for Damages

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.

2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 -Previous transgression

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors

1. The Principal will enter into Pacts on identical terms with all bidders and contractors.

2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.

3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section: 7 -Criminal charges against violating Bidders/Contractors/ Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section: 8 -External Independent Monitor/Monitors

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.

3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.

4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.

6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8. The word 'Monitor' would include both singular and plural.

Section:9 -Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section:10 -Other provisions

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e., New Delhi. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.
2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.
4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

(Swarup Majumder)

Sr. Manager (C&P)

(For the Principal)

_____ **for the Bidder/Contractor**

Place: Bhubaneswar

Witness 1: _____

Date: 08.04.2022

Witness 2: _____

TAXES AND DUTIES CLAUSE - FOR VENDOR/SUPPLIER/CONTRACTOR
(For Supplies/ Services during GST Regime)

Goods and Services Tax:

“GST” shall mean Goods and Services Tax charged on the supply of material(s) and services. The term “GST” shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as “IGST”) or Central Goods and Services Tax (hereinafter referred to as “CGST”) or State Goods and Services Tax (hereinafter referred to as “SGST”) or Union Territory Goods and Services Tax (hereinafter referred to as “UTGST”) depending upon the import/interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.

1) Where the OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules / regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

2) Where the OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and/or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

3) The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the Contractor shall be to Contractor’s account.

4) In case of statutory variation in GST, other than due to change in turnover, payable on the Contract value during Contract period, the Supplier of Goods/ Services (Service Provider) shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.

5) Beyond the Contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period shall be to Service provider’s account whereas any decrease in the rate GST shall be passed on to the OIL.

6) Beyond the Contract period, in case OIL is entitled for input tax credit of GST, then statutory variation in applicable GST on supply and on incidental services, shall be to OIL's account.

7) Claim for payment of GST / Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST, otherwise claim in respect of above shall not be entertained for payment of arrears.

8) The base date for the purpose of applying statutory variation shall be the Bid Opening Date.

9) The Contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self- attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

10) Anti-profiteering clause

In case rating of Contractor is negative/black listed after award of work for supply of goods/services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor / Contractor and shall also be entitled to deduct / recover such GST along with all penalties/interest, if any, incurred by OIL.

11) OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.

Format of undertaking by Bidders towards submission of authentic information/documents

(To be typed on the letter head of the bidder)

Ref. No _____

Date _____

Sub: Undertaking of authenticity of information/documents submitted

Ref: Your Tender No: CBI0113P22

To,

**Oil India Limited
Bay Exploration Project
Bhubaneswar, India**

Sir,

With reference to our Bid/Offer against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our EMD and/or PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,

For (type name of the firm here)

Signature of Authorised Signatory

Name :

Designation :

Phone No.

Place :

Date :

(Affix Seal of the Organization here, if applicable)

CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

[TO BE ISSUED BY PRACTISING CHARTERED ACCOUNTANTS' FIRM ON THEIR LETTER
HEAD]

TO WHOM IT MAY CONCERN

This is to certify that the following financial positions extracted from the audited financial statements of M/s... .. (Name of the Bidder) for the last three (3) completed accounting years up to (as the case may be) are correct.

YEAR	TURN OVER In INR Crores	NET WORTH In INR Crores

Place:

Date:

Seal:

Membership No.

Registration Code:

Signature:

**TO BE EXECUTED ON THE OFFICIAL LETTER HEAD OF THE BIDDER BY THE AUTHORIZED
SIGNATORY OF THE BIDDER**

Certificate of compliance of Financial Criteria in respect of Tender No. CBI0113P22

I, _____, the authorized signatory(s) of _____ (Bidder's/ Firm's name) do hereby solemnly affirm and declare as under: -

The Balance Sheet/Financial Statements for the financial year _____ has actually not been audited as on the Original Bid closing Date.

Yours faithfully,

For (Name of the firm _____)

Signature of the authorized signatory

Name of bidder/ firm:

Designation:

Place:

Date:

(Affix Seal of the Organization here)

Note to bidders: This certificate is to be issued only considering the time required for preparation of Financial Statements i.e., if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the Original Bid Closing Date. In case of extension of due date for Tax Audit for the preceding financial/ accounting year, the Undertaking shall be applicable only if the original bid closing date falls within the extended period

BID SECURITY DECLARATION

(To be submitted on Bidder's letter head)

To,

**M/s. Oil India Limited
3rd Floor, IDCO Towers, Janpath
Bhubaneswar, Odisha**

**Sub: IFB No. CBI0113P23 for “Construction of Plinth, Approach Road to plinth, CC/RCC
Rig foundations and various Ancillary jobs in Location OPUE of Mahanadi Basin in
Kusupur/Gop village area under Gop Tahasil, Puri District, Odisha.”**

I/We, the undersigned, declare that:

1.0 I/We understand that, according to your Tender conditions, bids must be supported by a Bid Security, which is in the form of a Bid-Security Declaration.

2.0 I/We, the undersigned hereby declare that, if we withdraw or modify our Bids during the period of its validity, or if we are awarded the Contract and fail to sign the Contract, or to submit a performance security before the deadline defined in the Tender document, we will be suspended for a period of two years. This suspension of two year shall be automatic without conducting any enquiry.

Name and Signature of

Authorized Signatory and Company Seal

******END OF TENDER DOCUMENT******