

OIL INDIA LIMITED
(A Government of India Enterprise)
CONTRACTS DEPARTMENT
P.O. DULIAJAN – 786602, ASSAM

E-TENDER NOTICE

OIL INDIA LIMITED (OIL) invites Bids from experience Service Providers through its E-Procurement portal “<https://etender.srm.oilindia.in/irj/portal>” for the following services under **Single Stage Composite Bid** system

1.0 IFB No.	CDI6445P15
Service Requirement	Replacement of various sizes of pipelines, hydrant, valves, fittings, enclosures, coating, wrapping of pipe lines including painting and other related jobs in OIL's Operational areas for a period of two(2) years extendable by one(01) more year
Cost of Bid Document	₹ 2000.00
Bid Security(EMD)	₹ 21,400.00
Period of Sale of Bid Document/Issue of User ID & Password	17.03.2015 TO 21.04.2015(15:30Hrs)
Bid Closing / Opening Date & Time	28.04.2015 (11:00 Hrs / 14:00 Hrs)
<p>Cost of Bid Document (Non-Transferable and Non-refundable) by way of Demand Draft / Banker's Cheque from any schedule Bank in favour of OIL INDIA LIMITED and payable at Duliajan, along with the application(s) on applicants letter pad with a request for USER ID & PASSWORD is to be submitted to Head-Contracts, Contracts Department, Oil India Limited, P.O. Duliajan, Assam-786602 within the period of sale (inclusive both the days i.e. start date & end date). <i>Alternatively, applicants already having User ID & Password for OIL's e-portal can pay the requisite Bid Document cost & Bid security against the IFB through the online payment gateway.</i></p> <p>No physical Bid documents will be provided. On receipt of requisite Bid Document Cost, USER_ID and initial PASSWORD will be communicated to the bidder through e-mail at the e-mail address provided along with request for Bid documents as mentioned above and will be allowed to participate in the bidding through OIL's E-Procurement portal</p> <p>PSU's and SSI units registered with NSIC claiming exemption from payment of tender fee should submit their request with all credentials at least 7 days in advance to get access for participation in the tender.</p>	
<p>The details of IFB can be viewed using “Guest Login” provided in the E-Procurement portal and also in OIL's web site www.oil-india.com. The link to OIL's E-Procurement portal has also been provided through OIL's web site www.oil-india.com</p>	

**OIL INDIA LIMITED
(A GOVT. OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT, DULIAJAN**

OIL INDIA LIMITED invites ON-LINE BIDS from eligible Bidders/Firms for the following mentioned works/services under **SINGLE STAGE COMPOSITE System** through its e-Procurement portal "<https://etender.srm.oilindia.in/irj/portal>" for the following services:

DESCRIPTION OF WORK/ SERVICE:

Replacement of various sizes of pipelines, hydrant, valves, fittings, enclosures, coating, wrapping of pipe lines including painting and other related jobs in OIL's Operational areas for a period of two(2) years extendable by one(01) more year

IFB NO: CDI6445P15

Type of IFB: Single Stage-Composite System

LOCATION: In and around Duliajan, Moran, Manbhum, Kumchai and Digboi (EPA) field.

CONTRACT PERIOD: Two (02) years extendable by One (01) more Year

BID CLOSING/ OPENING DATE & TIME: 28.04.2015 (11:00HRS/14:00 HRS)

Bid Submission Mode: Bid should be submitted online in OIL's E-Procurement portal

Bid Opening Place : Office of the Head-Contracts
Oil India Limited
Duliajan – 786602, Assam

Bid Validity : 180 days from Bid opening Date

BID SECURITY AMOUNT: Rs 21,400.00(Rupees Twenty One Thousand Four Hundred Only)

AMOUNT OF PERFORMANCE SECURITY: 2.5% of Total Contract Value

a) Bid Security deposited vide D.Draft/B.Cheque /Bank Guarantee
No. _____ dated _____ of _____

Original hard copy of (a) should reach the office of HEAD-CONTRACTS on or before Bid opening date and time, otherwise Bid will be rejected. A scanned copy of this document should also be uploaded along with the Un-priced bid documents.

b) Bidders to confirm that in the event of award of Contract, bidder will submit **Performance Security Deposit @ 2.5%** of Total contract value and this will not earn any interest.

2.0 SEALED ENVELOPES containing the Bid Security shall be marked with the above IFB Number and description of work and submitted in the office of :

HEAD-CONTRACTS
CONTRACTS DEPARTMENT
OIL INDIA LIMITED
Duliajan – 786602
Assam.

All bidders shall deposit the requisite **BID SECURITY** in the form of **Demand Draft/Banker's Cheque/Bank Guarantee (should be valid for minimum 210 days from the date of opening of Technical bid)** from a Nationalised Bank/Scheduled bank in favour of **M/s Oil India Limited** and **payable at DULIAJAN**. Alternatively Bid security against this IFB can be paid through the online payment Gateway.

This BID SECURITY shall be refunded to all unsuccessful bidders, but is liable to be forfeited in full or part, at Company's discretion, as per Clause No. 5(a) below. **Bids without BID SECURITY in the manner specified above will be summarily rejected** except those are exempted.

Exemption from submission of bid security: "Central Govt. offices, Central Public Sector undertakings and firms registered with NSIC /Directorate of Industries are exempted from submitting Bid Security. However the firms registered with NSIC /Directorate of Industries shall have to submit evidence that they have a current and valid registration for the service they intend to bid including the prescribed monetary limit."

3.0 Bid should be submitted online up to 11:00 AM (IST) (OIL's e-procurement Portal Server Time) on the date as mentioned and will be opened on the same day at 02:00 PM (IST) at Office of the Head-Contracts in presence of authorized representative of the bidder.

4.0 The rates shall be quoted as specified in the “PRICE BID FORMAT” and to be uploaded in attachment under Notes & Attachments tab.

The bid and all uploaded documents must be Digitally signed using **“Class 3” digital certificate [e-commerce application (Certificate with personal verification and Organization name)]** as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India.

Digital Signature Certificates having “Organization Name” field as “Personal” are not acceptable. However, aforesaid Digital Signature Certificates having Bidder’s Name in the “ Organization Name” field are acceptable.

The authenticity of above digital signature shall be verified through authorized CA after bid opening. If the digital signature used for signing is not of “Class -3” with Organizations name, the bid will be rejected.

Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employee.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidding company.

5.0 The Company reserves the right to reject any or all the tenders or accept any tender without assigning any reason.

6.0 (a) No Bidder can withdraw his bid within the validity or extended validity of the bid. Withdrawal of any bid within validity period will lead to forfeiture of his/her/their BID SECURITY in full and debarred from participation in future tenders, at the sole discretion of the company.

(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.

7.0 Conditional bids are liable to be rejected at the discretion of the Company.

8.0 The bidders are required to furnish the composition and status of ownership of the firm in whose name bid documents have been purchased/issued along with one or more of the following documentary evidences (which are applicable to the bidder) in support of the same and scanned copies of the same should be uploaded along with the Un-priced bid documents.

a. In case of Sole Proprietorship Firm, Copies of Telephone(Landline Bill)/Electricity/ PAN card, latest Income Tax Return form indicating therein the name, business and residential address, E-mail and telephone numbers of the owner and copies of Service Tax and Central Excise Registration Certificate.

b. In case of HUF, Copies of Telephone(Landline Bill)/Electricity/PAN card, latest Income Tax Return form, Family Arrangement indicating therein the name, residential address, E-mail and telephone numbers of the owners in general and Karta in particular and copies of Service Tax and Central Excise Registration Certificate.

c. In case of Partnership Firm, Copies of Telephone(Landline Bill)/Electricity/ PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the partners(including the Managing Partner), registered partnership agreement/deed and copies of Service Tax and Central Excise Registration Certificate.

d. In case of Co-Operative Societies, Copies of Telephone(Landline Bill)/Electricity/PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from Registrar of Co-Operative Societies and copies of Service Tax and Central Excise Registration Certificate.

e. In case of Societies registered under the Societies Registration Act, Copies of Telephone(Landline Bill)/Electricity/PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, registration certificate from the Registrar of the state and copies Service Tax and Central Excise Registration Certificate.

f. In case of Joint Stock Companies registered under the Indian Companies Act, Copies of Telephone(Landline Bill)/Electricity/PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Directors or persons who are at the helm of affairs, Certificate of Incorporation from the Registrar of Companies, Memorandum and Articles and copies of Service Tax and Central Excise Registration Certificate.

g. In case of Trusts registered under the Indian Trust Act, Copies of Telephone(Landline Bill)/Electricity/ PAN card, latest Income Tax Return form indicating therein the name, residential address, E-mail and telephone numbers of all the Trustee or persons who are at the helm of

affairs, registration certificate from the Registrar of the state, Trust Deed and copies Service Tax and Central Excise Registration Certificate.

10.0 The selected bidder will be required to enter into a formal contract, which will be based on their bid and O.I.L's Standard Form of Contract.

11.0 Time will be regarded as the essence of the Contract and the failure on the part of the Contractor to complete the work within the stipulated time shall entitle the Company to recover liquidate damages and / or penalty from the Contractor as per terms of the tender /contract.

12.0 The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers payment.

13.0 The successful bidder shall furnish a Performance Security Deposit in the form of Demand Draft / Banker's Cheque / Bank Guarantee as specified above before signing the formal contract. The Performance Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Performance Security Money shall not earn any interest.

14.0 **BACKING OUT BY BIDDER:** In case any bidder withdraws their bid within the bid validity period, Bid Security shall be forfeited and the party will be debarred for a period of 2(two) years from the date of withdrawal of bid.

15.0 **BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA:** In case LOA issued is not accepted by the L1 bidder or Performance Security is not submitted as per terms of the Contract within the stipulated time, Bid Security shall be forfeited and the bidder shall be debarred for 2 (two) years from the date of default.

16.0 **FURNISHING FRAUDULENT INFORMATION/DOCUMENT:** If it is found at any time that, a Bidder / Contractor has / had furnished fraudulent documents / information, the Bid Security/Performance Security shall be forfeited and the bidder / the party/the contractor shall be debarred for a period of three (03) years from the date of detection of such fraudulent act, besides legal action.

17.0 **The tender will be governed by:**

Covering Letter.

Instruction to Bidders

BRC-BEC-Bid Rejection Criteria & Bid Evaluation Criteria.

Part - I - General Conditions of Contract. (GCC)

Part - II - Schedule of Work, Unit and Quantity (SOQ)

Part - III - Special Conditions of Contract (SCC)

Part-IV-Schedule of company's Plants, Materials and Equipments-

Part-V-Safety Measures (SM)

~~Integrity Pact~~ Not applicable for this IFB

Proforma and Annexures

SPECIAL NOTE:

GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT :

To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate **of Class 3 with Organizations Name** as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). Bidders must have a valid User Id to access OIL e-Procurement site. Bidders can click on **Guest** login button to view the available open tenders in the E-portal. Bidders shall request OIL through E-mail or fax or letter along with the cost of bid documents as indicated in the NIT for issue of the **USER ID** for accessing and submitting against the E-procurement tender. The User ID shall be issued to the eligible bidders through email on receipt of the requisite cost of the bid document. In case any bidder is exempted from paying the tender fee, they should request OIL with supporting documents for issue of the User Id on free of charge basis. The detailed guidelines are available in OIL's e-procurement site. For any clarification in this regard, bidders may contact OIL.

Please note that all tender forms and supporting documents are to be submitted through OIL's E-Procurement site only except Original Bid Security which are to be submitted in sealed envelope superscribed with tender no. and due date to : The Head Contract, Contracts Department, Oil India Limited, Duliajan- 786602 or it can be paid through the online payment gateway against this tender.

Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications. Offers sent without the requisite value of prescribed bid security (if called for in the bid) in original will be ignored straightway.


Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.

19.0 The tender is invited under SINGLE STAGE COMPOSITE System. The bidder has to submit the “Un-Priced Techno-Commercial” and “Price-Bid” through electronic form in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender portal. **The Technical Bid is to be submitted as per Scope of Work & Technical Specifications along with all technical related documents related to the tender are to be uploaded under Technical RFx Tab.** The Price Bid rates shall to be quoted as specified in the “PRICE BID FORMAT” and to be attached as attachment under the Notes & attachment tab. **The price quoted in the “PRICE BID FORMAT” will only be considered for evaluation.** **Details of prices as per Price Bid format / Priced bid can be uploaded as Attachment under Notes & Attachment Tab.** Offer not complying with above submission procedure will be rejected.

A few screen shots to find out the required IFB is shown below.

1.

Select RFX and Auction Tab



3.

Please enter the IFB No. here & Click Apply Tab

2.

FORWARDING LETTER

CDI 6445P15

After following the above mentioned steps, the details of the IFB under RFX information will be displayed as shown in the page below.

The screenshot displays the 'Display RFX' page in a web browser. The page title is 'RFX - DIT India Ltd - SRM QAS Portal'. The browser window shows 'Windows Internet Explorer'. The page has a navigation bar with 'RFX Information', 'Items', and 'Notes and Attachments'. The 'RFX Information' tab is active, showing various fields for RFX Number (SDOT155P13), RFX Name (SDOT RFX Open Compressed Bio 1B0T), RFX Status (Published), RFX Start Date, Submission Deadline (12/31/2013 11:00:00 INDIA), and Remaining Time (10 Days 18:25:18). Below this, there are tabs for 'RFX Parameters', 'Questions', 'Note and Attachments', and 'Conditions'. The 'RFX Parameters' tab is active, showing a form with fields for Time Zone (INDIA), Start Date (12/04/2013), Submission Deadline (12/04/2013), Opening Date (12/04/2013), Currency (INR), Price Bid Opening Date, Pre-Bid Conference Time (08:00:00), Pre-Bid Conference Date, Last Time of Tender Fee Payment (11:00:00), Last Date of Tender Fee Payment (12/04/2013), Last Time to receive RBC queries (08:00:00), Last Date to receive RBC queries, Contract Details (AUS), Earnest Money Deposit - USD (12,500.00), and Earnest Money Deposit - INR (8,888,000.00). To the right of these fields, there are additional details: Valuation Type (NON ELIGIBLE FOR NIL DUTY/DEEMED EXPORT), Bank Guarantee (APPLICABLE @18% OF ODR VAL), Integrity Pact (Not Applicable), EMD Validity Period (12/04/2013), Tender Type (ICB International Competitive Bidding), Tender Fee in USD (1,000.00), Tender Fee in INR (85,000.00), and Price Bid Opening Time (08:00:00). Below the 'RFX Parameters' tab, there is a section for 'Partners and Delivery Information' with a table showing details for 'Requester', 'Goods Recipient', 'Bills-To Address', and 'Location'. The table has columns for 'Function', 'Number', 'Name', and 'Phone Number'. The 'Requester' is 'Ext req transfer user SERVICE_R3', 'Goods Recipient' is 'Ext req transfer user SERVICE_R3', 'Bills-To Address' is 'Assam- Services', and 'Location' is 'Raxaul- Services'. The 'Phone Number' for 'Assam- Services' and 'Raxaul- Services' is 2800414.

Function	Number	Name	Phone Number
Requester		Ext req transfer user SERVICE_R3	
Goods Recipient		Ext req transfer user SERVICE_R3	
Bills-To Address		Assam- Services	2800414
Location		Raxaul- Services	2800414

NB: All the Bids must be Digitally Signed using “Class 3” digital signature certificate with Organizations Name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India.

HEAD-CONTRACTS

INSTRUCTIONS TO BIDDERS

1.0 Bidder shall bear all costs associated with the preparation and submission of bid. Oil India Limited, hereinafter referred to as 'Company', will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

2.0 BIDDING DOCUMENTS

2.1 The services required, bidding procedures and contract terms are prescribed in the Bidding Documents. This Bidding Document includes the following:

- a) A forwarding letter highlighting the following points
 - (i) Company's IFB No.
 - (ii) Bid closing date and time
 - (iii) Bid opening date, time and place
 - (iv) Bid submission place
 - (v) Bid opening place
 - (vi) The amount of Bid Security
 - (vii) The amount of Performance Guarantee
 - (viii) Quantum of liquidated damages for default in timely mobilizations
- b) Instructions to Bidders
- c) General Conditions of Contract (**Part-I**)
- d) Schedule of Work, Unit, Quantities, Rates and Prices (**Part- II-SOQ**)
- e) Special Conditions of Contract (**Part-III-SCC**)
- f) Schedule of company's Plants, Materials and Equipments-(**Part-IV**)
- g) Safety Measures (**Part-V-SM**)
- h) Integrity Pact (**Not applicable for this IFB**)
- i) Price Bid Format
- j) BRC/BEC
- k) (**Proforma & Annexures**).

2.2 The bidder is expected to examine all instructions, forms, terms and specifications in the Bid document. Failure to furnish all information required in the Bidding Documents or submission of a bid not substantially responsive to the Bidding Documents in every respect will be at the Bidder's risk & responsibility and may result in the rejection of its bid.

3.0 TRANSFERABILITY OF BID DOCUMENTS :

3.1 Bid Documents are non-transferable. Bid can be submitted only in the name of the bidder in whose name the Bid Document has been issued.

3.2 Unsolicited offers will not be considered and will be rejected straightway.

4.0 AMENDMENT OF BIDDING DOCUMENTS:

4.1 At any time prior to the deadline for submission of bids, the company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bidding Documents by the issuance of an Addendum.

4.2 The Addendum will be sent in writing through post / courier / Fax/e-mail to all prospective Bidders to whom Company has sent the bid documents and also be uploaded in the OIL's e-portal in the C-folder under the tab "Amendments to Tender Documents". The company may, at its discretion, extend the deadline for bid submission, if the Bidders are expected to require additional time in which to take the Addendum into account in preparation of their bid or for any other reason. Bidders shall also check OIL's E-Tender portal [C-folder under the tab "Amendments to Tender Documents"] for any amendments to the bid documents before submission of their bids.

5.0 PREPARATION OF BIDS

5.1 LANGUAGE OF BIDS: The bid as well as all correspondence and documents relating to the bid exchanged between the Bidder and the Company shall be in English language, except that any printed literature may be in another language provided it is accompanied by an English translated version, which shall govern for the purpose of bid interpretation.

5.2 DOCUMENTS COMPRISING THE BID: The complete bid should be submitted on-line in the e-portal .

6.0 BID FORM:

6.1 The bidder shall complete the Bid Form and the appropriate Price Schedule furnished as attachment in the e-portal.

7.0 BID PRICE:

7.1 Prices must be quoted by the bidders, both in words and in figures. In case of any discrepancy between the words and in figures, the prices indicated in words only will be considered.

7.2 Price quoted by the successful bidder must remain firm during its performance of the Contract and will not be subjected to variation on any account.

7.3 Since the tender is invited under **SINGLE STAGE COMPOSITE System**. Details of prices as per Price Bid format / Priced bid can be uploaded as Attachment in the attachment header under the notes and attachment tab. Offer not complying with above submission procedure will be rejected. Kindly refer the screen shots below.

Click on this tab to upload Price Bid

The screenshot shows the 'Edit RFX Response' interface. At the top, there are tabs for 'Rfx Information', 'Form', 'Notes and Attachments', 'Conditions', 'Summary', and 'Tracking'. The 'Notes and Attachments' tab is currently active. Below the tabs, there is a table with columns for 'Question', 'Reply', and 'Comment'. The table contains several questions related to the bid, such as 'exclusive Test', 'HAVE YOU SUBMITTED THE ORIGINAL BID BOND', 'INDICATED IAC IS INCLUDED IN THE FOB PRICE', 'FREE OCEAN FREIGHT', 'HAVE YOU MENTIONED THE TPI CHARGE', 'HAVE YOU INDICATED THE TOLERANCE OF QUANTITY', 'HAVE YOU INDICATED HANDLING CHARGE FOR RAIL DESPATCH', 'HANDLING CHARGE INCASE OF INDIAN BIDDER', 'HAVE YOU SUBMITTED THE SAMPLE', 'HAVE YOU ATTACHED PRICE SCHEDULE AS PER THE BRC (COMMERCIAL)', and 'HAVE YOU QUOTED THE PRICES WITH ALL LIABILITIES INCLUDING STATUTORY LIABILITIES'. Each question has a 'Reply' field and a 'Comment' field. A text box above the screen points to the 'Notes and Attachments' tab.

Next Screen on clicking Notes & attachment Tab and go to edit mode

Bidders can insert comments here

RFx and Auctions - OIL India Ltd e-Procurement System - Microsoft Internet Explorer

RFx and Auctions | History | Back | Forward

Display RFx Response:

Edit | Print Preview | Check | Close | Verify signature of Response | Sign Response

RFx Response Number: 60006427 | RFx Number: | Status: Saved | Submission Deadline: 28.03.2013 11:00:00 INDIA
Opening Date: 07.03.2013 14:00:00 INDIA | Remaining Time: 2 Days 01:41:02 | RFx Owner: | Total Value: 0.00 INR
RFx Response Version Number: Active Version | RFx Version Number: 6

RFx Information | Items | Notes and Attachments | Summary | Tracking

Notes

Add | Close | Filter Settings

Assigned To	Category	Text Preview
Document Header	Bid Invitation/Auction Text	
	Bid Invitation/Auction Text	
	Bid Invitation/Auction Text	
	Bid Invitation/Auction Text	
	Bid Invitation/Auction Text	
	Bid Invitation/Auction Text	

Attachments

Sign Attachment | Add Attachment | Edit Description | Versioning | Delete | Owner Qualification Profile | Filter Settings

Assigned To	Category	Description	File Name	Version	Processor	Checked Out	Type	Size (KB)	Changed by	Changed on
Document Header	Standard Attachment	PRICE BID	PRICE BIDDING FORMAT	05	1		MS	32		03.03.2013

Create | Assign | Delete

Collaboration Room | Created on

1


2


Price Bid Format to be attached here after digitally signing the attachment

Create Technical Rfx response (creating Technical Rfx response is mandatory)

To create Technical Rfx response click on [Technical Rfx Response](#) , at the top of the Response.(Refer screen shot on Page no:3)

System will redirect you to the C-folder in new window(Screen shot Below)





Click on button  to create and upload new document.

7.4 Bidder shall be deemed to have satisfied himself before submitting his bid as to the correctness and sufficiency of its bid for the services required and of the rates and prices quoted, which rates and prices shall, except insofar as otherwise provided, cover all its obligations under the contract.

8.0 DOCUMENTS ESTABLISHING BIDDER'S ELIGIBILITY AND QUALIFICATIONS:

8.1 These are as per BEC/BRC

9.0 PERIOD OF VALIDITY OF BIDS:

9.1 Bids shall remain valid for 180 days from the date of bid opening.

9.2 In exceptional circumstances, the OIL may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing (or by Fax). A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request will neither be required nor permitted to modify their bid.

10.0 FORMAT AND SIGNING OF BID:

10.1 The original and all copies of the bid shall be typed or written in indelible inks and shall be signed(digitally) by the Bidder or a person or persons duly authorized to bind the Bidder to the contract.

11.0 SUBMISSION OF BIDS.

11.1 Bids are to be submitted online through OIL's E-procurement portal with digital signature. The bid and all attached documents should be digitally signed by the bidder using "Class 3 digital certificate with organization's Name" digital certificates [e commerce application (Certificate with personal verification and Organization Name)] as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India while uploading the bid.

Digital Signature Certificates having "Organization Name" field as "Personal" are not acceptable. However, aforesaid Digital Signature Certificates having Bidder's Name in the " Organization Name" field are acceptable.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidder to bind the Bidder to the contract. The authenticity of above digital signature shall be verified through authorized CA after bid opening and in case the digital signature used for signing is not of "Class-3 with organization's name", the bid will be rejected.

Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employees."

11.2 Any person signing the Bid or any other document in respect of this Bid Document or other relevant documents on behalf of the Bidder without disclosing his authority to do so shall be deemed to have the authority to bind the Bidder. If it is discovered at any time that the person so signing has no authority to do so, the Company(OIL) may, without prejudice to any other right or remedy, cancel his Bid or Contract and hold the Bidder liable to the Company(OIL) for all costs and damages arising from the

cancellation of the Bid or Contract including any loss which the Company(OIL) may sustain on account thereof.

11.2 Timely submission of the bids is the responsibility of the Bidder should be submitted before the bid closing date and time. Company shall not be responsible for any delay.

11.3 E-mail/ Fax/ Telex/Telegraphic/Telephonic offers will not be accepted.

11.4 Bidder shall submit the Bid, duly completed in terms of the Bid Document.

12.0 DEADLINE FOR SUBMISSION OF BIDS:

12.1 Bids should be submitted on-line up to 11.00 AM(IST)(Server Time) on the Bid Closing date mentioned in the Forwarding Letter. Bidders will be permitted by System to make any changes in their bid after the bid has been uploaded by the bidder prior to the date and time as mentioned in the bid. But no changes would be allowed by the system once the due date and for submission of bids has been reached and bids are opened.

12.2 No bid can be submitted after the submission date line is reached. The system time displayed on the e-procurement web page shall decide the submission dead line.

12.3 The documents in physical form must be received by Company at the address specified in the "Forwarding Letter" on or before the Bid Closing Date & Time mentioned in the "Forwarding Letter". Timely delivery of the same at the address mentioned in the Forwarding Letter is the responsibility of the Bidders.

13.0 LATE BIDS:

13.1 Bidders are advised in their own interest to ensure that their bids are uploaded in system before the closing date and time of the bid. Any Bid received by the Company after the Bid Closing Date & Time stipulated by the Company shall be rejected.

14.0 MODIFICATION AND WITHDRAWAL OF BIDS:

14.1 Bidders will be permitted by System to make any changes in their bid after the bid has been uploaded by the bidder prior to the date and time as mentioned in the bid. But no changes would be allowed by the system once the due date and for submission of bids has been reached and bids are opened.

14.2 No bid can be modified / withdrawn subsequent to the deadline for submission of bids.

14.4 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval shall result in the Bidder's forfeiture of its Bid Security.

15.0 EXTENSION OF BID SUBMISSION DATE :

15.1 Normally no request for extension of Bid Closing Date & Time will be entertained. However, OIL at its discretion, may extend the Bid Closing Date and/or Time due to any reasons. In case of receipt of only one Bid on the Bid Closing Date and Time, OIL may extend the Bid Closing /Opening Date by 2(two) weeks. However, the bidder whose bid has been received within the bid closing date and time, will not be allowed to revise their Bid/prices. Withdrawal of such Bid also will not be permitted by the system.

16.0 BID OPENING AND EVALUATION:

16.1 OIL shall open the Bids, in the presence of Bidder's representatives who choose to attend at the date, time and place mentioned in the Covering Letter. However, an authorization letter (as per Performa-I) from the bidder must be produced by the Bidder's representative at the time of bid opening. Unless this Letter is presented, the representative will not be allowed to attend the bid opening. The Bidder's representatives who are allowed to attend the bid opening shall sign a register evidencing their attendance. Only one representative against each bid will be allowed to attend. Since this IFB is a **SINGLE STAGE COMPOSITE System** , **on bid opening date, both Technical RFx and Commercial Bid will be opened on the date specified in the forwarding letter.**

16.2 In case of any unscheduled holiday or Bandh on the Bid Opening Date, the Bids will be opened on the next full working day. Accordingly, Bid Closing Date / time will get extended up to the next working day and time.

16.3 Bid for which an acceptable notice of withdrawal has been received pursuant to clause 14.0 shall not be opened. OIL shall examine bids to determine whether they are complete, whether requisite Bid Securities have been furnished, whether documents have been properly signed and whether the bids are generally in order.

16.4 Bid opening shall be done as detailed in clauses 16.1 and 16.2 above

16.5 OIL shall prepare, for its own records, minutes of bid opening including the information disclosed to those present in accordance with the sub-clause 16.3

16.6 To assist in the examination, evaluation and comparison of bids, normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid(i.e. document is deficient or missing), or due to some statement at other place of the Bid(i.e. reconfirmation of confirmation) or vice versa, clarifications may be sought by OIL at its discretion. The request for clarification and the response shall be in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

16.7 Prior to the detailed evaluation, OIL will determine the substantial responsiveness of each bid to the requirement of the Bidding Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Document without material deviations or reservation. A material deviation or reservation is one which affects in any way substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the bidding documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. OIL's determination of bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.

16.8 A Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

16.9 The Company may waive minor informality or nonconformity or irregularity in a bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any Bidder.

17.0 EVALUATION AND COMPARISON OF BIDS:

17.1 The OIL will evaluate and compare the bids as per Priced Bid Format of the bidding documents.

17.2 DISCOUNTS / REBATES: Unconditional discounts/rebates, if any, given in the bid or along with the bid will be considered for evaluation.

17.3 Post bid or conditional discounts/rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract, and if they have offered any discounts/rebates, the contract shall be awarded after taking into account such discounts/rebates.

18.0 CONTACTING THE COMPANY:

18.1 Except as otherwise provided in Clause 14.0 above, no Bidder shall contact OIL on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded except as required by OIL vide sub-clause 16.6.

18.2 An effort by a Bidder to influence OIL in the bid evaluation, bid comparison or Contract award decisions may result in the rejection of their bid.

19.0 AWARD CRITERIA:

19.1 OIL will award the Contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

20.0 OIL' S RIGHT TO ACCEPT OR REJECT ANY BID:

20.1 OIL reserves the right to accept or reject any or all bids and to annul the bidding process and reject all bids, at any time prior to award of contract, without thereby incurring any liability to the affected bidder, or bidders or any obligation to inform the affected bidder of the grounds for OIL's action.

21.0 NOTIFICATION OF AWARD:

21.1 Prior to the expiry of the period of bid validity or extended validity, OIL will notify the successful Bidder in writing by registered letter or by cable or telex or fax or e-mail (to be confirmed in writing by registered / couriered letter) that its bid has been accepted.

21.2 The notification of award will constitute the formation of the Contract.

22.0 SIGNING OF CONTRACT:

22.1 At the same time as OIL notifies the successful Bidder that its Bid has been accepted, OIL will either call the successful bidder for signing of the agreement or send the Contract Form provided in the Bidding

Documents, along with the General & Special Conditions of Contract, Technical Specifications, Schedule of rates incorporating all agreements between the parties.

22.2 Within 2 Weeks from the date of issue of Letter of Award (LOA), the successful Bidder shall sign and date the contract and return it to OIL. Till the contract is signed, the LOA issued to the successful bidder shall remain binding amongst the two parties.

22.3 In the event of failure on the part of the successful bidder to sign the contract within the period specified above or any other time period specified by OIL. OIL reserves the right to terminate the LOA issued to the successful bidder. The party shall also be debarred for a period of 2(two) years from the date of default.

23.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENTS:

23.1 If it found that a bidder has furnished fraudulent information/documents, it shall constitute sufficient ground for annulment of the award and the party shall be debarred for a period of 3(three) years from the date of detection of such fraudulent act besides the legal action.

24.0 BID DOCUMENT:

Before submission of Bids, Bidders are requested to make themselves fully conversant with all Conditions of the Bid Document and other relevant information related to the works to be executed under this contract.

25.0 Mobilization Period: 30 days from issue of LOA.

XX

**BID EVALUATION CRITERIA (BEC) /BID REJECTION CRITERIA (BRC)
FOR THE TENDER:****A. BID REJECTION CRITERIA (BRC):**

The bids shall conform generally to the terms and conditions given in the bidding documents. Notwithstanding the general conformity of the bid, the following requirement will have to be particularly met by the bidders without which the same will be considered non-responsive and rejected:

1.0 Bidder must have relevant experience in carrying out “**Similar nature of job**” with PSUs/Central Govt./State Govt. Organization in last 7 (seven) years ending the last day of the month previous to the one in which bids are invited of value :

1.1 Single contract of minimum value of Rs 34, 18,300.00(Rupees Thirty Four Lakhs Eighteen Thousand Three Hundred) only.

OR

1.2 Two contracts of minimum value of Rs 21, 36,500.00(Rupees Twenty one Lakhs Thirty Six Thousand Five Hundred) only each

OR

1.3 Three contracts of minimum value of Rs 17, 09,200.00(Rupees Seventeen Lakhs Nine Thousand Two Hundred) only each

Note:

(i) “**Similar nature of job**” mentioned above means experience in working in pipe line construction/laying job of minimum size of 100mmNB or above.

In support of the experience, the bidder may also submit experience of construction/laying of pipeline of varying sizes which must include laying/construction of pipeline job of at least one size of 100mm NB or above. In such cases, the bidder should submit the complete contract document along with the completion certificate.

(ii) The bidder must submit the following as documentary evidence (duly attested/ self attested) for experience:

For OIL contractors, copy of Certificate of completion (COC)/Certificate of payment (COP)/service entry sheet (SES) of job successfully completed as per BRC Clause 1.0 above. It may be clearly noted that simply mentioning of OIL's CCO number/Contract copy /work order copy will not be accepted.

Complete certificate issued by any other Public Sector Undertaking/Govt department stating:

- a) Gross value of the job done.
- b) Contract number and date

- c) Nature of Job done
- d) Contract Period.

2.0 Average Annual financial turnover during the last 03 (Three) years, ending 31st March 2014, should be at least Rs 12,81,900.00(Rupees Twelve Lakhs Eighty One Thousand Nine Hundred) only.

For proof of Annual Turnover any one of the following documents/ photocopies (self attested/attested) must be submitted along with the bid:

- i) A certificate issued by a practicing Chartered/Cost Accountants Firm with membership no. certifying the Annual Turnover and nature of business.
- Or
- ii) Audited balance sheet and Profit and Loss account.

3.0 Non- submissions of the above documents as specified in BRC above will result in rejection of bids.

B. BID EVALUATION CRITERIA (BEC):

The bids conforming to the terms and conditions stipulated in the bid documents and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria given below:

1. To ascertain the inter-se-ranking, the comparison of the responsive bids will be made on the basis of total amount quoted for the items of Part-II (i.e. schedule of works, units, quantity, rates) in the **Price Bid Format** of the tender.
2. OIL will not be responsible for delay, loss or non receipt of applications (for bidding documents) sent by mail and will not entertain any correspondence in this regard.
3. In case of identical lowest offered rate by more than 1(one) bidder, the selection will be made by draw of lot amongst the bidders offering the identical lowest rates.

C. COMMERCIAL:

1. Bids are invited under Open Composite bid system i.e., Technical as well as Commercial details together in single offer.

2. Bidders must offer firm rates in Indian Rupees only. Rates quoted by the successful bidder must remain firm during the entire period of execution of the contract and not subject to variation on any account whatsoever. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected.

3. Bid security (EMD) shall be furnished as part of the technical bid. Any bid not accompanied by the proper bid security (EMD) will be rejected straightway, except those are exempted.

4. System will not permit submission of bids after the scheduled bid closing date and time.

5. Any bid received in the form of Telex /Cable /Fax /E-Mail /Courier will not be accepted.

6. Bids must be kept valid for a minimum period of 180 days from the date of scheduled bid opening. Bids with inadequate validity will be rejected.

7. Bidders must quote clearly and strictly in accordance with the Price Bid Format of the bidding document; otherwise the bid will be summarily rejected. The Bids in which the rates for any part of the work are not quoted shall be rejected. However, if no charge is involved for any of the item, NIL should be mentioned against such part of work.

7. Bidder must accept and comply with the following clauses as given in the Bidding Document in toto, failing which offer will be rejected-

a)Performance Bank Guarantee clause

b) Force Majeure clause

c) Tax liabilities clause

d) Arbitration clause

e) Applicable Law

f) Liquidated Damage clause

9. The Company also reserves the right to cancel/withdraw the Tender without assigning any reasons to the bidders, for which no compensation shall be paid to the bidder. The bidder must confirm their acceptance to this clause in their respective bids.

10. Original bid shall be digitally signed and uploaded by the bidder or his authorized representative, failing which the bid will be rejected.

D. GENERAL:

1. Bidders should provide **self-attested/attested copies** of Service Tax Registration Certificate, VAT registration Certificate, PAN Card, P.F. Registration Number OR Declaration (Declaration by applicant that provisions of Provident Fund Act are not applicable to them. In case P.F. is required to be deposited later on, the same will be deposited by the bidder (Applicant). In case successful bidder doesn't have P.F. Code at the time of bidding and PF Act is applicable on him/her, the same has to be provided by him/her before signing of contract agreement and issue of Work Order by OIL.)
2. OIL will not be responsible for delay or non-receipt of applications for participating in the bid and will not entertain any correspondence in this regard.
3. In case bidder takes exception to any clause of tender document not covered under BEC/BRC, then the company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw / modify the deviation when / as advised by the company. The loading so done by the company will be final and binding on the bidders.
4. To ascertain the substantial responsiveness of the bid the company reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarification fulfilling the BRC clauses must be received on or before stipulated days from the date of clarification sought by the company, failing which the bid will be rejected.
5. In case any of the clauses in the BRC contradict with other clauses of bid document elsewhere, than the clauses in the BRC shall prevail.
6. The originals of all documents [furnished by bidder(s)] shall have to be produced by bidder(s) to OIL as and when asked for.
7. The bids not conforming to complete scope of work will be rejected

*****END of BRC-BEC *****

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts Department,
Duliajan, DISTRICT: DIBRUGARH
ASSAM, PIN: 786602

DESCRIPTION OF WORK/SERVICES:-

Replacement of various sizes of pipelines, hydrant, valves, fittings, enclosures, coating, wrapping of pipe lines including painting and other related jobs in OIL's Operational areas for a period of two(2) years extendable by one(01) more year

GENERAL CONDITIONS OF CONTRACT (GCC)

MEMORANDUM OF AGREEMENT made this_____ day of _____ Between OIL INDIA LIMITED a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam (hereinafter called Company) of the one part and Shri/Smti _____and Shri/Smti _____ carrying on business as partners /proprietor under the firm name and style of M/s._____ with the main Office at _____in the District of _____ aforesaid (hereinafter called 'Contractor') on the other part.

WITNESSETH:

1. a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms part-II of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms Part-III of the contract utilizing any materials/services as offered by the Company as per Part-IV of the contract at_____.

b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.

c) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.

2. The contractor shall provide all labour, supervision and transport and such specified materials described in part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not specifically mentioned in this contract are necessary for its completion in a sound and workman like manner.

3. The Company's Engineer shall have power to:

a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not up to the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.

b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.

c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.

d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.

e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed.

4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities stipulated in Part-II if so ordered by the company at the same rates, terms and conditions.

5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.

6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-

- i) The Mines Act.
- ii) The Minimum Wages Act, 1948.
- iii) The Workman's Compensation Act, 1923.
- iv) The Payment of wages Act, 1963.
- v) The Payment of Bonus Act, 1965.
- vi) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- vii) Employees Pension Scheme, 1995.
- viii) Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- ix) The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
- x) AGST Act.
- xi) Service Tax Act.

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.

8. The duration of the contract shall be **104 weeks** from the commencement date mentioned in the work order. The Contractor must complete the work within the contract period. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half p.c) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) of the total contract cost subject to a maximum of 7.5% of the total contract cost.

The Chief Engineer's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the

company attributable to such delay. The company's decision in this regard shall be final.

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots, or in any agitation prejudicial to the Company's interest and any such even taking shape or form at any place of the Company's works or and its neighborhood.

10. The tendered all-exclusive of Service Tax Price (the Contract price) is Rs. XXXXXXXXXX(Not to be filled up by the bidder. This will be entered at the time of Signing of the agreement) but the Company shall pay the Contract or only for actual work done at the all inclusive rates set down in the Schedule of work part II of this Contract.

On account payment may be made, not oftener than monthly, up to the amount of 92.5% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.

12. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalised.

13. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.

14. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with regulation 89(a) and 89(b) in the Oil mines Regulations 1984. The Company's representative shall not allow/accept those men who are not provided with the same.

15. All Statutory taxes levied by the Central and State Government or any other competent authority from time to time will be borne by Contractor and the amount

of the contract specified in the contract is inclusive of all tax liabilities but excluding Service Tax. Service Tax if applicable shall be, to the Company's account. However, Service Tax portion payable directly by the Service provider (if applicable) shall be reimbursed to the Contractor on the basis of the documentary evidence.

16. The Contractor shall deploy local persons in all works.

17. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.

18. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act. (latest editions).

19.1 GENERAL OBLIGATIONS OF COMPANY:

COMPANY shall, in accordance with and subject to the terms and conditions of this contract:

- i) Pay the Contractors in accordance with terms and conditions of the contract.
- ii) Allow access to Contractors and their personnel, subject to normal security and safety procedures, to all areas as required for orderly performance of the work.

20. Special Conditions

- a) The amount of retention money shall be released after 6(six) months from the date of issue of completion certificate from concerned department.
- b) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.
- c) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & Employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to applicable P.F. Contribution.

21. ARBITRATION:

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration: Duliajan

22. FORCE MAJEURE:

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. 421) is hereby incorporated in this contract.

23. I.B. VERIFICATION REPORT AND SECURITY REVIEW:

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

24. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

25. SET OFF CLAUSE:-

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

26.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:

If it is found that a Bidder/Contractor has furnished fraudulent document/information the party shall be debarred for period of 3(three) years from date of detection of such fraudulent act, besides the legal action.

27.0 LIQUIDATED DAMAGES FOR DELAY IN MOBILISATIONAND/ OR COMPLETION OF WORKS AND SERVICES

In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization/completion date subject to a maximum ceiling of 7.5% of contract value.

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED & DELIVERED FOR AND
ON BEHALF OF

(Signature of Contractor or his legal

Attorney)

-----by the hand of

(Full Name of Signatory)

its Partner/Legal Attorney

(Seal of Contractor's Firm)

(Signature of witness)

And in presence of

Date : _____

(Full Name of Signatory)

Address:

(Signature of Acceptor)

SIGNED & DELIVERED FOR & ON
BEHALF OF OIL INDIA LIMITED

Designation

Date_____

(I) THE JOB IS RELATED TO LAYING OF NEW LINES AND REPLACEMENT/REPAIRING OF LINES FOR SUPPLY OF WATER AND GAS TO HOUSING, INDUSTRIAL AREA, OCSs &GCSs, WATER INJECTION STATIONS, MUD PLANTS, ETC. IN OIL's OPERATONAL AREAS.

A. ALL WEILDING/FABRICATION OF PIPES, FLANGES AND OTHER RELATED JOBS ARE TO BE CARRIEDOUT AS PER IS10234

B. ALL WEILDING HAS TO BE CARRIED OUT BY experienced and skilled WELDER.

(II) FOLLOWING MATERIALS AND EQUIPMENTS ARE TO BE SUPPLIED BY THE BIDDER:

(a) TRAILER AND OTHE ARRANGEMENT FOR TRANSPORTATION, LOADING AND UNLOADING OF PIPE, VALVES, FITTINGS ETC.

(b) WIELDING AND CUTTING MACHINE, GRINDING M/C.

(c) PORTABLE LIGHTING ARRANGEMENT

(d) PORTABLE PUMPS AND OTER ACCESSORIES FOR HYDRAULIC TESTING, HOOKING UP JOB, ETC.

(III) Standard conditions of work:

1.0 All materials such as pipes, valves, flanges, pipe fittings, bolts & nuts, gaskets, casing pipes etc. will be supplied by the company free of charge from Field Engg Yard/ Materials Deptt at Duliajan.

2.0 All tools & tackles, Welding/cutting/grinding machines with all accessories and consumables, welder, transportation of welding /cutting sets from place to place, pump and its accessories for hydraulic testing, accessories for digging trenches, etc will have to be arranged by the contractor.

3.0 No accommodation and electricity will be provided by the company to the contractor.

4.0 Source water for hydraulic testing will be supplied by OIL.

5.0 Any material found defective due to poor workmanship will have to be replaced by the contractor at his own cost.

6.0 Security and responsibility of all company's materials will have to be borne by the contractor once these are handed over to the contractor till the same are returned to the company after completion of work(s).

7.0 The contractor shall not engage minor labourers below eighteen (18) years of age under any circumstances.

8.0 Any non-technical /local problem arising in the work site shall have to be settled by the contractor at his own cost.

9.0 The contractor should report to the departmental officer at least twice in a week.

10.0 Measurement of the work done against each work order shall be carried out within seven (07) days of its completion and the contractor should be present at the time of measurement and the same should be vetted by company's representatives.

11.0 Pipes, valves and fittings, coating wrapping materials, paints etc are to be Transported by the Contractor at his own cost from Material dept./Field Engineering Yard to different location and back including loading/unloading without cutting any damage to the materials. In case of damage of materials the same have to be made good or replaced by the contractor at own cost as per instruction of departmental representative.

12.0 Any defect during welding shall have to be replaced at contractors cost. Necessary alignment and end preparation of the pipe e.g. swabbing and cleaning etc. shall be done prior to welding. The Contractor shall supply machines, lights, manpower, consumables like fuel, electrodes, grinding wheels, etc. as necessary for the job. The entire job shall be carried out under strict supervision of the Contractor. The welding joint must withstand a hydraulic test pressure of 1.5 times the maximum pressure of the pipe line (as instructed by deptt. representatives) for continuous period of 24 hrs.

13.0 All materials for cutting, grinding and beveling of pipes and digging of trench/pit for hooking up job are to be provided by the Contractor. All safety precautions are to be observed. The recovered pipes are to be made ready for transportation by yard as per instruction of Head-FE's representative.

14.0 All necessary equipment/materials such as pumps, valves, fittings etc. required for hydraulic testing will be arranged by the Contractor.

15.0 Prior to painting all surfaces are to be cleaned. Exterior surface are to be scrapped thoroughly by means of emery tapes, wire brush to the entire satisfaction of representative of Head-FE. After thorough cleaning primer is to be applied on the surface and allow the primer to dry completely. Immediately after drying, protectively integral tap to be wrapped on the surface, using blow lamps (min. three nos. blow lamps will be required at a time) for uniform bonding and adhesion. All material for cleaning surfaces, safety gadgets including hand gloves, Blow lamps manpower including efficient supervisor will be provided by the Contractor. Only primer and protective tape will be supplied by O.I.L. Size of the pipe: 400mm NB/350mm/300mm/250mmNB

16.0 Prior to painting all surfaces including XPM fencings are to be cleaned. All surfaces including fencings upto a maximum height of 12m are to be thoroughly cleaned by emery paper/tapes, wire brush, etc. and after that

painting to be carried out. All the scaffolding materials, wire brushes, emery paper/tapes, etc. including paints will have to be supplied by the Contractor

17.0 The new XPM fencing should be properly erected with pipes/angle iron/MS rod etc. This job also includes replacement of old posts and grouting of posts. All material like XPM, post related to structural and cement for grouting of post will be supplied by O.I.L. The Contractor will supply welding/cutting sets, consumables, sand, stones, and manpower for the above mention job.

18.0 Legs of the support for walk way are to be grouted. The job is to be carried out as per instruction of Head-FE's representative, OIL will provided/expanded metal and 50mm dia pipes only for making new walk way and rest materials/equipment/manpower are to be provided by the Contractor

19.0 While cutting across asphalted/graveled road the pipe should pass the road crossing at the same level through a suitable casing pipe in it. The Contractor has to place the casing pipe properly through which the welded section of the conductor pipe shall be inserted. The casing pipe of suitable size will be supplied by the Company. The trench should be backfilled and rammed properly with gravel stones. The Contractor shall have to arrange for emergency traffic diversion, road closer sign, skid etc. The weld joints on the casing as well as conductor pipes and two ties at the end shall be considered as a part of road crossing.

20.0. If required the contractor shall have to carry out the work at our Kumchai/Manabhbum field also. In such case accommodation to the contractor's personnel may be provided at our Manabhbum camp subjected to availability. In case, the Contractor is to carry out the assigned work at kumcai/Manabhbum, then Company shall transport he Company's materials and Contractors welding machine from Duliajan to Manabhbum/Kumchai and back.

21.0 In case contractor declared that provision of provident Fund Act are not applicable to them, and in case PF is required to be deposited later on, the same will be deposited by the contractor.

22.0 The supervisor/skilled manpower/welder should have at least 03(three) years experience in working in pipe line laying job. Documentary evidence in support of relevant work experience should be submitted by the Contractor and approved by the Company's representative before deploying the supervisor /skilled manpower/welder.

23.0 Bidders should provide attested/self attested copy (i) Service tax Certificate, (ii) PAN Card and (iii) PF code Certificate (if available) or a declaration (Declaration by applicant that provisions of Provident Fund Act are not applicable to them. In case P.F. is required to be deposited later on, the same will be deposited by the bidder (Applicant).In case successful

bidder doesn't have P.F. Code at the time of bidding and PF Act is applicable on him/her, the same has to be provided by him/her before signing of contract agreement and issue of Work Order by OIL.).

24.0 The contractor shall arrange to take up the jobs whenever assigned within a maximum period 07 days from the time of receiving telephonic or written advice from the Company's representative. However, in case of urgencies like fire, leakage of water, gas, etc., the contractor must take up the job immediately after receiving the telephonic or written advice from the Company's representative.

25.0 The tentative schedule of work is estimated as under:-

Group	Size (NB) of pipe in MM	% of Work (tentative)
A	400	10
	350	10
	300	15
	250	65
B	200	10
	150	50
	100	40
C	50	40
	25	20
	20	20
	12	20

(IV) JOB DESCRIPTION:

1.0 Transportation of various sizes pipes, valves and fittings, coating rapping materials, paints etc. from Material dept./Field Engineering Yard to different location and back including loading/unloading without causing any damage to the materials, the same have to be made good or replaced as per instruction of departmental representative. Distance within a radius of 30 KM from the Industrial Main Gate of OIL.

2.0 Transportation of various sizes pipes, valves and fittings, coating rapping materials, paints etc. from Material dept./Field Engineering Yard to different location and back including loading/unloading without causing any damage to the materials, the same have to be made good or replaced as per instruction of departmental representative. Distance beyond a radius of 30 KM from the Industrial Main Gate of OIL.

3.0 Welding of pipes of different diameters, with conventional welding (min 3 beads). The welder shall have sufficient experience to ensure proper quality of welding, any defect shall have to be replaced at contractor's cost. The electrode shall be of suitable gauge and specifications and be approved by Head-F.E/his representatives. Necessary alignment and end preparation of the pipe swabbing and cleaning etc. shall be done prior to welding. The Contractor shall supply machines, lights, equipment, manpower etc. and consumable like fuel, electrodes, grinding wheels etc. as necessary for the job. The entire job shall be carried out under strict supervision of the Contractor. The welding joint must withstand a hydraulic test pressure of 15 to 30kg/Sq.cm (as instructed by departmental representatives) for continuous period of 24 hrs.

4.0 The contractor is required to fabricate Miter bends wherever required during laying of various pipelines with gradual and smooth curvature which shall have at least three nos. of welded joints.

5.0 Transportation of pipes of various sizes by manual labour from dumps and stringing/aligning them along the routes of the pipelines.

6.0 Fabrication and placement of pipe support/trestles made from pipes/plates as per the direction of representatives of Head- FE. The materials will be provided by the Company.

7.0 Screwing of pipes to make continuous pipeline including fittings, valves, flanges, bends, tees etc. The line must withstand a hydraulic test pressure of 15 to 30kg/sq.cm for a period of 24hrs.

8.0 Taking out standard points by gas cutting and welding suitable nipples into main/branch pipeline/manifold nipples may be cut to proper length.

9.0 Installation/replacement of valves with flanges including welding of flanges, cutting of gaskets on the previously positioned pipelines or fitting of screwed valves involving sockets, nipples, unions etc.

10.0 Cutting of old portion of line wherever required, by hacksaw/pipe cutters or by cutting and then to make bevel ends of the pipeline to accommodate new line for welding and hook up the newline with old existing line. The entire job is to be carried out as per instruction of representative of Head FE. All materials for cutting and beveling of pipes and digging of trench/pit for hooking up job are to be provided by the Contractor. All safety precautions are to be observed. The recovered pipes are to be made ready for transportation by yard as per instruction of Head-FE's representative.

11.0 Installation of welded/screwed flanges with appropriate fasteners and gasket with proper alignment and tightness adequate to withstand subsequent pressure test.

12.0 Hydraulic testing of individual lines wherever required to the pressure of 15 to 30kg/sq.cm as per instructions of representatives of Head-FE for a period of 24 hrs. All necessary equipment/materials such as pumps, valves, fittings etc. required for hydraulic testing will be arranged by the Contractor.

13.0 Painting of welded joints, valves, piping surface, tanks, fencing, walls etc. with two coats of good quality paints after cleaning all surfaces thoroughly by emery paper/tapes, wire brushed etc. All scaffolding materials, if required, wire brushes including paints will have to be supplied by the Contractor.

14.0 Replacement of old damaged fencings with new XPM fencing (8ft. height) welded on fencing post. The fencing should be properly erected with pipes/angle iron/MS rod etc. This job also includes replacement of old posts/fencings and grouting of posts. All material like XPM, post related structural and cement for grouting of post will be supplied by O.I.L. The Contractor will supply welding/cutting sets, consumables, sand, stones, and manpower for the above mention job.

15.0 Fabrication of walk way over the pipelines of various sizes for safe approach from one end to the other end with expanded metal supported on 50/73/100mm dia. pipe supports. Legs of the support are to be grouted. The job is to be carried out as per instruction of representative of Head FE. OIL will provide expanded metal, angles and pipes only and rest materials/equipment/manpower are to be provided by the Contractor.

16.0 Recovery of old pipes by gas cutting/unscrewing and then dumping them in suitable places for their subsequent transportation. Max. length of the cut pipes should be 6m or as per instruction of representatives of Head-FE.

17.0 Wrapping and coating of pipelines wherever required as per instruction of representatives of Head-FE. Scrapping of exterior surface of pipes to be thoroughly done by means of emery tapes, wire brush to the entire satisfaction of representatives of Head-FE. After thorough cleaning primer is to be applied on the surface and allow the primer to dry completely. Immediately after drying, protectively integral tap to be wrapped on the surface, using blow lamps (min. three nos. blow lamps will be required at a time) for uniform bonding and adhesion. All material for cleaning surfaces, safety gadgets including hand gloves, blow lamps manpower including efficient supervisor will be provided by the Contractor. Only primer and protective tape will be supplied by O.I.L.

18.0 Cleaning of cooling tower, pumps at R & D, Geological, GDAP dept., & at other field installation etc as per instruction of representatives of HEAD FE. All tools and manpower are to be provided by the Contractor.

19.0 Clamping of leaking lines after excavating trenches as per instructions of representatives of Head FE by using metallic clamps/rubber cone and job the trenches are to be back filled.

20.0 Installation of welded/screwed bends, elbows, swages, nipples, brushings and blinds etc. wherever required.

21.0 Excavation of open trenches along the ROW including gravel packed places to take out old line and to lay and place the new lines in the position to a maximum depth of 0.7m and refilling and ramming the same to restore the original surface condition.

22.0 Crossing of underground pipe track/underground electric & telephone cables spreading over a strip of 2mtr. wide crossing by providing necessary crossing pipes.

23.0 Swabbing and cleaning of inside of pipes prior to welding and screwing.

24.0 Repairing damaged pipeline by welding without excavation.

25.0 Cutting of across asphalted/graveled road in places to a maximum depth of 2.0 mtr. The pipe should pass the road crossing at the same level through a suitable casing pipe in it. The Contractor has to place the casing pipe properly through which the welded section of the conductor pipe shall be inserted. The casing pipe of suitable size will be supplied by the Company. The trench should be backfilled and rammed properly with gravel stones. The Contractor shall have to arrange for emergency traffic diversion, road closer sign, skid etc. The weld joints on the casing as well as conductor pipes and two ties at the end shall be considered as a part of road crossing.

(V) Safety Precautions:

1. The contractor personnel have to abide by all relevant statutory safety and environment rules, regulations, applicable codes and standards (i.e. OMR, OISD standards, BIS etc.). Also the contractor will have to supply the necessary PPEs like safety boots, gum boots, hand gloves, safety goggles, safety helmet, safety belts, etc. to his workmen and should ensure strict use of the same.

2. Necessary Cold /Hot work permits are to be obtained from authorized personnel before starting of the job(s).

3. While carrying out welding and cutting jobs, the contractor should strictly enforce the guidelines as stated in OMR - 1984 and SOP-OIL, Vol-II.

4. The oxy acetylene cutting sets will have to be fitted with flash back arrestors in the regulator side as well as nozzle side.

5. The job of pipe line laying will have to be executed as per strict compliance of regulations enforced by State Pollution Control Board.
6. The contractor shall engage only skilled, capable and competent personnel who are fully conversant with the job. Before starting the job, the contractor shall submit the list of competent personnel with valid certificates, who will carry out the job.
7. During transportation of line pipes by road, they should be tied up securely with rope/ chain on trailers, to prevent toppling over of pipes on bumpy roads. The pipes should be unloaded carefully to prevent damage at the ends/ body of the pipes.
8. The trenching operation should be just ahead of welding operation. This will avoid deep trenches remaining open for many days, creating safety hazards to villagers and their cattle.
9. Before lowering the pipeline in the trench, it should be ensured that no person is present inside the trench. In case the sides cave in, the pipeline should be kept adequately supported before removing loose soil from underneath.
10. Utmost care is to be observed in deciding the number of the tripods with chain pulley blocks for a particular section of pipeline to be lowered. Also the capacity of the chain pulley blocks must be minimum 1.5 times the weight of the pipeline section it is going to lift.
11. Necessary sign boards/warning signals etc should be used while working. The said sign boards/warning signals shall have to be arranged by the contractor.
12. First aid box is to be carried by contractor's personnel while carrying out the job.
13. Under no circumstances LPG should be used for gas cutting purpose.
14. The contractor shall clear away all the rubbish and surplus materials from the site on completion of work and shall have to leave the site clean and tidy.
15. Tool Box Meeting to be regularly held.
16. The contractor have to ensure complete safety of the personnel engaged by him, and of all the equipment they will handle and must take full responsibility for their safety.
17. The contractor have to ensure the quality and reliability of all the tools, equipment and instruments they use.

18. The contractor have to provide suitable facility such as Drinking Water, Toilets, Lighting, Canteen etc for their working personal.

19. The contractor personnel have to take every possible care to keep the environment clean and free from pollution.

20. The contractor personnel should understand the implication of the known hazards related to the work undertaken by them and the necessity of having an emergency plan ready to counter them, should anything go wrong.

21. While providing the services, the contractor personnel have to follow the procedures and systems taking all control measures in all the stages of works to avoid any untoward incidents/accidents.

22. The contractor shall have to report all sorts of near misses, incidents and accidents to Installation Manager /departmental representative of Field Engineer dept.

23. For any clarification with regard to the above, the contractor may contact Head-Field Engineering /concerned Engineer /DSO of Field Engineering Department.

24. ALL the WORKING PERSONNEL SHOULD HAVE SAFETY APPLIANCES AND PROTECTIVE CLOTHING SUCH AS INDUSTRIAL SAFETY SHOES, HELMETS, GLOVES& GAS MASKS ETC & WILL BE PROVIDED BY THE CONTRACTOR.

25. Welder should wear safety goggles while welding / cutting.

26. Smoking is not permitted by the workmen or welder while handling gas cylinder.

27. All torches, regulators, cylinders and other equipments should be of an approved design and in good condition.

28. Prior to taking up the job departmental safety officer or mines safety officer will conduct an orientation programme on safety and precaution to be observed by the contractors personnel during execution of the job.

29. Chain pulley block used for lifting should be tested and should be of in good condition.

30. Hydraulic testing to be carried out 1.5 times of the maximum pressure of the manifold/line & record to be made of every such test. Special care like maintaining safety distances while testing of lines should be taken care of.

31. It will be solely the Contractor's responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of

the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. . Ensure that all sub-contractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub contractors.

32. Every person deployed by the contractor in a mine must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. . However , it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work.

All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.

33. The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation /operations to be done by the contractor and how it is to be managed.

34. The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.

35. Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner/Agent/Manager.

36. Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.

37. All persons deployed by the contractor for working in a mine must undergo initial medical examination. They should be issued cards stating the name of the contractor and the work and its validity period, indicating status of IME persons hold VT Certificate, how many work persons undergone IME

38. It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures

and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager /Safety Officer/ Engineer / Official / Supervisor/Junior Engineer for safe operation.

39. Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.

40. Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.

41. The contractor shall have to report all incidents including near miss to Installation Manager /departmental representative of the concerned department of OIL.

42. The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.

43. If the company arranges any safety class /training for the working personnel at site (company employee, contractor worker, etc.) the contractor will not have any objection to any such training.

44. The health checkup of contractor's personnel is to be done by the contractor in authorized Health Centers as per OIL's requirement & proof of such test(s) is to be submitted to OIL. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.

45. Records of daily attendance, accident report etc. are to be maintained in Form B, E, J (as per Mines Rules 1955) by the contractor.

46. A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.

47. A contractor employee must, while at work, cooperate with his or her employer or other persons so far it is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.

48. Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.

49. In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.

50. When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures, company will have the right to direct the contractor to cease work until the non-compliance is corrected.

51. The contractor should prevent the frequent change of his contractual employees as far as practicable.

52. For any HSE matters not specified in the contract document, the contractor will abide by the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

53. The personnel engaged by the contractor should be able to understand the notice /banner/ signboard displayed in either any of the three language i.e. Hindi /English/ Assamese or in symbol.

54. Vehicles to be used by the contractor should have spark arrestor in the exhaust system and audio alarm while reversing.

55. Supervising personnel should be present during working hours.

56. All safety appliances are in the scope of supply of the contractor.

57. Spark arrestor to be fitted in the exhaust of the welding machine engine.

*****END of SCC *****

OIL INDIA LIMITED
(A Govt. of India Enterprise)

Description of Service: Replacement of various sizes of pipelines, hydrant, valves, fittings, enclosures, coating, wrapping of pipe lines including painting and other related jobs in OIL's Operational areas for a period of two(2) years extendable by one(01) more year.

Part-II Schedule of Work, Unit and Quantity (SOQ)

S.Line	Description of Services	Quantity	UOM
10	TRANSPORTATION OF PIPES within 30 KM: Transportation of various sizes pipes, valves and fittings, coating, wrapping materials, paints etc. from Material dept. /Field Engineering Yard to different location and back including loading/unloading. Distance within 30 KM	2,858.60	TKM(Ton-Kilometre)
20	TRANSPORTATION OF PIPES beyond 30 KM: Transportation of various sizes pipes, valves and fittings, coating rapping materials, paints etc. from Material dept./Field Engineering Yard to different location and back Distance beyond 30 KM	8,575.60	TKM(Ton-Kilometre)
30	Welding of pipes of different dia: Welding of pipes of different diameters, with conventional welding. Necessary alignment and end preparation of the pipe swabbing and cleaning etc. shall be done prior to welding. Size of pipes : 400mm /350mm /300mm /250mm	50	JT(Joint)
40	Same as Item No. 30: Same as item No. 30 above, but size of pipe: 200mm NB/150mm NB/100 mm NB.	1,000	JT(Joint)
50	Same as Item No. 30: Same as item No. 30 above ,but size of pipe : 50mm NB/25 mmNB/20mmNB	225	JT(Joint)
60	Fabrication of Miter bend: Fabrication of Miter bends with gradual and smooth curvature which shall have at	5	NO(Number)

SOQ**E-TENDER CDI 6445P15**

	least three nos. of welded joints. Size of pipe : 400mm/350mm/300mm/250mm		
70	Same as Item No. 60: Same as Item No. 60 above but size of pipe : 200mm NB/150mm NB/100 mm NB	30	NO(Number)
80	TRANSPORTATION OF PIPES-manual: Transportation of pipe by manual labour from dumps and stringing/aligning them along the route of the pipeline. Size of the pipe is 400mm NB/350mm/300mm/250mm NB	480	M(Meter)
90	Same as Item No. 80: Same as Item No. 80 above ,but size of pipe : : 200mm NB/150mm NB/100 mm NB	10,000	M(Meter)
100	Same as Item No. 80: Same as Item No. 80 above, but size of pipe 50mm NB/25 mmNB/20mmNB	1,500	M(Meter)
110	Fabrication and placement of pipe support: Fabrication and placement of pipe support/trestles made from pipes/plates as per the direction of representatives of Head FE.	135	NO(Number)
120	Screwing of pipes: Screwing of pipes to make continuous pipeline including fittings, valves, flanges, bends, tees etc. Sizes of the pipe : 200mm NB/150mm NB/100 mm NB	3,000	M(Meter)
130	Same as Item No. 120: Same as Item No. 120 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	1,500	M(Meter)
140	Taking out standard points by gas cutting: Taking out standard points by gas cutting and welding suitable nipples into main/branch pipeline/manifold nipples may be cut to proper length. Size of the pipe : 400mm NB/350mm/300mm/250mm NB	5	NO(Number)
150	Same as Item No. 140: Same as Item No. 140 above, but size of pipe : : 200mm NB/150mm NB/100 mm NB	150	NO(Number)
160	Same as Item No. 140: Same as Item No. 140 above, but size of	500	NO(Number)

	pipe : 50mm NB/25 mmNB/20mmNB		
170	Installation / replacement of valves: Installation/replacement of valves with flanges including welding of flanges, cutting of gaskets on the previously positioned pipelines 0or fitting of screwed valves involving sockets, nipples, unions etc. Size of the pipes : 400mm NB/350mm/300mm/250mm NB	5	NO(Number)
180	Same as Item No. 170: Same as Item No. 170 above, but size of pipe : 200mm NB/150mm NB/100 mm NB	100	NO(Number)
190	Same as Item No. 170: Same as Item No. 170 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	100	NO(Number)
200	Cutting of old portion of lines: Cutting of old portion of line wherever required, by hacksaw/pipe cutters or by cutting and then to make bevel ends of the pipeline to accommodate new line for welding and hook up the newline with old existing line. Size of the pipe : 400mm NB/350mm/300mm/250mmNB	8	NO(Number)
210	Same as Item No. 200: Same as Item No. 200 above but size of pipe : 200mm NB/150mm NB/100 mm NB	50	NO(Number)
220	Same as Item No. 200: Same as Item No. 200 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	40	NO(Number)
230	Installation of welded /screwed flanges: Installation of welded/screwed flanges with appropriate fasteners and gasket with proper alignment and tightness adequate to withstand subsequent pressure test. Size of the pipe : 400mm NB/350mm/300mm/250mmNB	10	PAA(Pair)
240	Same as Item No. 230: Same as Item No.230 above, but size of pipe : 200mm NB/150mm NB/100 mm NB	150	PAA(Pair)
250	Same as Item No. 230:	100	PAA(Pair)

SOQ**E-TENDER CDI 6445P15**

	Same as Item No. 230 above, but size of pipe : 50mm NB/25 mmNB/20mmNB		
260	Hydraulic Testing of individual lines: Hydraulic testing of individual lines wherever required.	25	NO(Number)
270	Painting of welded joints, valves: Painting of welded joints, valves, piping surface, tanks, fencing, walls etc.	5,000	SME(Sq. Meter of Exposed Surface)
280	Replacement of old fencing: Replacement of old damaged fencing with new fencing welded on fencing posts.	500	M(Meter)
290	Make walk way over pipelines: Fabrication of walk way over the pipelines of various sizes for safe approach from one end to the other end with expanded metal supported on pipe supports.	150	M(Meter)
300	Recovery of old pipes(250-400mm): Recovery of old pipes by gas cutting/unscrewing and then dumping them in suitable places for their subsequent transportation. Size of the pipes: 400mm NB/350mm/300mm/250mmNB.	500	M(Meter)
310	Same as Item No. 300(100-200mm): Same as Item No. 300 above, but size of pipe : 200mm NB/150mm NB/100 mm	8,000	M(Meter)
320	Same as Item No. 300(20-50mm): Same as Item No. 300 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	4,000	M(Meter)
330	Wrapping and coating of pipelines: Wrapping and coating of pipelines wherever required as per instruction of representatives of Head-FE. Size of the pipes: 400mm NB/350mm /300mm NB/250mmNB	600	M(Meter)
340	Same as Item No. 330(100-200mm): Same as Item No. 330 above, but size of pipe : 200mm NB/150mm NB/100 mm	8,000	M(Meter)
350	Cleaning of cooling tower, pumps : Cleaning of cooling tower, pumps at R &	10	JOB

SOQ**E-TENDER CDI 6445P15**

	D, Geological, GDAP dept., & at other field installation etc as per instruction of representatives of HEAD FE.		
360	Clamping of leaking lines(250-400mm): Clamping of leaking lines after excavating trenches as per instructions of representatives of Head FE by using metallic clamps/rubber cone and job the trenches are to be back filled. Size of the pipe : 400mm NB/350mm /300mm/250mmNB	50	NO(Number)
370	Same as Item No. 360(100-200mm): Same as Item No. 360 above, but size of pipe : : 200mm NB/150mm NB/100	100	NO(Number)
380	Same as Item No.360 above (20-50mm): Same as Item No. 360 above, but size of pipe : : 50 NB/25 NB/20	50	NO(Number)
390	Installation of bends, elbows, swages: Installation of welded/screwed bends, elbows, swages, nipples, brushings and blinds etc. wherever required. Size of the pipe :400mm NB /350mm/300mm/250mmNB	30	NO(Number)
400	Same as Item No. 390(100-200): Same as Item No. 390 above, but size of pipe : : 200mm NB/150mm NB/100 mm	200	NO(Number)
410	Same as Item No. 390(20-50mm): Same as Item No. 390 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	100	NO(Number)
420	Excavating open trenches for 250-400mm: Excavation of open trenches along the ROW including gravel packed places to take out old line and to lay and place the new lines in the position to a maximum depth of 0.7m and refilling and ramming the same to restore the original surface condition. Size of the pipe : 400mm NB/350mm/300mm/250mmNB.	600	M(Meter)
430	Same as Item No. 420(100-200mm): Same as Item No. 420above, but size of pipe : 200mm NB/150mm NB/100 mm	5,000	M(Meter)
440	Same as Item No. 420(20-50mm):	1,500	M(Meter)

SOQ**E-TENDER CDI 6445P15**

	Same as Item No. 420 above, but size of pipe : 50mm NB/25 mmNB/20mmNB		
450	Crossing of underground pipe track.: Crossing of underground pipe track/underground electric & telephone cables spreading over a strip of 2mtr. wide crossing by providing necessary crossing pipes : Size of the pipe : 400mm NB/350mm/300mm/250mmNB.	300	M(Meter)
460	Swabbing and cleaning of pipe inside: Swabbing and cleaning of inside of pipes prior to welding and screwing. Size of the pipes : 400mm NB/350mm/300mm/250mmNB	480	M(Meter)
470	Same as Item No. 460(100-200mm): Same as Item No. 460 above, but size of pipe 200mm NB/150mm NB/100 mm	10,000	M(Meter)
480	Same as Item No. 460(20-50mm): Same as Item no-460 but size of the pipe is 50mm/25mm/20mm	1,500	M(Meter)
490	Repairing of damaged pipe with excavation: Repairing of damaged pipeline by welding without excavation. Size of the pipe : 400mm NB/350mm/300mm/250mmNB	20	NO(Number)
500	Same as Item No. 490(100-200mm): Same as Item No. 490 above, but size of pipe : 200mm NB/150mm NB/100 mm	45	NO(Number)
510	Same as Item No. 490(20-50mm): Same as Item No. 490 above, but size of pipe : 50mm NB/25 mmNB/20mmNB	200	NO(Number)
520	Cutting across road (250-400mm): Cutting of across asphalted/graveled road in places to a maximum depth of 2.0 mtr. The pipe should pass the road crossing at the same level through a suitable casing pipe in it. The Contractor has to place the casing pipe properly through which the welded section of the conductor pipe shall be inserted. The casing pipe of suitable size will be supplied by the Company. The trench should be backfilled and rammed properly with gravel stones.	100	M(Meter)

SOQ**E-TENDER CDI 6445P15**

	The Contractor shall have to arrange for emergency traffic diversion, road closer sign, skid etc. The weld joints on the casing as well as conductor pipes and two ties at the end shall be considered as a part of road crossing. Size Of Pipe : CONSIDER 400mm/350mm/300mm		
530	Same as Item No. 520(100-200mm): Same as Item No. 520 above, but size of pipe : 200mm NB/150mm NB/100 mm	300	M(Meter)

NOTE
1. Bidder to quote Unit Rate for a particular item as per above price bid format.
2. Bidders are requested to quote exclusive of Service Tax. Service Tax, if applicable shall be to the Company's Account. However, Service Tax portion payable directly by the Service provider (if applicable) shall be reimbursed to the Contractor on the basis of the documentary evidence.
3. To ascertain the inter-se-ranking, comparison of the responsive bids will be made on the GRAND TOTAL Value of the bid as per the Price Bid Format
4. Bidder must include all liabilities including statutory liabilities in their quoted rates except Service Tax.

*****End of SOQ*****

OIL INDIA LIMITED
(A GOVT. OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT, DULIAJAN

Schedule of company's Plants, Materials and Equipments: SCPME: PART-IV

Not Applicable

**TO,
HEAD-CONTRACT
OIL INDIA LIMITED
DULIAJAN-786602**

SUB: SAFETY MEASURES

Description of work/service:

Replacement of various sizes of pipelines, hydrant, valves, fittings, enclosures, coating, wrapping of pipe lines including painting and other related jobs in OIL's Operational areas for a period of two(2) years extendable by one(01) more year

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.

b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i) _____

ii) _____

iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

c) Due notice would be given for any change of personnel under item(b) above.

d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. Any violation pointed out by the Company's engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

e) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

(Seal)

Yours Faithfully

Date _____

M/s _____

FOR & ON BEHALF OF BIDDER

PROFORMA - I
BID FORM

To
THE HEAD (CONTRACTS)
OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. DULIAJAN
DIST. DIBRUGARH
ASSAM # 786 602

Sub: IFB No. : CDI6445P15

Dear Sir,

Having examined the General and Special Conditions of Contract and the Terms of Reference including all attachments thereto, the receipt of which is hereby duly acknowledged, we the undersigned offer to perform the services in conformity with the said conditions of Contract and Terms of Reference for the sum of ____ (Price not to be indicated) ____ stated below or such other sums as may be ascertained in accordance with the Price Bid Form attached herewith and made part of this Bid:

We undertake, if our Bid is accepted, to commence the work within (____) days calculated from the date of issue of Company's LOA.

We agree to abide by this Bid for a period of 180 days from the date fixed for Bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof in your notification of award shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this _____ day of _____ 2015.

Signature and seal of the Bidder: _____

(In the capacity of) : _____

Name of Bidder : _____

PROFORMA - II**STATEMENT OF NON-COMPLIANCE****(Only exceptions/deviations to be rendered)**

1.0 The Bidder shall furnish detailed statement of **exceptions/deviations**, if any, to the tender stipulations, terms and conditions in respect of each Section of Bid Document in the following format:

Section No.	Clause No. (Page No.)	Non-Compliance	Remarks

Authorised Person's Signature: _____**Name:** _____**Designation:** _____**Seal of the Bidder:**

NOTE: OIL INDIA LIMITED expects the bidders to fully accept the terms and conditions of the bid document. However, should the bidders still envisage some exceptions/deviations to the terms and conditions of the bid document, the same should be indicated as per above format and submit along with their bids. If the “**Statement of Compliance**” in the above Proforma is left blank (or not submitted along with the technical bid), then it would be construed that the bidder has not taken any exception/deviation to the tender requirements.

ANNEXURE- I

[TO BE FILLED-UP / SUBMITTED BY THE VENDOR ON ITS LETTER HEAD
FOR E-REMITTANCE]

Name:

FULL Address:

Phone Number :

Mobile Number :

E-mail address:

Fax Number :

Bank Account Number (in which the Bidder wants remittance against
invoices):

Bank Name :

Branch :

Address of the Bank:

Bank Code :

IFSC/RTGS Code of the Bank:

NEFT Code of the Bank :

PAN Number :

Service Tax Registration Number:

Signature of Vendor with Official Seal

Note: This declaration shall be printed on letter head of the Bidder and shall
be signed by a competent person.

ANNEXURE- II**FORM OF BID SECURITY (BANK GUARANTEE FORMAT) OR ANY OTHER
FORMAT ACCEPTABLE TO OIL INDIA LTD.**

To:
M/s. OIL INDIA LIMITED,
For Head(Contracts),
Duliajan, Assam, India, Pin - 786 602.

WHEREAS, (Name of Bidder) _____ (hereinafter called "the Bidder") has submitted their offer Dated _____ for the provision of certain services (hereinafter called "the Bid") against OIL INDIA LIMITED, Duliajan, Assam, India (hereinafter called the Company)'s Tender No. **CDI 6445P15**

KNOW ALL MEN BY these presents that we (Name of Bank) _____ of (Name of Country) _____ having our registered office at _____ (hereinafter called "Bank") are bound unto the Company in the sum of (*_____) for which payment well and truly to be made to Company, the Bank binds itself, its successors and assignees by these presents.

SEALED with the common seal of the said Bank this ____ day of _____ 2015.

THE CONDITIONS of these obligations are:

- (1) If the Bidder withdraws their Bid during the period of Bid validity specified by the Bidder; or
- (2) If the Bidder, having been notified of acceptance of their Bid by the Company during the period of Bid validity:
 - (a) Fails or refuses to execute the form of agreement in accordance with the Instructions to Bidders; or
 - (b) Fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;

We undertake to pay to Company up to the above amount upon receipt of its first written demand (by way of letter), without Company having to substantiate its demand provided that in its demand Company will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including the date (**--/--/--) and any demand in respect thereof should reach the Bank not later than the above date.

Notwithstanding anything contained hereinabove:

- (i) Our liability under the guarantee shall not exceed _____
- (ii) This Bank Guarantee shall be valid only up to __/__/__
- (iii) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if we receive a written claim or demand on or before __/__/__

SIGNATURE AND SEAL OF THE GUARANTORS _____

Name of Bank & Address _____

Witness _____

Address _____

(Signature, Name and Address)

Date: _____

Place: _____

* The Bidder should insert the amount of the guarantee in words and figures.

** Date of expiry of Bank Guarantee should be minimum 30 days after the end of the validity period of the Bid i.e minimum 210 days validity.
