MATERIALS DEPARTMENT P.O. DULIAJAN - 786 602 DIST. DIBRUGARH ASSAM, INDIA PHONE: 0374 - 2808614

EMAIL: tuhin\_roy@oilindia.in

#### FORWARDING LETTER

Sub: TENDER NO. SDH5547P21/07 DATED 30.10.2020 FOR PROCUREMENT OF CHEMICAL DOSING PUMPS

Dear Sirs,

- 1.0 OIL INDIA LIMITED (OIL), a "Navaratna" Category, Government of India Enterprise, is a premier Oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Duliajan is well connected by Air with nearest Airport being at Dibrugarh, 45 km away.
- 2.0 In connection with its operations, OIL invites National Competitive Bids (NCB) from competent and experienced manufacturers through OIL's e-procurement site for subject mentioned item. One complete set of Bid Document for above is uploaded in OIL's e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL's e-procurement portal. For your ready reference, few salient points of the Tender are highlighted below:

E-Tender No	:	SDH5547P21/07 DATED 30.10.2020
Type of Bidding	:	SINGLE STAGE TWO BID SYSTEM
Type of Tender	:	OPEN TENDER
Tender Fee	:	NOT APPLICABLE
Bid Closing Date & Time	•	09.12.2020; 11:00 HRS.
Technical Bid Opening Date & Time	••	09.12.2020; 14:00 HRS.
Price Bid Opening Date & Time	:	To be decided later and shall be intimated separately to the technically qualified bidders.
Bid Security Amount	:	INR 90,000.00
Bid Security Validity	:	Minimum upto 31.08.2021
Bid Submission Mode	:	Bids must be uploaded online in OIL's E-procurement portal
Bid Opening Place	:	Office of CGM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.
Bid Validity	:	Bid should be valid for minimum <b>120 days</b> from actual bid closing date.
Original Bid Security to be submitted	:	Office of CGM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.
Performance Guarantee	:	Applicable @ 10% of Order value
Integrity Pact	:	Not Applicable

Contact Details	:	TUHIN ROY, CHIEF MANAGER MATERIALS E-MAIL: tuhin_roy@oilindia.in, PHONE: 0374- 2808614
E-Tender technical Support	:	TEL: 0374- 2804903, 2807171, 2807192, E-MAIL: erp_mm@oilindia.in
Bids to be addressed to	:	CGM-Materials, Materials Department, Oil India Limited, Duliajan -786602, Assam, India.
Queries/Clarifications on the Tender	:	To submit through e-mail addressed to tuhin_roy@oilindia.in

# LIST OF ANNEXURES APPLICABLE

Heading		Particulars	
General Terms &	:	MM/LOCAL/E-01/2005 for E-Procurement LCB	
Conditions		Tenders	
Annexure-A	:	Tender details and various notes to bidders	
Annexure-B	:	Bid Evaluation & Rejection Criteria	
Annexure-C, D, E		BEC/BRC, Technical & Commercial Checklist	
Appendix-A-1	:	Details of restrictions on procurement from a bidder	
		of a country which shares a land border with India	
Proforma-1	:	Format for Undertaking towards compliance of office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020	
Proforma-2	:	Format of undertaking towards submission of	
		authentic information/documents	
Proforma-3	:	Integrity Pact (Not Applicable)	
Proforma-4	:	Bid Security Format	
Proforma-5	:	Performance Security Format	
Proforma -6	:	Format of undertaking towards compliance to	
		Financial Criteria	
Proforma -7	:	Format for certificate of annual turnover & net worth	
Proforma -8	:	Format of Corporate Guarantee towards Financial	
		standing	
Others	:	Any other document uploaded online in OIL's E-	
		procurement portal.	

3.0 OIL now looks forward to your active participation in the Tender.

Thanking you, Yours faithfully, OIL INDIA LIMITED

sd/-(Tuhin Roy) Chief. Manager Materials (FD) For CGM Materials (HoD) For Resident Chief Executive

#### **AA:** ITEM DETAILS & QUANTITY OF ITEMS:

# <u>Item No 10. ELECTRIC MOTOR DRIVEN, SKID MOUNTED, RECIPROCATING</u> PLUNGER TYPE CHEMICAL DOSING PUMP. Qty = 45 Nos.

Electric Motor Driven, Skid Mounted, reciprocating plunger type Chemical Dozing Pump with enclosed gear box, complete with variable output adjustment devices, relief valves, check valves on suction as well as delivery sides, strainer, base frame etc. as per the following specification –

#### A. Details of Pump:

Capacity: 0-40 LPH

Delivery Pressure-10 Kg/cm2

- 1. Single Simplex Reciprocating Plunger type Metering Pump.
- 2. The suction and delivery shall be of size ½ " each, Flanged to ANSI B 16.5, Flanges of SA 105, complete with companion flange, gaskets and nuts and bolts.
- 3. Capacity of the pump shall be 0-40 LPH against dis. Pressure of 10 Kg/cm2 when run with flooded suction. The pump shall have manual adjustment facility for discharge rate.
- 4. The pump shall have suitable check valves at suction and delivery along with a strainer at suction side.
- 5. The Pump shall have suitable safety valves to protect it from any abnormal pressure rise in delivery.
- 6. The Material of Construction of the pump body, suction and discharge ends shall be AISI 304 Stainless Steel and of gland packing shall be PTFE.
- 7. The Pump shall be suitable for handling flow improver of viscosity 85 cP @ 40°C. Pump shall be suitable for operating temperature of range 40 60°C.

#### B. Details of Motor:

- 1. The motor shall be 3 phase, squirrel cage, AC Induction motor. The motor shall be FLAMEPROOF type, suitable for installation in Zone 1 Hazardous Area, Gas Group IIA and IIB of Oil Mines. The motor shall be type tested and certified by Central Industrial Mining and Fuel Research Institute (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for use in hazardous area zone-1, gas group IIA & IIb.
- 2. Standards to be followed for motor: IS- 12615-2018, IS -2148, IS/IEC -60034. IS/IEC -60079
- 3. The motor rating shall be minimum 10 % higher than the input shaft HP, required for running of the driven equipment at the rated continuous output.
- 4. The enclosure of the motor shall be TEFC with Degree of protection IP55.
- 5. The insulation of the motor shall be Class F/H with temperature rise limited to that of class B.
- 6. Motor shall be suitable for  $415 \pm 6\%$  volts, 3 Phase, 50 cycles,AC supply and should withstand high voltage fluctuation.
- 7. The frequency of the motor shall be 50 Hz  $\pm$  3%.
- 8. The motor shall be Direct Coupled with bi-directional fan at NDE.
- 9. Starting: DOL starting for motors up to 12.5 HP; Y/D for motor above 12.5 HP.
- 10. Terminal Box: Flameproof Cable termination box with brought out terminals suitable for terminating PVCA aluminium cables of proper size as per rating of motor (01 no. for

DOL; 02 nos. for Y/D starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.

- 11. Glands: Adequate nos. of FLP-WP cable glands (depending on motor rating and type of starter) shall be supplied with the motor. The glands shall be double compression type and suitable for installation in Hazardous Area Zone 1 and Gas Group IIA and IIB of Oil Mines. Glands shall be type tested and certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory. starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.
- 12. Earthing: Two nos. of earthing studs to be provided on both sides of the motor. Earthing system for the motor shall be as per the IS: 3043.
- 13. Lifting Eye: One no. lifting eye hook shall be provided for lifting the motor.
- 14. Markings: Name plate details with name of manufacturer, frame size, rated voltage, output, current, frequency, type of duty, class of insulation, no. of phases, speed in rpm at rated output, degree of protection, winding connections, ambient temp, bearing sizes, lubricant, lubrication material and year of manufacture CMRI certification details, shall be engraved type on a separate metallic plate (brass/SS) and fixed on the motor body in a conspicuous place, in a permanent manner (riveted on the motor body).
- 15. The motor shall be of Bharat Bijlee / Crompton Greaves / KEC/ Siemens /NGEF /ABB / Marathon Electric make.

#### C. Details of Starter:

Separate Flameproof starter shall be supplied with the motor. The starter shall be suitable for self-mounting with proper supports, with provisions for grouting on floor/wall.

- 1. The starter shall be suitable for 3 phase, 415 V, 50 Hz squirrel cage, AC Induction motor.
- 2. The starter shall be FLAMEPROOF and WEATHERPROOF type, suitable for installation in Zone 1 Hazardous Area, Gas Group IIA and IIB of Oil Mine. The starter shall be certified by Central Industrial Mining and Fuel Research Institute (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP-WP construction and use in above area. Standards: IS / IEC 60079. Enclosure: FLP with Degree of protection –IP65.
- 3. Starter shall be suitable for  $415 \pm 6\%$  volts, 3 Phase, 50 cycles, AC supply and should withstand specified voltage fluctuation. Freq.: 50 Hz  $\pm$  3%.
- 4. There shall be a power isolator built-in with the FLP enclosure for isolating the power supply to the starter. Alternately, a separate FLP-WP box with isolator, mounted with the main starter enclosure, can also be provided. However, the complete enclosure shall be type tested and certified from CIMFR or any other Govt. approved NABL accredited test laboratory for flameproof quality.
- 5. The starter shall have Power contactor(s) with auxiliary contacts. The Power Contactor(s) normal current rating shall be selected for long life operation of the contactors. One bimetallic thermal overload relay with AUTO/ MANUAL reset (reset button to be mounted on door of the starter and shall be accessible from front) shall be provided for overload protection of the motor.
- 6. Start/stop push button shall be provided on the front of the starter.
- 7. Control circuit of the starter shall operate on 240/415v AC.
- 8. In case of Y/D starter Electronic timer for Y/D delay shall be provided.
- 9. Make of Contactor, Relay, timer: Siemens/GE/Schneider/L&T/ABB/Indo-Asian.
- 10. Terminal Box: Cable termination box with brought out terminals suitable for terminating PVCA aluminum/copper cables of proper size as per rating of motor (01 no. incoming; outgoing 01 no. for DOL or 02 Nos. for YD starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.

- 11. Glands: Adequate nos. of FLP-WP glands (depending on rating and type of starter and cable rating) shall be supplied with the starter. The FLP glands shall be double compression type suitable for installation in Hazardous Area Zone 1 and Gas Group IIA and IIB of Oil Mines. The glands shall be certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP construction and use in above area.
- 12. Earthing: Two nos. of earthing studs to be provided on both sides of the enclosure. Earthing system for the starter shall be as per the IS: 3043.
- 13. Markings: Name plate details with name of manufacturer, type, rated voltage, rated output CIMFR/other certification details, shall be engraved type on a separate metallic plate (brass/SS) and fixed on the motor body in a conspicuous place, in a permanent manner (riveted on the motor body).
- 14. Make of Starter shall be FCG/Baliga/Flexpro/FEPL/ExEc/Sudhir/Laxmi Hydraulic.

#### D. CLIMATIC CONDITIONS:

The motor shall be suitable for operation in the following climatic conditions:

- a) Altitude : 150 m above mean sea level
- b) Max. Relative humidity: at 21 Deg C 100 %, at 35Deg C 95 %
- c) Avg. rainfall : 343 cms.

#### E. SPARES:

Following spares in specified quantity as indicated shall be supplied along with the supply of the units. Specific description, part numbers, Make etc. (if available) and unit price of each & every spares shall clearly to be indicated in the bid which will be considered for bid evaluation purpose.

- i)Teflon and gland packing for pump -02 Sets per pump.
- ii)O-rings and packings-02 Sets per pump.
- iii) Suction Strainer Filter Element: 2 nos per pump.
- iv) Plunger for Pump: 1 Nos per pump.
- v) Oil Seal Set for Pump and motor: 2 set per pump.
- vi) Pump Suction and Discharge Valve Assembly: 1 Set per pump.

## **AB:** SPECIAL TERMS & CONDITIONS:

- 1.0 The items shall be brand new, unused & of prime quality. The manufacturer shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of shipment/ dispatch or 12 months from the date of receipt of the items, whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense. **Bidders must confirm the same in their quotations.**
- 2.0 The Technical bid shall be accompanied with the following:
- i) Detailed cross sectional/dimensional drawing of pump and motor
- ii) Characteristics / Performance curves of the pump.
- iii) Pump and motor capacity calculation
- iv) Test certificate of pump and motor for routine tests done at manufacturer's works.

- v) Literatures, catalogues, operating manual
- vi) Detailed Electrical schematic and component layout Diagram of the starter panel
- vii) Detailed drawings of the offered FLP Motor and starter enclosure showing terminal box & cable entry arrangement with double compression cable glands.
- viii) Copy of the valid type test certificate as per 7.0 below.
- 3.0 The Bidder shall furnish every detail of pump and motor as specified in the enquiry.
- 4.0 The Bidder shall categorically confirm that the pump and motor shall be supplied in unitized condition.
- 5.0 The bidder shall specifically confirm about the dynamic balancing of the impeller and provide necessary details thereof in the BID.
- 6.0 The bidder shall confirm that test and guarantee certificate of motor, starter and pump will be forwarded along with the materials in the event of placement of order.
- 7.0 The electrical motor, starter, terminal box and glands shall be conforming to the requirements of relevant Indian or International Standards and shall be suitable for installation in Hazardous Area Zone 1, Gas Groups IIA and IIB, of Oil Mines. These items shall be type tested and certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP & WP construction for use in above area. A copy of the valid type test certificate shall be submitted along with the bid for technical evaluation.
- 8.0 Frame size & make of the offered motor should be mentioned in the offer.
- 9.0 The bidder shall confirm that Material Test Certificates of components like Casing, Impellers, Pump Shaft and diffusers etc. will be forwarded along with the materials in the event of placement of order.
- 10.0 Packing shall be adequate to avoid transit damage & protection against tropical rains.
- 11.0 All unused cable entries holes of the starter/motor must be plugged with CIMFR/test laboratory certified FLP-WP sealing plugs.
- 12.0 The bidder shall quote for recommended spares along with price, part nos. of individual items for two (02) years trouble free operation of the dozing unit. While quoting for these spares, the bidder shall take into account the consumption pattern as deemed fit. **However, the same shall not be considered while evaluating the bid**. Procurement of spares shall remain at OIL's discretion. Since the offer for above regular / recommended sparès will not be considered for evaluation, the same may be uploaded in technical bid itself.
- 13.0 The bidder must submit a written undertaking along with the technical bid that they would be able to supply all the requisite spares and consumables (including bought out items) for a period of 05(five)years from the certified date of completion /successful field commissioning of the unit.
- 14.0 In the event of an order, first fill of lubricant shall be within the scope of supply of the bidder.

- 15.0 The bidder shall categorically confirm that the pump shall be able to handle various chemicals used in E&P activity, i.e. Oil Soluble Demulsifiers, Deoilers, Pour Point Depressant (Flow Improver), Methanol etc.
- 16.0 The bidder shall, in the event of an order, agree to submit the following documents along with supply of the unit:
- i) Detailed Foundation Drawing of the unit
- ii) Detailed Operation & Maintenance (O&M) Manual.
- iii) Guarantee Certificate of pump, motor and starter for 12 months after date of receipt of supply.
- iv) Valid Test certificate of pump motor, starter and glands for routine tests done at manufacturer's works.
- 17.0 Bidder should categorically confirm in the technical bid a delivery schedule for dispatch of the items within Six (06) months after receipt of formal order failing which their offer will be rejected. Date of Consignment Note (C/Note date in case of indigenous supplier) shall be considered as delivery date.

#### **BB: SPECIAL NOTES TO BIDDERS**

- 1. The Bidder should indicate the dimensions and weight of the offered items, the name of the manufacturer, the country of origin and place of dispatch of the materials.
- 2. Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
- 3. Bidder to sign and submit completely filled up BEC / BRC Evaluation Matrix Annexure C & Technical Evaluation Matrix Annexure D.

# CC: GENERAL NOTES TO BIDDERS

Sl.	Clause
No 1.0	This Tender has been floated for participation of Indigenous (Indian) bidders only. Hence, only Indigenous bidders are eligible to participate against this tender. Consortiums/Joint venture entities are not eligible to participate against this tender.
2.0	a) Bidders without having E-tender Login ID and Password should complete their online registration at least seven (7) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E-tender site <a href="https://etender.srm.oilindia.in/irj/portal">https://etender.srm.oilindia.in/irj/portal</a>
	b) Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.
3.0	Office Memorandum No. F.No.6/18/2019-PPD dated 23.07.2020 issued by Public Procurement Division under Department of Expenditure of Ministry of Finance will also be applicable against the tender and thus bidder(s) must note that:
	"Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services or works, only if the bidder is registered with the competent authority"
	For further details on above and format of certification to be submitted by the bidder, <b>APPENDIX-A-1</b> & <b>PROFORMA-1</b> is to be referred.
4.0	FURNISHING FRAUDULENT INFORMATION/ DOCUMENT: If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. In this regard, bidders are requested to submit an Undertaking as per <b>PROFORMA-2</b> along with their offer failing which their offer shall be liable for rejection.
5.0	The Integrity Pact is not applicable against this tender.
6.0	Submission of Bid Security/EMD/Performance Bank Guarantee – Must be paid either through online mode or Submission of Bank Guarantee/LC only. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.

- A) The Bid Security (EMD) as applicable must either be deposited through online payment gateway or submitted to OIL in the form of original Bank Guaranty (hard copy) on or before the scheduled Bid Closing date of the Tender. The Validity and Amount of Bid Security (EMD) must be strictly as specified in the forwarding letter of this bid document. Bid shall be rejected without further reference, if the Bid Security (EMD) is not received strictly as above, except where exempted. OIL will not assume any responsibility whatsoever for submission of deficient/faulty Bid Security or for delay/non-delivery of the same. Format of Bid Security (Bank Guarantee) is enclosed vide **PROFORMA-4**
- B) In case of Bank Guarantee, the Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
  - (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
  - (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code – HDFC0002118; SWIFT Code - HDFCINBBCAL. Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602. The vendor shall submit to OIL the copy of the SFMS message as sent by the issuing bank branch along with the original bank guarantee.

- C) In case of online payment, refund will be made in [INR] using the exchange rate prevailing as on the date of actual receipt of Bid Security/EMD/Performance Bank Guarantee amount. The refund amount shall not (in any case) exceed the amount actually received.
- D) The bidders shall extend the validity of the Bid Security suitably, if and when specifically advised by OIL, at the bidder's cost.
- E) Bank charges, if any for submission of bid security shall be on bidder's account.
- F) The Bid Security may be forfeited:
  - a. If the bidder withdraws the bid within its original/extended validity.
  - b. If the bidder modifies/revises their bid suo-moto.
  - c. If the bidder does not accept the order/contract.
  - d. If the bidder does not furnish Performance Security Deposit within the stipulated time as per tender/order/contract.
  - e. If it is established that the bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice, the bid security shall be forfeited after due process in addition to other action against the bidder
- G) For exemption for submission of Bid Security please refer Clause No. 9.8 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).
- 7.0 Successful bidder shall be required to furnish a Performance Security equivalent to ten percent (10%) of total evaluated value of Order within 30 days of receipt of LOI/notification of award. The performance security must be in the form of Bank Guarantee (ref. PROFORMA-5) or in the form of a Bank Draft/Cashier's cheque/Banker's cheque/NEFT/RTGS/Electronic fund transfer to designated account of OIL or Fixed

Deposit Receipt (account OIL INDIA LIMITED) or irrevocable Bank Guarantee or irrevocable Letter of Credit (LC) from:

- A) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic bidder/ service provider, or
  - i) In case of foreign CONTRACTOR/service provider, the bank guarantee can be accepted from any scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India. Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India. Bank Guarantee issued by a Scheduled Bank of India at the request of some other Non-Schedule Bank of India shall not be acceptable
  - ii) The domestic CONTRACTOR/service provider(s) will have to submit the Bank Guarantee from any of the scheduled banks and on non-judicial stamp paper of requisite value as per the Indian Stamp Act, purchased in the name of the issuing banker.
  - iii) The foreign CONTRACTOR/service provider(s) will submit the Bank Guarantee from Banks of Indian origin situated in their country. In case no such bank of Indian origin is situated in their country, the Bank Guarantee may be submitted from the bankers as specified above.
- B) The Performance Security shall be denominated in the currency of the contract.
- C) The Performance Security specified above must be valid for the entire duration of the Contract and claim period should be valid for a minimum of 03 (three) months beyond the contract period. The Performance Security will be discharged by COMPANY not later than 30 days following its expiry of claim period. In the event of any extension of the Contract period, Bank Guarantee should be extended by CONTRACTOR by the period equivalent to the extended period.
- D) The Performance Security shall be encashed by COMPANY on account of CONTRACTOR's failure to fulfil its obligations under the Contract and/or non-performance /unsatisfactory of the Contractor. Company shall not be required to proof any loss or damage on account of Contractor's non-performance/unsatisfactory performance.
- E) The Performance Security will not accrue any interest during its period of validity or extended validity.
- F) Bank charges, if any for submission of performance security shall be on supplier's account.
- G) The validity of Bank Draft/Cashier's cheque/Banker's cheque should not be less than 3 months at the submission to OIL.
- H) Non-submission of Performance Security as above by the successful Bidder shall lead to cancellation/termination of award including forfeiture of their Bid Security, besides

	other penal actions as per OIL's Banning Policy. Bidders should undertake in their bids to submit Performance Security as stated above.
	I) In case Annual Maintenance Contract (AMC) is required and OIL intends to enter into a separate contract with the successful bidder for AMC, the Successful bidder must undertake to submit separate Performance Security against the AMC at the applicable rate & validity to be stipulated in the contract.
	J) The Successful bidder shall also submit an "Undertaking for performance Bank guarantee" as per attached format (Proforma 5A).
8.0	Bid must be submitted online through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
9.0	Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribing tender no. and due date to The CGM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before 13:00 hrs (IST) on the Bid Closing Date mentioned in the Tender.  a) Original Bid Security along with two duplicate copies of Bid Security.  b) Any other documents which have been particularly asked for in this tender for submission.
10.0	Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above-mentioned address before the bid closing date and time, failing which the offer shall be rejected.
11.0	Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
12.0	To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected. However bidder(s) must note that there should not be any additional financial involvement arising out of such post tender clarifications.
13.0	A job executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BRC/BEC (if applicable).
14.0	The items covered in this Tender shall be used by Oil India Limited in the PEL/ML areas and hence Nil rate of Customs Duty towards import (for foreign bidders) and concessional GST @5% (for foreign & indigenous bidder) will be applicable as per Govt. Policy in vogue.
	Overseas Bidders are not required to include Customs Duty and IGST components in their quoted cost, since all applicable taxes & Duties in India shall be to the account of Oil India Limited.

In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC) under Deemed Export Benefit Scheme, where import content is declared by the bidder for availing Custom Duty benefit on the import content.

Note: Successful bidder shall arrange to provide all necessary documents (invoice etc.) to OIL for applying Essentiality Certificate on receipt of request from OIL, if any. Further, Successful bidder shall affect dispatch only on receipt of relevant certificates/shipment clearance from OIL, failing which all related liabilities shall be to Supplier's account.

- The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005-May2020 for E-procurement (LCB Tenders) including Amendment and Addendum to "General Terms & Conditions" for e-Procurement. However, if any of the Clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the Clauses in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005-May2020 for E-procurement (LCB Tenders) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.
- Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 (and amendments issued time to time) in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. In this regards, bidders are requested to take note of the following and to submit their offers accordingly.
  - a) Categorisation and various criteria applicable to MSE bidders shall be guided by the Gazette notification no. CG-DL-E-26062020-220191 dated 26.06.2020 issued by Ministry of Micro, Small and Medium Enterprises. The existing enterprises registered under EM-Part-II or UAM till 30th June, 2020 shall continue to be valid only for a period up to the 31<sup>st</sup> day of March, 2021.

The bidder claiming as MSE status (MSE-General, MSE-SC/ST, MSE -Woman) against this tender has to submit following documents for availing the benefits applicable to MSEs:

i. Udyam Registration No. with Udyam Registration certificate

OR

ii. Proof of registration with District Industry Centres or Khadi & Village Industries Commission or Khadi & Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts & Handloom or Udyog Adhar registration or registration with any other body specified by Ministry of MSME.


Note: In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST entrepreneur/ Woman Entrepreneurs should also be enclosed.

b) For availing benefits under Public Procurement Policy (Purchase preference & EMD exemption), the interested MSE Bidders must ensure that they are the manufacturer/service provider of tendered item(s) and registered with the appropriate authority for the said

item(s). Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the item as per tender.

### 17.0 **DIGITAL SIGNATURE**:

- (i) To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate of Class 3 with Organizations Name and Encryption certificate as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (http://www.cca.gov.in). Digital Signature Certificates having "Organization Name" field as "Personal" are not acceptable.
- (ii) Digital Signature Certificate comes in a pair of Signing/verification and Encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system.
- (iii) Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his Digital Signature Certificate then old certificate [Used for encryption] is required in order to decrypt his encrypted response for getting the EDIT mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly.
- (iv) In case of loss of the certificate, OIL INDIA LIMITED is not responsible.
- Bids are invited online under **SINGLE STAGE TWO BID SYSTEM**. Bidders must prepare the **TECHNO-COMMERCIAL BID** (**UNPRICED**) as well as the **PRICED BID** separately and upload both these bids in OIL's e-procurement portal at the designated fields separately assigned. Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid. The "Unpriced Bid" shall contain all techno-commercial details except the prices/costs. The rate and amount columns in the unpriced technical bid must be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions. Bidder not complying with above submission procedure will be rejected.
  - i) Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.
  - ii) The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab "Notes and Attachments". Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.



- In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID" should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFx Response-> User > Technical Bid. No price should be given in above Technical Rfx otherwise the offer will be rejected. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFx Response-> User > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. Details of prices as per Bid format / Commercial bid can be uploaded as Attachment under the attachment option under "Notes & Attachments".
  - i) Priced bids of only those bidders will be opened whose offers are found to be technocommercially acceptable.
  - ii) For convenience of the qualified Bidders and to improve transparency, the rates/cost quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment from under "Notes & Attachment" (i.e. NO PRICE CONDITION), Bidders must upload their detailed Price-Bid as per the prescribed format under "NOTES & ATTACHMENT", in addition to filling up the "TOTAL BID VALUE" tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE condition (i.e. Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the inter-se-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of the etender.

20.0	AMENDMENT OF BID DOCUMENTS:
	i) At any time prior to the deadline for submission of bids, the Company may, for any
	reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bid Documents through issuance of
	Corrigendum(s)/Addendum(s).
	ii) The Corrigendum(s)/ Addendum(s) will be uploaded in OIL's E-Tender Portal in the Tab
	"Technical Rfx" and under External Area - "Amendments" folder. The Company may, at its discretion, extend the deadline for bid submission. Bidders are expected to take the
	Corrigendum(s)/ Addendum(s) into account in preparation and submission of their bid.
	Bidders are to check from time to time the E-Tender portal ["Technical RFx" Tab and under
	the folder "Amendments"] for any amendments to the bid documents before submission of their bids. No separate intimation shall be sent to the Bidders.
	then stast to separate intimation shall be sent to the Braders.
21.0	Quantity of Individual item may be increased or decrease at the time of final placement of
	order. The minimum FOB/FCA charges in case of partial order for reduced quantity/enhanced quantity shall have to be indicated by the bidder. In case, this is not
	indicated specifically, the charges quoted would be pro-rata calculated and the same will be
	binding on the bidder.
22.0	Please mention clearly in your quotation the Net. Weight, Gross Weight & Volume, Indian
22.0	Agent's Name and its Commission, Payment Terms, Ocean Freight/Air Freight Charges,
	Port of Loading, Delivery period, Country of origin with manufacturer's name, etc.
23.0	Any deviation(s) from the tender specification should be clearly highlighted specifying
	justification in support of deviation.
24.0	Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in
	case of any extension of the original bid closing date.
25.0	Indian Bidders shall indicate the following in their offer:
	i) Ex Works unit and total price as per price bid format including packing,
	forwarding and insurance; all costs as well as duties and taxes paid or payable on components and raw materials incorporated or to be incorporated in the
	goods, inspection, testing and loading on transport carrier etc.
	j) The quoted price shall be deemed to be inclusive of all taxes and duties except
	"Goods and Services Tax" (hereinafter called GST) (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply
	respectively and GST compensation Cess if applicable)
	k) Built in CIF value of import for raw material and components incorporated or
	to be incorporated in the goods and included in quoted price. The bidder shall provide description of such material, quantity, rate, value etc.
	l) Inland transportation charges from dispatch point to designated Project
	Site/dump area/dump yard including loading, unloading of Line Pipes/Bend at
	Project Site/Warehouse. The prices should be inclusive of all taxes, duties, levies etc.
26.0	The bidder must note that no trans-shipment en route is permitted. However, under
	exceptional circumstances, trans-shipment maybe allowed with prior consent of OIL. No charges shall be payable for such trans-shipment and consequent handling/storage of the
	goods.

27.0 The bidders are required to indicate both Ex-works as well as FOR Destination price by road. OIL reserves the right to place order on FOR (despatching station) or FOR (destination) terms. Offered rates should be kept firm through delivery/despatch. 28.0 Currency once quoted will not be allowed to be changed. OIL shall not be compensating for any exchange rate fluctuation. Payment Terms: Refer to "General Terms & Conditions" for e- Procurement as per 29.0 Booklet No. MM/LOCAL/E-01/2005-May2020 for E-procurement (LCB Tenders) 30.0 Liquidated Damage: Refer to "General Terms & Conditions" for e- Procurement as per Booklet No. MM/LOCAL/E-01/2005-May2020 for E-procurement (LCB Tenders). The applicable GST on the Liquidated Damage shall have to be borne by the seller. Accordingly, the Liquidated Damage shall be recovered from the seller along with applicable GST. Note: In case of package items (ordered as a complete system) with multiple order line items, the liquidated damage shall be applicable on the entire order value of that package and not on the value of the undelivered portions/items (even though a billing breakup has been available). Bidder to sign and submit completely filled up Technical & Commercial check list and 31.0 Technical Evaluation Matrix for Bid evaluation criteria and Technical specification failing which their offer will be rejected. 32.0 APPLICABILITY OF BANNING POLICY OF OIL INDIA LIMITED: Banning Policy dated 6th January, 2017 as uploaded in OIL's website will be applicable against the tender (and order in case of award) to deal with any agency (bidder/contractor/supplier/vendor/service provider) who commits deception, default, fraud or indulged in other misconduct of whatsoever nature in the tendering process and/or order execution processes. Applicability of the policy shall include but not limited to the following in addition to other actions like invoking bid security/performance security/cancellation of order etc. as deemed fit and as mentioned elsewhere in the tender: A) BACKING OUT BY BIDDER WITHIN BID VALIDITY SUCCESSFUL BIDDER OF BACKING OUT BY **AFTER ISSUE** LOA/ORDER/CONTRACT C) NON/POOR PERFORMANCE AND ORDER/CONTRACT EXECUTION DEFAULT The bidders who are on Holiday/Banning/Suspension list of OIL on due date of submission of bid/during the process of evaluation of the bids, the offers of such bidders shall not be considered for bid opening/evaluation/award. If the bidding documents were issued inadvertently/downloaded from website, the offers submitted by such bidders shall also not be considered for bid opening/evaluation/Award of Work. 33.0 **PACKAGING**: The Seller, wherever applicable shall after proper painting, pack and crate all goods for air/road/rail transportation in a manner suitable to tropical humid climatic region in accordance with the internationally accepted practices and in such a manner so as to protect it from damage and deterioration, in transit by air or road or rail and during storage at the storehouse. The Seller shall be held responsible for all damages due to improper packing. The Seller shall ensure sizing or packing of all oversized consignments in such a way that availability of carrier and/or road/rail route is properly taken into consideration. Seller shall comply with the Packing, Marking and Despatch Instructions and Special Packaging Requirement as per this Bidding Document. All items must have their respective identification marks painted /embossed on them.

### 34.0 ROAD DESPATCH

- a) In the event of an order other than FOR Destination terms, the material will be required to despatch through OIL's approved transporters (which will be specified in the order) on "Door Delivery" basis. [Note: Sundry Consignment with weight lesser than 03 Tons shall be delivered at OIL's approved transporters godown]
- b) For orders placed on FOR Destination basis, the material will be required to despatch through reputed Bank approved transporters only on Door Delivery basis. In case OIL is required to collect the material from transporters Godown, extra expenditure incurred thereof will be recovered from the Bidder/seller.
- c) The SELLER shall ensure with Transport Company the delivery of materials within a reasonable transit period. SELLER shall also obtain from transporter, particulars of Lorry Number, Transporter's Challan Number, destination of lorry (if transhipment is involved), Transporter's Agent at destination, if any, etc. and intimate same to OIL.
- 35.0 **SHORT SHIPMENTS**: Seller should thoroughly check all items in the packing before effecting shipment. If any item(s) are found short packed in sound boxes on examination at project site, Seller shall be responsible to supply short packed items free of charge on receipt of advice from Purchaser. Seller shall also be responsible to bear the import duty levied by Indian Customs on such short-packed items.
- In case a Startup [defined as per Ministry of Commerce and Industry (Department of Industrial Policy and Promotion, DIPP) latest notification]/ MSE is interested in supplying the tendered item but does not meet the Pre-Qualifying Criteria (PQC)/ Proven Track Record (PTR) indicated in the tender document, the Startup/MSE is requested to write a detailed proposal separately, and not against the present tender requirement, to the tender issuing authority about its product. Such proposals shall be accompanied by relevant documents in support of MSE (where applicable) or in case of Startup, following documents shall be given:
  - 1. Certificate of Recognition issued by the Department of Industrial Policy and Promotion, Ministry of Commerce and Industry, Government of India.
  - 2. Certificate of incorporation.
  - 3. Audited Profit & Loss (P&L) Statement of all the Financial Years since incorporation. In case where the Balance sheet has not been prepared, bidder shall submit a certificate in original from its CEO/CFO stating the turnover of the bidding entity separately for each Financial Years since incorporation along with a declaration stating the reason for not furnishing the audited P&L Statement. This certificate shall be endorsed by a Chartered Accountant/Statutory Auditor.

The Proposal shall be examined by OIL and OIL may consider inviting a detailed offer from the Startup/MSE with the intent to place a TRIAL or TEST Order, provided the Startup/MSE meets the Quality and Technical Specifications.

In case the Startup/MSE is successful in the Trial Order, the vendor shall be considered for PQC exemption/relaxation (as the case may be) for the next tender for such item till the time it remains a Startup/MSE.

- 37.0 **IMPORTANT NOTES**: Bidders shall take note of the following important points while participating in OIL's e-procurement tender:
  - a) Bid should be submitted online in OIL's E-procurement site up to 11.00 Hrs. (IST) (Server Time) on the date as mentioned and will be opened on the same day at 14.00 Hrs. (IST) at the office of the Head-Materials in presence of the authorized representatives of the bidders.
  - b) Bidders are advised in their own interest to ensure that their bids are uploaded in system before the closing date and time of the bid. The documents in physical form mainly the Original Bid Security if received by the Company after the deadline for submission prescribed by the Company shall be rejected and shall be returned to the Bidders in unopened condition immediately.

## 38.0 | CLAUSES RELATED TO GST

- a. For the purposes of levy and imposition of GST, the expressions shall have the following meanings:
- (a) GST means any tax imposed on the supply of goods and/or services under GST Law.
- (b) Cess means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.
- (c) GST Law means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017 and all related ancillary Rules and Notifications issued in this regard from time to time.
- b. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax Invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- c. Offers without giving any of the details of the taxes (Including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder.

- d. Bidders are required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidders should confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidders to ensure that the intended benefits of GST have been passed on to OIL.
- e. Oil India Ltd. shall declare the value of free issue of materials and services, if any, involved in the execution of the order. The Contractor should consider the same while working out the GST liability, if any. Further in cases where GST is leviable on any facilities provided by OIL and used by bidders and the consideration for which is recovered by OIL in the form of reduction in the invoice raised by bidders then OIL will raise GST invoices on such transactions and the same will be reimbursed by bidders.

## f. When Input tax credit is available for Set Off

Evaluation of L-1 prices shall be done based on Quoted price after deduction of Input Tax Credit (ITC) of GST, if available to OIL.OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders.

### When Input tax credit is NOT available for Set Off

Evaluation of L-1 prices shall be done based on Quoted price only. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders

- g. Bidders agree to do all things not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and enable OIL to claim input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.
- h. In case Input Tax Credit of GST is denied or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by bidders, including non-payment of GST charged and recovered, the Vendor/Supplier/Contractor shall indemnify OIL in respect of all claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such disputed amount from the pending payments of the bidders.

## 39.0 **PRICE BID FORMAT**:

Price bid format has been uploaded alongwith the tender documents. All the price components of price bid format must be quoted.

#### *పిపిపిపిపిపిపిపిపిపిపిపిపిపిపి*పి

# BID EVALUATION CRITERIA (BEC)/BID REJECTION CRITERIA (BRC) -

In addition to BRC/BEC criteria of General Terms & Conditions for Indigenous tenders (MM/LOCAL/E01/2005) including amendments thereof, the following clause will be applicable against the tender.

### (I) BID REJECTION CRITERIA (BRC):

The bids shall broadly conform to the specifications and terms and conditions given in this bid document. Bids shall be rejected in case the items offered do not conform to required parameters stipulated in the technical specifications and to the respective international/national standards wherever stipulated.

Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements will have to be particularly met by the Bidders, without which the same will be considered as non-responsive and rejected.

#### **A.1 BRC- TECHNICAL:**

#### 1.0 Bidder's Qualification:

The bidder shall be an Original Equipment Manufacturer of the tendered item(s), or shall be an authorized agent / dealer / distributor/supply house of an Original Equipment Manufacturer of the tendered item(s) having valid authorization Letter /dealership certificate with warranty/guarantee back up from the principal (OEM). Copy of such authorization letter/ dealership certificate with warranty/ guarantee back up from the principal (OEM) shall be submitted along with the technical bid.

#### 2.0 Bidder's Experience:

- i) In case the bidder is an Original Equipment Manufacturer of the tendered item(s),
- a) The bidder shall have experience of successfully executing minimum 50% quantity (to be rounded off to next higher integer) of each tender item of same or superior model/ higher size & rating (class, WP, PSL, PR etc) as specified in the tender, in last 5 years preceding the original bid closing date of the tender, to any Oil & Gas Industry or service provider to an E&P company, either by themselves or through their agent/dealer/distributor/stockiest/supply house.
- ii) In case the bidder is an authorized agent /dealer /distributor /supply house,
- a) The OEM (principal) shall fulfil the experience criteria mentioned in clause 2(i) (a) mentioned above.
- b) Additionally, the bidder himself shall have experience of successfully executing minimum 50% quantity (to be rounded off to next higher integer) of each tendered item of same or superior model/ higher size & rating (class, WP, PSL, PR etc.) as specified in the tender, in last 5 years preceding the original bid closing date of the tender, to any Oil & Gas Industry or service provider to an E&P company, either from the same OEM (principal) or from any other OEM.
- iii) The bidder shall submit documents in support of their previous supply experience

  Page 20 of 51

and of the principal (OEM), as applicable under clause Nos. 2(i)(a), 2(ii)(a) & 2(ii)(b) mentioned above as follows:

- a) Copy(ies) of Purchase Order(s)/Contract document(s), and
- b) Any one or combination of the following documents that confirms the successful execution of each of the purchase order(s) / contract(s)
- Completion report/performance certificate from the clients,
- Bill of lading,
- Delivery challan/Invoice etc.
- Any other documentary evidence that can substantiate the successful execution of each of the Purchase Order(s)/contract(s) cited above.

#### NOTE:

- i. The Purchase Order date need not be within 5 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 5 (five) years preceding original bid closing date of this tender.
- ii. Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in case of any extension of the original bid closing date.
- iii. Satisfactory supply / completion / installation report should be issued on company's letterhead with signature and stamp. Originals to be produced for verification on demand of OIL.
- **3.0 Delivery:** Bidder should categorically confirm in the technical bid a delivery schedule within **Six (06) months** after receipt of formal order failing which their offer will be rejected.

#### (B) BRC -FINANCIAL:

- 1.0 **Annual Turnover** The bidder shall have annual financial turnover of minimum **INR 22.50 Lakhs** during any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender.
- 2.0 "Net Worth" of the bidder must be positive for the financial/accounting year just proceeding to the original Bid Closing Date of the Tender (i.e., Year 2019-20).
- Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial/accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/ will be considered. However, the bidder has to submit an accounting year affidavit/ undertaking (ref. Proforma-6) certifying that Statements for the financial year **2019-20** has actually not been sheet/Financial audited so far'.

#### Note:

a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the technical bid:-

i) A certificate issued by a practicing Chartered / Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual Turnover & Net worth as per format prescribed in **Proforma-7**.

OR

- ii) Audited Balance Sheet along with Profit & Loss account.
- b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.
- 4.0 In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, then the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date of Balance Sheet and Profit & Loss Account. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.
- 5.0 In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ ultimate parent/holding company, then following documents need to be submitted:
- i) Turnover of the parent/ ultimate parent/ holding company should be in line with Para 1.0 above.
- ii) Net Worth of the parent/ultimate parent/ holding company should be positive in line with Para 2.0 above.
- iii) Corporate Guarantee (as per Attachment XX) on parent / ultimate parent/holding company's company letter head signed by an authorised official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them.
- iv) Document of subsidiary company being 100% owned subsidiary of the parent/ ultimate parent/ holding company.

### (C) BRC -COMMERCIAL:

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Indigenous Tender (MM/LOCAL/E-01/2005) with following Special Bid Rejection Criteria.

- 1.0 Bids are invited online under **Single Stage Two Bid System**. Bidders must prepare the Techno-Commercial Bid (Unpriced) as well as the Priced Bid separately and upload both these bids in OIL's e-procurement portal at the designated fields separately assigned. **Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid**. The "Unpriced Bid" shall contain all technocommercial details except the prices/costs. The rate and amount columns in the unpriced technical bid must be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions. Bidder not complying with above submission procedure will be rejected.
- 2.0 The prices/rates offered against the tender must remain firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price condition shall be treated as non-responsive and rejected. No discount whatsoever should be quoted separately. Rates/prices quoted must be net of all discount.

- 3.0 Bids received in physical form against online invitation shall be rejected (except the documents specifically called for in hard copies, if any). Also, modifications to bids received after the bid closing date & time shall not be entertained.
- 4.0 Bids containing incorrect/false/misleading statement(s) shall be rejected.
- 5.0 Validity of the bid shall be 120 days from the date of actual Bid Closing Date. Bids with lesser validity shall be straightway rejected.
- 6.0 Bid Security (EMD) as applicable must either be deposited through online payment gateway or submitted to OIL in the form of original Bank Guarantee (hard copy) on or before the scheduled Bid Closing date & time of the Tender. The Validity and Amount of Bid Security (EMD) must be strictly as specified in the covering letter of this bid document. Bid shall be rejected without further reference, if the Bid Security (EMD) is not received strictly as above, except where exempted. OIL will not assume any responsibility whatsoever for submission of deficient/faulty Bid Security or for delay/non-delivery of the same.
- 6.1 For exemption for submission of Bid Security please refer to relevant Clause of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/LOCAL/E-01/ 2005 May2020 for E-procurement (LCB Tenders).
- 7.0 Bidders must confirm that goods/materials to be supplied against the order arising out of this tender shall be of recent make, unused, of the best quality & workmanship and free from defects. The Bidder must undertake to stand guaranteed the supplies for a period of 18 months from date of shipment / dispatch or 12 months from the date of receipt at site, whichever is earlier; against any defects arising from faulty materials, workmanship or design. Defective goods/materials rejected by OIL, whether the entire lot or part thereof, shall be replaced immediately by the supplier (on DDP Duliajan terms) at the supplier's expenses at no extra cost to OIL.
- 8.0 Successful bidder shall be required to furnish a Performance Security equivalent to ten percent (10%) of total evaluated value of Order within 30 days of receipt of LOA/notification of award. The Performance Bank Guaranty must remain valid throughout the period of execution, including extension if any. Non-submission of Performance Security as above by the successful Bidder shall lead to cancellation/termination of award including forfeiture of their Bid Security, besides other penal actions as per OIL's Banning Policy. **Bidders should undertake in their bids to submit Performance Security as stated above.**
- 9.0 Bidders must submit prices as indicated in the price bid format provided hereunder. In case, various charges (except basic material value) are not indicated item wise specifically, the charges quoted would be pro-rata calculated and the same will be binding on the bidder. Hence, bidders are requested to quote accordingly.
- 10.0 Bidders are required to submit their price bids strictly as per the formats provided in Clause ref. 39.0 of Part: CC of Annexure-A.
- 11.0 Bidders shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection:
  - i) Liquidated Damages
  - ii) Warranty/Guarantee of material
  - iii) Arbitration / Resolution of Dispute

- iv) Force Majeure
- v) Applicable Laws

# 12.0 A bid shall be rejected straightway if it does not conform to any one of the following clauses:

- a) Validity of bid shorter than the validity indicated in the Tender.
- b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.
- c) Bid Security with (i) validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.

### (II) BID EVALUATION CRITERIA:

The bids conforming to the specifications, terms and conditions stipulated in the enquiry and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per General Terms and Conditions for Indigenous Tender and the Bid Evaluation Criteria given below:

- 1.0 Bidders must submit prices as indicated in the price bid format provided in Clause ref. 39 of Part: CC of Annexure-A.
- 2.0 If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 3.0 To ascertain the inter-se-ranking, the comparison of the responsive bids will be made as under, subject to corrections / adjustments given herein.

#### Note:

- 1) Domestic Bidders must quote inland freight charges upto Duliajan. In case bidder fails to quote inland freight charges, highest freight quoted by domestic bidder (considering pro-rata distance) against this tender or OIL's estimated freight, whichever is higher, shall be loaded to their offer for comparison purpose.
- 2) For tenders with duty exemption benefit Indigenous bidder shall be eligible for concessional rate of GST @5% against Essentiality Certificate.
- 4.0 **The Grand Total FOR Destination Value (M) will compared for evaluation.** Parameters which are not applicable as per the tender document/scope of work are to be excluded.
  - **A)** Total cost of Materials:
  - **B)** Total cost of commissioning & mandatory spares(if applicable):
  - **C)** Total basic Material Value (A+B)
  - **D)** Total TPI & packing/forwarding Charges, if any
  - **E)** Quantity
  - **F)** Total Ex-works Value {(C + D) X E}):
  - G) GST@5% against EC
  - **H)** FOR Despatching station value (F+G)
  - I) Total freight & insurance charges upto Duliajan
  - **J)** Total FOR Destination Value (H + I)
  - **K)** Total PDI/Inst. & Comm./Training/AMC charges (if applicable)

- **L)** Total cost of operational spares (if applicable)
- **M)** Grand Total FOR Destination Value (J+K+L)
- 5.0 Other terms and conditions of the enquiry shall be as per General Terms and Conditions for Indigenous Tender. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BEC / BRC) mentioned here contradict the Clauses in the General Terms & Conditions of Indigenous Tender of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

\*\*\*\*\*\*\* END OF ANNEXURE - B \*\*\*\*\*\*\*\*

# RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY WHICH SHARES A LAND BORDER WITH INDIA

1.0 Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23<sup>rd</sup> July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Bidders are requested to take note of the following clauses and submit their offers accordingly wherever applicable.

Bidders must submit duly sealed & signed undertaking as per format provided vide, **"PROFORMA -1"** along with the technical bid.

I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.

### Validity of Registration:

In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance/placement of order, registration shall not be a relevant consideration during contract execution.

- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a county which shares a land border with India "for the purpose of this Order means:
  - a. An entity incorporated, established or registered in such a country; or

- b. A subsidiary of an entity incorporated, established or registered in such a country; or
- c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
- d. An entity whose beneficial owner is situated in such a country; or
- e. An Indian (or other) agent of such an entity; or
- f. A natural person who is a citizen of such a country; or
- g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- IV. The beneficial owner for the purpose of (iii) above will be as under:
  - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation -

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- 2. In case of a partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

- 5. In case of trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract any job related to the procurement (e.g. installation and commissioning, Annual Maintenance Contract etc.) to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Format for Undertaking by Bidders towards compliance of office memorandum F. No. 6/18/2019-PPD dated 23<sup>rd</sup> July, 2020 (Public Procurement no. 1) issued by Department of Expenditure, Ministry of Finance, Govt. of India

(To be typed on the letter head of the bidder)

Ref. No		Date
Tender No	Dated _	
OIL INDIA LIMITED MATERIALS DEPARTMENT DULIAJAN, ASSAM, INDIA		
Dear Sirs,		

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; We certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. We hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered. [Where evidence of valid registration by the Competent Authority shall be attached.]"

We also agree that, during any stage of the tender/contract agreement, in case the above information/documents submitted by us are found to be false, Oil India Limited has the right to immediately reject our bid/terminate contract at any stage and carry out further legal action on us in accordance with law.

Yours faithfully, For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation: Phone No.

Place:

(Affix Seal of the Organization here, if applicable)

Note: This form should be returned along with offer duly signed.

Format of undertaking by Bidders towards submission of authentic information/documents (To be typed on the letter head of the bidder)

Ref. No		Date	
Sub: Undertaking of authent	ticity of informatio	on/documents submitted	
Ref: Your tender No	Dated		
To, The HOD-Materials Materials Deptt, <u>OIL, Duliajan</u>			
Sir,			
With reference to our quotatio fraudulent information/docum		ve-referred tender, we hereby undertake that a mitted by us.	nc
We take full responsibility for above cited bid.	the submission of a	authentic information/documents against the	
information/documents submit	tted by us are found uding forfeiture of o	/contract agreement, in case any of the I to be false/forged/fraudulent, OIL has right our EMD and/or PBG and/or cancel the awar on us, as deemed fit.	
Yours faithfully, For (type name of the firm her	re)		
Signature of Authorised Signa	tory Name		
:			
Designation:			
Phone No.			
Place:			
Date:			
(Affix Seal of the Organization	n here, if applicable		

# Not Applicable

#### **BID SECURITY FORM**

TO, OIL INDIA LIMITED P. O. - DULIAJAN - 786 602 ASSAM, INDIA

Whereas
after called 'the Bidder') has submitted their Bid No
That weof
having our registered office at
(hereinafter called 'the Bank') are bound unto the Purchaser, in the sum
of
for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.
Sealed with the said Bank thisday of

# THE CONDITIONS of this obligation are:

- 1. If the Bidder withdraws their Bid during the period of Bid validity specified by the Bidder,
- 2. If the Bidder, having been notified of the acceptance of their bid by the Purchaser during the period of bid validity:
  - a) fails or refuses to accept the order; or
  - b) fails or refuses to furnish the performance security or
- 3. If the Bidder furnishes fraudulent document/information in their bid.

We undertake to pay to the Purchaser up to the above amount upon receipt of their first written demand (by way of letter /fax/cable) without the Purchaser having to substantiate their demand, provided that in their demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of any of the conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including \_\_\_\_\_ (Bidder to indicate specific date as mentioned in the tender), and any demand in respect thereof should reach the Bank not later than the above date.

## The details of the issuing bank and controlling bank are as under:

- A. Issuing Bank
- 1. Full address of the bank:
- 2. Email address of the bankers:
- 3. Mobile nos. of the contact persons:
- **B.** Controlling Office
- 1. Address of the controlling office of the BG issuing banks:
- 2. Name of the contact persons at the controlling office with their mobile nos. and email address:

Signature& Seal of the Bank

# PROFORMA - 5 PERFORMANCE SECURITY FORM

TO, OIL INDIA LIMITED, DULIAJAN - 786 602 ASSAM, INDIA

WHEREAS
(Name of the Seller) (herein after called 'the Seller') has undertaken, in pursuance of Order No
and Services) hereinafter called 'the Contract'.
AND WHEREAS it has been stipulated by you in the said Contract that the Seller shall furnish you with a Bank Guarantee by a recognized Bank for the sum specified therein as security for compliance with the Seller's performance obligation in accordance with the Contract.
AND WHEREAS we have agreed to give the Seller a Guarantee:
THEREFORE, we hereby affirm that we are Guarantors on responsible to you, on behalf of the seller, upto a total of
This Guarantee is valid until the day of
The details of the issuing bank and controlling bank are as under:
<ul> <li>A. Issuing Bank</li> <li>1. Full address of the bank:</li> <li>2. Email address of the bankers:</li> <li>3. Mobile nos. of the contact persons:</li> </ul>
B. Controlling Office
<ol> <li>Address of the controlling office of the BG issuing banks:</li> <li>Name of the contact persons at the controlling office with their mobile nos. and email address:</li> </ol>
Signature & Seal of the guarantors
Date
Witness

## PROFORMA - 5A

# UNDERTAKING BY VENDOR ON SUBMISSION OF PERFORMANCE BANK GUARANTEE

To, Oil India Limited Materials Department Duliajan – 786602. Assam		
We M/s	are submitting the performance	
security in favor of Oil India Limited,	Duliajan in the form of bank guarantee	
bearing reference no	for an	
amount of INR/USD/EUR	valid up to	
as	s per terms and conditions of Purchase	
Order/No.		
,		
PBG issuing bank details:-		
Bank		
Branch		
IFS Code		
Contact Details	Mobile	
E-mail Addresses	Telephone Fax	
Correspondence Address	State	
H No/Street/City	Country Pin	
	Code	
<u>Declaration:</u> We have arranged to send the confirmation of issuance of the performance bank guarantee via SFMS portal through our bank using the details mentioned in the contract/purchase order and hereby confirming the correctness of the details mentioned.		
	Authorised Signature	
	Name Vendor Code	

Encl: Original performance bank guarantee

Email ID .....

Mobile No .....

# FORMAT FOR CERTIFICATE OF COMPLIANCE OF FINANCIAL CRITERIA

# ON THE OFFICIAL PAD OF THE BIDDER TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER

Rei: C	Jiause No.	B - Financial Criteria of the BEC
Tend	er No.:	
•••••	•••••	the authorized signatory(s) of . (Company or firm name with address) do hereby solemnly lare as under:-
		sheet/Financial Statements for the financial year _ (as the case may be) has actually not been audited as on the osing Date.
Place	:	
Date	· · · · · · · · · · · · · · · · · · · ·	Signature of the authorized signatory

Note: This certificate are to be issued only considering the time required for preparation of Financial Statements i.e. if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date.

# PROFORMA - 7

#### CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PELETTER HEAD	RACTISING CHARTARD ACCO	UNTANTS' FIRM ON THEIR
	TO WHOM IT MAY CONCE	<u>RN</u>
financial statements of M	the following financial position M/seted accounting years upto	(Name of the bidder) for
YEAR	TURN OVER	NET WORTH
	In INR (Rs.) Crores/ US \$ Million) *	In INR (Rs.) Crores / US \$ Million ) *
*Rate of	conversion (if used any): USD 1	00 = INR
Place: Date: Seal Membership No: Registration Code:		

NOTE: As per the guidelines of ICAI, every practicing CA is required to mention Unique Document Identification Number (UDIN) against each certification work done by them. Documents certified by CA without UDIN shall not be acceptable.

Signature

#### PROFORMA - 8

# PARENT/ ULTIMATE PARENT/ HOLDING COMPANY'S CORPORATE GUARANTEE TOWARDSFINANCIAL STANDING (Delete whichever not applicable)

# (TO BE EXECUTED ON COMPANY'S LETTER HEAD)

#### DEED OF GUARANTEE

mention complete name) a company duly organized and
existing under the laws of (insert jurisdiction/country), having
its Registered Office atherein after called "the
Guarantor" which expression shall, unless excluded by or repugnant to the
subject or context thereof, be deemed to include its successors and permitted
assigns.
WHEREAS M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their
Tender No
against the said tender and desires to have Financial support of
M/s [Parent / Ultimate Parent/Holding Company(Delete whichever not
applicable)] and whereas Parent/Ultimate Parent/Holding Company(Delete whichever not
applicable) represents that they have gone through and understood the requirements of
subject tender and are capable and committed to provide the Financial support as required
by the bidder for qualifying and successful execution of the contract, if awarded to the bidder.

THIS DEED OF GUARANTEE executed at ...... this ...... day of ...... by M/s

Now, it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows:

- 1. The Guarantor confirms that the Bidder is a 100% subsidiary of the Guarantor.
- 2. The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
- 3. The Guarantor have an annual financial turnover of minimum INR............. Cr or USD ....... during any of the preceding 03(three) financial/ accounting years reckoned from the original bid closing date.
- 4. Net worth of the Guarantor is positive for preceding financial/accounting year.
- 5. The Guarantor undertakes to provide financial support to the Bidder for executing the project/job, in case the same is awarded to the Bidder.
- 6. The Guarantor represents that:
- (a) this Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Bidder.
- (b) the liability of the Guarantor, under the Guarantee, is limited to the 100% of the order value between the Bidder and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Bidder.
- (c) this Guarantee has been issued after due observance of the appropriate laws in force in India.
- (d) this Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of New Delhi, India.
- (e) this Guarantee has been given without any undue influence or coercion, and that the

Guarantor has fully understood the implications of the same.

(f) the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

for and on behalf of	for and on behalf of
(Parent/Ultimate Parent/Holding	(Bidder)
Company) (Delete whichever not	
applicable)	
Witness:	Witness:
1.	1.
2.	2.

# ANNEXURE-C BEC/BRC Evaluation matrix

Tender Requirement	Bidder's Response (i.e. Complied / Not complied / Not applicable). Bidder's Remark, if	Name & ref no of relevant document submitted and Correspondi ng Page no
BRC- TECHNICAL:		
1.0 Bidder's Qualification:		
The bidder shall be an Original Equipment Manufacturer of the tendered item(s), or shall be an authorized agent / dealer / distributor/supply house of an Original Equipment Manufacturer of the tendered item(s) having valid authorization Letter /dealership certificate with warranty/guarantee back up from the principal (OEM). Copy of such authorization letter/ dealership certificate with warranty/ guarantee back up from the principal (OEM) shall be submitted along with the technical bid.		
2.0 Bidder's Experience:		
i) In case the bidder is an Original Equipment Manufacturer of the tendered item(s),		
a) The bidder shall have experience of successfully executing minimum 50% quantity (to be rounded off to next higher integer) of each tender item of same or superior model/ higher size & rating (class, WP, PSL, PR etc) as specified in the tender, in last 5 years preceding the original bid closing date of the tender, to any Oil & Gas Industry or service provider to an E&P company, either by themselves or through their agent/dealer/distributor/stockiest/supply house.		
ii) In case the bidder is an authorized agent /dealer /distributor /supply house,		
a) The OEM (principal) shall fulfil the experience criteria mentioned in clause 2(i) (a) mentioned above.		
b) Additionally, the bidder himself shall have experience of successfully executing minimum 50% quantity (to be rounded off to next higher integer) of each tendered item		

of same or superior model/ higher size & rating (class, WP, PSL, PR etc.) as specified in the tender, in last 5 years preceding the original bid closing date of the tender, to any Oil & Gas Industry or service provider to an E&P company, either from the same OEM (principal) or from any other OEM.

iii) The bidder shall submit documents in support of their previous supply experience and of the principal (OEM), as applicable under clause Nos. 2(i)(a), 2(ii)(a) & 2(ii)(b) mentioned above as follows:

- a) Copy(ies) of Purchase Order(s)/Contract document(s), and
- b) Any one or combination of the following documents that confirms the successful execution of each of the purchase order(s) / contract(s)
- Completion report/performance certificate from the clients,
- Bill of lading,
- Delivery challan/Invoice etc.
- Any other documentary evidence that can substantiate the successful

execution of each of the Purchase Order(s)/contract(s) cited above.

#### NOTE:

- i. The Purchase Order date need not be within 5 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 5 (five) years preceding original bid closing date of this tender.
- ii. Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in case of any extension of the original bid closing date.
- iii. Satisfactory supply / completion / installation report should be issued on company's letterhead with signature and stamp. Originals to be produced for verification on demand of OIL.
- **3.0 Delivery:** Bidder should categorically confirm in the technical bid a delivery schedule within **Six (06) months** after receipt of formal order failing which their offer will be rejected.

# **ANNEXURE-D**

# **TECHNICAL EVALUATION MATRIX**

Tender Requirement	Bidder's Response (i.e. Complied / Not complied / Not applicable). Bidder's Remark, if any	Name & ref no of relevant document submitted and Correspondi ng Page no
Item No 10. ELECTRIC MOTOR DRIVEN, SKID		
MOUNTED, RECIPROCATING PLUNGER TYPE		
CHEMICAL DOSING PUMP. Qty = 45 Nos.		
Electric Motor Driven, Skid Mounted, reciprocating plunger type Chemical Dozing Pump with enclosed gear box, complete with variable output adjustment devices, relief valves, check valves on suction as well as delivery sides, strainer, base frame etc. as per the following specification —  A. Details of Pump:		
Capacity: 0-40 LPH Delivery Pressure-10 Kg/cm2  1. Single Simplex Reciprocating Plunger type Metering Pump.  2. The suction and delivery shall be of size ½ " each, Flanged to ANSI B 16.5, Flanges of SA 105, complete with companion flange, gaskets and nuts and bolts.  3. Capacity of the pump shall be 0-40 LPH against dis. Pressure of 10 Kg/cm2 when run with flooded suction. The pump shall have manual adjustment facility for discharge rate.  4. The pump shall have suitable check valves at suction and delivery along with a strainer at suction side.  5. The Pump shall have suitable safety valves to protect it from any abnormal pressure rise in delivery.  6. The Material of Construction of the pump body, suction and discharge ends shall be AISI 304 Stainless Steel and of gland packing shall be PTFE.  7. The Pump shall be suitable for handling flow improver of viscosity 85 cP @ 40°C. Pump shall be suitable for operating temperature of range 40 - 60°C.		
B. Details of Motor:		
1. The motor shall be 3 phase, squirrel cage, AC Induction motor. The motor shall be FLAMEPROOF type, suitable for		

installation in Zone 1 Hazardous Area, Gas Group IIA and IIB of Oil Mines. The motor shall be type tested and certified by Central Industrial Mining and Fuel Research Institute (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for use in hazardous area zone-1, gas group IIA & IIb

- 2. Standards to be followed for motor: IS- 12615-2018, IS 2148, IS/IEC 60034. IS/IEC 60079
- 3. The motor rating shall be minimum 10 % higher than the input shaft HP, required for running of the driven equipment at the rated continuous output.
- 4. The enclosure of the motor shall be TEFC with Degree of protection IP55.
- 5. The insulation of the motor shall be Class F/H with temperature rise limited to that of class B.
- 6. Motor shall be suitable for  $415 \pm 6\%$  volts, 3 Phase, 50 cycles, AC supply and should withstand high voltage fluctuation.
- 7. The frequency of the motor shall be 50 Hz  $\pm$  3%.
- 8. The motor shall be Direct Coupled with bi-directional fan at NDE.
- 9. Starting: DOL starting for motors up to 12.5 HP; Y/D for motor  $\,$

above 12.5 HP.

- 10. Terminal Box: Flameproof Cable termination box with brought out terminals suitable for terminating PVCA aluminium cables of proper size as per rating of motor (01 no. for DOL; 02 nos. for Y/D starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.
- 11. Glands: Adequate nos. of FLP-WP cable glands (depending on motor rating and type of starter) shall be supplied with the motor. The glands shall be double compression type and suitable for installation in Hazardous Area Zone 1 and Gas Group IIA and IIB of Oil Mines. Glands shall be type tested and certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory. starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.
- 12. Earthing: Two nos. of earthing studs to be provided on both sides of the motor. Earthing system for the motor shall be as per the IS: 3043.
- 13. Lifting Eye: One no. lifting eye hook shall be provided for lifting the motor.
- 14. Markings: Name plate details with name of manufacturer, frame size, rated voltage, output, current, frequency, type of duty, class of insulation, no. of phases, speed in rpm at rated output, degree of protection, winding connections, ambient temp, bearing sizes, lubricant, lubrication material and year of manufacture CMRI certification details, shall be engraved type on a separate metallic plate (brass/SS) and fixed on the motor

body in a conspicuous place, in a permanent manner (riveted on the motor body).

15. The motor shall be of Bharat Bijlee / Crompton Greaves / KEC/ Siemens /NGEF /ABB / Marathon Electric make.

#### C. Details of Starter:

Separate Flameproof starter shall be supplied with the motor. The starter shall be suitable for self-mounting with proper supports, with provisions for grouting on floor/wall.

- 1. The starter shall be suitable for 3 phase, 415 V, 50 Hz squirrel cage, AC Induction motor.
- 2. The starter shall be FLAMEPROOF and WEATHERPROOF type, suitable for installation in Zone 1 Hazardous Area, Gas Group IIA and IIB of Oil Mine. The starter shall be certified by Central Industrial Mining and Fuel Research Institute (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP-WP construction and use in above area. Standards: IS / IEC - 60079. Enclosure: FLP with Degree of protection –IP65.
- 3. Starter shall be suitable for  $415 \pm 6\%$  volts, 3 Phase, 50 cycles, AC supply and should withstand specified voltage fluctuation. Freq.: 50 Hz  $\pm$  3%.
- 4. There shall be a power isolator built-in with the FLP enclosure for isolating the power supply to the starter. Alternately, a separate FLP-WP box with isolator, mounted with the main starter enclosure, can also be provided. However, the complete enclosure shall be type tested and certified from CIMFR or any other Govt. approved NABL accredited test laboratory for flameproof quality.
- 5. The starter shall have Power contactor(s) with auxiliary contacts. The Power Contactor(s) normal current rating shall be selected for long life operation of the contactors. One bimetallic thermal overload relay with AUTO/ MANUAL reset (reset button to be mounted on door of the starter and shall be accessible from front) shall be provided for overload protection of the motor.
- 6. Start/stop push button shall be provided on the front of the starter.
- 7. Control circuit of the starter shall operate on 240/415v AC.
- 8. In case of Y/D starter Electronic timer for Y/D delay shall be provided.
- 9. Make of Contactor, Relay, timer:

Siemens/GE/Schneider/L&T/ABB/Indo-Asian.

- 10. Terminal Box: Cable termination box with brought out terminals suitable for terminating PVCA aluminum/copper cables of proper size as per rating of motor (01 no. incoming; outgoing 01 no. for DOL or 02 Nos. for YD starter). Terminal shall be of brass with non-hygroscopic insulation support (FRP or DMC) suitable for tropical climate.
- 11. Glands: Adequate nos. of FLP-WP glands (depending on rating and type of starter and cable rating) shall be supplied

with the starter. The FLP glands shall be double compression type suitable for installation in Hazardous Area Zone 1 and Gas Group IIA and IIB of Oil Mines. The glands shall be certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP construction and use in above area.

- 12. Earthing: Two nos. of earthing studs to be provided on both sides of the enclosure. Earthing system for the starter shall be as per the IS: 3043.
- 13. Markings: Name plate details with name of manufacturer, type, rated voltage, rated output CIMFR/other certification details, shall be engraved type on a separate metallic plate (brass/SS) and fixed on the motor body in a conspicuous place, in a permanent manner (riveted on the motor body).
- 14. Make of Starter shall be

FCG/Baliga/Flexpro/FEPL/ExEc/Sudhir/Laxmi Hydraulic.

#### D. CLIMATIC CONDITIONS:

The motor shall be suitable for operation in the following climatic conditions:

- a) Altitude : 150 m above mean sea level
- b) Max. Relative humidity: at 21 Deg C 100 %, at 35Deg C 95 %
- c) Avg. rainfall : 343 cms.

#### E. SPARES:

Following spares in specified quantity as indicated shall be supplied along with the supply of the units. Specific description, part numbers, Make etc. (if available) and unit price of each & every spares shall clearly to be indicated in the bid which will be considered for bid evaluation purpose.

- i)Teflon and gland packing for pump -02 Sets per pump.
- ii)O-rings and packings-02 Sets per pump.
- iii) Suction Strainer Filter Element: 2 nos per pump.
- iv) Plunger for Pump: 1 Nos per pump.
- v) Oil Seal Set for Pump and motor: 2 set per pump.
- vi) Pump Suction and Discharge Valve Assembly : 1 Set per pump.

# **AB:** SPECIAL TERMS & CONDITIONS:

1.0 The items shall be brand new, unused & of prime quality. The manufacturer shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of shipment/ dispatch or 12 months from the date of receipt of the items, whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their

# own expense. Bidders must confirm the same in their quotations.

- 2.0 The Technical bid shall be accompanied with the following:
- i) Detailed cross sectional/dimensional drawing of pump and motor
- ii) Characteristics / Performance curves of the pump.
- iii) Pump and motor capacity calculation
- iv) Test certificate of pump and motor for routine tests done at manufacturer's works.
- v) Literatures, catalogues, operating manual
- vi) Detailed Electrical schematic and component layout Diagram of the starter panel
- vii) Detailed drawings of the offered FLP Motor and starter enclosure showing terminal box & cable entry arrangement with double compression cable glands.
- viii) Copy of the valid type test certificate as per 7.0 below.
- 3.0 The Bidder shall furnish every detail of pump and motor as specified in the enquiry.
- 4.0 The Bidder shall categorically confirm that the pump and motor shall be supplied in unitized condition.
- 5.0 The bidder shall specifically confirm about the dynamic balancing of the impeller and provide necessary details thereof in the BID.
- 6.0 The bidder shall confirm that test and guarantee certificate of motor, starter and pump will be forwarded along with the materials in the event of placement of order.
- 7.0 The electrical motor, starter, terminal box and glands shall be conforming to the requirements of relevant Indian or International Standards and shall be suitable for installation in Hazardous Area Zone 1, Gas Groups IIA and IIB, of Oil Mines. These items shall be type tested and certified by Central Institute of Mining and Fuel Research (CIMFR), Dhanbad, or any government approved NABL accredited test laboratory for FLP & WP construction for use in above area. A copy of the valid type test certificate shall be submitted along with the bid for technical evaluation.
- 8.0 Frame size & make of the offered motor should be mentioned in the offer.
- 9.0 The bidder shall confirm that Material Test Certificates of components like Casing, Impellers, Pump Shaft and diffusers etc. will be forwarded along with the materials in the event of placement of order.

- 10.0 Packing shall be adequate to avoid transit damage & protection against tropical rains.
- 11.0 All unused cable entries holes of the starter/motor must be plugged with CIMFR/test laboratory certified FLP-WP sealing plugs.
- 12.0 The bidder shall quote for recommended spares along with price, part nos. of individual items for two (02) years trouble free operation of the dozing unit. While quoting for these spares, the bidder shall take into account the consumption pattern as deemed fit. **However, the same shall not be considered while evaluating the bid**. Procurement of spares shall remain at OIL's discretion. Since the offer for above regular / recommended sparès will not be considered for evaluation, the same may be uploaded in technical bid itself.
- 13.0 The bidder must submit a written undertaking along with the technical bid that they would be able to supply all the requisite spares and consumables (including bought out items) for a period of 05(five)years from the certified date of completion /successful field commissioning of the unit.
- 14.0 In the event of an order, first fill of lubricant shall be within the scope of supply of the bidder.
- 15.0 The bidder shall categorically confirm that the pump shall be able to handle various chemicals used in E&P activity, i.e. Oil Soluble Demulsifiers, Deoilers, Pour Point Depressant (Flow Improver), Methanol etc.
- 16.0 The bidder shall, in the event of an order, agree to submit the following documents along with supply of the unit:
- i) Detailed Foundation Drawing of the unit
- ii) Detailed Operation & Maintenance (O&M) Manual.
- iii) Guarantee Certificate of pump, motor and starter for 12 months after date of receipt of supply.
- iv) Valid Test certificate of pump motor, starter and glands for routine tests done at manufacturer's works.
- 17.0 Bidder should categorically confirm in the technical bid a delivery schedule for dispatch of the items within Six (06) months after receipt of formal order failing which their offer will be rejected. Date of Consignment Note (C/Note date in case of indigenous supplier) shall be considered as delivery date.

**ANNEXURE-E** 

**CHECK LIST** 

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT "Yes" OR "No" TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

# A) TECHNICAL CHECKLIST

Sl.	DESCRIPTIONS	REMARKS
No		
1	Whether quoted the item as manufacturer?	YES / NO
2	Whether quoted the item as sole selling agent / distributor / dealer / supply house of any manufacturer ?	YES / NO
3	Whether the items would be brand new, unused & of prime quality?	YES / NO
4	Whether the offered Subs are as per our NIT requirement?	YES / NO
5	Whether the item would be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications?	YES / NO
6	Whether warranty would be for 18 months from date of receipt or 12 months from date of commissioning of the items?	YES / NO
7	Whether the defective item/ parts, if any, rejected by us will be replaced by you free of cost?	YES / NO
8	Whether detailed technical catalogues, literature and drawings indicating exploded view and dimensions with part numbers for the offered items are forwarded?	YES / NO
9	Kindly specify the Delivery Period in weeks	YES / NO
10	Whether mention the name of manufacturer, country of origin and port of shipment?	YES / NO
11	Whether bidder (other than OEM) has forwarded the copy of authorization letter from the original manufacture to sell their products to OIL INDIA LIMITED?	
12	Any deviation from NIT?	YES / NO

#### **B. COMMERCIAL CHECKLIST:**

<u>S1#</u>	REQUIREMENT	COMPLIANCE

1.0	Whether bid submitted under Single Stage Two Bid System?	Yes / No
2.0	Whether quoted as manufacturer?	Yes / No
2.1	Whether quoted as OEM Dealer / Supply House. To Specify-	Yes / No
2.2	If quoted as OEM Dealer / Supply House	Yes / No
	(a) Whether submitted valid and proper authorization letter from manufacturer confirming that bidder is their authorized Dealer / supply House for the product offered?	
	(b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted?	
3.0	Whether ORIGINAL Bid Bond (not copy of Bid Bond) as per Revised Format(Annexure VII Revised) Sent separately? If YES, provide details	Yes / No
	(a) Amount:	
	(b) Name of issuing Bank:	
	(c) Validity of Bid Bond :	
4.0	Whether offered firm prices ?	Yes / No
4.1	Whether quoted offer <b>validity of 120 days from</b> the bid closing date of tender?	Yes / No
4.2	Whether quoted a firm delivery period?	Yes / No
4.3	Whether agreed to the NIT Warranty clause?	Yes / No
4.4	Whether confirmed acceptance of NIT Payment Terms	Yes / No
5.0	Whether confirmed to submit PBG as asked for in NIT?	Yes / No
5.1	Whether agreed to submit PBG within 30 days of placement of order?	Yes / No
6.0	Whether Price submitted as per Price Schedule?	Yes / No
7.0	Whether quoted as per NIT (without any deviations)?	Yes / No
7.0	Whether quoted any deviation?	Yes / No
7.1	Whether deviation separately highlighted?	Yes / No
8.0	Whether indicated the country of origin for the items quoted?	Yes / No
8.1	Whether technical literature / catalogue enclosed?	Yes / No
8.2	Whether weight & volume of items offered indicated?	Yes / No

9.0	For Indian Bidders – Whether indicated the place from where the goods will be dispatched. To specify:	Yes / No
9.1	For Indian Bidders – Whether road transportation charges up to Duliajan quoted?	Yes / No
9.2	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	Yes / No
9.3	For Indian Bidders only - Whether indicated import content in the offer?	Yes / No
9.4	For Indian Bidders only - Whether offered Deemed Export prices?	Yes / No
9.5	For Indian Bidders only – Whether all applicable Taxes & Duties have been quoted?	Yes / No
10.0	Whether all BRC/BEC clauses accepted?	Yes / No

# C. TO BE FILLED UP IN DETAIL:

S1 No	Requirement	Bidder's Reply
01	Offer reference & Date	
02	Name, Address, Phone No & E-mail of Bidder	
03	Bank details of Bidder	
04	Name of Manufacturer	
05	Bid validity	
08	Payment Terms	
09	Guarantee/Warranty Terms	
10	Delivery Period	
11	Country of Origin	
12	Place of Despatch / Despatching Station	
13	Confirm acceptance of PBG clause, if required as per NIT	
14	Compliance to: Liquidated Damage	
	Warranty/Guarantee	
	Arbitration/Resolution of Dispute Force Majeure Applicable laws	
15	Confirm submission of the balance sheet/Financial Statements for the financial year 2019-20. If not, whether declaration as per BRC submitted (refer Annexure-B3).	
16	Confirm submission of undertaking towards authenticity of submitted documents (refer Annexure-A4).	
17	Exception/Deviations quoted, if any, to be given in details or refer to respective page of the bid documents	

Signature	
Name	
Designation	