

ANNEXURE-I

OIL INDIA LIMITED
 (A Government of India Enterprise)
 P.O. Duliajan-786602, Assam, India
 E-mail: material@oilindia.in


INVITATION FOR LOCAL COMPETITIVE BID

OIL INDIA LIMITED invites Local Competitive Bid (LCB) through its e-procurement portal <https://etender.srm.oilindia.in/irj/portal> for the following items:

E-Tender No	Bid Closing/Opening Date	Item Description
SDI1401P17 Dt. 10.06.2016 Single Stage Composite Bid System	14.07.2016	ENTERPRISE PROJECT MANAGEMENT SOFTWARE
SDI0749P16 Dt. 31.03.2016 Single Stage Composite Bid System	14.07.2016	FLP FITTINGS
SDI0629P16 Dt. 18.03.2016 Single Stage Composite Bid System	14.07.2016	STEEL TUBULAR POLE
SDI1420P17 Dt. 10.06.2016 Single Stage Composite Bid System	14.07.2016	FIRE WATER MONITOR
SDI1418P17 Dt. 10.06.2016 Single Stage Composite Bid System	14.07.2016	HIGH VOLUME LONG RANGE MONITOR (HVLRM)
SDI1323P17 Dt. 03.06.2016 Single Stage Composite Bid System	14.07.2016	WATER TANK
SDI1363P17 Dt. 07.06.2016 Single Stage Two Bid System	14.07.2016	PMCC PANEL
SDI1438P17 Dt. 13.06.2016 Single Stage Composite Bid System	14.07.2016	HIGH MAST
SDI1439P17 Dt. 13.06.2016 Single Stage Composite Bid System	14.07.2016	LT PANELS
SDI1440P17 Dt. 13.06.2016 Single Stage Two Bid System	14.07.2016	HDPE LINING
SDI1376P17 Dt. 07.06.2016 Single Stage Two Bid System	14.07.2016	62.5 KVA GENERATING SET

Tender fee (Non-refundable): Rs 1,000.00; Bid Closing/Opening Time: **(11 Hrs.) IST/(14 Hrs.) IST**; Period of sale of documents: **Till one week prior to bid closing date**. The complete bid documents and details for purchasing bid documents, participation in E-tenders are available on OIL's e-procurement portal <https://etender.srm.oilindia.in/irj/portal> as well as OIL's website www.oil-india.com.

NOTE: All addenda, Corrigenda, time extension etc. to the tenders will be hosted on above website and e-portal only and no separate notification shall be issued in the press. Bidders should regularly visit above website and e-portal to keep themselves updated.



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808719

FAX NO: (91-374) 2800533

Email: ranjanbarman@oilindia.in ; erp_mm@oilindia.in

FORWARDING LETTER

Tender No. : SDI1420P17 Dt. 10.06.2016

Tender Fee : Rs 1,000.00

Bid Security : Applicable

Bidding Type : SINGLE STAGE COMPOSITE BID SYSTEM

Tender Type : Open Tender

Bid Closing / Opening on : As mentioned in the e-portal

Performance Security : Applicable

Integrity Pact : Not Applicable

OIL invites Bids for **Supply of Fire Water Monitor (Qty. – 14 Nos.)** through its e-Procurement site under **SINGLE STAGE COMPOSITE BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents

The general details of tender can be viewed by opening the RFx [Tender] under RFx and Auctions. The details of items tendered can be found in the Item Data and details uploaded under **Technical RFX**.

The tender will be governed by:

- a) For technical support on various matters viz. Online registration of vendors, Resetting of Passwords, submission of online bids etc, vendors should contact OIL's ERP MM Deptt at following: Tel Nos = 0374-2807178, 0374-2807171 , 0374-2807192. Email id = erp_mm@oilindia.in.

- b) OIL's office timings are as below:

	Time (in IST)
Monday – Friday	07.00 AM to 11.00 AM; 12.30 PM to 03.30 PM
Saturday	07.00 AM to 11.00 AM
Sunday and Holidays	Closed

Vendors should contact OIL officials at above timings only.

- c) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

- d) Technical specifications and Quantity as per **Annexure – 1A**.
- e) The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents.
- f) Amendments to the NIT after its issue will be published on OIL's website only. Revision, clarification, addendum, corrigendum, time extension etc. to the tender will be hosted on OIL website only. No separate notification shall be issued in the press. Prospective bidders are requested to visit website regularly to keep themselves updated.
- g) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- h) Bidder are advised to fill up the Technical bid check list (**Annexure EEE**) and Response sheet (**Annexure FFF**) given in MS excel format in Technical RFx -> External Area -> Tender Documents. The above filled up document to be uploaded in the **Technical RFX** Response.

Special Note:

1.0 Technical and Financial Criteria:

In addition to the general BRC/BEC, following Technical and Financial criteria shall be considered as on the original Bid Closing Date. (**Documentary evidence to be provided along with the bid in Technical RFx -> External Area -> Tender Documents failing which the offer shall be rejected**).

Criteria	Complied / Not Complied.
a) Bidder should have experience of successfully executing atleast 1 (one) similar order for Rs. 5.40 Lakhs in preceding 5 (five) years. "Similar Order" means "supply of BIS approved water Monitor of capacity 3500 LPM or more as indicated in the NIT."	Documentary evidence submitted / not submitted
b) Annual financial turnover of the firm in any of the preceding 3 financial years should not be less than Rs. 5.40 Lakhs (In Rs).	
c) Net Worth of the firm should be Positive for preceding financial / accounting year.	

Note: Documentary evidence in respect of the above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above. For Annual

financial turnover enclose the audited Annual Report , Balance Sheet and Profit and Loss Account certified by a chartered accountant.

2.0 Vendors having OIL's User ID & password may pay Tender Fee on-line through OIL's electronic Payment Gateway upto one week prior to the Bid closing date (or as amended in e-portal).

Vendors who do not have OIL's User ID & password, may generate User ID & password online by the Vendor by using the link for supplier enlistment given in OIL's e-tender portal and then pay Tender Fee on-line through OIL's electronic Payment Gateway upto one week prior to the Bid closing date (or as amended in e-portal).

Alternatively application showing full address/email address with Tender Fee (Non-refundable) of Rs. 1,000.00 in the form of crossed "Payee Account only "Bank Draft/Bankers' Cheque drawn by Bank and valid for 90 days from the date of issue of the same or in the form of Indian Postal Orders payable to the OIL is to be sent to DGM-Materials, Oil India Limited, P.O. Duliajan, Assam-786602. Application shall be accepted only upto one week prior to the Bid closing date (or as amended in e-portal). The envelope containing the application for participation should clearly indicate "REQUEST FOR ISSUE OF USER ID AND PASSWORD FOR E TENDER NO ..." for easy identification and timely issue of user ID and password. On receipt of requisite tender fee, USER_ID and initial PASSWORD will be communicated to the bidder (through e-mail) and will be allowed to participate in the tender through OIL's e- Procurement portal. No physical tender documents will be provided. Details of NIT can be viewed using "Guest Login" provided in the e-Procurement portal. The link to e-Procurement portal has been also provided through OIL's web site www.oil-india.com.

NOTE:

In case of MSE/PSUs/ Govt. Bodies / eligible institutions etc., they shall apply to DGM-Materials, Oil India Limited, P.O. Duliajan, Assam-786602 for waiver of Tender Fee upto one week prior to the Bid closing date (or as amended in e-portal).

3.0 The tender is invited under SINGLE STAGE- COMPOSITE BID SYSTEM. The bidders are required to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic format in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.

3.1 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RFx Response-> User -> Technical Bid only.

4.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with **Tender no.** and **Due date** to **DGM- Materials, Materials Department, Oil India Limited, Duliajan - 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

- a) **Original Bid Security**
- b) **Detailed Catalogue (if any)**
- c) **Any other document required to be submitted in original as per tender requirement**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in Duplicate.

5.0 Benefits to Micro & Small Enterprises (MSEs) as per OIL's Public Procurement Policy for Micro and Small Enterprises (MSEs) shall be given. Bidders are requested to go through ANNEXURE – I of MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders for more details. MSE bidders are exempted from submission of Tender Fees and Bid Security/Earnest Money provided they are registered for the items they intend to quote.

6.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.

7.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.

8.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.

9.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed **Annexure-CCC**. However, if any of the **Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per Annexure-CCC)** contradict the **Clauses of the tender and / or "General Terms & Conditions"** as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders elsewhere, those in the **BEC / BRC** shall prevail.

10.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

11.0 Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.

12.0 If Bank Guarantee is submitted towards 'Bid Security', then bidders have to ensure that the Bank Guarantee issuing bank indicate the name and detailed address (including e-mail) of their higher office from where confirmation towards genuineness of the Bank Guarantee can be obtained.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of NIT.

Yours Faithfully

**Sd-
(R. BARMAN)
SR. MANAGER MATERIALS (IP)
FOR : HEAD-MATERIALS**

Tender No & Date: SDI1420P17 Dt. 10.06.2016**BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	Complied / Not Complied. (Remarks if any)
<p>1.0 BID REJECTION CRITERIA (BRC):</p> <p>The bid shall conform generally to the specifications, terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p>A) COMMERCIAL:</p> <p>i) Validity of the bid shall be minimum 90 days from the Bid Closing Date.</p> <p>ii) Bid security: The bid must be accompanied by Bid Security of Rs 22,000 in OIL's prescribed format as Bank Guarantee or a Cashier's cheque or Demand Draft in favour of OIL. The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. The Bank Guarantee towards Bid Security shall be valid for 6 months from Bid closing date. (i.e. upto <u>14.01.2017</u>). Cashier's cheque or Demand Draft shall be valid for minimum 90 days or as per RBI's guidelines, drawn on “Oil India Limited” and payable at Duliajan, Assam</p> <p>Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.</p> <p><u>If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.</u></p>	

For exemption for submission of Bid Security, please refer Clause No. 8.16 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.

iii) Bids are invited under “Single Stage Composite Bid System”. Bidders have to submit both the “Techno-commercial Unpriced Bids” and “Priced Bids” through electronic form in the OIL’s e-Tender portal within the bid Closing date and time stipulated in the e-tender. The Techno-commercial Unpriced bid is to be submitted as per scope of works and Technical specification of the tender and the priced bid as per the online Commercial bid format. For details of submission procedure, please refer relevant para of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

iv) Performance Security:

The successful bidder shall submit Performance Security @ 10% of PO value within 30 days of receipt of the formal purchase order failing which OIL reserves the right to cancel the order and forfeit the Bid Security. Bidders should undertake in their bids to submit Performance Security as stated above.

The Performance Security shall be in any one of the following forms :

(a) A Bank Guarantee in the prescribed OIL’s format valid for 3(three) months beyond the Warranty period indicated in the Purchase Order /contract agreement.

(b) A Cashier's cheque or Demand Draft with validity of minimum 90 days or as per RBI’s guidelines, drawn on “Oil India Limited” and payable at Duliajan, Assam.

The Performance Security for capital nature items like plant and machinery etc. shall be valid for 12 months from the date of commissioning plus 3(three) months or 18 months from the date of shipment/despatch plus 3(three) months whichever concludes earlier. However, for consumables like chemicals, cement, tubular etc. the Performance Security shall be valid for 12 months from the date of shipment/despatch plus 3(three) months.

The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.

v) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

vi) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

vii) All the Bids must be Digitally Signed using “Class 3” digital certificate with Organisation’s name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3 with Organisation’s Name” digital certificate, will be rejected.

viii) Price should be maintained in the “online price schedule” only. The price submitted other than the “online price schedule” shall not be considered.

ix) Maximum Delivery period from the date of placement of P.O.: Three (3) Months.

x) Bidder should categorically confirm in the technical bid for delivery of the item within five (05) months after receipt of formal order failing which the offer will be rejected.

xi). A bid shall be rejected straightway if it does not conform to any one of the following clauses:

(a) Validity of bid shorter than the validity indicated in the Tender.

(b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.

(c) Bid Security with (i) Validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.

(d) Annual Turnover of a bidder lower than the Annual turnover mentioned in the Tender.

2.0 BID EVALUATION CRITERIA (BEC)

The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below.

A) TECHNICAL:

i) The bids will be evaluated as per NIT specification.

B) COMMERCIAL:

i). To evaluate the inter-se-ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Govt. of Assam guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.

<p>ii) A job executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BEC.</p> <p>iii) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.</p>	
---	--

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of NIT.

-----XXXX-----

TECHNICAL SPECIFICATIONS WITH QUANTITY**Tender No & Date: SDI1420P17 Dt. 10.06.2016**

	Complied / Not Complied. (Remarks if any)
<p>ITEM NO. 10, SUPPLY, WATER MONITOR (CAP: 3500 LPM) (QNTY. – 14 NOS.)</p> <p>BIS Approved Manually operated Fire Water Monitors of capacity 3500 LPM.</p> <p>Discharge Capacity : 3500 LPM with single nozzle. Type : Stand Post Type Operation Type: Worm & Worm Wheel operated by separate handwheel for horizontal & vertical rotation.</p> <p><u>SPECIFICATION FOR STAND POST TYPE WATER MONITOR (WORM & WORM WHEEL TYPE)</u> <u>(BIS APPROVED FOR FRESH WATER)</u></p> <p>1.0 SCOPE</p> <p>This specification covers the general requirements regarding Material, Design and Construction, Workmanship and Finish, Anticorrosive Treatment, Performance requirements, Tests, Painting, Accessories, Marking and Inspection for Stand Post Type Water Monitor.</p> <p>2.0 CODES AND STANDARDS</p> <p>IS: 778 Copper alloy Gate, Globe and Check Valves for Water Works Purpose. IS: 8442 Functional requirement For Stand Post Type Water Monitor for Fire Fighting.</p> <p>NOTE: Latest Edition of all Codes and Standards shall be followed</p> <p>3.0 DESIGN AND CONSTRUCTION</p> <p>3.1 Design and Construction of Water Monitor shall conform to IS: 8442, except as mentioned in data sheet for Stand Post Type Water Monitor enclosed with Bid / Requisition document.</p> <p>3.2 The Monitor shall be jet, spray and fog type, self-locking type and operated by a single person.</p> <p>3.3 The monitor shall be mounted on a 100 mm (4") N.B. Raised Face, Slip On type Flange with all dimensions conforming to ANSI B 16.5, 150 lbs rating,</p> <p>3.4 Near the base flange a drain connection shall be provided with a 15 mm (1/2 inch) NB drain valve at the end of pipe.</p> <p>3.5 The threaded end of the water nozzle shall be hexagonal to facilitate screwing of the nozzle on the water barrel with nozzle spanner.</p> <p>4.0 MATERIAL</p>	

<p>All material for different parts of Water Monitor shall be as per IS: 8442 except as mentioned in data sheet for Stand Post Type Water Monitor enclosed with Bid/Requisition document.</p> <p>5.0 WORKMANSHIP AND FINISH</p> <p>Workmanship and finish, anticorrosive treatment, painting, Hydraulic performance, tests and accessories shall conform to IS: 8442, except as mentioned in data sheet for Stand Post Type Water Monitor enclosed with Bid/Requisition document.</p> <p>6.0 MARKING</p> <p>Each monitor shall be clearly and permanently marked with the following:</p> <ul style="list-style-type: none"> (a) Manufacturer's name or trademark (b) Year of manufacture (c) Purchaser's name. (d) Discharge Capacity in liters / minute. (e) BIS certification mark. <p>7.0 INSPECTION</p> <p>Owner's authorized representative shall have access at all reasonable times to vendor's works where Monitors are being manufactured and/or tested. Vendor shall arrange for all tests and inspection facilities for checking material, design and construction, hydraulic performance, workmanship, finish and hydrostatic testing as per IS: 8442. Any shortcoming pointed out shall be rectified to the satisfaction of the inspectors. All consumables i.e. water etc. shall be arranged by vendor at his own cost.</p> <p>8.0 VENDOR's DRAWING AND DATA REQUIREMENT</p> <p>Vendor shall furnish drawings and data as per "Vendor's drawings and Data Requirements" for information and records. The vendor shall also submit the Quality Assurance Plan (QAP) and drawings prior to construction of the item for approval by OIL.</p> <p>9.0 APPROVAL</p> <p>Vendor shall furnish BIS approval letter along with offer.</p>	
--	--

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of NIT.

DATASHEET		
FIRE WATER MONITOR (FOR BIS APPROVED FOR FRESH WATER)		
GENERAL		
CODES		IS: 8442
LOCATION		OUTDOOR
TYPE		TYPE-I, STAND POST TYPE (FIXED), SINGLE BARREL, WORM & WORM WHEEL OPERATED BY SEPARATE HANDWHEEL FOR HORIZONTAL & VERTICAL ROTATION
APPROVAL		(BIS APPROVAL LETTER, AS PER BID REQUISITION REQUIREMENT)
OPERATING CONDITIONS		
FLUID HANDLED		WATER
TEMPERATURE		AMBIENT
PRESSURE	MAX.	12 KG/CM2g
	MIN.	7.0 KG/CM2g
DESIGN FEATURES		
MONITOR BODY	OPERATION TYPE	MANUAL.
	MOVEMENT	HORIZONTALLY- 360 ⁰ DEG; VERTICALLY- 125 ⁰ (+80,-45)
	INLET CONNECTION	SIZE 4"/6"
	OUTLET CONNECTION	EXTERNAL THREADS AS PER IS: 2643 (PART I)
NOZZLE	TYPE	THE NOZZLE SHOULD DELIVER JET, SPRAY AND FOG WHILE FITTED TO MONITOR AS PER REQUIREMENT OF THE SITUATION.
	CONNECTION	THREADED, FEMALE
	SIZE	TO BE FILLED BY VENDOR
	FINISH	YELLOW EPOXY PAINTED
PERFORMANCE	NOZZEL PRESSURE	7.0 KG/CM2g
	FLOW RATE	3500 LPM
	MIN. DISCHARGE RANGE	AS PER RELEVANT STANDARD
MATERIALS		
NOZZLE		SS 304
SWIVEL JOINT		Grade 2 of IS:318
WORM SHAFT		SS-304
ELBOWS / BENDS		ASTM A403 WP304
PIPE/ WATER BARREL		ASTM A312 TP304
HAND WHEEL FOR HORIZONTAL & VERTICAL ROTATION		C.I. to Gr.200 of IS:210
DRAIN VALVE		SS 304
BASE FLANGE (ANSI.B.16.5,150#, 100 mm NB)		ASTM A182 F304
TEST & INSPECTION		
DIMENSION & WORKMANSHIP		YES
FUNCTIONAL TEST FOR HORIZONTAL AND VERTICAL MOVEMENT		YES
PERFORMANCE TEST		FLOW TEST
HYDROSTATIC TEST PRESSURE		23 KG/CM2g FOR 5 MINUTES WITHOUT ANY LEAKAGE.
PAINTING		
BODY (ABOVE GROUND)		LUMINOUS YELLOW AS PER IS: 5, OVER 2 COATS OF RED OXIDE ZINC CHROMATE PRIMER OR SINGLE COAT OF ALUMINIUM PAINT.
NOTE:		
IN CASE OF ANY CONFLICT BETWEEN DATA GIVEN HERE WITH DATA GIVEN IN THE SPECIFICATION, DATA SHEET SHALL BE GIVEN PREFERENCE.		

EVALUATION SHEET For Tender No. SDI1420P17 Dt. 10.06.2016

SRL. NO	CLAUSE NO. OF TENDER DOCUMENT/ BEC/BRC, TECHNICAL SPECIFICATION / SCOPE OF WORK	DESCRIPTION	COMPLIED / NOT COMPLIED	BIDDER TO INDICATE RELEVANT PAGE NO. OF THEIR BID
1	Under Item Description	Whether Monitor is BIS Approved Manually operated Fire Water Monitors of capacity 3500 LPM.		
2	Under Item Description	Whether the Discharge Capacity is 3500 LPM with single nozzle.		
3	Under Item Description	Whether the Type of the Monitor is Stand Post Type		
4	Under Item Description	Whether the Operation Type is Worm & Worm Wheel operated by separate handwheel for horizontal & vertical rotation.		
5	Under clause 3.1, Design & Construction of the Technical specification sheet	Whether the Design and Construction of Water Monitor shall conform to IS: 8442, except as mentioned in data sheet for Stand Post Type Water Monitor enclosed with Bid / Requisition document.		
6	Under clause 3.2., Design & Construction of the Technical specification sheet	Whether the Monitor is of jet, spray and fog type, self-locking type and operated by a single person.		
7	Under clause 3.3., Design & Construction of the Technical specification sheet	Whether the monitor can be mounted on a 100 mm (4") N.B. Raised Face, Slip On type Flange with all dimensions conforming to ANSI B 16.5, 150 lbs rating,		
8	Under clause 3.4, Design & Construction of the Technical specification sheet	Whether a drain connection is provided with a 15 mm (1/2 inch) NB drain valve at the end of pipe near the base flange .		
9	Under clause 3.5., Design & Construction of the Technical specification sheet	Whether the threaded end of the water nozzle is hexagonal to facilitate screwing of the nozzle on the water barrel with nozzle spanner.		
10	Under clause 7, Inspection of the Technical Specification Sheet	Whether vendor complies to the INSPECTION AND TESTING clauses of OIL		
11	Under Item Description	Whether the technical Specification meets the requirement as per the Datasheet attached.		

[Signature]
25/05/16

Technical Bid Checklist**Annexure-EEE**

Tender No.			
Bidder's Name :			
		Compliance by Bidder	
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid or Comments
1	Confirm that validity has been offered as per NIT.		
2	Confirm that Bid Security / Earnest Money has been submitted as per NIT (Wherever Applicable) ?		
3	Confirm that you shall submit Performance security (in the event of placement of order) (Wherever Applicable) ?		
4	Confirm that duly signed Integrity Pact has been submitted as per NIT (Wherever Applicable) ?		
5	Confirm that you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)		
6	Confirm that you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.		
7	Confirm that the bid has been signed using Class 3 digital certificate with Organisation's Name as per NIT.		
8	Confirm that you have not taken any exception/deviations to the NIT .		

NOTE: Please fill up the greyed cells only.

(*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of the purchase order cited above.

Response Sheet**Annexure-FFF**

Tender No.
Bidders Name

Bidders Response Sheet

SI No.	Description	Remarks
1	Place of Despatch	
2	Whether Freight charges have been included in your quoted prices	
3	Whether Insurance charges have been included in your quoted prices	
4	Make of quoted Product	
5	Offered Validity of Bid as per NIT	
6	Bid Security Submitted (if applicable)	
6	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
7	Whether you shall submit Performance Security in the event of placement of order on you (if applicable)	
8	Integrity Pact Submitted (if applicable)	
9	Whether you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)	
10	Whether you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.	
11	Delivery Period in weeks from placement of order	
12	Complied to Payment terms of NIT (if applicable) otherwise to Standard Payment Terms of OIL or not.	
13	If bidder is MSE whether you have quoted your own product	
14	If Bid security submitted as Bank Guarantee, Name and Full Address of Issuing Bank including Telephone, Fax Nos and Email id of branch manager	

NOTE: Please fill up the greyed cells only.

(*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory

ANNEXURE - GGG

**(TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETTER HEAD)
(ALL FIELDS ARE MANDATORY)**

Tender No. :.....
Name of Beneficiary :M/s.....
Vendor Code :.....
Address :.....
.....
Phone No. (Land Line) :.....
Mobile No. :.....
E-mail address :.....
Bank Account No. (Minimum
Eleven Digit No.) :.....
Bank Name :.....
Branch :.....
Complete Address of your
Bank :.....
IFSC Code of your Bank
a) RTGS :.....
b) NEFT :.....
PAN :.....
VAT Registration No. :.....
CST Registration No. :.....
Service Tax Registration No. :.....
Provident Fund Registration :.....

I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.

Office Seal

.....
Signature of Vendor

Counter Signed by Banker:
Seal of Bank:

Enclosure: Self attested photocopies of the following documents-

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.