

OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808757

FAX NO: (91-374) 2800533

Email: nayanmoni@oilindia.in; erp_mm@oilindia.in

FORWARDING LETTER

Tender No. : SDI3651P20 DT: 28.01.2020
Tender Fee : NIL
Bid Security : Applicable
Bidding Type : SINGLE STAGE TWO BID SYSTEM
Bid Closing on : 21.05.2020 (11.00 HRS IST)
Bid Opening on : 21.05.2020 (14.00 HRS IST)
Performance Security : Applicable
Integrity Pact : Applicable

The complete bid documents and details for purchasing bid documents, participation in E-tenders are available on OIL's e-procurement portal <https://etender.srm.oilindia.in/irj/portal> as well as OIL's website www.oil-india.com.

NOTE: All addenda, Corrigenda, time extension etc. to the tenders will be hosted on above website and e- portal only. Bidders should regularly visit above website and e-portal to keep themselves updated.

The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence concessional rate of GST @5% against Essentiality Certificate for invoice value 1 Lakh and above will be applicable as per Notification No. 3/2017- Integrated/ Central Tax (Rate) dated 28th June, 2017.

In the event of order, OIL will issue Essentiality Certificate (EC), where concessional rate of GST @5% will be applicable. Supplier shall affect dispatch only on receipt of this certificate from OIL, failing which all related liabilities shall be to Supplier's account.

OIL invites Bids for **PROCUREMENT OF TRIP TANK FOR W/O RIG - (Qty- 04 NOS.)** through its e-Procurement site under **SINGLE STAGE TWO BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area - > Tender Documents

The general details of tender can be viewed by opening the RFx [Tender] under RFx and Auctions. The details of items tendered can be found in the Item Data and details uploaded under Technical RFX.

This Tender has been floated for participation of Indigenous bidders only. Hence, only Indigenous bidders are eligible to participate against this tender.

Consortiums/Joint venture entities are not eligible to participate against this tender.

The tender will be governed by:

- a) For technical support on various matters viz. Online registration of vendors, Resetting of Passwords, submission of online bids etc, vendors should contact OIL's ERP MM Deptt at following: Tel Nos. = **0374-2807178/ 2807171/ 2807192/2804903.** Email id = erp_mm@oilindia.in; esupport@oilindia.in

- b) OIL's office timings are as below:

	Time (in IST)
Monday – Friday	07.00 AM to 11.00 AM; 12.30 PM to 03.30 PM
Saturday	07.00 AM to 11.00 AM
Sunday and Holidays	Closed

Vendors should contact OIL officials at above timings only.

OIL Bank Details :

	Bank Details of Beneficiary	
a	Bank Name	STATE BANK OF INDIA
b	Branch Name	Duliajan
c	Branch Address	Duliajan, Dist-Dibrugarh
d	Banker Account No.	10494832599
e	Type of Account	Current Account
f	IFSC Code	SBIN0002053
g	MICR Code	786002302
h	SWIFT Code	SBININBB479
i	Contact No.	9435554859
j	Contact Person Name	Mr. K.L.K.Banik, AGM
k	Fax No.	0374-2802729
l	Email Id	sbi.02053@sbi.co.in

- c) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.
- d) Technical specifications and Quantity as per **Annexure – IA**.
- e) The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents.
- f) Amendments to the NIT after its issue will be published on OIL's website only. Revision, clarification, addendum, corrigendum, time extension etc. to the tender will be hosted on OIL website only. No separate notification shall be issued in the press. Prospective bidders are requested to visit website regularly to keep themselves updated.

- g) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- h) Bidder are advised to fill up the Technical bid check list (**Annexure EEE**) and Response sheet (**Annexure FFF**) given in MS excel format in Technical RFx -> External Area -> Tender Documents. The above filled up document to be uploaded in the **Technical Attachment**. For details please refer “Vendor User Manual” / “NEW INSTRUCTIONS”
-

Special Notes:

1.0

- a) Bidders who do not have E-tender Login ID and Password should complete their online registration **at least seven (7) days prior to the scheduled bid closing date** and time of the tender. For online registration, Bidder may visit the OIL’s E-tender site <https://etender.srm.oilindia.in/irj/portal>
- b) Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.
- c) **MSE Units** (Manufacturers/Service Providers only and not their dealers/distributors) who are already registered with District Industry Centers or Khadi & Village Industries Commission or Khadi & Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts & Handloom or any other body specified by Ministry of MSME are **exempted from payment of Bid Security (EMD)** irrespective of their monetary limit, product category and capacity mentioned in their registration, **subject to submission of valid MSE registration certificate issued by appropriate authority.**
- d) For availing benefits under Public Procurement Policy (**Purchase preference**), the interested MSE Bidders must ensure that they are the **manufacturers of the tendered item(s) and registered with the appropriate authority for the said item(s).** Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the item as per tender. Therefore, it is in the interest of such MSE Vendors to furnish a copy of complete certificate to the concerned tender handling officer of **OIL at least seven (7) days prior to the scheduled Bid Closing Date of the tender**, seeking clarification/confirmation as to whether their MSE certificate is eligible for EMD exemption or not. **Late communication in this regard and request for bid closing date extension on that plea shall not be entertained by Company.**

NOTE:

In case of MSE/PSUs/ Govt. Bodies / eligible institutions etc., they must apply to concerned tender handling officer, Materials Department, Oil India Limited, P.O. Duliajan, Assam-786602 for waiver of EMD upto one week prior to the Bid closing date (or as amended in e-portal).

2.0 The tender is invited under **SINGLE STAGE-TWO BID SYSTEM**. The bidders are required to submit both the “**TECHNO-COMMERCIAL UNPRICED BID**” and “**PRICED BID**” through electronic format in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.

2.1 Please ensure that **Technical Bid / all technical related documents related to the tender are uploaded in the RFX Information > Technical Attachment only**. The “**TECHNO-COMMERCIAL UNPRICED BID**” shall contain all techno-commercial details **except the prices**. **Please note that no price details should be uploaded in Technical RFX Response.**

2.2 The “**PRICE BID**” must contain the price schedule and the bidder’s commercial terms and conditions. **For price upload area , please refer “NEW INSTRUCTIONS” Please refer Annex-BB for price schedule.**

2.3 Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in **Annexure-CCC**.

3.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with **Tender no.** and **Due date** to **DGM-Materials, Materials Department, Oil India Limited, Duliajan - 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

- a) **Original Bid Security**
- b) **Detailed Catalogue (if any)**
- c) **Any other document required to be submitted in original as per tender requirement**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in Duplicate.

4.0 Benefits to Micro & Small Enterprises (MSEs) as per OIL’s Public Procurement Policy for Micro and Small Enterprises (MSEs) shall be given. Bidders are requested to go through **ANNEXURE – I of MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders** for more details.

5.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.

6.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.

7.0 Bid must be submitted electronically only through OIL’s e-procurement portal. Bid submitted in any other form will be rejected.

8.0 **SINGLE STAGE TWO BID SYSTEM** shall be followed for this tender and only the **PRICED-BIDS** of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.

9.0 a) **The Integrity Pact is applicable against this tender. Therefore, please submit the Integrity Pact document duly signed along with your quotation as per BRC. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure DDD of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be submitted by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.**

b) **The name of the OIL's Independent External Monitors at present are as under:**

1. **Shri Sutanu Behuria, IAS (Retd.)**

E-mail: sutanu2911@gmail.com

2. **SHRI JAGMOHAN GARG**

Ex-Vigilance Commissioner, CVC

E-mail ID: jagmohan.garg@gmail.com

3. **SHRI RUDHRA GANGADHARAN, IAS (RETD.)**

Ex-Secretary, Ministry of Agriculture

E-mail ID: rudhra.gangadharan@gmail.com

10.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed **Annexure-CCC**. However, if any of the **Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per Annexure-CCC)** contradict the **Clauses of the tender and / or "General Terms & Conditions"** as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders elsewhere, those in the **BEC / BRC** shall prevail.

11.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

12.0 Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.

13.0 If Bank Guarantee is submitted towards 'Bid Security', then bidders have to ensure that the Bank Guarantee issuing bank indicate the name and detailed address (including e-mail) of their higher office from where confirmation towards genuineness of the Bank Guarantee can be obtained.

14.0 Bidders are requested to refer to the enclosed **Annexure – BBB** for the Taxes and Duties clauses under GST regime.

15.0 Delivery/collection Instructions in cases where transportation is in OIL's scope:

- (i) the suppliers shall be required to deliver the Sundry consignments of weight less than 3 (Three) Tons at the godown/office/collection point of OIL's authorized transporter in various cities.
- (ii) consignments weighing more than 3(Three) Tons shall be collected from the supplier's premises/loading points by OIL's authorized transporter.
- (iii) the name of OIL's current authorized transporter is:
 - a) M/s Western Carriers (India) Ltd.

Bidder's are requested to note the above delivery/collection instructions while submitting their offers.

16.0 The applicable GST on the Liquidated Damage if any, shall have to be borne by the seller. Accordingly, the Liquidated Damage shall be recovered from the seller along with applicable GST.

17.0 Bidders should fill-up and submit alongwith their bid an UNDERTAKING towards authenticity of information/documents furnished by them, as per enclosed ANNEXURE-K.

18.0 For convenience of the qualified Bidders and to improve transparency, the rates/costs quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/ costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment form under "Notes & Attachment" (i.e., NO PRICE Condition), Bidders must upload their detailed Price-Bid as per the prescribed format under "Notes & Attachment", in addition to filling up the "Total Bid Value" Tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE Condition (i.e., Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/ omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the inter-se-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of the tender.

19.0 DISCLAIMER: Rates/Costs shown above are as calculated/quoted by the respective Bidder. Company does not assume any responsibility and shall not be liable for any calculation error or omissions. However, for placement of order/award of contract, Company shall evaluate the cost details to determine the inter-se-ranking of Bidders strictly as per their Price-Bids and Bid Evaluation Criteria of the Tender. OIL INDIA LTD accepts no liability of any nature resulting from mismatch of "Total Bid Value" & price submitted under "Notes & Attachment" by any bidder and no claim whatsoever shall be entertained thereof.

Please do refer "**NEW INSTRUCTION TO BIDDER FOR SUBMISSION**" for the above two points and also please refer "**New Vendor Manual (effective 01.03.2019)**" available in the login Page of the OIL's E-tender Portal.



Oil India Limited e-Procurement

User ID *

Password *

Logon Problems? [Get Support](#)

[Supplier Enlistment for E-Tender](#)

[Important Note for New Portal Users:](#)

[Click here to View Compatibility Settings](#)

[General Guidelines to bidders](#)

[Click for User Manuals](#)

Click here for the New Manual & Instruction

© 2012 Oil India Limited. All rights reserved.

[Click for Terms of use, Privacy Policy, Refund Policy Docs](#)

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of the NIT.

Yours Faithfully

**Sd-
(N KAKATI)
SR MANAGER MATERIALS (IP)
FOR : CGM-MATERIALS (HoD)**

Tender No & Date: SDI3651P20 DT: 28.01.2020**BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	Complied / Not Complied. (Remarks if any)
<p>1.0 BID REJECTION CRITERIA (BRC):</p> <p>The bid shall conform generally to the specifications, terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p>A) TECHNICAL:</p> <p>a) The bidder should be a reputed fabricator and should have the credentials of supplying similar type of tank in the past. Necessary evidence in the form of order copies / proof of supplies / acceptance / performance certificates should be submitted along with the offer.</p> <p>Note: Term " similar type of tank " means Steel Fabricated Mud tank, Water tank , Preflux tank etc)</p> <p>b) Bidder should have successfully executed a single order of quantity not less than 02 Nos for manufacture and supply of tank in the past 05 years, preceding the technical bid closing date. Necessary proof in support of the same should be submitted along with the offer failing which the offer will be rejected.</p> <p>c) Bidder must forward along with the quotation the detailed drawing of the tank , Bill of material failing which the offer will be liable for rejection.</p> <p>d) The bidder should be a Government registered vendor. Necessary proof in support of the same should be furnished.</p> <p>e) The bidder, if registered as an SSI, should submit the certificate copy of</p>	

registration with the concerned authorities.

f) Bidder should have the required machinery, manpower and resources for undertaking the fabrication of tank, viz welding, painting, pressing of sheets (corrugation) etc. A list of all the facilities (including list of machineries) available is to be submitted along with the offer.

Note: Documentary evidence in respect of the above should be submitted in the form of copies of relevant **Purchase Order / Contract along with** copies of any of the following documents in respect of satisfactory execution of each of those Purchase Orders, such as –

- (i) Satisfactory Inspection Report (OR)
- (ii) Satisfactory Supply Completion / Installation Report (OR)
- (iii) Consignee Receipted Delivery Challans (OR)
- (iv) Central Excise Gate Pass / Tax Invoices issued under relevant rules of Central Excise/VAT/GST (OR)
- (v) Any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above.

Note:

a) The Purchase Order date need not be within 5 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 5 (five) years preceding original bid closing date of this tender.

b) Satisfactory supply/completion/installation report (if submitted) should be issued on client's official letterhead with signature and stamp.

B) FINANCIAL:

a) **Annual Financial Turnover** of the bidder during **any of preceding 03 (three) financial / accounting years from the original bid closing date** should be at least **Rs. 26.15 Lakhs**.

b) Net Worth of the firm should be Positive for preceding financial / Accounting year **(FY: 2019-2020)**.

Note -For (a) & (b):

Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that 'the balance sheet/Financial Statements for the financial year 2018-2019 (As the case may be) has actually not been audited so far'.

Note:

a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

i) A certificate issued by a practicing Chartered Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in **ANNEXURE-J**.

OR

ii) Audited Balance Sheet along with Profit & Loss account.”

b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.

C) COMMERCIAL:

i) Validity of the bid shall be minimum **120 days** from the Bid Closing Date.

ii) Bid security:

The bid must be accompanied by Bid Security of **Rs. 1,04,600.00** in OIL's prescribed format as Bank Guarantee in favour of OIL. The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to GM-Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. **The Bank Guarantee towards Bid Security shall be valid for 7 months from Bid closing date (i.e. upto 31.12.2020).**

Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.

If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.

For exemption for submission of Bid Security, please refer Clause No. 8.16 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.

iii) Bids are invited under “Single Stage Two Bid System”. Bidders have to submit both the “Techno-commercial Unpriced Bids” and “Priced Bids” through electronic form in the OIL’s e-Tender portal within the bid Closing date and time stipulated in the e-tender. The Techno-commercial Unpriced bid is to be submitted as per scope of works and Technical specification of the tender and the priced bid as per the online Commercial bid format. For details of submission procedure, please refer relevant para of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of

Indigenous Tenders. Any offer not complying with the above shall be rejected straightway.

iv) Performance Security:

The successful bidder shall submit Performance Security @ 10% of PO value within 30 days of receipt of the formal purchase order failing which OIL reserves the right to cancel the order and forfeit the Bid Security. Bidders should undertake in their bids to submit Performance Security as stated above.

The Performance Security shall be in the following form :

A Bank Guarantee in the prescribed OIL's format valid for 90 days beyond delivery period and applicable warranty/guarantee period (if any).

The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.

However, PBG will be applicable only if value of Purchase Order exceeds Rs 5(five) lakhs.

v) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

vi) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

vii) All the Bids must be Digitally Signed using "Class 3" digital certificate with Organisation's name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3 with Organisation's Name" digital certificate, will be rejected.

viii) **Technical RFx Response folder is meant for Technical bid only. Therefore, No price should be given in Technical RFx Response folder, otherwise the offer will be rejected.**

ix) Price should be maintained in the "online price schedule" only. The price submitted other than the "online price schedule" shall not be considered.

x). Integrity Pact :

OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure DDD of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's

competent signatory. The proforma has to be submitted by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.

xi) A bid shall be rejected straightway if it does not conform to any one of the following clauses:

- (a) Validity of bid shorter than the validity indicated in the Tender.
- (b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.
- (c) Bid Security with (i) Validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.
- (d) In case the Party refuses to sign Integrity Pact.
- (e) Annual Turnover of a bidder lower than the Annual turnover mentioned in the Tender.

X) DELIVERY: BIDDER SHOULD CATEGORICALLY CONFIRM IN THE TECHNICAL BID A DELIVERY SCHEDULE WITHIN EIGHT (08) MONTHS AFTER RECEIPT OF FORMAL ORDER. (FAILING WHICH THEIR OFFER WILL BE REJECTED)

NOTE: FOR CLAUSE NOS. C(ii) & C(iv) OF BID SECURITY/EMD AND PBG

The bidders/successful bidders are requested to advise the Bank Guarantee issuing bank to comply with the following and ensure to submit, the receipt of the copy of SFMS message as sent by the issuing bank branch, along with the original bank guarantee in OIL's tender issuing office:

“The Bank Guarantee issuing Bank branch must ensure the following:

The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
- (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code – HDFC0002118; SWIFT Code - HDFCINBBCAL.

Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602.”

2.0 BID EVALUATION CRITERIA (BEC)

The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below. The original Bid Closing Date shall be considered by OIL for evaluation of BRC criteria even in case of any extension of the original Bid Closing Date.

<p>A) TECHNICAL:</p> <ol style="list-style-type: none"> 1. The manufactured product should be strictly as per OIL's tender specification. 2. Bids shall be evaluated strictly as per NIT specifications, terms and conditions. <p>B) COMMERCIAL:</p> <ol style="list-style-type: none"> i) To evaluate the inter-se-ranking of the offers, all Taxes / Levies will be considered as per prevailing Govt. guidelines as applicable on the bid opening date. Bidders may check this with the appropriate authority before submitting their offer. ii) Priced bids of only those bidders will be opened whose offers are found technically acceptable. The technically acceptable bidders will be informed before opening of the "priced bid". iii) A job executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BEC. iv) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected. 	
---	--

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of the NIT.

-----XXXX-----

TECHNICAL SPECIFICATIONS WITH QUANTITY**Tender No & Date: SDI3651P20 DT: 28.01.2020**

MATERIALS DESCRIPTION	Complied / Not Complied. (Remarks if any)
<p><u>ITEM NO. 10</u></p> <p><u>PROCUREMENT OF SKID MOUNTED RECTANGULAR TRIP TANK WITH PUMP AND MOTOR- 04 NO</u></p> <p>Skid mounted Rectangular TRIP TANK as per OIL DRG NO: OIL/7792 and Annexure -I. Tank should be completed with suitably rated motor , pump and ladder as per Drawing on skid and coated with epilux 610 or equivalent primer paint both inside and outsides . Two coats of synthetic enamel (colour will be specified during inspection) paint to be coated outside.</p> <p>1. PUMP AND MOTOR SPECIFICATION FOR SKID MOUNTED RECTANGULAR TRIP TANK</p> <p>The Pumps are to be mounted on horizontal oilfield skid as per the drawing No: OIL/7792, complete with earth grounding point; flexible coupling and OSHA style coupling guard.</p> <p>Pumps & motor are to be mounted on their own independent base skid for easy maintenance as per the drawing</p> <p>The pumps should be driven by suitably rated individual Electric Motor directly coupled to the pump.</p> <p>2. PUMP SPECIFICATION: (Quantity: 02 Nos)</p> <p>Model of the pump: Magnum -I of size 3" x 2" x 13" Make of the pump: TRW/Mission Drilling Products At the time of supply. 6-inch impeller shall be fitted with the Pump Bidder to supply one no. additional 6" impeller as a spare along with each pump</p> <p>Bidder to submit catalogue, technical literature, performance curve of the pump along with the technical bid. Otherwise, offer will be rejected</p> <p>Bidder must purchase the pump from the OEM or respective authorized dealer of the pump. The purchase documents of pump from the OEM or authorized dealer must be submitted along with the supply of pump sets. Bidder must confirm compliance of this in the technical bid.</p> <p>3. ELECTRICAL MOTOR SPECIFICATION: (Quantity: 02 Nos)</p> <p>Flame proof, squirrel cage induction motor suitable for hazardous areas of oilfields,</p>	

Zone I and Gas group IIA & II B, and, conforming to IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007 with latest amendments/revisions..

Parameter Requirement

Power Rating : 5 HP / 3.75 KW (Minimum)

Voltage : 415VAC +/- 10%

Frequency : 50 Hz +/- 5%

Phases : 3 (Three Phase)

Rated pf : 0.8 or better

Insulation Class : "F" with temperature limited to Class "B"

Temperature Class : T4 as per IEC

Ambient Temperature : 45 Deg C

Humidity : 95 %

Frame Size : To be specified by bidder

RPM : 1500

Enclosure protection : IP 55 (minimum)

Enclosure type : Ex-d

Duty cycle : S1 (Continuous)

Cooling : TEFC (Totally Enclosed Fan Cooled)

Mounting : B3 (Foot mounted)

Rotation : Bi-directional

Efficiency : IE2 Class (Minimum)

Starting : DOL

Make : Kirloskar / CGL / Marathon / LHP / BB/ABB/Siemens/Havells

4. DETAILS OF PUSH BUTTON SWITCH (Quantity: 2 nos)

A PBS should be supplied for remote Start / Stop of the motor. The START/ STOP Push Button Switch should be Flameproof (Type Ex-d, as per IS/IEC 60079-1), suitable for hazardous areas of oilfields, Zone I and Gas group IIA & II B, with provisions of cable entry and exit through double compression cable glands.

Quantity 2 numbers (one for each motor).

ii) The PBS should feature start and Stop buttons. This PBS should be mounted at suitable height near to the motor.

Parameter Requirement

Ratings : 10 Amps, 415V AC, 50 Hz

Components : 1 NO + 1NC; RED for STOP and GREEN for START with mechanical interlock on STOP Button

Materials of construction : Die Cast Aluminium Alloy LM6

Enclosure : Flame proof Exd as per IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007

Protection : IP-55 (minimum)

Finish : Anti-corrosive Epoxy light Grey shade 631

Weight : 2.25 Kg (approx)

Earthing : Provision for one no earthing stud inside and two number earthing stud outside of the PBS

Cable entry : 2nos, at bottom with 3/4" ET thread

Rain hood/canopy: Suitable size canopy to be provided with PBS for rainwater protection

Make Sudhir/Baliga/FCG/Trimiti/Shreya/Shyam or equivalent

5. GENERAL NOTES (for Electrical items):

(i) Motor, Terminal Box, Push Button switch and Double Compression Cable Gland shall be of flameproof construction (Type Ex-d), suitable for use in oilfield hazardous area, Zone-I and Gas group IIA & II B and conform to. IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007

(ii) Certified explosion-proof double compression cable gland should be fitted with the motor, push button switch and terminal box. Bidders should confirm this in their quotation.

(iii) The START / STOP push button switch should be suitably mounted near the motor for operation.

(iv) Starter, PBS & Junction Box must be mounted with Strong & Rigid bracket.

v) Dimensional drawing and details of the motor and push button switch must be provided along with the offer.

(vi) The motor, Tank skid & Push Button should be provided with two distinct suitably rated body-earthing points.

(vii) The motor shall be connected to the existing DOL starter panel OIL. Electrical System available at the well site is 3 phase 3 wire, without neutral. The motor starting and running system should thus be designed for 3 phase 3 wire system, without neutral.

(viii) Motor should be provided with rain protection metallic cover of sturdy design. Motor and shed should have double coating of epoxy based anti-corrosive paint.

ix) The Electric Motor shall be provided with lifting Eye Bolt.

x) The Electrical system and relevant test reports shall be inspected / tested during pre-dispatch inspection at the manufacture's works. Dispatch clearance will be given only after successful completion of the same.

6. STATUTORY REQUIREMENT:

i) All flame- proof Electrical equipment like Motor, Push Button Station, Cable glands etc. should be suitable for use in hazardous area of zone-I and gas group IIA & IIB in oil mine and shall conform to IS/IEC/EN: 60079-0:2011 & IS/IEC/EN: 60079-1:2007 as per clause No.: 107 of OMR-2017 and bidders are to confirm the same while quoting.

The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility. The test certificate number shall be affixed or embossed on each piece of equipment. Copies of above certificates should be enclosed with the quotation as well as with the supply of

materials.

7. STANDARDS APPLICABLE:

Motors should conform to these standards, or latest iterations thereof:

IS 325: Three phase Induction motors-specification

IS 900: Code of practice for installation and maintenance of induction motors

IS 1231: Dimension of three-phase foot mounted A.C. Induction motors

IS 2223: Dimensions of Flange Mounted AC Induction Motor

IS 1271: Specification for Thermal Evaluation and Classification of Electrical Insulation

IS 4029: Guide for testing three phase induction motors

IS 4691 / IEC 60529: Degree of protection provided by Enclosures for Rotating Electrical Machinery

IS 6362: Designation of methods of cooling for rotating electrical machines

IS 12065: Permissible limits of noise level for rotating electrical machines

IS 12075: Mechanical vibration of rotating electrical machines

IS 12615: Energy Efficient Induction motors - Three phase, squirrel cage

IEC 60045-1, 5: Rotating electrical machines - Rating and performance, degrees of protection

IEC 60072: Dimension and output ratings of rotating electrical machines

IS 8789: Performance of standard motors up to 37 kW

IS/IEC/EN 60079-0:2011: Electrical Apparatus for explosive gas atmospheres: General Requirement

IS/IEC/EN 60079-1:2007: Electrical Apparatus for explosive gas atmospheres - flameproof enclosures "d"

IS 5571: Guide for selection of electrical equipment for hazardous areas

IS 5572: Classification of hazardous areas (other than mines) having flammable gases and vapours for electrical installation

IS 9570 : Classification of flammable gases or vapours with air according to MESG and Minimum igniting current.

IS 7572 1974: Guide for Testing Single-phase AC and Universal Motors

IS 7816 1975: Guide for testing insulation resistance of rotating machines

SPECIAL TERMS AND CONDITIONS:

1. The Trip Tanks to be constructed as per drawing no. OIL/7792
2. One No. scale should be installed at the Derrick floor of the rig (15 m apart of the Trip Tank).
3. The bidder to supply three sets of operation, maintenance & repair manuals of pump and Motor along with the item
4. All materials/components of construction/manufacturing should be brand new, unused and free from any defect. Bidder to confirm the same while quoting.
5. Bidder should forward the following certificate along with their quotation. Offer without these certificates will be treated as nonresponsive and liable for rejection.
 - a) National small scale Industry Registration certificate with approved product list.

b) Small scale Industry certificate.

6. All structural steel works shall conform to IS: 800-1984 & 226-1975. Welding shall conform to IS: 823-1964 & 816-1969. Bidder to confirm the same while quoting.

7. All tanks should be hydraulically tested (for leakage if any) by completely filling it with water and keeping it for 3 (three) days before final painting. Test report shall be furnished with the supply. Bidder to confirm the same while quoting.

8. The skid mounted rectangular Trip Tank including electrical items should be offered for inspection & intimation should be sent at least 2 weeks in advance at the following stages

- i) At any time during the fabrication job.
- ii) After completion of fabrication job & during hydraulic testing.
- iii) After sand blasting / cleaning & before painting.
- iv) On completion of painting & before dispatching the complete tanks

9. Purchase order no. should be weld written on each tank.

10. User Deptt name, user section name (OIL-DRILLING-W/O) and OIL logo should be paint written on each tank.

11. Minor change in the specification may be done during the course of fabrication of tank, if required, at no additional cost to OIL.

12. Delivery being the essence of the tender, Bidder should indicate their best delivery schedule.

13. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of receipt or 12 months from date of commissioning of the items.

14. The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense. Bidders must confirm the same in their quotations.

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of the NIT.

INTEGRITY PACT

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

Preamble:

The Principal intends to award, under laid down organizational procedures, contract/s for **SDI3651P20**. The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section: 1 -Commitments of the Principal

(1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
3. The Principal will exclude from the process all known prejudiced persons.

(2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a Page 2 of 6 substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section: 2 -Commitments of the Bidder/Contractor

(1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which h e/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

(2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

(3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

Section 3 -Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.
2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.
5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings

Section 4 -Compensation for Damages

1.If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.

(2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 -Previous transgression

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors

1.The Principal will enter into Pacts on identical terms with all bidders and contractors.

2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.

3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section: 7 -Criminal charges against violating Bidders/Contractors/ Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section: 8 -External Independent Monitor/Monitors

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.
4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.
6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to

him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8. The word 'Monitor' would include both singular and plural.

Section:9 -Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section:10 -Other provisions

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.

2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.

3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.

4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

N KAKATI
SMM (IP)

.....
For the Principal

.....
For the Bidder/Contractor

Witness 1:

Witness 2:

Place. DULIAJAN
Date . 22.04.2020

ANNEXURE - II

**TECHNICAL EVALUATION MATRIX
(TO BE FILLED IN BY BIDDER DULY SIGNED)**

BID EVALUATION CRITERIA

Clause Number	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied / Deviation/Not Applicable)	TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
	BID REJECTION CRITERIA/BID EVALUATION CRITERIA		
	The bids shall conform generally to the specifications, terms and conditions given in the tender. Bids shall be rejected in case the items offered do not confirm to the required minimum / maximum parameters stipulated in the technical specifications and to the respective international / national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms & conditions, the following requirements will have to be particularly meet by the bids, without which the offer will be considered as non-respective and rejected.		

1.0	ELIGIBILITY CRITERIA :		
1(a)	<p>The bidder should be a reputed fabricator and should have the credentials of supplying similar type of tanks in the past. Necessary evidence in the form of order copies / proof of supplies / acceptance / performance certificates should be submitted along with the offer.</p> <p>Note: Term " similar type of tank " means Steel Fabricated Mud tank, Water tank , Preflux tank etc)</p>		
1(b)	Bidder should have successfully executed a single order of quantity not less than 02 (two) nos for manufacture and supply of tank in the past 05 years, preceding the technical bid closing date. Necessary proof in support of the same should be submitted along with the offer failing which the offer will be rejected.		
1©	Bidder must forward along with the quotation the detailed drawing of the tank , Bill of material failing which the offer will be liable for rejection.		
1(d)	The offer should be forwarded along with price break up of each and every item. Offer without these will be rejected.		
1(e)	The bidder should be a Government registered vendor. Necessary proof in support of the same should be furnished.		
1(f)	Bidder should have the required machinery, manpower and resources for undertaking the fabrication of tank , viz welding, painting, pressing of sheets (corrugation) etc. A list of all the facilities (including list of machineries) available is to be submitted along with the offer.		

ANNEXURE - II

TECHNICAL EVALUATION MATRIX (TO BE FILLED IN BY BIDDER DULY SIGNED)
--

TECHNICAL SPECIFICATIONS

Clause Number	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied / Deviation / Not Applicable)	TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
	SKID MOUNTED RECTANGULAR TRIP TANK WITH PUMP AND MOTOR Skid mounted Rectangular TRIP TANK as per OIL DRG NO: OIL/7792 and Annexure -I. Tank should be completed with suitably rated motor , pump and ladder as per Drawing on skid and coated with epilux 610 or equivalent primer paint both inside and outsides . Two coats of synthetic enamel (colour will be specified during inspection) paint to be coated outside.		
1.0	PUMP AND MOTOR SPECIFICATION FOR SKID MOUNTED RECTANGULAR TRIP TANK The Pumps are to be mounted on horizontal oilfield skid as per the drawing No: OIL/7792, complete with earth grounding point; flexible coupling and OSHA style coupling guard. Pumps & motor are to be mounted on their own independent base skid for easy maintenance as per the drawing The pumps should be driven by suitably rated individual Electric Motor directly coupled to the pump.		

2.0	<p>PUMP SPECIFICATION: (Quantity: 02 Nos)</p> <p>Model of the pump: Magnum -I of size 3" x 2" x 13" Make of the pump: TRW/Mission Drilling Products At the time of supply. 6-inch impeller shall be fitted with the Pump Bidder to supply one no. additional 6" impeller as a spare along with each pump</p> <p>Bidder to submit catalogue, technical literature, performance curve of the pump along with the technical bid. Otherwise, offer will be rejected</p> <p>Bidder must purchase the pump from the OEM or respective authorized dealer of the pump. The purchase documents of pump from the OEM or authorized dealer must be submitted along with the supply of pump sets. Bidder must confirm compliance of this in the technical bid.</p>																																		
3.0	<p><u>ELECTRICAL MOTOR SPECIFICATION: (Quantity: 02 Nos)</u></p> <p>Flame proof, squirrel cage induction motor suitable for hazardous areas of oilfields, Zone I and Gas group IIA & II B, and, conforming to IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007 with latest amendments/revisions..</p> <table><tr><td>Parameter</td><td>Requirement</td></tr><tr><td>Power Rating</td><td>: 5 HP / 3.75 KW (Minimum)</td></tr><tr><td>Voltage</td><td>: 415VAC +/- 10%</td></tr><tr><td>Frequency</td><td>: 50 Hz +/- 5%</td></tr><tr><td>Phases</td><td>: 3 (Three Phase)</td></tr><tr><td>Rated pf</td><td>: 0.8 or better</td></tr><tr><td>Insulation Class</td><td>: "F" with temperature limited to Class "B"</td></tr><tr><td>Temperature Class</td><td>: T4 as per IEC</td></tr><tr><td>Ambient Temperature</td><td>: 45 Deg C</td></tr><tr><td>Humidity</td><td>: 95 %</td></tr><tr><td>Frame Size</td><td>: To be specified by bidder</td></tr><tr><td>RPM</td><td>: 1500</td></tr><tr><td>Enclosure protection</td><td>: IP 55 (minimum)</td></tr><tr><td>Enclosure type</td><td>: Ex-d</td></tr><tr><td>Duty cycle</td><td>: S1 (Continuous)</td></tr><tr><td>Cooling</td><td>: TEFC (Totally Enclosed Fan Cooled)</td></tr></table>	Parameter	Requirement	Power Rating	: 5 HP / 3.75 KW (Minimum)	Voltage	: 415VAC +/- 10%	Frequency	: 50 Hz +/- 5%	Phases	: 3 (Three Phase)	Rated pf	: 0.8 or better	Insulation Class	: "F" with temperature limited to Class "B"	Temperature Class	: T4 as per IEC	Ambient Temperature	: 45 Deg C	Humidity	: 95 %	Frame Size	: To be specified by bidder	RPM	: 1500	Enclosure protection	: IP 55 (minimum)	Enclosure type	: Ex-d	Duty cycle	: S1 (Continuous)	Cooling	: TEFC (Totally Enclosed Fan Cooled)		
Parameter	Requirement																																		
Power Rating	: 5 HP / 3.75 KW (Minimum)																																		
Voltage	: 415VAC +/- 10%																																		
Frequency	: 50 Hz +/- 5%																																		
Phases	: 3 (Three Phase)																																		
Rated pf	: 0.8 or better																																		
Insulation Class	: "F" with temperature limited to Class "B"																																		
Temperature Class	: T4 as per IEC																																		
Ambient Temperature	: 45 Deg C																																		
Humidity	: 95 %																																		
Frame Size	: To be specified by bidder																																		
RPM	: 1500																																		
Enclosure protection	: IP 55 (minimum)																																		
Enclosure type	: Ex-d																																		
Duty cycle	: S1 (Continuous)																																		
Cooling	: TEFC (Totally Enclosed Fan Cooled)																																		

	<div>Mounting : B3 (Foot mounted)</div> <div>Rotation : Bi-directional</div> <div>Efficiency : IE2 Class (Minimum)</div> <div>Starting : DOL</div> <div>Make : Kirloskar / CGL / Marathon / LHP / BB/ABB/Siemens/Havells</div>																										
4.0	<div>DETAILS OF PUSH BUTTON SWITCH (Quantity: 2 nos)</div> <div>A PBS should be supplied for remote Start / Stop of the motor. The START/ STOP Push Button Switch should be Flameproof (Type Ex-d, as per IS/IEC 60079-1), suitable for hazardous areas of oilfields, Zone I and Gas group IIA & II B, with provisions of cable entry and exit through double compression cable glands.</div> <div>Quantity 2 numbers (one for each motor).</div> <div>ii) The PBS should feature start and Stop buttons. This PBS should be mounted at suitable height near to the motor.</div> <div><table><tr><td>Parameter</td><td>Requirement</td></tr><tr><td>Ratings</td><td>: 10 Amps, 415V AC, 50 Hz</td></tr><tr><td>Components</td><td>: 1 NO + 1NC; RED for STOP and GREEN for START with mechanical interlock on STOP Button</td></tr><tr><td>Materials of construction</td><td>: Die Cast Aluminium Alloy LM6</td></tr><tr><td>Enclosure</td><td>: Flame proof Exd as per IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007</td></tr><tr><td>Protection</td><td>: IP-55 (minimum)</td></tr><tr><td>Finish</td><td>: Anti-corrosive Epoxy light Grey shade 631</td></tr><tr><td>Weight</td><td>: 2.25 Kg (approx)</td></tr><tr><td>Earthing</td><td>: Provision for one no earthing stud inside and two number earthing stud outside of the PBS</td></tr><tr><td>Cable entry</td><td>: 2nos, at bottom with 3/4" ET thread</td></tr><tr><td>Rain hood/canopy</td><td>: Suitable size canopy to be provided with PBS for rainwater protection</td></tr><tr><td>Make</td><td>: Sudhir/Baliga/FCG/Trimiti/Shreya/Shyam or equivalent</td></tr></table></div>	Parameter	Requirement	Ratings	: 10 Amps, 415V AC, 50 Hz	Components	: 1 NO + 1NC; RED for STOP and GREEN for START with mechanical interlock on STOP Button	Materials of construction	: Die Cast Aluminium Alloy LM6	Enclosure	: Flame proof Exd as per IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007	Protection	: IP-55 (minimum)	Finish	: Anti-corrosive Epoxy light Grey shade 631	Weight	: 2.25 Kg (approx)	Earthing	: Provision for one no earthing stud inside and two number earthing stud outside of the PBS	Cable entry	: 2nos, at bottom with 3/4" ET thread	Rain hood/canopy	: Suitable size canopy to be provided with PBS for rainwater protection	Make	: Sudhir/Baliga/FCG/Trimiti/Shreya/Shyam or equivalent		
Parameter	Requirement																										
Ratings	: 10 Amps, 415V AC, 50 Hz																										
Components	: 1 NO + 1NC; RED for STOP and GREEN for START with mechanical interlock on STOP Button																										
Materials of construction	: Die Cast Aluminium Alloy LM6																										
Enclosure	: Flame proof Exd as per IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007																										
Protection	: IP-55 (minimum)																										
Finish	: Anti-corrosive Epoxy light Grey shade 631																										
Weight	: 2.25 Kg (approx)																										
Earthing	: Provision for one no earthing stud inside and two number earthing stud outside of the PBS																										
Cable entry	: 2nos, at bottom with 3/4" ET thread																										
Rain hood/canopy	: Suitable size canopy to be provided with PBS for rainwater protection																										
Make	: Sudhir/Baliga/FCG/Trimiti/Shreya/Shyam or equivalent																										
5.0	<div>GENERAL NOTES (for Electrical items):</div> <div>(i) Motor, Terminal Box, Push Button switch and Double Compression Cable Gland shall be of</div>																										

	<p>flameproof construction (Type Ex-d), suitable for use in oilfield hazardous area, Zone-I and Gas group IIA & II B and conform to. IS/IEC/EN 60079-0:2011 & IS/IEC/EN 60079-1:2007</p> <p>(ii) Certified explosion-proof double compression cable gland should be fitted with the motor, push button switch and terminal box. Bidders should confirm this in their quotation.</p> <p>(iii) The START / STOP push button switch should be suitably mounted near the motor for operation.</p> <p>(iv) Starter, PBS & Junction Box must be mounted with Strong & Rigid bracket.</p> <p>v) Dimensional drawing and details of the motor and push button switch must be provided along with the offer.</p> <p>(vi) The motor, Tank skid & Push Button should be provided with two distinct suitably rated body-earthing points.</p> <p>(vii) The motor shall be connected to the existing DOL starter panel OIL. Electrical System available at the well site is 3 phase 3 wire, without neutral. The motor starting and running system should thus be designed for 3 phase 3 wire system, without neutral.</p> <p>(viii) Motor should be provided with rain protection metallic cover of sturdy design. Motor and shed should have double coating of epoxy based anti-corrosive paint.</p> <p>ix) The Electric Motor shall be provided with lifting Eye Bolt.</p> <p>x) The Electrical system and relevant test reports shall be inspected / tested during pre-dispatch inspection at the manufacture's works. Dispatch clearance will be given only after successful completion of the same.</p>		
6.0	<p><u>STATUTORY REQUIREMENT:</u></p> <p>i) All flame- proof Electrical equipment like Motor, Push Button Station, Cable glands etc. should be suitable for use in hazardous area of zone-I and gas group IIA & IIB in oil mine and shall conform to IS/IEC/EN: 60079-0:2011 & IS/IEC/EN: 60079-1:2007 as per clause No.: 107 of OMR-2017 and bidders are to confirm the same while quoting.</p> <p>The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility. The test</p>		




	certificate number shall be affixed or embossed on each piece of equipment. Copies of above certificates should be enclosed with the quotation as well as with the supply of materials.		
7.0	STANDARDS APPLICABLE:		
	<p>Motors should conform to these standards, or latest iterations thereof:</p> <p>IS 325: Three phase Induction motors-specification IS 900: Code of practice for installation and maintenance of induction motors IS 1231: Dimension of three-phase foot mounted A.C. Induction motors IS 2223: Dimensions of Flange Mounted AC Induction Motor IS 1271: Specification for Thermal Evaluation and Classification of Electrical Insulation IS 4029: Guide for testing three phase induction motors IS 4691 / IEC 60529: Degree of protection provided by Enclosures for Rotating Electrical Machinery IS 6362: Designation of methods of cooling for rotating electrical machines IS 12065: Permissible limits of noise level for rotating electrical machines IS 12075: Mechanical vibration of rotating electrical machines IS 12615: Energy Efficient Induction motors - Three phase, squirrel cage IEC 60045-1, 5: Rotating electrical machines - Rating and performance, degrees of protection IEC 60072: Dimension and output ratings of rotating electrical machines IS 8789: Performance of standard motors up to 37 kW IS/IEC/EN 60079-0:2011: Electrical Apparatus for explosive gas atmospheres: General Requirement IS/IEC/EN 60079-1:2007: Electrical Apparatus for explosive gas atmospheres - flameproof enclosures "d" IS 5571: Guide for selection of electrical equipment for hazardous areas</p>		
8.0	GENERAL NOTES:		
1.0	The Trip Tanks to be constructed as per drawing no. OIL/7792		
2.0	One No. scale should be installed at the Derrick floor of the rig (15 m apart of the Trip Tank).		
3.0	The bidder to supply three sets of operation, maintenance & repair manuals of pump and Motor along with the item		
4.0	All materials/components of construction/manufacturing should be brand new, unused and free from any defect. Bidder to confirm the same while quoting.		

TENDER NO. SDI3651P20 DT: 28.01.2020

5.0	Bidder should forward the following certificate along with their quotation. Offer without these certificates will be treated as nonresponsive and liable for rejection. a) National small scale Industry Registration certificate with approved product list. b) Small scale Industry certificate.		
6.0	All structural steel works shall conform to IS: 800-1984 & 226-1975. Welding shall conform to IS: 823-1964 & 816-1969. Bidder to confirm the same while quoting.		
7.0	All tanks should be hydraulically tested (for leakage if any) by completely filling it with water and keeping it for 3 (three) days before final painting. Test report shall be furnished with the supply. Bidder to confirm the same while quoting		
8.0	The skid mounted rectangular Trip Tank including electrical items should be offered for inspection & intimation should be sent at least 2 weeks in advance at the following stages i) At any time during the fabrication job. ii) After completion of fabrication job & during hydraulic testing. iii) After sand blasting / cleaning & before painting. iv) On completion of painting & before dispatching the complete tanks		
9.0	Purchase order no. should be weld written on each tank.		
10.0	User Deptt name, user section name (OIL-DRILLING-W/O) and oil logo should be paint written on each tank.		
11.0	Minor change in the specification may be done during the course of fabrication of tank, if required, at no additional cost to OIL.		
12.0	Delivery being the essence of the tender, Bidder should indicate their best delivery schedule.		
13.0	Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of receipt or 12 months from date of commissioning of the items.		
14.0	The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense. Bidders must confirm the same in their quotations.		

ANNEXURE - 1**TECHNICAL CHECKLIST FOR DRILL COLLAR**

Sl. No	DESCRIPTIONS	REMARKS
1	Whether quoted the item as manufacturer	YES / NO
2	All structural steel works shall conform to IS: 800-1984 & 226-1975.	YES / NO
3	Welding shall conform to IS: 823-1964 & 816-1969.	YES / NO
4	Whether all hexagonal bolts & nuts conform to IS 1363-1967.	YES / NO
5	Minor change in the specification may be done during the course of fabrication of tank, if required.	YES / NO
6	Whether the Trip Tank as per drawing no. OIL/7792.	YES / NO
7	Whether documentary evidence of previous orders & performance report enclosed as desired vide Notes of the NIT.	YES / NO
8	Whether warranty would be for 18 months from date of receipt or 12 months from date of commissioning of the items?	YES / NO
9	Whether the defective item/ parts, if any, rejected by us will be replaced by you free of cost?	YES / NO
10	Any deviation from NIT?	YES / NO



1. ALL STRUCTURAL STEEL WORK SHALL CONFORM TO 16.900-1984 § 17.112-1975.
2. ALL HEX BOLTS & NUTS TO CONFORM TO 19.1363-1957.
3. WELDING WORK SHALL CONFORM TO 16.878-1964 § 15.104-1969.
4. THE TANK WITH TWO MOTORS PUMP.
5. PROVISION TWO 24" CALIBRATION SCALE IN (INCH) INSIDE TANK TO READ FROM TOP OF WELL AS FROM BOTTOM.
6. TWO NO. OF CALIBRATED SCALE (OVERHEAD) FOLDING TYPE WITH FLOAT ETC. HAVING DISTINCT VISIBILITY.
7. PROVISION OF LARGE SIZE DRAIN PLUG(S) OPPOSITE FOR TANK DOOR.
8. SERRATED FLOORING AT THE TOP.
9. PROVISION OF OUTSIDE LADDER, WITH RAILING TOWARDS PUMP/MOTOR SIDE.
10. SPECIFICATION OF MOTOR & PUMP WILL BE AVAILABLE SEPARATELY. THIS INFORMATION IS TO BE COLLECTED FROM MECH. & ELEC. DEPTT.
11. PROVISION OF PIPING NETWORK AT TOP AND BOTTOM.
12. PROVISION OF SWAYL TYPE BOTTOM GUN FOR TESTING FACILITY.
13. CAPACITY OF TANK SHOULD CONFORM TO SOME ROUND FIGURE PER NECH. ACCORDING TANK DIMENTION MAY NEED TO BE ALTERED.
14. TANK WALL THICKNESS SHOULD BE ATLEAST 5MM.
15. FLOOR OUTSIDE TANK SHOULD BE OF 6MM IN THICK CHISED PLATE.
16. MODE PLATFORM HAVING SERRATED FLOORING FOLDING TYPE ON THREE SIDES.

DESIGNATION / DATE

DIMENSIONS ARE IN MILLIMETRES

Technical Bid Checklist**Annexure-EEE**

Tender No.			
Bidder's Name :			
		Compliance by Bidder	
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid or Comments
1	Confirm that validity has been offered as per NIT.		
2	Confirm that Bid Security / Earnest Money has been submitted as per NIT (Wherever Applicable) ?		
3	Confirm that you shall submit Performance security (in the event of placement of order) (Wherever Applicable) ?		
4	Confirm that duly signed Integrity Pact has been submitted as per NIT (Wherever Applicable) ?		
5	Confirm that you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)		
6	Confirm that you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.		
7	Confirm that the bid has been signed using Class 3 digital certificate with Organisation's Name as per NIT.		
8	Confirm that you have not taken any exception/deviations to the NIT .		

NOTE: Please fill up the greyed cells only.

(*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of the purchase order cited above.

Response Sheet**Annexure-FFF**

Tender No.
Bidders Name

Bidders Response Sheet

SI No.	Description	Remarks
1	Place of Despatch	
2	Whether Freight charges have been included in your quoted prices	
3	Whether Insurance charges have been included in your quoted prices	
4	Make of quoted Product	
5	Offered Validity of Bid as per NIT	
6	Bid Security Submitted (if applicable)	
6	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
7	Whether you shall submit Performance Security in the event of placement of order on you (if applicable)	
8	Integrity Pact Submitted (if applicable)	
9	Whether you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)	
10	Whether you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.	
11	Delivery Period in weeks from placement of order	
12	Complied to Payment terms of NIT (if applicable) otherwise to Standard Payment Terms of OIL or not.	
13	If bidder is MSE whether you have quoted your own product	
14	If Bid security submitted as Bank Guarantee, Name and Full Address of Issuing Bank including Telephone, Fax Nos and Email id of branch manager	

NOTE: Please fill up the greyed cells only.

(*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory

ANNEXURE - GGG

**(TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETTER HEAD)
(ALL FIELDS ARE MANDATORY)**

Tender No. :.....
Name of Beneficiary :M/s.....
Vendor Code :.....
Address :.....
.....
Phone No. (Land Line) :.....
Mobile No. :.....
E-mail address :.....
Bank Account No. (Minimum
Eleven Digit No.) :.....
Bank Name :.....
Branch :.....
Complete Address of your
Bank :.....

IFSC Code of your Bank
a) RTGS :.....
b) NEFT :.....
PAN :.....
VAT Registration No. :.....
CST Registration No. :.....
Service Tax Registration No. :.....
Provident Fund Registration :.....

I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.

Office Seal

.....
Signature of Vendor

Counter Signed by Banker:
Seal of Bank:

Enclosure: Self attested photocopies of the following documents-

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.