

Annexure-II

OIL INDIA LIMITED
(A Government of India Enterprise)
P.O. Duliajan - 786602, Assam, India
FAX: 91-0374-2800533; E-mail : material@oilindia.in


A) OIL INDIA LIMITED invites Indigenous Competitive Bid (e-tenders) through its e-Procurement portal : <https://etender.srm.oilindia.in/irj/portal> for following e-tender :

E-Tender No.	B.C Date	Material Description & Quantity
SSI6275P15 DT:15.02.2015 (SINGLE STAGE TWO BID SYSTEM)	09.04.2015	BITUMEN VG – 10 - 800MT
SDI6096P15 DT:30.01.2015 (SINGLE STAGE TWO BID SYSTEM)	09.04.2015	BUNK HOUSE
SDI6335P15 DT: 19.02.2015 (SINGLE STAGE TWO BID SYSTEM)	09.04.2015	BUNK HOUSE-24 NOS

Application showing full address/email address with Tender Fee (Non-refundable) of Rs. 1,000.00 in favour of M/s Oil India Limited and payable at Duliajan is to be sent to Head-Materials, Oil India Limited, P.O. Duliajan, Assam-786602. Application shall be accepted one week prior to Bid Closing date. The envelope containing the application for participation should clearly indicate “REQUEST FOR ISSUE OF USER ID AND PASSWORD FOR E TENDER NO ...” for easy identification and timely issue of user ID and password. On receipt of requisite tender fee, USER_ID and initial PASSWORD will be communicated to the bidder (through e-mail) and will be allowed to participate in the tender through OIL's e-Procurement portal. No physical tender documents will be provided. Details of NIT can be viewed using “Guest Login” provided in the e-Procurement portal. The link to e-Procurement portal has been also provided through OIL's web site www.oil-india.com.

NOTE:

(Tender Fee may also be paid online upto one week prior to the bid closing date (or as amended in e-portal).



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808719

FAX NO: (91-374) 2800533

Email: tuhin_roy@oilindia.in ; erp_mm@oilindia.in

FORWARDING LETTER

Tender No. : SDI6096P15 DT: 30.01.2015

Tender Fee : Rs 1,000.00

Bid Security Amount : Rs 1,32,000.00

Bidding Type : SINGLE STAGE TWO BID SYSTEM

Bid Closing on : As mentioned in the e-portal

Bid Opening on : -do-

Performance Security : Applicable

Integrity Pact : Applicable

OIL invites Bids for **A/C BUNK HOUSE – 12 NOS** through its e-Procurement site under **SINGLE STAGE TWO BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area - > Tender Documents

The general details of tender can be viewed by opening the RFx [Tender] under RFx and Auctions.. The details of items tendered can be **found in the Item Data and details uploaded under Technical RFX.**

The tender will be governed by:

- a) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.
- b) Technical specifications and Quantity as per **Annexure – 1A**.
- c) The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area - > Tender Documents.
- d) In the event of receipt of only a single offer against the tender within B.C. date, OIL reserves the right to extend the B.C. date as deemed fit by the Company. During the extended period, the bidders who have already submitted the bids on or before the original B.C. date, shall not be permitted to revise their quotation.
- e) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this

contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

- f) Bidder are advised to fill up the Technical bid check list ([Annexure EEE](#)) and Response sheet ([Annexure FFF](#)) given in MS excel format in Technical RfX -> External Area -> Tender Documents. The above filled up document to be uploaded in the **Technical RFX Response**.

Special Note:

1.0 General Qualification Criteria:

In addition to the general BRC/BEC, following criteria on Bidders' Experience and their financial capabilities shall be considered (**documentary evidence to be provided along with the bid in Technical RfX -> External Area -> Tender Documents**) as on the Bid Closing Date:

Criteria	Complied / Not Complied. Documentary evidence submitted / not submitted
a) Annual financial turnover of the firm in any of the last 3 financial years or current financial year should not be less than Rs 131.86 Lakhs .	

2.0 Application showing full address/email address with Tender Fee (Non-refundable) of Rs. 1,000.00 in favour of M/s Oil India Limited and payable at Duliajan is to be sent to Head-Materials, Oil India Limited, P.O. Duliajan, Assam-786602. Application shall be accepted only upto one week prior to the bid closing date (or as amended in e-portal). The envelope containing the application for participation should clearly indicate “REQUEST FOR ISSUE OF USER ID AND PASSWORD FOR E TENDER NO ...” for easy identification and timely issue of user ID and password. On receipt of requisite tender fee, USER_ID and initial PASSWORD will be communicated to the bidder (through e-mail) and will be allowed to participate in the tender through OIL’s e- Procurement portal. No physical tender documents will be provided. Details of NIT can be viewed using “Guest Login” provided in the e-Procurement portal. The link to e-Procurement portal has been also provided through OIL’s web site www.oil-india.com.

NOTE:

a) Tender Fee may also be paid online upto one week prior to the bid closing date (or as amended in e-portal).

b) PSUs and SSI units are provided tender documents Free of Cost (as per govt guidelines), however they have to apply to OIL's designated office to issue the tender documents before the last date of sale of tender document mentioned in the tender.

3.0 The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidders are required to submit both the “TECHNO-COMMERCIAL UNPRICED BID” and “PRICED BID” through electronic format in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.

3.1 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RfX Response-> User -> Technical Bid only. The

“TECHNO-COMMERCIAL UNPRICED BID” shall contain all techno-commercial details except the prices. **Please note that no price details should be uploaded in** Technical RFx Response.

3.2 The **“PRICE BID”** must contain the price schedule and the bidder’s commercial terms and conditions. **The prices of the items should be quoted in “Conditions Tab”. Details of prices as per Bid format / Commercial bid can be uploaded as Attachment under the attachment option under “Notes & Attachments”.**

3.3 A screen shot in this regard is given below. Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in **Annexure-CCC**.

On “EDIT” Mode- The following screen will appear. Bidders are advised to Upload “Techno-Commercial Unpriced Bid” and “Priced Bid” in the places as indicated above:

Note :

* The “Techno-Commercial Unpriced Bid” shall contain all techno-commercial details **except the prices.**

** The “Price bid” must contain the price schedule and the bidder’s commercial terms and conditions. For uploading Price Bid, first click on Sign Attachment, a browser window will open, select the file from the PC and click on Sign to sign the Sign. On Signing a new file with extension .SSIG will be created. Close that window. Next click on Add Attachment, a browser window will open, select the .SSIG signed file from the PC and name the file under Description, Assigned to General Data and click on OK to save the File.

4.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with **Tender no.** and **Due date** to **Head Materials, Materials Department, Oil India Limited, Duliajan - 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

- a) **Original Bid Security**
- b) **Detailed Catalogue (if any)**
- c) **Any other document required to be submitted in original as per tender requirement**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

5.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.

6.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.

7.0 Bid must be submitted electronically only through OIL’s e-procurement portal. Bid submitted in any other form will be rejected.

8.0 **SINGLE STAGE TWO BID SYSTEM** shall be followed for this tender and only the PRICED-BIDS of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.

9.0 a) **The Integrity Pact is applicable against this tender. Therefore, please submit the Integrity Pact document duly signed along with your quotation as per BRC. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure DDD of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL’s competent signatory. The proforma has to be submitted by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder’s authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway”.**

b) The name of the OIL's Independent External Monitors at present are as under:

SRI RAGHAW SHARAN PANDEY
Former Secretary, MOP & NG,
e-Mail ID : raghaw_pandey@hotmail.com;

10.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed **Annexure-CCC**. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per **Annexure-CCC**) contradict the Clauses of the tender and / or "General Terms & Conditions" as per Booklet No. MM/LOCAL/E-01/2005 for E-procurement (LCB Tenders) elsewhere, those in the BEC / BRC shall prevail.

11.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

12.0 Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

Yours Faithfully

Sd-
(T. ROY)
DEPUTY MANAGER MATERIALS (IP)
FOR : HEAD-MATERIALS

Tender No & Date: SDI6096P15 DT: 30.01.2015**BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	Complied / Not Complied. (Remarks if any)
<p>1.0 BID REJECTION CRITERIA (BRC):</p> <p>The bid shall conform generally to the terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p>A) TECHNICAL:</p> <p><u>1.0 Eligibility Criteria :</u></p> <p>a) The bidder should be a reputed fabricator and should have the credentials of supplying similar type of Bunk House in the past. Necessary evidence in the form of order copies/proof of supplies/ acceptance / performance certificates should be submitted along with the offer. (Note: Term similar means Steel Fabricated Huts, Crew Cabins and Bunk Houses)</p> <p>b) Bidder should have successfully executed a single order of value not less then Rs.39.56 Lakhs for manufacture and supply of Bunk Houses in the past 3 years (the 3 years to be counted from the B.C date). Necessary proof in support of the same should be submitted along with the offer failing which the offer will be rejected.</p> <p>c) Bidder must forward along with the quotation the detailed drawings & specifications of proven design including each and every item (main shell, base frame, skid, flooring, side & end wall, roof, weather shed, insulation, inner paneling, doors, windows, shelf, electrical fitting/items, electrical drawing, details of wiring etc.) along with Bill of material failing which the offer will be rejected.</p>	

- d) The bidder should be a Government registered vendor. Necessary proof in support of the same should be furnished.
- e) The bidder, if registered as an SSI, should submit the certificate copy of registration with the concerned authorities.
- f) Bidder should have the required machinery, manpower and resources for undertaking the fabrication of Bunk Houses, viz welding, painting, pressing of sheets (corrugation) etc. A list of all the facilities (including list of machineries) available is to be submitted along with the offer. The audited annual report should also be enclosed along with the offer.
- g) Bidder must forward along with the quotation the detailed drawings of corrugated sheets.

B) COMMERCIAL:

- i). Validity of the bid shall be minimum 120 days from the Bid Closing Date.
- ii). Bid security:
The bid must be accompanied by Bid Security of **Rs 1,32,000.00** in OIL's prescribed format as Bank Guarantee or a Bank Draft/Cashier cheque in favour of OIL. The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. **The Bank Guarantee towards Bid Security shall be valid for 10 months from Bid closing date. (i.e. upto 09.02.16).**

Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.

If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.

For exemption for submission of Bid Security, please refer Clause No. 8.8 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.

The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.

In case of extension of Bid Closing date against the tender where a bidder has already submitted his bid with requisite bid security validity within the original B.C. Date, such bidders will extend

<p>validity of bid security covering the extended period of the bid closing date.</p> <p>iii). Bids are invited under “Single Stage Two Bid System”. Bidders have to submit both the “Techno-commercial Unpriced Bids” and “Priced Bids” through electronic form in the OIL’s e-Tender portal within the bid Closing date and time stipulated in the e-tender. The Techno-commercial Unpriced bid is to be submitted as per scope of works and Technical specification of the tender and the priced bid as per the online Commercial bid format. For details of submission procedure, please refer relevant para of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. Any offer not complying with the above shall be rejected straightway.</p> <p>v). Performance Security:</p> <p>Successful bidder will be required to furnish a Performance Security @10% of the order value. For exemption for submission of Performance Security, please refer Clause No. 9.12 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. The Performance Security must be valid for 12 months from the date of commissioning or 18 months from the date of despatch whichever concludes earlier. Bidder must confirm the same in their bid. Offers not complying with this clause will be rejected.</p> <p><u>The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.</u></p> <p>For exemption for submission of Performance Security, please refer Clause No. 9.12 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.</p> <p>iv). <i>The Bank Guarantee should be allowed to be encashed at all branches within India.</i></p> <p>v). The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.</p> <p>vi). Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.</p> <p>vii). All the Bids must be Digitally Signed using “Class 3” digital certificate with Organisation’s name (<i>e-commerce application</i>) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3</p>	
---	--

<p>with Organisation's Name" digital certificate, will be rejected.</p> <p>viii). Technical RFx Response folder is meant for Technical bid only. Therefore, No price should be given in Technical RFx Response folder, otherwise the offer will be rejected.</p> <p>ix). Price should be maintained in the "online price schedule" only. The price submitted other than the "online price schedule" shall not be considered.</p> <p>xi). Integrity Pact :</p> <p>OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure DDD of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be submitted by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway".</p> <p>xii). A bid shall be rejected straightway if it does not conform to any one of the following clauses:</p> <p>(a) Validity of bid shorter than the validity indicated in the Tender.</p> <p>(b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.</p> <p>(c) Bid Security with (i) Validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.</p> <p>(d) In case the Party refuses to sign Integrity Pact.</p> <p>(e) Average Annual Turnover of a bidder lower than the average Annual turnover mentioned in the Tender.</p> <p>2.0 <u>BID EVALUATION CRITERIA (BEC)</u></p> <p>The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below.</p> <p>A) TECHNICAL:</p> <p>1. The manufactured product should be strictly as per OIL's tender specification.</p> <p>B) COMMERCIAL:</p> <p>i). To evaluate the inter-se-ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Govt. of Assam guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.</p>	
---	--

<p>ii) Priced bids of only those bidders will be opened whose offers are found technically acceptable. The technically acceptable bidders will be informed before opening of the "priced bid".</p> <p>iii). To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.</p>	
--	--

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

-----XXXX-----

TECHNICAL SPECIFICATIONS WITH QUANTITY

Tender No & Date: SDI6096P15 DT: 30.01.2015

	Complied / Not Complied. (Remarks if any)
<p><u>ITEM NO. 10</u></p> <p>PROCUREMENT OF A/C BUNK HOUSE OFFICE CUM ACCOMODATION FOR DRILLING/WELL SITE FOR SECURITY PERSONNEL (CISF)-QTY= 12 NOS</p> <p>A. SCOPE OF WORK:</p> <p>Manufacture and supply of Air-conditioned bunk houses having specified external dimensions complete with G.I. Rock wool insulation, panelling, electric fitting, furniture and other equipments to provide accommodation for CISF personnel at well site. Housing containers shall be used as portable modules and shall be deployed at any place. The scope of supply covers all the points stated under various heads below. The bunk house should be provided with suitable lifting and handling facility for the container handling. The bunk House shall be constructed as per the tentative drawing attached herewith.</p> <p>1.0 GENERAL DESIGN & CONSTRUCTION</p> <p>1.1 Main Shell</p> <p>The main fabrication of the structural framework should be of integral and all welded type to comprise of the bottom frame, overall framework, internal and external cladding with insulation and other peripherals, sloping self-draining roof and desired door-window, A/C opening etc. The main corner vertical support posts should be formed into a press component from 5 mm thick MS tested quality plates as per IS specifications and all the corner posts should be suitably welded at the top with a heavy gauge MS plate which should be able to hold steel forged lifting hooks or corner casting arrangement with 50 mm holes. The corner casting to be provided is similar to the corner castings normally found in marine freight containers. The entire welding process is to be executed by certified welder (copy of certificate must be attached with the offer for scrutiny) using ISI quality electrode.</p> <p>1.2 Base Frame</p> <p>The main bottom (Base) frame should be fabricated and welded out of tested quality MS pressed steel channel sections of size: ISMC 125 x 65 mm and all the inter connecting cross members should also be steel channels duly welded lengthwise & breadth-wise and conveniently equally spaced and covered with 16 gauge MS sheet continuously welded to the bottom frame.</p> <p>1.3 Skid</p> <p>The under structure / base frame of bunk house is to be mounted on the skid consisting of 03 (three) nos. of Indian Standard Medium Beam - ISMB 200 x 100 mm hot rolled 'T' section. At the end portion of the #I" section structure on both the sides, steel pipe of size 142mm NBX9.5 mm wall thickness should be inserted and welded properly. The 'T' section beam should be placed at equal distance and connected with same size beam at 2000 mm apart & the pipe of</p>	

MS on both ends in welded construction. Base frame and skid should be made in such a way that no foundation is needed for placement of bunk house.

1.4 Flooring

19 mm plywood / particle board / cement bonded Particle boards confirming to IS 710 manufactured by Anchor / swastika / kitply / sudarshan / ITC should be fixed with self tapping screws to the base 6 mm chequered MS plate which is welded to the bottom frame. The bottom should be sealed with caulking compound and painted with bituminous paint. The top inside layer of the plywood should be covered with PVC sheet of Bhor / Royal Touch / Premier Vinyl.

1.5 Side End Walls

The exterior cladding of the shell should be of MS pressed steel vertical corrugated sheets of 3 mm thick and should be welded to the bottom MS channel frame, corner posts, top frame and roof frame. The corrugated version acts as stiffeners and increase strength to weight ratio and eliminates the use of any other vertical support. All gaps should be sealed at the edges at seams, bottom sills and will prevent ingress of insects, moistures etc.

1.6 Roof

The roof should be of sloping type from the centre forward the walls for efficient drain of water. The roof should be made of 3 mm thick MS steel sheets as per IS and is to be provided with adequately pressed reinforced sections from inside for additional strength and this should be able to comfortably resist loads up to 20 lbs/sq feet. All the structural steel used should be of standard quality as per IS specification and all steel components / sections, machine pressed for rigidity to optimize strength to weight ratio.

1.7 Weather Shed

All doors, windows and air conditioner openings should be provided with weather sheds of suitable size. The weather sheds should be made out of 3 mm thick MS sheet as per IS.

1.8 Insulation

75 MM thick thermo cool / mineral glass wool / fiber glass resin bonded wool conforming to IS 8185 of 1976 and having R value 3.5 to 4.35 per inch should be provided on all side walls, end walls, roof with special weather proof adhesives. This insulation should be hot proof, fire retardant, non-hygroscopic and vermin proof and besides having excellent thermal efficiency and acoustic performance.

1.9 Inner Panelling:

6 mm ply (as per IS 5509) plus 1 mm laminate (Pre laminated boards) should be screwed on the side wall on the internal 'Z' sections / square tubes. All vertical & horizontal corners should be neatly finished with aluminium anodized heavy gauge aluminium angles & flats and the vertical joints of the panels should be mixed with decorative PVC bidding patties / aluminium patties to match with the colour of panels to suit the aesthetic appearance. The internal panelling of the roof should be of 6 mm pre laminated boards with aluminium anodized bidding patties. The ceiling of the roof should be suspended from inside on suitable 'Z' section / angle framework.

2.0 DOOR & WINDOWS

2.1 DOOR

Door should be of 6.5 feet (H) x 3 feet (W), with folding 1.5 meter x 1 meter shed flush mounted double skin construction. The shutter should be open from outside. The door should be made from higher grade aluminium extruded section fully insulated of 40 mm thickness for

eliminating heat transmission and shock. The external side should be clad with 2 mm MS sheet and the internal side should be with plywood hot pressed and phenol bonded with decorative laminated sheets similar to interior finish. The door should be fixed with heavy gauge brass / stainless steel piano & Hydraulic door closer corrosion proof and all rubber gaskets packing all around door frame for complete weather proof.

2.2 WINDOWS:

Windows of size 900 mm (w) x 900 mm (h) wherever required should be made from high quality aluminium anodized extruded section of suitable size and should be of sliding type fitted with clear 5 mm fibre glasses. Metallic mosquito nets should be provided on suitable framework & MS decorative grills should also be provided. Quantity in number of windows should be as per the approved drawing.

3.0 PRETREATMENT & PAINTING

3.1 The surface preparation for all steel surfaces should be pre-treated with anticorrosive chemicals including degreasing and de-rusting and phosphating, coated with red-oxide, zinc chromate, primer conforming to IS 2074. The external surface of the bunk houses should be finally painted with two coats of corrosion resistant rubbers chlorinated marine paint or polyurethane paint

3.2 The under frame should be painted with bituminous paint of reputed make as per IS. The colour shade and grade will be decided at the time of inspection by representatives of OIL and the highest level of aesthetic should be maintained and necessary marking/ logo should be provided as per the advice of OIL.

4.0 SPECIFICATIONS OF STEEL

- (i) Steel - Load bearing members IS 1079 / grade St 42 / JIS G, 3125 SPA-H (SAIL/TATA/ESSAR)
 - (ii) Structural Steel I Beams / Rolled sections IS 2062 (SAIL/TATA/ESSAR)
 - (iii) Side, End walls & Roof panels Corten-A / JIS G3125 SPA-H (SAILCOR/IRSM 41)
 - (iv) Square rectangular hollow sections IS 1161 (SAIL/TATA/ESSAR)
 - (v) Skid pipe size 142 mm NB X 9.5 mm W/Thickness, Schedule 80.
- Documentary evidence regarding the purchase of the above material is to be provided to OIL during the time of inspection failing which the order is liable for rejection.

5.0 ELECTRICAL SYSTEM:

5.1 The following electrical items shall be provided in the Bunk House:

5.1.1 One no. 63 amp SPN Main Switch, metallic enclosure with side handle shall be mounted outside the Bunk House, provided with suitable shed for protection against rain. Make: Havells / GE / BCH / Siemens

5.1.2 One no. 8 ways SPN MCB DB with 63 Amp, 300 mA ELCB as incomer, 6 nos. 6 amps MCB and 2 nos. 20 amps MCB as outgoing shall be provided inside the Bunk House. All MCBs shall be 10 kA, C curve. DB shall be complete with 63 amps bus bars and shall be as per IP-21. All circuits shall be marked on DB with paint or metallic marker. MCB DB Make: Legrand / Merlin Gerin / Siemens.

5.1.3 Following lighting arrangement to be provided inside the Bunk House:

- i. Decorative florescent (14 w) - 02 nos.
- ii) CFL 25 W - 04 NOS

iii) Lights (external): Bulkhead type fitting, with metal grid protection # 02 Numbers. This fitting should be fitted in a recess space in the external wall (Front and Back).

5.1.4 08(Eight) nos. 15/5 amps switch (5 Pin) socket and 4 (four) nos 20 amps metal-clad socket in the room, shall be provided. The sockets shall be mounted in metallic enclosures and have suitably rated MCBs as switches. Matching plugs for the sockets should also be provided. Make: Legrand / Merlin Gerin / Siemens.

5.1.5 Fans: 04 (four) nos. of wall mounted fans in each Bunk House shall be provided .Wall mounted fans shall have 400 mm sweep and be equipped with in-built speed regulator with OFF position. Make: Usha / Compton Greaves / Bajaj / Orient. Model: Mist Air Ultra / Mist Air ZX (Usha) / Bajaj Midea BW-01-12.

5.1.6 Two Bunk House earth points (on the skid or body, outside) shall be provided diagonally for final termination of earth wires.

5.1.7 One 2-Ton window Air Conditioner units for each bunk house shall be provided with adequate casing to avoid transit damage and rain protection.

Following points are to be considered for the AC units

i) Compressor shall be of rotary type.

ii) Make: Voltas /LG / Blue Star / Carrier / Lloyd / Samsung / Godrej.

iii) BEE rating: Minimum 3 star rated.

iv) The machine shall be warranted for 1 year and compressor shall be guaranteed for 5 years. Duly signed warrantee / Guarantee certificate shall be submitted along with the supply

v) Control: Both remote & manual

5.1.8 One number earth electrode and 25 mm x 6 mm GI straps to be provided for earthing purpose. The earthing scheme shall be as per IS 3043.

6.0 SPECIFICATIONS OF MATERIALS (ELECTRICAL)

6.1 All wiring from MCB DB to switchboards / points / sockets etc. shall be concealed type inside the panelling, running through PVC conduit.

6.2 Medium grade, ISI approved, FR PVC conduits shall be used for wiring. Conduit size and no. of wires in conduit shall be as per IS. Corners shall be rounded elbow type for ease of insertion of wires. Make: AKG / PLAZA / Finolex.

6.3 The wiring cable shall be PVC insulated, 1100 V grade, fire-retardant, multi-stranded flexible copper conductor and approved by ISI, Fire Insurance Authority & Tariff Advisory Committee.

6.4 All wires shall be colour coded as Red for Phase, Black for neutral and Green for earth. All wire ends in DB, Main Switch and Socket outlets shall have copper lugs of Dowell's. Make: Finolex / Havells.

6.5 All points shall have individual switches and independent neutral wire. All light and fan points shall be suitably distributed in the switchboards with individual switches. In addition, each switchboard shall be provided with one number 6 Amps switch-socket. For ease of operation, switchboards shall be made of 1.6 mm thick MS boxes having 3.0 mm thick white coloured, ISI approved Hylam sheet.

6.6 All switches and switch-sockets shall be flush type, of Anchor make, deluxe model.

7.0 CABLE SIZES

7.1 1.5 sq mm copper cable with earth wire of 1.5 sq mm for point wiring.

7.2 2.5 sq mm copper cable with 2.5 sq mm earth wire for circuit wiring from DB to switchboard and 5 Amp sockets.

7.3 4.0 sq mm cable with 4.0 sq mm diameter bare copper earth wire for power sockets.

7.4 The main switch outgoing shall be wired to the DB with 10 sq mm 3 core(for phase, neutral and earth) PVC insulated, 1100 V grade, fire-retardant, multi-stranded flexible copper conductor and approved by ISI, Fire Insurance Authority & Tariff Advisory Committee.

8.0 ELECTRICAL SCOPE OF WORK:

8.1 For incoming power supply, one pair of weatherproof suitably rated plug & socket (make: BCH or equivalent) shall be suitably fixed outside the Bunk House house at a height of approx. 2.9m and easily accessible from the ladder attached with the body. A suitably designed metallic canopy/rain-guard shall be provided above the plug & socket.

8.2 For internal wiring of the Bunk House suitable size FRLS copper cables along with metallic conduit shall be used. The earth wire shall be run separately throughout. Appropriate color codes shall be maintained for wiring purpose (Red for phase, Black for neutral and Green for earth).

8.3 Inside the Bunk House, the incoming power shall be through a suitably rated MCCB and ELR (preferably 100mA industrial type). The distribution circuits for lighting, fans, AC etc. shall have individual suitably rated MCB. All these components shall be fitted inside a well designed sheet metal distribution box.

8.4 Separate metallic socket board (Make: Legrand or equivalent) along with suitably rated MCB and metal clad plug-socket shall be provided for supplying power to Air-conditioner. Air-conditioner shall be suitably mounted on the narrower side-walls of the rectangular Bunk House. Design of the mounting shall be such that the air-conditioner does not fall-off during transportation from one location to another.

8.5 All relevant electrical appliances viz. AC, fan etc. shall be energy efficient type, with minimum 3 star rating.

8.6 Bolts/studs (min. 2 nos.) shall be provided on the skid for making double and distinct earthing connections of the Bunk House.

8.7 Bidder shall submit electrical schematic with earthing scheme & indicative bill of materials along with quotation.

8.8 In case of order, the successful party has to submit detailed electrical drawings, bill of materials and specification of all materials, including air conditioner light fittings, fans etc. at least 30 (thirty) days before start of work. All modifications in the work plan and item description as required by OIL shall have to be agreed by the party.

8.9 The electrification job shall start only after approval of drawings and sample of material by Head-Electrical in writing.

8.10 Entire electrical installation work has to be done by licensed electrician as per CEA (Measures relating to safety and electric supply) Regulations, 2010 and NEC codes. Party will submit the copy of the valid licenses of their work persons to OIL before start of the work.

8.11 Party shall notify OIL for inspection of wiring work before fixing of panels, at least 15 (fifteen) days in advance.

8.12 Test report of the entire electrical work as per CEA (Measures relating to safety and electric supply) Regulations, 2010 will have to be submitted to OIL after completion of the job

8.13 The electrical work shall be treated as complete once installation, testing & commissioning of electrical works are accepted by Head-Electrical and submission of test report for electrical works, as installed drawings & list of electrical items used, spares for lighting system by the party.

9.0 FURNITURE ITEMS

All offered furniture should be of good quality. Bidder should forward catalogue, drawing (with specification) of all items without which the bid will be liable for rejection. The Bill of Material provided below is for per Bunk House divided into two parts i.e, Half part for Accomodation and Half part for Office.

Accommodation part:

a) Steel Wardrobe with locking system (size: width 380 mm X depth 457 mm' X height 915

- mm), Make - Godrej or equivalent, 3 numbers for each Bunk House (fixed with wall and floor).
- b) Wooden Bunk Bed (two tire) size: 2100 mm x 900 mm - 2 numbers per Bunk House(fixed with wall and floor).
- c) Door mat 800X400- 1 number per Bunk House.
- d) 6 nos. of hooks should be provided in the Bunk Houses to hang belongings.

Office part:

- a) Good quality Office table (size: width 1800 mm X Length 900 mm' X height 735 mm), 2 numbers for each Bunk House(fixed with wall and floor).
- b) Office Chairs should be of "Godrej make model-Classic CH-6 or equivalent - 2 numbers / Bunk House
- c) Good quality steel 05 tier File rack, Size: H1500mm x W1000mm x D450mm: 01 number per Bunk House(fixed with wall and floor).

10.0 Welding:

The containerized bunk house should be of all welded steel construction using the latest method of MIG using CO2 argon as shield gas. All the external welding should be continuous, uniform and off full penetration.

11.0 Handling

The bunk house to be capable of being handled without any strain or damage under the following conditions:

- a) Lifting of the unit by lifting slings and shackles directly from top corner lifting lug.
- b) Lifting and winching by attaching suitable shackle to the skid.

12.0 Ladder

A ladder should be placed outside Bunk House as shown in drawing for fixing up slings at top of the corner.

13.0 Inspection:

Each Bunk houses shall be offered for inspection (3-stage inspection) to representative of OIL at the following stages of fabrication. However, inspection by OIL is at its discretion.

- a) At any time during fabrication.
- b) On completion of fabrication job before applying primer coating.
- c) On completion of the jobs before dispatching the complete bunkhouse.

14.0 WARRANTY/ GUARANTEE

The bunk house, including all the bought out items, should have minimum onsite warranty of one year from the date of installation, within which, any replacement / repairing that may occur, should be carried out by the supplier at the site of installation at their own cost and arrangement taking all statutory safety measures practiced in Oil India Limited. Warranty / guarantee for the painting and quoting should be for two years against any failure, rusting etc. Bidder should confirm it along with quotation. The offer, taking exception to this will be rejected.

SPECIAL NOTE:-

1. Tentative DRAWING for the Bunk House, List of Items are attached.
2. Bidder must forward, along with the quotation, the detailed drawings & specifications of proven design including each and every part (main shell, base frame, skid, flooring, side & end

<p>wall, roof, weather shed / rain shed, insulation, inner panelling, doors, windows, shelf etc.), failing which the offer will be liable for rejection.</p> <p>3. The successful bidder shall make final drawings of the Bunk House with constructional details to meet OIL's specifications / requirements and shall submit the same for OIL's approval within 07 days time from the date of placement of firm order. OIL will communicate the approval along with any changes / modification, if required and the Bunk Houses shall be constructed as per approved drawing.</p> <p>4.0 Delivery being the essence of the tender, bidder should indicate their best delivery schedule.</p> <p>5.0 Purchase order no. & WBS no. should be weld written on each bunk houses.</p> <p>6.0 User Department's Name and OIL logo should be written on each bunk house which will be confirmed during inspection.</p> <p>7.0 Minor change in the specification may be done during the course of fabrication of bunk house. Bidder to confirm the same in their offer.</p> <p>8.0 All the electrical fittings should be tested by competent persons holding valid electrical license. Necessary electrical test certificate duly signed by competent person holding valid electrical license and schematic diagram of wiring should be submitted along with Bunk house. Bidder to confirm the same while quoting.</p> <p>9.0 Bidder's response to all NIT stipulations shall clearly be defined. Bidder shall furnish specific details/specifications of all major components, systems with Make & Model, etc. Generalized response like - As per NIT Specifications/Technical Leaflet, "Noted" and "Accepted" or in any similar fashion is not acceptable.</p> <p>10.0 Bidders are advised to ensure full compliance with all the requirements and to confirm the same in their offer, to avoid any post tender clarifications.</p> <p>11.0 Unsolicited post tender clarifications / modifications will lead to the rejection of the bid. However, in case any clarifications is sought by the Company, the bidder should submit the replies restricting only to the clarification sought and within the specified timeframe</p> <p>12.0 Any variation or non-conformity to the tender specification should be clearly mentioned in the Performa given in the Tender. Deviation taken elsewhere in the offer will not be given cognizance.</p> <p>13. The compliance with technical specifications is the vital criteria for accepting the offer. The offer should meet all the technical specifications and the entire scope of work. Any deviation from the above will lead to rejection of the offer.</p>	
<p><u>Price Breakup:</u></p> <p>Bidders may submit the price breakup of all the items as per “Annexure HHH” which has been uploaded under “Notes & Attachments” > “Attachments” as shown below. The price breakup “Annexure HHH” should be filled up, signed and uploaded under “Notes & Attachments” > “Attachments” only. The filled up price breakup of all the items should not be uploaded in Technical RFx Response folder as it shall lead to rejection of the offer as per Bid Rejection Criteria.</p>	

RFX - Oil India Ltd e-Procurement System - Windows Internet Explorer

RFX

History Back Forward

Edit RFX :

Read Only Technical RFX Permissions Close Publish Save Check Export Print Preview Delete Sign RFX Verify Signature of RFX Import Related Links

RFX Number SD5872P15 RFX Name MPLS VPI Network Type RFX-OPEN TWO BID Status Saved Created On 06.01.2015 14:54:54 Created By ROY Time Zone INDIA Number of Suppliers 1

Number of Items 1 Version Number Version Type Active Version External Version Number

RFX Information Bidders Items Notes and Attachments Conditions Tracking

▼ Notes

Add Clear Filter Settings

Assigned To	Category	Text Preview
Item012"MPLS VPI Network"	Tendering text	MPLS VPI NetworkFOR ITEM SPECIFICATIONS AND OTHER DETA...

▼ Attachments

Sign Attachment Add Attachment Edit Description Versioning Delete Create Qualification Profile Filter Settings

Assigned To	Category	Description	File Name	Version	Processor	Visible Internally only	Checked Out	Type	Size (KB)	Changed by	Changed on
Document Header	Standard Attachment	Price Breakup Annex HHH	Price breakup Format Annex HHH.doc.SSIG			<input type="checkbox"/>	<input type="checkbox"/>	SSIG	62	200087	06.01.2015

▼ Collaboration


Create Assign Delete

Collaboration	Created on
No collaboration has yet been created	


NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.


PLAN VIEW



SECTIONAL VIEW



FRONT VIEW



LIST OF THE ITEMS PER OFFICE-CUM-02 BEDDER
ACCOMODATION BUNK HOUSE

Sl. No	Description of Material	Quantity
1.	Air Conditioner, capacity: 2 T	1 No
2.	Main Door , Size: 3" x 6.5 "	1 No
3.	Aluminium sliding window ,size:900 mm x 900 mm	4 Nos
4.	Wooden Bunk Bed (double tire)	2 Nos
5.	Steel Wardrobe with locking system	3 Nos
6.	Wall mounted Fan	2 Nos
7.	Chair	2 Nos
8.	25 W CFL light	4 Nos
9.	Main Switch board (final position to be decided later on)	
10.	Switch board (final position to be decided later on)	
11.	M.S Ladder	1 No
12.	5 amp socket point with switch to be fixed in the wall	8 Nos
13.	15 Amp socket point with switch to be fixed near the side table	4 Nos
14.	Incoming Junction box	
15.	Rain shed Size: 1200 mm x 6mm mm with folding facility above all windows and door	5 Nos
16.	Door Mat 800X400mm	1 No
17.	Hooks to hang belongings	6 Nos
18.	Good quality Office table	2 Nos
19.	Office Chairs	2 Nos
20.	Steel 05 tier File rack	1 No

Chidny

Annexure- DDD

INTEGRITY PACT

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(**Name of the bidder**).....hereinafter referred to as "The Bidder/Contractor"

Preamble :

The Principal intends to award, under laid down organizational procedures, contract/s for Tender No. **SDI6096P15** The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organisation "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1 - Commitments of the Principal

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:-
1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
 2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
 3. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a Page 2 of 6 substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section 2 - Commitments of the Bidder/Contractor

- (1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
 2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelisation in the bidding process.
 3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 - Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or credibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the

amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.

2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
1. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

Section 4 - Compensation for Damages

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to 3 % of the value of the offer or the amount equivalent to Earnest Money Deposit/Bid Security, whichever is higher.
2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to 5% of the contract value or the amount equivalent to Security Deposit/Performance Bank Guarantee, whichever is higher.
3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 - Previous transgression

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section 6 - Equal treatment of all Bidders/Contractor/Subcontractors

1. The Bidder/Contractor undertakes to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.

2. The Principal will enter into agreements with identical conditions as this one with all Bidders, Contractors and Subcontractors.
3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7 - Criminal charges against violating Bidders/Contractors/ Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section 8 - External Independent Monitor/Monitors (three in number depending on the size of the contract) (to be decided by the Chairperson of the Principal)

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.
4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

7. If the Monitor has reported to the Chairperson of the Board a substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
8. The word 'Monitor' would include both singular and plural.

Section 9 - Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section 10 - Other provisions

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.
2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.
4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

|

TUHIN ROY	
DEPUTY MANAGER MATERIALS (IP)	-----

For the Principal	For the Bidder/Contractor

Place. Duliajan.	Witness 1 :
------------------	-------------------

Date 31.01.2015 .	Witness 2 :
-------------------	-------------------

Bidders Response Sheet**Annexure-FFF**

Tender No.	
Bidders Name	

Sl No.	Description	Remarks
1	Name of Bidder	
2	Whether tender document purchased from OIL's offices.	
3	Place of Despatch	
4	Whether Freight charges have been included in your quoted prices	
5	Whether Insurance charges have been included in your quoted prices	
6	Make of quoted Product	
7	Offered Validity of Bid as per NIT	
8	Delivery Period in weeks from placement of order	
9	Complied to Standard Payment Terms of OIL or not.	
10	Bid Security Submitted (if applicable)	
11	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
	c) Name and Full Address of Issuing Bank:	
12	Confirm that the Bid Security submitted (In case of Bank Guarantee) is in toto as per format provided in the tender.	
13	Bid Security if Not submitted reasons thereof	
14	Whether you shall submit Performance Security in the event of placement of order on you (if applicable)	
15	Integrity Pact Submitted (if applicable)	
16	Confirm that the Integrity Pact submitted is in toto as per format provided in the tender.	
17	Whether submitted documents in support of General Qualification criteria of NIT	
18	If bidder is Small scale unit whether you have quoted your own product	
19	If bidder is Small scale unit whether you are eligible for purchase preference (as per Govt guideliness)	
20	Whether filled up the bank details for online payment as per Annexure GGG	

NOTE: Please fill up the greyed cells only.

Technical Bid Checklist**Annexure-EEE**

Tender No.			
Bidder's Name :			
		Compliance by Bidder	
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid or Comments
1	Bidder to confirm that he has not taken any exception/deviations to the bid document .		
2	Confirm that the product offered strictly conform to the technical specifications.		
3	Confirm that the Offer has been made with Bid Bond / Bank Guarantee / Earnest Money along with the offer (Wherever Applicable) ?		
4	Confirm unconditional validity of the bid for 120 days from the date of opening of techno-commercial bid.		
5	Confirm that the prices offered are firm and / or without any qualifications?		
6	Confirm that all relevant fields in the on-line bidding format been filled in by the bidders for the items quoted by them.		
7	Confirm that the the price bid is in conformity with OIL's online bidding format ?		
8	Confirm that the Bid comply with all the terms & conditions ?		
9	Confirm that the offers and all attached documents are digitally signed using digital signatures issued by an acceptable Certifying Authority (CA) as per Indian IT Act 2000.		
10	CONFIRM THAT YOU HAVE SUBMITTED THE DULY SIGNED INTEGRITY PACT DOCUMENT (Wherever Applicable)		
11	CONFIRM THAT YOU HAVE SHALL SUBMIT PERFORMANCE BANK GUARANTEE AS PER NIT IN THE EVENT OF PLACEMENT OF ORDER ON YOU (Wherever Applicable)		
12	CONFIRM THAT YOU HAVE SUBMITTED DOCUMENTS AS PER GENERAL QUALIFICATION CRITERIA		

NOTE: Please fill up the greyed cells only.

**(TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETTER HEAD)
(ALL FIELDS ARE MANDATORY)**

Tender No. :.....
Name of Beneficiary :M/s.....
Vendor Code :.....
Address :.....
.....
Phone No. (Land Line) :.....
Mobile No. :.....
E-mail address :.....
Bank Account No. (Minimum
Eleven Digit No.) :.....
Bank Name :.....
Branch :.....
Complete Address of your
Bank :.....

IFSC Code of your Bank
a) RTGS :.....
b) NEFT :.....
PAN :.....
VAT Registration No. :.....
CST Registration No. :.....
Service Tax Registration No. :.....
Provident Fund Registration :.....

I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.

Office Seal

.....
Signature of Vendor

Counter Signed by Banker:
Seal of Bank:

Enclosure: Self attested photocopies of the following documents-

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.