



**OIL INDIA LIMITED**  
(A Government of India Enterprises)  
PO : Duliajan – 786602  
Assam (India)

TELEPHONE NO: (91-374) 2808719

FAX NO: (91-374) 2800533

Email: [ankurjyoti\\_sarmah@oilindia.in](mailto:ankurjyoti_sarmah@oilindia.in); [erp\\_mm@oilindia.in](mailto:erp_mm@oilindia.in)

**FORWARDING LETTER**

Tender No. : SDI8849P19 DT: 07.08.2018

Tender Fee : Rs. 1,000.00

Bid Security Amount : Applicable

Bidding Type : SINGLE STAGE COMPOSITE BID SYSTEM

Bid Closing on : As mentioned in the e-portal

Bid Opening on : -do-

Performance Security : Applicable

Integrity Pact : Not Applicable

**"The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. However, concessional rate of GST @5% against Essentiality Certificate for invoice value Rs 10 Lakhs and above will be applicable."**

**"In the event of order, OIL will issue Essentiality Certificate (EC), where concessional rate of GST @5% will be applicable. Supplier shall affect dispatch only on receipt of these certificates from OIL, failing which all related liabilities shall be to Supplier's account".**

OIL invites Bids for **PROCUREMENT OF SKID MOUNTED CREW HUTS – QTY = 06 NOS.** through its e-Procurement site under **SINGLE STAGE COMPOSITE BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents. The general details of tender can be viewed by opening the RFx [ Tender] under RFx and Auctions. The details of items tendered can be found in the Item Data and details uploaded under **Technical RFX**.

**The tender will be governed by:**

- a) For technical support on various matters viz. Online registration of vendors, Resetting of Passwords, submission of online bids etc, vendors should contact OIL's ERP MM Deptt at following: Tel Nos = **0374-2807178/ 7171/ 7192/ 4903**; Email id = [erp\\_mm@oilindia.in](mailto:erp_mm@oilindia.in).

b) **OIL's office timings are as below:**

	Time (in IST)
<b>Monday – Friday</b>	<b>07.00 AM to 11.00 AM; 12.30 PM to 03.30 PM</b>
<b>Saturday</b>	<b>07.00 AM to 11.00 AM</b>
<b>Sunday and Holidays</b>	<b>Closed</b>

Vendors should contact OIL officials at above timings only.

c) **OIL Bank Details :**

	<b>Bank Details of Beneficiary</b>	
<b>a</b>	Bank Name	STAE BANK OF INDIA
<b>b</b>	Branch Name	Duliajan
<b>c</b>	Branch Address	Duliajan, Dist-Dibrugarh
<b>d</b>	Banker Account No.	10494832599
<b>e</b>	Type of Account	Current Account
<b>f</b>	IFSC Code	SBIN0002053
<b>g</b>	MICR Code	786002302
<b>h</b>	SWIFT Code	SBININBB479
<b>i</b>	Contact No.	9435554859
<b>j</b>	Contact Person Name	Mr. K.L.K.Banik, AGM
<b>k</b>	Fax No.	0374-2802729
<b>l</b>	Email Id	<a href="mailto:sbi.02053@sbi.co.in">sbi.02053@sbi.co.in</a>

- d) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.
- e) Technical specifications and Quantity as per **Annexure – 1A**.
- f) The prescribed Bid Forms for submission of bids are available in the Technical RFx-> External Area - > Tender Documents.
- g) Amendments to the NIT after its issue will be published on OIL's website only. Revision, clarification, addendum, corrigendum, time extension etc. to the tender will be hosted on OIL website only. No separate notification shall be issued in the press. Prospective bidders are requested to visit website regularly to keep themselves updated.
- h) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

- i) Bidder are advised to fill up the Technical bid check list ([Annexure EEE](#)) and Response sheet ([Annexure FFF](#)) given in MS excel format in Technical RFx -> External Area -> Tender Documents. The above filled up document to be uploaded in the **Technical Attachment**. For details please refer “Vendor User Manual” / “NEW INSTRUCTIONS”

### **Special Notes:**

**1.0 Vendors having OIL’s User ID & password to pay Tender Fee on-line through OIL’s electronic Payment Gateway upto one week prior to the Bid closing date (or as amended in e-portal).**

Vendors who do not have OIL’s User ID & password, may generate User ID & password online by the Vendor by using the link for supplier enlistment given in OIL’s e-tender portal and then pay Tender Fee on-line through OIL’s electronic Payment Gateway upto one week prior to the Bid closing date (or as amended in e-portal).

No physical tender documents will be provided. Details of NIT can be viewed using “Guest Login” provided in the e-Procurement portal. The link to e-Procurement portal has been also provided through OIL’s web site [www.oil-india.com](http://www.oil-india.com).

### **NOTE:**

**In case of MSE/PSUs/ Govt. Bodies / eligible institutions etc., they shall apply to DGM-Materials, Oil India Limited, P.O. Duliajan, Assam-786602 for waiver of Tender Fee upto one week prior to the Bid closing date (or as amended in e-portal).**

2.0 The tender is invited under SINGLE STAGE- COMPOSITE BID SYSTEM. The bidders are required to submit both the “TECHNO-COMMERCIAL UNPRICED BID” and “PRICED BID” through electronic format in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.

2.1 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RFx Response-> Technical Attachment only. **For details please refer “NEW INSTRUCTIONS”**. Please refer Annex-BB for price schedule.

3.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with **Tender no.** and **Due date** to **DGM- Materials, Materials Department, Oil India Limited, Duliajan - 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

- a) **Original Bid Security**
- b) **Detailed Catalogue (if any)**
- c) **Any other document required to be submitted in original as per tender requirement**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in Duplicate.

**4.0 Benefits to Micro & Small Enterprises (MSEs) as per OIL’s Public Procurement Policy for Micro and Small Enterprises (MSEs) shall be given. Bidders are requested to go through ANNEXURE – I of MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders for more details. MSE bidders are exempted from submission of Tender Fees and Bid Security/Earnest Money provided they are registered for the items they intend to quote. Bidders who are allowed to participate against the tender as MSEs must quote their own products failing which their bids will be rejected.**

- 5.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
- 6.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.
- 7.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
- 8.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed **Annexure-CCC**. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per **Annexure-CCC**) contradict the Clauses of the tender and / or "General Terms & Conditions" as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders elsewhere, those in the BEC / BRC shall prevail.
- 9.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 10.0 Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.
- 11.0 If Bank Guarantee is submitted towards 'Bid Security', then bidders have to ensure that the Bank Guarantee issuing bank indicate the name and detailed address (including e-mail) of their higher office from where confirmation towards genuineness of the Bank Guarantee can be obtained.
- 12.0 Bidders are requested to refer to the enclosed **Annexure – BBB** for the Taxes and Duties clauses under GST regime.

**13.0 Delivery/collection Instructions in cases where transportation is in OIL's scope:**


- (i) the suppliers shall be required to deliver the Sundry consignments of weight less than 3 (Three) Tons at the godown/office/collection point of OIL's authorized transporter in various cities.
- (ii) consignments weighing more than 3(Three) Tons shall be collected from the supplier's premises/loading points by OIL's authorized transporter.
- (iii) the names of OIL's current authorized transporters are:
- a) M/s Western Carriers (India) Ltd.
  - b) M/s DARCL Logistics Limited

**Bidder's are requested to note the above delivery/collection instructions while submitting their offers.**

- 14.0 While submitting the offers bidders are requested to refer to the enclosed **Annexure – BB (Price Bid Format and Evaluation Criteria).**

15.0 Bidders should fill-up and submit alongwith their bid an **UNDERTAKING** towards **authenticity of information/documents** furnished by them, as per enclosed **ANNEXURE-K**.

Please do refer "**NEW INSTRUCTION TO BIDDER FOR SUBMISSION**" for the above two points and also please refer "**New Vendor Manual (effective 12.04.2017)**" available in the login Page of the OIL's E-tender Portal.



**Oil India Limited e-Procurement**

User ID \*

Password \*

Logon Problems? [Get Support](#)

[Supplier Enlistment for E-Tender](#)

[Important Note for New Portal Users:](#)

[Click here to View Comptability Settings](#)

[General Guidelines to bidders](#)

[Click for User Manuals](#)

© 2012 Oil India Limited. All rights reserved.

[Click for Terms of use, Privacy Policy, Refund Policy Docs](#)

Click here for the New Manual & Instruction

**NOTE:**

**Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.**

**Yours Faithfully**

**Sd-**

**(A J SARMAH)**  
**SR. MANAGER MATERIALS (IP)**  
**FOR : GM-MATERIALS (HOD)**

Tender No &amp; Date: SDI8849P19 DT: 07.08.2018

**BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	<b>Complied / Not Complied. (Remarks if any)</b>
<p><b>1.0 BID REJECTION CRITERIA (BRC):</b></p> <p>The bid shall conform generally to the specifications, terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p><b>A) TECHNICAL:</b></p> <p>i) Bidder should have the experience of successfully executing <b>at least 1(one) order</b> for supplying <b>minimum 03 (three) Nos.</b> of <b>similar items</b> in <b>preceding 5(five) years</b> as on the <b>original bid closing date</b> of this tender.</p> <p><b>Note:</b> The term “<b>Similar items</b>” means “<b>Skid Mounted Steel/iron Fabricated Huts/Crew Cabins/Bunk Houses</b>”.</p> <p>Documentary evidence in respect of the above should be submitted in the form of copies of <b>relevant Purchase Order</b> <b>along with</b> copies of any of the following documents in respect of satisfactory execution of each of those Purchase Orders, such as:</p> <p>i) Satisfactory Inspection Report (OR)  ii) Satisfactory Supply Completion / Installation Report (OR)  iii) Consignee Receipted Delivery Challans (OR)  iv) Central Excise Gate Pass / Tax Invoices issued under relevant rules of Central Excise / VAT/GST (OR)  v) any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above</p>	

**Note:**

a) The Purchase Order date need not be within 5 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 5 (five) years preceding original bid closing date of this tender.

b) Satisfactory supply/completion/installation report (if submitted) should be issued on client's official letterhead with signature and stamp

**B) FINANCIAL**

a) Annual Financial Turnover of the bidder during **any of preceding 03 (three) financial / accounting years from the original bid closing date** should be at least **Rs 13.35 Lakhs.**

b) Net Worth of the firm should be Positive for preceding financial / Accounting year. (FY=2017-2018)

**Note -For (a) & (b):** Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that 'the balance sheet/Financial Statements for the financial year..... (As the case may be) has actually not been audited so far'.

**Notes:**

a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

i) A certificate issued by a practicing Chartered Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE-J.

**OR**

ii) Audited Balance Sheet along with Profit & Loss account.

b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.



### C) COMMERCIAL:

i) Validity of the bid shall be minimum 90 days from the Bid Closing Date.

ii) Bid security:

The bid must be accompanied by Bid Security of **Rs. 53,400.00** in OIL's prescribed format as Bank Guarantee in favour of OIL. The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to DGM-Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. **The Bank Guarantee towards Bid Security shall be valid for 6 months from Bid closing date. (i.e. 30.04.2019)**

**Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.**

**If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.**

For exemption for submission of Bid Security, please refer Clause No. 8.16 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

**The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.**

iii) Bids are invited under “Single Stage Composite Bid System”. Bidders have to submit both the “Techno-commercial Unpriced Bids” and “Priced Bids” through electronic form in the OIL’s e-Tender portal within the bid Closing date and time stipulated in the e-tender. The Techno-commercial Unpriced bid is to be submitted as per scope of works and Technical specification of the tender and the priced bid as per the online Commercial bid format. For details of submission procedure, please refer relevant para of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders.

iv) Performance Security:

The successful bidder shall submit Performance Security @ 10% of PO value within 30 days of receipt of the formal purchase order failing which OIL reserves the right to cancel the order and forfeit the Bid Security. Bidders should undertake in their bids to submit Performance Security as stated above.

The Performance Security shall be in the following form :

**A Bank Guarantee in the prescribed OIL’s format valid for 90 days beyond delivery period and applicable warranty/guarantee period (if any).**



**The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.**

v) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

vi) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

vii) All the Bids must be Digitally Signed using “Class 3” digital certificate with Organisation’s name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3 with Organisation’s Name” digital certificate, will be rejected.

viii) Price should be maintained in the “online price schedule” only. The price submitted other than the “online price schedule” shall not be considered.

**ix) A bid shall be rejected straightway if it does not conform to any one of the following clauses:**

**(a) Validity of bid shorter than the validity indicated in the Tender.**

**(b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.**

**(c) Bid Security with (i) Validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.**

**(d) Annual Turnover of a bidder lower than the Annual turnover mentioned in the Tender.**

**x) Delivery period: The ordered items must be supplied within 9 (nine) months from date of receipt of formal order.**

**NOTE: FOR CLAUSE NOS. C(ii) & C(iv) OF BID SECURITY/EMD AND PBG**

The bidders/successful bidders are requested to advise the Bank Guarantee issuing bank to comply with the following and ensure to submit, the receipt of the copy of SFMS message as sent by the issuing bank branch, along with the original bank guarantee in Oil's tender issuing office:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

(i) "MT 760 / MT 760 COV for issuance of bank guarantee.

(ii) "MT 760 / MT 767 COV for amendment of bank guarantee

The above message/intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129, Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar, Duliajan, District - Dibrugarh, PIN- 786602

## **2.0 BID EVALUATION CRITERIA (BEC)**

The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below. The original Bid Closing Date shall be considered by OIL for evaluation of BRC criteria even in case of any extension of the original Bid Closing Date.

### **A) TECHNICAL:**

i) The bid will be evaluated strictly as per NIT specification, terms & conditions.

### **B) COMMERCIAL:**

i) To evaluate the inter-se-ranking of the offers, all Taxes / Levies will be considered as per prevailing Govt. guidelines as applicable on the bid opening date. Bidders may check this with the appropriate authority before submitting their offer.

ii) A job executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BEC.

iii) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

### **NOTE:**

**Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of NIT.**

-----XXXX-----

## TECHNICAL SPECIFICATIONS WITH QUANTITY

Tender No &amp; Date: SDI8849P19 DT: 07.08.2018

MATERIALS DESCRIPTION	Complied / Not Complied. (Remarks if any)
<p><b><u>ITEM NO. 10</u></b></p> <p><b><u>PROCUREMENT OF SKID MOUNTED CREW HUTS (QTY-06 NOS.)</u></b></p> <p>SCOPE OF WORK:</p> <p>The scope of work covers manufacture and supply of skid mounted portable crew hut for use of employees of Logistics Department, OIL, Duliajan at well site <b>as per Drawing No.: OIL 7767/A enclosed herewith</b>. Specifications, dimensions, fittings, accessories, terms and conditions etc. as in the above drawing including the 14 points under note of it as well as <b>Annexure-I</b> given below. (Salient points as in the drawing are provided in <b>Annexure-II</b>).</p> <p style="text-align: center;"><b><u>Annexure-I</u></b></p> <p><b><u>ADDITIONAL FEATURES AND TERMS &amp; CONDITIONS:</u></b></p> <p><b><u>A. ADDITIONAL FEATURES:</u></b></p> <ol style="list-style-type: none"> <li>1. Skid fabricated from ISMB 250 channels only.</li> <li>2. Skid minimum 04 (four) longitudinal channels.</li> <li>3. All steel works including table &amp; benches with smooth edges &amp; corners to avoid injury.</li> <li>4. Inner wall of water waterproof polished or plain ply-board or plain ply-board covered with mica sheet on 50mmx50 mm timber framing.</li> <li>5. Suitable locking arrangement for stay rod of window chajja/shed.</li> <li>6. <u>Electrical wiring in suitable conduits for single-phase 240 V power supply complete with following:</u> <ol style="list-style-type: none"> <li>a. 02 (two) Nos. 40 watts tube light.</li> <li>b. 03 (three) Nos. mim. 400 mm size wall mounted swivel fan with suitable guard.</li> <li>c. 01 (one) No. 5 amp plug point in switch board in addition to 02 (two) 15 amp points.</li> </ol> </li> <li>7. Provision to hook-up external power supply to the main switchboard of hut through suitable connectors located outside side panels at minimum 1.50 metre height.</li> <li>8. Two Nos. of exhaust fans on the on the wall at suitable locations to be provided.</li> </ol> <p><b><u>B. TERMS &amp; CONDITIONS:</u></b></p> <ol style="list-style-type: none"> <li>1. Successful bidder may contact P&amp;A Section of Logistics Department, Oil India Ltd., Duliajan for finalization of drawing (as per drawing enclosed herewith) and approved by OIL.</li> <li>2. <b>Technical Evaluation Matrix</b> as per prescribed format provided vide <b>Annexure- A</b> &amp; <b>Annexure-B</b> enclosed herewith <b>shall be submitted along with the bid.</b></li> </ol>	

3. **Inspection:** As detailed under note in the drawing. However, the same in all three stages or in part there off shall be as per OIL's discretion only.

Minor changes suggested during inspection shall be incorporated at no extra cost.

4. **Delivery:** All the huts shall be delivered to OIL at Duliajan in one lot by the supplier with in **06(six) months** from date of placement of firm order.

5. **Guarantee/Warranty:** Notwithstanding the Guarantee/Warranty clause(s) mentioned elsewhere in the NIT, the complete unit against any defect including welding, painting shall be under guarantee/warranty by the supplier **for minimum period of 01 (one) year** from the date of receipt of the huts at site.

OIL reserves the right to inspect, test and if necessary reject the hut/huts after delivery at site in case of any fault on the part of the supplier. It shall no way be waived by the reason that the hut/s was previously inspected and passed by OIL as per Inspection Clause detailed above.

### **Annexure-II**

Salient dimensions, features etc. as in the Drawing No.: 7767/A mentioned hereunder for not fully legible in the drawing.

#### **A. Major Dimensions:**

1. Length of Cabin : 5600 mm
2. Width of cabin : 2500 mm
3. Overall length with the skid : 6500 mm
4. Overall width with the skid : 2850 mm
5. Overall Height : 3000 mm
6. Inside height of cabin : 2400 mm  
(from floor to false ceiling)

#### **B. The 14 points under note in the drawing:**

1. All the tubular posts should be welded to ISMB 250 and not to the chequered plates (i.e. not to the floor sheets)
2. All MS sheets shall have stitch welds 75 mm long 150 mm gap with all steel adjoining steel members.
3. All steel works to be fabricated by welding except otherwise specified
4. Roof, table, bench ends & corners should be rounded suitably.
5. One coat of primer to be provided to all exposed as well as unexposed surface of the steel works for protection from rust. The hut to be finally painted (2 coats) with synthetic paint {inside cabin-Light Sky Blue (Not White), Outside Hut-Steel Grey}.
6. Coat hook arrangement to be provided at lintel level all around inside (15 Nos.) at a gap of around two feet in between two hooks.
7. MS "L" drops and hooks of approved quality to be provided on doors, toolbox lid, windows (from inside for windows), etc. for locking arrangement. 3 (three) Navtal 7 levers padlocks-not 2 (two) Nos. to be provided for door and tool box lid locking.
8. Toolbox, bench, table are to be fixed to the floor by welding.
9. Windows to be guarded with 75 mm square mesh X 5 mm dia. IRC fabric.
10. False ceiling is to be made of either hard board or ply board of 6 mm thick on 75 mm X 50

mm timber framing.

11. Door, window hinges to be welded to the frame but not to wall panel.

12. **Each skidded hut be offered for inspection to our Engineer(s):**

i) On completion of fabrication job of the frame but before fixing of walls and roof and ceiling, etc.

ii) On completion of fixing walls, roof, ceiling, etc. but before applying of synthetic paints.

iii) At any time during fabrication of the hut whenever our Engineer(s) feels it necessary.

13. 2.5 mm thick MS plate door & window chajja/shed suitably welded to the hinges on the wall & hang on the top by suitable chains.

14. Two Nos. electric plug points (15 amp.) should be fitted with electric wire inside the hut.

**Note:** Scanned copy of the Drawing No. OIL 7767/A is attached herewith. The full blue print of the drawing shall be made available to the successful bidder at the time of placement of firm order.

**C. Others:**

1. Flooring of 6 mm thick MS chequered plate suitably supported by at least ISA 75 mm X 75 mm X 6 mm on 500 mm square framing with two coats of antirust paints of "3 M" make on both side.

2. Full width ventilation with XPM sheet covering on both side walls at 2000 mm height.

3. Roof of 2.5 mm MS sheet.

4. 6 mm MS sheet on table, bench, and tops.

5. Two pane door & windows opening outside.

6. Toolbox without partition but lid divided into two parts.

7. The inside of the cabin floor should be covered with antiskid vinyl flooring of suitable colour.

**Special Terms & Conditions:**

**1. Bidder must have works of their own for fabrication of crew huts. Documentary evidence in support of the same is to be submitted along with the bid.**

**Note:**

**Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.**

<b>TECHNICAL EVALUATION MATRIX</b> <b>(TO BE FILLED IN BY BIDDER DULY SIGNED)</b>			
TECHNICAL BID REJECTION CRITERIA (BRC)			
Clause No.	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied / Deviation / Not Applicable)	TO BE FILLED BY THE BIDDER  Relevant Location of their Bid to support the remarks / compliance  (Reference of Document name / Serial number / Page number of bid for documentary evidence)
	<b><u>BID REJECTION CRITERIA (BRC):</u></b>		
A)	<b><u>TECHNICAL:</u></b>		
i)	<p>Bidder should have the experience of successfully executing <b>at least 1(one) order</b> for supplying <b>minimum 03 (three) Nos.</b> of <b>similar items</b> in <b>preceding 5(five) years</b> as on the <b>original bid closing date</b> of this tender.</p> <p><b><u>Note:</u></b> The term “Similar items” means “Skid Mounted Steel/iron Fabricated Huts/Crew Cabins/Bunk Houses”.</p> <p>Documentary evidence in respect of the above should be submitted in the form of copies of <b>relevant Purchase Order</b> <b>along with</b> copies of any of the following documents in respect of satisfactory execution of each of those Purchase Orders, such as:</p> <ul style="list-style-type: none"> <li>i) Satisfactory Inspection Report (OR)</li> <li>ii) Satisfactory Supply Completion / Installation Report (OR)</li> <li>iii) Consignee Receipted Delivery Challans (OR)</li> <li>iv) Central Excise Gate Pass / Tax Invoices issued under relevant rules of Central Excise / VAT/GST (OR)</li> <li>v) any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above.</li> </ul>		








<b>TECHNICAL EVALUATION MATRIX</b> <b>(TO BE FILLED IN BY BIDDER DULY SIGNED)</b>			
TECHNICAL SPECIFICATIONS			
Clause No.	DESCRIPTION	BIDDER'S RESPONSE  (Complied / Not Complied / Deviation / Not Applicable)	TO BE FILLED BY THE BIDDER  Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
	<b><u>SCOPE OF WORK:</u></b>  The scope of work covers manufacture and supply of skid mounted portable crew hut for use of employees of Logistics Department, OIL, Duliajan at well site as per Drawing No.: <b><u>OIL 7767/A</u></b> . Specifications, dimensions, fittings, accessories, terms and conditions etc. as in the above drawing including the 14 points under note of it as well as <b><u>Annexure-I</u></b> enclosed herewith. (Salient points as in the drawing are provided in <b><u>Annexure-II</u></b> ).		
	<b><u>Annexure-I</u></b>  <b><u>ADDITIONAL FEATURES AND TERMS &amp; CONDITIONS:</u></b>		
<b>A.</b>	<b><u>ADDITIONAL FEATURES:</u></b>		
1	Skid fabricated from ISMB 250 channels only.		
2	Skid minimum 04 (four) longitudinal channels.		
3	All steel works including table & benches with smooth edges & corners to avoid injury		
4	Inner wall of waterproof polished or plain ply-board covered with mica sheet on 50mmx50 mm timber framing.		
5	Suitable locking arrangement for stay rod of window chajja/shed.		
6	Electrical wiring in suitable conduits for single-		



	<p>phase 240 V power supply complete with following:</p> <p>a. 02 (two) Nos. 40 watts tube light.</p> <p>b. 03 (three) Nos. mim. 400 mm size wall mounted swivel fan with suitable guard.</p> <p>c. 01 (one) No. 5 amp plug point in switch board in addition to 02 (two) 15 amp points.</p>		
7	Provision to hook-up external power supply to the main switchboard of hut through suitable connectors located outside side panels at minimum 1.50 metre height.		
8	Two Nos. of exhaust fans on the on the wall at suitable locations to be provided.		
<b>B.</b>	<b><u>TERMS &amp; CONDITIONS:</u></b>		
1	Successful bidder may contact P&A Section of Logistics Department, Oil India Ltd., Duliajan for finalization of drawing (based on drawing enclosed herewith) and approved by OIL.		
2	Technical Evaluation Matrix as per prescribed format provided vide <b>Annexure-A &amp; Annexure-B</b> enclosed herewith shall be submitted along with the bid.		
3	<p><b><u>Inspection:</u></b> As detailed under note in the drawing. However, the same in all three stages or in part there off shall be as per OIL's discretion only.</p> <p>Minor changes suggested during inspection shall be incorporated at no extra cost</p>		
4	<p><b><u>Delivery:</u></b> All the huts shall be delivered to OIL at Duliajan in one lot by the supplier with in 06(six) months from date of placement of firm order.</p>		
5	<p><b><u>Guarantee/Warranty:</u></b> Notwithstanding the Guarantee/Warranty clause(s) mentioned elsewhere in the NIT, the complete unit against any defect including welding, painting shall be under guarantee/warranty by the supplier for minimum period of 01 (one) year from the date of receipt of the huts at site.</p> <p>OIL reserves the right to inspect, test and if necessary reject the hut/huts after delivery at site in case of any fault on the part of the supplier. It shall no way be waived by the reason that the hut/s was previously inspected and passed by OIL as per Inspection Clause detailed above.</p>		

	<b><u>Annexure-II</u></b>		
	<b><u>Salient dimensions, features etc. as in the Drawing No.: 7767/A mentioned hereunder for not fully legible in the drawing.</u></b>		
<b>A.</b>	<b><u>Major Dimensions:</u></b> 1. Length of Cabin : 5600 mm 2. Width of cabin: 2500 mm 3. Overall length with the skid : 6500 mm 4. Overall width with the skid : 2850 mm 5. Overall Height : 3000 mm 6. Inside height of cabin : 2400 mm (from floor to false ceiling)		
<b>B.</b>	<b><u>The 14 points under note in the drawing:</u></b>		
1	All the tubular posts should be welded to ISMB 250 and not to the chequered plates (i.e. not to the floor sheets)		
2	All MS sheets shall have stitch welds 75 mm long 150 mm gap with all steel adjoining steel members.		
3	All steel works to be fabricated by welding except otherwise specified		
4	Roof, table, bench ends & corners should be rounded suitably.		
5	One coat of primer to be provided to all exposed as well as unexposed surface of the steel works for protection from rust. The hut to be finally painted (2 coats) with synthetic paint {Inside cabin-Light Sky Blue (Not White), Outside Hut-Steel Grey}.		
6	Coat hook arrangement to be provided at lintel level all around inside (15 Nos.) at a gap of around two feet in between two hooks.		
7	MS “L” drops and hooks of approved quality to be provided on doors, toolbox lid, windows (from inside for windows), etc. for locking arrangement. 3 (three) Navtal 7 levers padlocks- <b>not 2 (two) Nos.</b> to be provided for door and tool box lid locking.		
8	Toolbox, bench, table are to be fixed to the floor by welding.		
9	Windows to be guarded with 75 mm square mesh X 5 mm dia. IRC fabric.		
10	False ceiling is to be made of either hard board or ply board of 6 mm thick on 75 mm X 50 mm timber framing.		
11	Door, window hinges to be welded to the frame but not to wall panel.		

	Each skidded hut be offered for inspection to our Engineer(s)		
12	i) On completion of fabrication job of the frame but before fixing of walls and roof and ceiling, etc. ii) On completion of fixing walls, roof, ceiling, etc. but before applying of synthetic paints. iii) At any time during fabrication of the hut whenever our Engineer(s) feels it necessary		
13	2.5 mm thick MS plate door & window chajja/shed suitably welded to the hinges on the wall & hang on the top by suitable chains.		
14	Two Nos. electric plug points (15 amp.) should be fitted with electric wire inside the hut.		
	<b>Note:</b> Scan copy of the Drawing No.: <b>OIL 7767/A</b> is attached herewith. The full blue print of the drawing shall be made available to the successful bidder at the time of placement of firm order		
<b>C.</b>	<b>Others:</b>		
1	Flooring of 6 mm thick MS chequered plate suitably supported by at least ISA 75 mm X 75 mm X 6 mm on 500 mm square framing with two coats of antirust paints of “3 M” make on both side.		
2	Full width ventilation with XPM sheet covering on both side walls at 2000 mm height.		
3	Roof of 2.5 mm MS sheet.		
4	6 mm MS sheet on table, bench, and tops.		
5	Two pane door & windows opening outside.		
6	Toolbox without partition but lid divided into two parts.		
7	The inside of the cabin floor should be covered with antiskid vinyl flooring of suitable colour.		
	<b>Special Terms &amp; Conditions:</b>		
1.	Bidder must have works of their own for fabrication of crew huts. Documentary evidence in support of the same is to be submitted along with the bid.		



**SCHEDULE OF DOORS & WINDOWS**

NO.	DESCRIPTION	SIZE	REMARKS
1	STEEL DOOR DOUBLE LEAF WITH GLAZED	1800 X 1800	1
2	STEEL WINDOW DOUBLE LEAF WITH GLAZED	1200 X 1200	2
3	STEEL WINDOW DOUBLE LEAF WITH GLAZED	1200 X 1200	2
4	STEEL WINDOW DOUBLE LEAF WITH GLAZED	1200 X 1200	2
5	STEEL WINDOW DOUBLE LEAF WITH GLAZED	1200 X 1200	2

1. ALL THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE.
2. ALL THE WINDOWS SHOULD HAVE 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
3. ALL THE WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
4. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
5. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
6. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
7. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
8. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
9. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.
10. THE DOORS & WINDOWS SHOULD BE PROVIDED WITH 25mm x 25mm x 2mm GALVANIZED PLATE WITH ALL SIDES.

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

DESIGNED BY: *[Signature]*  
DATE: *[Date]*  
SCALE: *[Scale]*

**OIL INDIA LIMITED**  
DRAWING OFFICE  
BUNAJAN

DATE: *[Date]*  
SCALE: *[Scale]*

**SKID MOUNTED HUT FOR  
TRANSPORT EMPLOYEES  
AT DRILLING/RIG-UP,  
RIG-DOWN, WELL SITE**

DRG. No. **OIL/7767/A**

**Technical Bid Checklist****Annexure-EEE**

Tender No.			
Bidder's Name :			
		<b>Compliance by Bidder</b>	
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid or Comments
1	Confirm that validity has been offered as per NIT.		
2	Confirm that Bid Security / Earnest Money has been submitted as per NIT (Wherever Applicable) ?		
3	Confirm that you shall submit Performance security (in the event of placement of order) (Wherever Applicable) ?		
4	Confirm that duly signed Integrity Pact has been submitted as per NIT (Wherever Applicable) ?		
5	Confirm that you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)		
6	Confirm that you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.		
7	Confirm that the bid has been signed using Class 3 digital certificate with Organisation's Name as per NIT.		
8	Confirm that you have not taken any exception/deviations to the NIT .		

NOTE: Please fill up the greyed cells only.

(\*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of the purchase order cited above.

**Response Sheet****Annexure-FFF**

Tender No.
Bidders Name

**Bidders Response Sheet**

SI No.	Description	Remarks
1	Place of Despatch	
2	Whether Freight charges have been included in your quoted prices	
3	Whether Insurance charges have been included in your quoted prices	
4	Make of quoted Product	
5	Offered Validity of Bid as per NIT	
6	Bid Security Submitted (if applicable)	
6	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
7	Whether you shall submit Performance Security in the event of placement of order on you (if applicable)	
8	Integrity Pact Submitted (if applicable)	
9	Whether you have submitted documentary evidence of successfully executing one Purchase order as stipulated in NIT in any of the preceding 5 financial years (*)	
10	Whether you have submitted Balance Sheet and Profit and Loss Account of any of the preceding 3 financial years certified by a chartered accountant.	
11	Delivery Period in weeks from placement of order	
12	Complied to Payment terms of NIT (if applicable) otherwise to Standard Payment Terms of OIL or not.	
13	If bidder is MSE whether you have quoted your own product	
14	If Bid security submitted as Bank Guarantee, Name and Full Address of Issuing Bank including Telephone, Fax Nos and Email id of branch manager	

**NOTE: Please fill up the greyed cells only.**

(\*) Purchase Orders along with copies of any of the documents in respect of satisfactory execution of the Purchase Orders should be submitted – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Receipted Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory

**ANNEXURE - GGG**

**(TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETTER HEAD)  
(ALL FIELDS ARE MANDATORY)**

Tender No. :.....  
Name of Beneficiary :M/s.....  
Vendor Code :.....  
Address :.....  
.....  
Phone No. (Land Line) :.....  
Mobile No. :.....  
E-mail address :.....  
Bank Account No. (Minimum  
Eleven Digit No.) :.....  
Bank Name :.....  
Branch :.....  
Complete Address of your  
Bank :.....  
IFSC Code of your Bank  
a) RTGS :.....  
b) NEFT :.....  
PAN :.....  
VAT Registration No. :.....  
CST Registration No. :.....  
Service Tax Registration No. :.....  
Provident Fund Registration :.....

**I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.**

Office Seal

.....  
Signature of Vendor

**Counter Signed by Banker:  
Seal of Bank:**

**Enclosure: Self attested photocopies of the following documents-**

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.