

OIL INDIA LIMITED
(A Government of India Enterprise)
P.O. Duliajan-786602, Assam, India
E-mail: material@oilindia.in

INVITATION FOR LOCAL COMPETITIVE BID

OIL INDIA LIMITED invites Local Competitive Bid (LCB) through its e-procurement portal <https://etender.srm.oilindia.in/irj/portal> for the following items:

E-Tender No	Bid Closing/Opening Date	Item Description
SDI9376P16 Dtd. 28.11.2015 Single Stage Composite Bid	28.01.2016	Multimedia Wireless Projector (Qty. – 19 Nos.)
SDI9034P16 Dtd. 17.10.2015 Single Stage Composite Bid	28.01.2016	Mini Effluent Treatment Plant (Qty. – 1 No.)
SDI9405P16 Dtd. 02.12.2015 Single Stage Composite Bid	28.01.2016	Primary Injection Testing Kit (Qty. – 1 Nos.)
SDI9407P16 Dtd. 02.12.2015 Single Stage Composite Bid	28.01.2016	Panel (Qty. – 2 Nos.)
SDI8858P16 Dtd. 12.10.2015 Single Stage Composite Bid	28.01.2016	Security Gadgets (Qty. – 960 Nos.)
SDI8999P16 Dtd. 17.10.2015 Single Stage Two Bid	28.01.2016	Transformer (Qty. – 5 Nos.)
SDI9406P16 Dtd. 02.12.2015 Single Stage Two Bid	28.01.2016	Acoustic Enclosure (Qty. – 1 Nos.)
SSI9521P16 Dtd. 09.12.2015 Single Stage Composite Bid	28.01.2016	FSC Paper (Qty. – 7200 Pac)
SSI9478P16 Dtd. 05.12.2015 Single Stage Composite Bid	28.01.2016	Electrical Items

Tender fee (Non-refundable): Rs 1,000.00; Bid Closing/Opening Time: (11 Hrs.) IST/(14 Hrs.) IST; Period of sale of documents: **Till one week prior to bid closing date.** The complete bid documents and details for purchasing bid documents, participation in E-tenders are available on OIL's e-procurement portal <https://etender.srm.oilindia.in/irj/portal> as well as OIL's website www.oil-india.com.

NOTE: All addenda, Corrigenda, time extension etc. to the tenders will be hosted on above website and e-portal only and no separate notification shall be issued in the press. Bidders should regularly visit above website and e-portal to keep themselves updated.



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO: (91-374) 2808719

FAX NO: (91-374) 2800533

Email: tushar_dutta@oilindia.in ; erp_mm@oilindia.in

FORWARDING LETTER

Tender No. : SDI8858P16 Dtd. 12.10.2015
Tender Fee : Rs 1,000.00
Bid Security Amount : Rs. 20,000.00
Bidding Type : SINGLE STAGE COMPOSITE BID SYSTEM
Bid Closing on : As mentioned in the e-portal
Bid Opening on : -do-
Performance Security : Applicable
Integrity Pact : Not Applicable

OIL invites Bids for **Supply of SECURITY GADGETS** through its e-Procurement site under **SINGLE STAGE COMPOSITE BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents

The general details of tender can be viewed by opening the RFx [Tender] under RFx and Auctions.. The details of items tendered can be **found in the Item Data and details uploaded under Technical RFX.**

The tender will be governed by:

a) For technical support on various matters viz. Online registration of vendors, Resetting of Passwords, submission of online bids etc, vendors should contact OIL's ERP MM Deptt at following: Tel Nos = 0374-2807171 , 0374-2807192. Email id = erp_mm@oilindia.in.

b) OIL's office timings are as below:

	Time (in IST)
Monday – Friday	07.00 AM to 11.00 AM; 12.30 PM to 03.30 PM
Saturday	07.00 AM to 11.00 AM
Sunday and Holidays	Closed

Vendors should contact OIL officials at above timings only.

c) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.

- d) Technical specifications and Quantity as per **Annexure – 1A**.
- e) The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area -> Tender Documents.
- f) In the event of receipt of only a single offer against the tender within B.C. date, OIL reserves the right to extend the B.C. date as deemed fit by the Company. During the extended period, the bidders who have already submitted the bids on or before the original B.C. date, shall not be permitted to revise their quotation.
- g) All corrigenda, addenda, amendments, time extension, clarifications etc. To the tender will be hoisted on OIL's website (www.oil-india.com) and in the e-portal (<https://etenders.srm.oilindia.in/irj/portal>) only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website and e-portal to keep themselves updated.
- h) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- i) Bidder are advised to fill up the Technical bid check list (**Annexure EEE**) and Response sheet (**Annexure FFF**) given in MS excel format in Technical RFx -> External Area -> Tender Documents. The above filled up document to be uploaded in the **Technical RFX** Response.

Special Note:

1.0 General Qualification Criteria:

In addition to the general BRC/BEC, following criteria on Bidders' Experience and their financial capabilities shall be considered (**Documentary evidence to be provided along with the bid in Technical RFx -> External Area -> Tender Documents**) as on the Bid Closing Date:

Criteria	Complied / Not Complied. Documentary evidence submitted / not submitted
a) Bidder should have experience of successfully executing similar order of Rs 6.28 Lakhs during last 3 years.	
b) Annual financial turnover of the firm in any of the last 3 financial years or current financial year should not be less than Rs 20.96 Lakhs.	

Note: Documentary evidence in respect of the above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – (i) Satisfactory Inspection Report (OR) (ii) Satisfactory Supply Completion / Installation Report (OR) (iii) Consignee Received Delivery Challans (OR) (iv) Central Excise Gate Pass / Tax , Invoices issued under relevant rules of

Central Excise / VAT (OR) (v) any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above. For Annual financial turnover enclose the audited Annual Reports or balance sheet certified by a chartered accountant.

2.0 Vendors having OIL's User ID & password shall purchase bid documents on-line through OIL's electronic Payment Gateway.

Vendors who do not have OIL's User ID & password shall obtain User ID & password through online vendor registration system in e-portal and can subsequently purchase bid documents through OIL's electronic Payment Gateway.

Alternatively application showing full address/email address with Tender Fee (Non-refundable) of Rs. 1,000.00 in favour of M/s Oil India Limited and payable at Duliajan is to be sent to Head-Materials, Oil India Limited, P.O. Duliajan, Assam-786602. Application shall be accepted only upto one week prior to B.C date (or as amended in e-portal). The envelope containing the application for participation should clearly indicate "REQUEST FOR ISSUE OF USER ID AND PASSWORD FOR E TENDER NO ...". for easy identification and timely issue of user ID and password. On receipt of requisite tender fee, USER_ID and initial PASSWORD will be communicated to the bidder (through e-mail) and will be allowed to participate in the tender through OIL's e- Procurement portal. No physical tender documents will be provided. Details of NIT can be viewed using "Guest Login" provided in the e-Procurement portal. The link to e-Procurement portal has been also provided through OIL's web site www.oil-india.com.

NOTE:

PSUs and MSE units are provided tender documents Free of Cost (as per govt guidelines), however they have to apply to OIL's designated office to issue the tender documents before the last date of sale of tender document mentioned in the tender.

3.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with **Tender no.** and **Due date** to **Head Materials, Materials Department, Oil India Limited, Duliajan - 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

- a) **Original Bid Security**
- b) **Detailed Catalogue (if any)**
- c) **Any other document required to be submitted in original as per tender requirement**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

4.0 Benefits to Micro & Small Enterprises (MSEs) as per prevailing Govt guidelines as applicable on B.C date shall be given. MSEs who are interested in availing the benefits will upload with their offer proof of their being MSE registered for the item tendered. The MSE are also required to upload scanned copies of relevant documents indicating details of registration alongwith validity, name of the registering organization and details of the item, ownership etc., failing which, their offer may not be liable for consideration of benefits to MSEs.

5.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.

- 6.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.
- 7.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
- 8.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed **Annexure-CCC**. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per **Annexure-CCC**) contradict the Clauses of the tender and / or "General Terms & Conditions" as per Booklet No. MM/LOCAL/E-01/2005 for E-procurement (LCB Tenders) elsewhere, those in the BEC / BRC shall prevail.
- 9.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 10.0 Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer.
- 11.0 If Bank Guarantee is submitted towards 'Bid Security', then bidders have to ensure that the Bank Guarantee issuing bank indicate the name and detailed address (including e-mail) of their higher office from where confirmation towards genuineness of the Bank Guarantee can be obtained.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

Yours Faithfully

**Sd-
(TR DUTTA)
SR. PURCHASE OFFICER(IP)
FOR HEAD-MATERIALS**

Tender No & Date: SDI8858P16 dtd. 12.10.2015

BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)

The following BRC/BEC will govern the evaluation of the bids received against this tender. Bids that do not comply with stipulated BRC/BEC in full will be treated as non responsive and such bids shall prima-facie be rejected. Bid evaluation will be done only for those bids that pass through the “Bid Rejection Criteria” as stipulated in this document.

Other terms and conditions of the enquiry shall be as per General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BRC / BEC) contradict the Clauses of the tender or MM/LOCAL/E-01/2005 elsewhere, those in the BRC / BEC shall prevail.

<u>Criteria</u>	Complied / Not Complied. (Remarks if any)
<p>1.0 BID REJECTION CRITERIA (BRC):</p> <p>A) TECHNICAL:</p> <p>The bid shall conform generally to the terms and conditions given in this document. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.</p> <p>B) COMMERCIAL:</p> <p>i) Validity of the bid shall be minimum 120 days from the Bid Closing Date.</p> <p>ii) Bid security: The bid must be accompanied by Bid Security of Rs 20,000.00 in OIL's prescribed format as Bank Guarantee or a Bank Draft/Cashier cheque in favour of OIL. The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender. The Bank Guarantee towards Bid Security shall be valid for 10 months from Bid closing date. (i.e. upto <u>28.11.2016</u>)</p> <p>Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.</p> <p><u>If bid security in ORIGINAL of above mentioned Amount and Validity is not received or paid online within bid closing date and time, the bid submitted through electronic form will be rejected without any further consideration.</u></p>	

For exemption for submission of Bid Security, please refer Clause No. 8.8 of General Terms and Conditions vide MM/LOCAL/E-01/2005 for E-Procurement LCB Tenders.

The format of Bank Guarantee towards Bid Security (Annexure – VII) has been amended to Annexure – VII (Revised) and bidders should submit Bank Guarantee towards Bid Security as per Annexure – VII (Revised) only.

In case of extension of Bid Closing date against the tender where a bidder has already submitted his bid with requisite bid security validity within the original B.C. Date, such bidders will extend validity of bid security covering the extended period of the bid closing date.

iii) Performance Security:

The successful Bidder will have to provide Performance Security @ 10% of order value. The Performance Security must be valid for one year from the date of successful commissioning of the equipment or 18 months from the date of despatch whichever is earlier

The validity requirement of Performance Security is assuming despatch within stipulated delivery period and confirmation to all terms and conditions of order. In case of any delay in despatch or non-confirmation to all terms and conditions of order, validity of the Performance Security is to be extended suitably as advised by OIL.

iv) *The Bank Guarantee should be allowed to be encashed at all branches within India.*

v) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

vi) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

vii) All the Bids must be Digitally Signed using “Class 3” digital certificate with Organisation’s name (*e-commerce application*) as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3 with Organisation’s Name” digital certificate, will be rejected.

viii) Price should be maintained in the “online price schedule” only. The price submitted other than the “online price schedule” shall not be considered.

ix). A bid shall be rejected straightway if it does not conform to any one of the following clauses:

- (a) **Validity of bid shorter than the validity indicated in the Tender.**
- (b) **Original Bid Security not received within the stipulated date & time mentioned in the Tender.**
- (c) **Bid Security with (i) Validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.**
- (d) **Average Annual Turnover of a bidder lower than the average Annual turnover mentioned in the Tender.**

2.0 BID EVALUATION CRITERIA (BEC)

The bids conforming to the terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria as well as verification of original of any or all documents/ documentary evidences pertaining to BRC, will be considered for further evaluation as per the Bid Evaluation Criteria given below.

A) TECHNICAL:

1.0 The bids will be evaluated as per NIT Specifications.

B) COMMERCIAL:

i). To evaluate the inter-se-ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Govt. of Assam guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.

ii). To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

-----XXXX-----

TECHNICAL SPECIFICATIONS WITH QUANTITY

Tender No & Date: SDI8858P16 dtd. 12.10.2015

	Complied / Not Complied. (Remarks if any)
<p>ITEM NO. 10, POLYCARBONATE LATHI , (QTY. – 320 NOS.)</p> <p>Features:</p> <ul style="list-style-type: none">• Mterial: PC (polycarbonate)• Ultra strong• Scratch proof, Non corrosive,fire proof• Light weight• Transparent• High Impact resistance• Long shelf life• Straight/firm/collapsible features may be preferred in light of new technology with ideal flexibility. <p>Technical Features:</p> <ul style="list-style-type: none">• Length- 105 cm• Diameter- 2.5cm• Wall thickness – 4mm• Weight- 350gm <p>Additional and essential features:</p> <ul style="list-style-type: none">• Handgrip:<ol style="list-style-type: none">i About 5 inchii Round shapediii Unbreakable• Soft, shock absorbent, but firm grip for proper handling with soft cushioning.• Wrist Band – In the form of flexi 6` cotton/ nylon/ suitable fabric loop on the top of handgrip to enable proper security of the lathi/cane.• Protective shoe/stud:- Bottom 2` of Lathi plugged with ring shaped, firm, fire and water resistant fibre/ rubber cap firmly/ permanently fixed. <p>Manufacturer's/Supplier's written submission regarding non-corrosion, scratch proofing, fire and water resistance be provided.</p>	
<p>ITEM NO. 20, POLYCARBONATE SHIELD, (QTY. – 320 NOS.)</p> <ul style="list-style-type: none">• Raw material: Engineering grade Polycarbonate or any other technically proven superior material.• Provides excellent protection against brick batting, stone pelting, Molotov cocktails, chains, acids, iron, and rod / cane attack.• Light wt., scratch proof, durable and transparent.• Improved consistency in thickness and enhanced strength.	

- Thick ribs all along the edges for higher structural strength.
 - Vision area of shield so shaped as to avoid scratches during handling.
 - Cushioned/comfortable arm rest for comfort and longevity.
 - High impact resistance.
- TECHNICAL DATA**
- Shape: rectangular or any other proven batter shape.
 - Length: 910mm to 1000mm
 - Weight: Less than 3.4 kg
 - Breadth (Flat): 580mm + 20mm or any proven better shape.
 - Breadth Concave: 620mm + 10mm or any other proven better shape.
 - Thickness: 3.0mm + 0.5mm
 - Material: Transparent/scratch proof.
 - PC (polycarbonate) virgin grade, and not recycled.
 - Edges well secured and covered by durable band / elbows.
 - Raw material: Engineering grade Polycarbonate
 - Provide complete protection against brick batting, stone pelting, iron rod/cane Attack. Molotov cocktails, acids.
 - Thick ribs all along the edges for higher structural strength
 - Cushioned arm rest to provide comfort in long use i.e. to have solid strap, handle and pad for better grip.
 - High impact resistance.

ITEM NO. 30, BODY PROTECTOR, (QTY. – 320 NOS.)

Material – Cloth Jackets of fire retardant drill cloth in required colour and required camouflage pattern.

Colour – As required –plain /disruptive/ camouflage pattern.

Weight – 5.950kg + 10%

Size: - Small / large / Extra Large (The description is given here for large size)

Properties:

- Physical protection against brick batting cane/knife/ acid attacks, Molotov cocktails and projectiles encountered in Riot situation and other policing functions.
- Special fire retardant, high impact resistance rubber inserts.
- Protective sheets for front and back pouches with trauma pads.
- Sweat absorbing mesh fabric (detachable & washable) in-lined elbow and shin guards ergonomically formed to protect limbs during riot-mob situation
- Impact attenuation (reduction) above 8%.
- Ergonomic design for maximum wearing comfort.
- Thoroughly and bio-engineering with certificate to that effect.
- Design ensures restraint free movement long shelf life, light wt. with Excellent Protection capability.

7.1. Chest Protector- (40 cm + 10%):

a. Up to 4.5 mm + 10% thick poly foam.

b. Inner lining made of mesh fabric (Detachable & washable) with sweat absorbing lining 2mm + 10% thick foam with specified (16-22) shore A hardness and engineered plastic Certified from a NABL lab.

- c. Weight: - Less than 3.00 kg
- d. Material – High quality unbreakable engineered plastic for front and back pouches with trauma pads.
- e. High impact resistant rubber insert to absorb trauma.
- f. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.
- g. Inter stichable so as to remain in place and not slip.

7.2. Elbow Pad. (Length – 37 cm + 10%):

- a. Made of soft engineered plastic
- b. Velcro closure.
- c. EVA (Ethylene and vinyl Acetylene based Polymer) Poly foam of minimum specified hardness.
Engineered plastic with matt surface of 2.5 mm + 10% thickness.
- d. Mesh fabric poly foam of up to 4mm + 10% specified hardness.
- e. Should be able to withstand impact from one meter on hard surface.
- f. Inter stichable so as to remain in place and not slip.
- g. all sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.
- h. The fabric should be detachable & washable.

7.3. Shin guard- (Length – 55cm + 10%):

- a. Made of soft engineered plastic or any other NABL proven superior material.
- b. Elastic stripes for easy wearing.
- c. Velcro closure
- d. Sweat absorbing mesh fabric Poly foam 10mm+ 10% hardness
- e. Inter stichable so as to remain in place and not slip.
- f. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.
- g. The fabric should be detachable & washable.

7.4. Upper Arm:

- a. High protection engineered soft plastic or any other NABL proven superior material with Sweat absorbing mesh fabric (Detachable & washable) inner protection with a unique flexible design for optimum movement, fit and comfort suitable to human body parts shape.
- b. Velcro fixed.
- c. Inter stichable so as to remain in place and not slip.
- g. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.

7.5. Shoulder Pad (15 cm+ 10%):

- a. Velcro fixed.
- b. High protection engineered soft plastic or any other NABL proven superior material with a unique flexible design for optimum movement, fit and comfort.

- c. Poly foam (preferably 3mm thickness) with specified (35-40) Shore A hardness and black mesh fabric that covers the chest and back.
- d. High protection engineered soft plastic with shock absorbing EVA Poly foam cushioning the shoulder.
- e. Inner lining made of mesh sweat absorbing fabric (detachable & washable).
- f. Inter stichable so as to remain in place and not slip.
- g. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.

7.6. Groin:

- a. Section has and outer shock absorbing Sweat absorbing mesh fabric (detachable & washable) padding (plastic/EVA/poly foam) along with hard shell cap or any other NABL proven superior material.
- b. The protection attachment should cover the groin area from all ricocheted projectiles and allow a comfortable sitting.
- c. Inter stichable so as to remain in place and not slip.
- d. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.

7.7. Forearm & Elbow Guard (37 cm + 10%):

- a. High protection engineered soft plastic outer shell or any other NABL proven superior material should provide flexibility required for forearm and elbow.
- b. Shock absorbing poly foam with minimum specified (Maximum 5mm) thickness and black mesh (detachable & washable fabric) lining which offers comfort and breathability.
- c. Adjustable straps fastening with durable elastic and Velcro.
- d. High protection engineered soft plastic of minimum specified standard thickness (Preferably 2.5-3.5mm) so that it does not lose its flexibility with higher padding or any other NABL proven superior material.
- e. Inter stichable so as to remain in place and not slip.
- f. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.

7.8. Thigh Guard (44cm + 10%):

- a. Thigh guard must be supported by kamarbandh(Belt) to avoid slippage while running and during movement.
- b. High protection engineered unbreakable plastic of 2.5 to 04 mm thickness on thigh section.
- c. EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material with minimum 4.5 mm thickness and mesh lining (detachable & washable fabric) for comfort and breathability.
- d. Adjustable straps fastening with durable elastic and Velcro.
- e. Length: - 146.5 + 10%
- f. Inter stichable so as to remain in place and not slip. A fire retardant drill cloth (detachable & washable fabric) jacket with fire retardant and polycarbonate inserts in front and back pouches. Two shin guards having high resistant unbreakable plastic inserts.

g. All sandwiches padding of soft plastic with EVA (Ethylene and vinyl Acetylene based Polymer) foam or any other technically better test proven material, should have number of small holes for free movement of air.	
--	--

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

Technical Bid Checklist**Annexure-EEE**

Tender No.			
Bidder's Name :			
		Compliance by Bidder	
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid or Comments
1	Bidder to confirm that he has not taken any exception/deviations to the bid document .		
2	Confirm that the product offered strictly conform to the technical specifications.		
3	Confirm that the Offer has been made with Bid Bond / Bank Guarantee / Earnest Money along with the offer (Wherever Applicable) ?		
4	Confirm unconditional validity of the bid for 120 days from the date of opening of techno-commercial bid.		
5	Confirm that the prices offered are firm and / or without any qualifications?		
6	Confirm that all relevant fields in the on-line bidding format have been filled in by the bidder for the items quoted by them.		
7	Confirm that the the price bid is in conformity with OIL's online bidding format ?		
8	Confirm that the Bid comply with all the terms & conditions ?		
9	Confirm that the offers and all attached documents are digitally signed using digital signatures issued by an acceptable Certifying Authority (CA) as per Indian IT Act 2000.		
10	CONFIRM THAT YOU HAVE SUBMITTED THE DULY SIGNED INTEGRITY PACT DOCUMENT (Wherever Applicable)		
11	CONFIRM THAT YOU SHALL SUBMIT PERFORMANCE BANK GUARANTEE AS PER NIT IN THE EVENT OF PLACEMENT OF ORDER ON YOU (Wherever Applicable)		
12	CONFIRM THAT YOU HAVE SUBMITTED DOCUMENTS AS PER GENERAL QUALIFICATION CRITERIA		
13	Confirm that you have submitted Name and Full Address of Issuing Bank including Telephone, Fax Nos and Email id of branch manager where Bid security has been submitted as Bank Guarantee.		

NOTE: Please fill up the greyed cells only.

Response Sheet

Annexure-FFF

Tender No.	
Bidders Name	

Bidders Response Sheet

Sl No.	Description	Remarks
1	Name of Bidder	
2	Whether tender document purchased from OIL's offices.	
3	Place of Despatch	
4	Whether Freight charges have been included in your quoted prices	
5	Whether Insurance charges have been included in your quoted prices	
6	Make of quoted Product	
7	Offered Validity of Bid as per NIT	
8	Delivery Period in weeks from placement of order	
9	Complied to Payment terms of NIT (if applicable) otherwise to Standard Payment Terms of OIL or not.	
10	Bid Security Submitted (if applicable)	
11	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
12	If Bid security submitted as Bank Guarantee, Name and Full Address of Issuing Bank including Telephone, Fax Nos and Email id of branch manager	
13	Bid Security if Not submitted reasons thereof	
14	Whether you shall submit Performance Security in the event of placement of order on you (if applicable)	
15	Integrity Pact Submitted (if applicable)	
16	Whether submitted documents in support of General Qualification criteria of NIT	
17	If bidder is Small scale unit whether you have quoted your own product	
18	If bidder is Small scale unit whether you are eligible for purchase preference (as per Govt guidelines)	
19	Whether filled up the bank details for online payment as per Annexure GGG	

NOTE: Please fill up the greyed cells only.

**(TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETER HEAD)
(ALL FIELDS ARE MANDATORY)**

Tender No. :.....
Name of Beneficiary :M/s.....
Vendor Code :.....
Address :.....
.....
Phone No. (Land Line) :.....
Mobile No. :.....
E-mail address :.....
Bank Account No. (Minimum
Eleven Digit No.) :.....
Bank Name :.....
Branch :.....
Complete Address of your
Bank :.....
IFSC Code of your Bank
a) RTGS :.....
b) NEFT :.....
PAN :.....
VAT Registration No. :.....
CST Registration No. :.....
Service Tax Registration No. :.....
Provident Fund Registration :.....

I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.

Office Seal

.....
Signature of Vendor

Counter Signed by Banker:
Seal of Bank:

Enclosure: Self attested photocopies of the following documents-

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.