# INDIA LIMITED ( A Govt. of India Enterprise ) 4, India Exchange Place, Kolkata – 700 001. E-mail: oilcalmn@oilindia.in INVITATION FOR BID

**NATIONAL COMPETITIVE BID** 

**OIL INDIA LIMITED** invites National Competitive Bid through its e-procurement portal – <a href="https://etender.srm.oilindia.in/irj/portal">https://etender.srm.oilindia.in/irj/portal</a> for the following items :-

E-Tender No.	Bid Closing Date	ITEM
SKI0310P19/05	22.02.2019	SUPPLY OF HIGH PRESSURE PIPE FITTINGS

Period of sale of documents, Bid Closing / Opening date, the complete bid documents and details for purchasing bid documents, participation in e-tenders etc. are available on OIL's e-procurement portal <a href="https://etender.srm.oilindia.in/irj/portal">https://etender.srm.oilindia.in/irj/portal</a> as well as OIL's website <a href="https://www.oil-india.com/">https://www.oil-india.com/</a>.

No separate notification shall be issued in the press. Bidders should regularly visit above website and eportal to keep themselves updated.



# OIL INDIA LIMITED (A Government of India Enterprises) 4, India Exchange Place

Kolkata -700001

TELEPHONE NO. (033) 22301657 FAX NO: (033) 22302596

Email: kolpur1@oilindia.in

#### **FORWARDING LETTER**

Tender No & Date :SKI0310P19/05

Tender Fee : NIL (PLEASE REFER TO DOCUMENT-'SPECIAL NOTE')

Bid Security Amount :Rs. 40, 600 /-

Bidding Type :Single Stage Two Bid

Bid Closing on : As mentioned in the e-portal Bid Opening on : As mentioned in the e-portal

Performance Guarantee : Applicable Integrity Pact : Not Applicable

Delivery Required : At DULIAJAN, ASSAM

OIL invites Bids for Supply of High Pressure Pipe Fittings through its E-Procurement site under **SINGLE STAGE TWO BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/CALCUTTA/E-01/2016. The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area - > Tender Documents.

The general details of tender can be viewed by opening the RFx [ Tender] under RFx and Auctions. The details of items tendered can be found in the Item Data and details uploaded under Technical RFX.

#### The tender will be governed by:

- a) For technical support on various matters viz. Online registration of vendors, Resetting of Passwords, submission of online bids etc, vendors should contact OIL's ERP-MM Department at following: Tel. No.s = 0374-2807178, 0374-2807171, 0374-2807192. Email- id = <a href="mailto:erp mm@oilindia.in">erp mm@oilindia.in</a>.
- b) "General Terms & Conditions" for e-Procurement as per Booklet NO. MM/CALCUTTA/E-01/2016 for E-procurement (LCB Tenders).
- c) Technical specifications with Quantity and BEC/BRC and Price bid format as per <u>ANNEXURE AAA</u>, <u>ANNEXURE BBB and ANNEXURE CCC</u> respectively.
- d) The prescribed Bid Forms for submission of bids are available in the Technical RFx -> External Area > Tender Documents.
- e) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

- f) Bidder are advised to fill up the Undertaking of authenticity of information/documents submitted (Annexure- K), Technical bid check list (Annexure EEE), Response sheet (Annexure FFF) and Bank Details (Annexure GGG), Annexure –A (technical Compliance checklist), Annexure –B (BRC Compliance checklist), Annexure-D (Table for Dimensions for Pipe Fittings) given in this bidding document uploaded in Technical RFx -> External Area > Tender Documents. The above filled up documents to be uploaded in the Technical RFX Response.
- g) Amendments to the NIT after its issue will be published on OIL's website only. Revision, clarification, addendum, corrigendum, time extension etc. to the tender will be hosted on OIL website only. No separate notification shall be issued in the press. Prospective bidders are requested to visit website regularly to keep themselves updated.

#### **Special Note:**

- 1.0 Bidders to take special note of the following conditions:
- 1.1 <u>Against Tender Fee</u> Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.

Vendors who do not have OIL's User ID & password, may generate User ID & password online by the Vendor by using the link for supplier enlistment given in OIL's e tender portal and then pay Tender Fee on line through OIL's electronic Payment Gateway upto one week prior to the Bid closing date (or as amended in e-portal). (PLEASE REFER DOCUMENT-' SPECIAL NOTE')

- 1.2 <u>Against Bid Security/EMD/Performance Bank Guarantee</u> Only payments through online mode or Submission of Bank Guarantee will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 1.3 A) Bidders submitting bank guarantee as **Bid Security** should note that the bank guarantee issued by the bank must be routed through SFMS platform as per following details:
  - (i) MT 760 / MT 760 COV for issuance of bank guarantee
  - (ii) MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Corporate Banking Branch, IFSC Code - UTIB0001164. Branch Address - AXIS Bank Ltd, Corporate Banking Branch, 3<sup>rd</sup> Floor, AC Market, 1, Shakespeare Sarani, Kolkata 700071."

B) The Bidder shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

Note: In the event of an order, similar process will be required to be followed by the bidder in case of submission of Performance Security in the form of Bank guarantee.

- 2.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and Due date to <u>GM-Kolkata Office</u>, <u>Oil India Limited</u>, <u>4</u>, <u>India Exchange Place</u>, <u>Kolkata 700 001</u> only on or before the Bid Closing Date and Time mentioned in the Tender.
  - a) Original Bid Security
  - b) Detailed Catalogue (if any)
  - c) Any other document required to be submitted in original as per tender requirement All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.
- **3.0** Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to


the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.


- 4.0 To participate in OIL's E-procurement tender, bidders should have a legally valid Digital Signature Certificate as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (http://www.cca.gov.in). The digital signature should be of Class 3 digital certificate alongwith encryption certificate for the designated individual with organization name. Please also refer "Guideline to Bidder for participating in OIL". All the Bids must be Digitally Signed.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.
- 6.0 The tender is invited under SINGLE STAGE-TWO BID SYSTEM. Bidders shall quote accordingly under Single Stage Two Bid System. The bidders are required to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic format in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.
- 6.1 Please ensure that Techno-commercial Bid / all technical related documents related to the tender are uploaded in the Technical Attachment as shown in the screen shot below. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all techno-commercial details except the prices. Please note that no price details should be uploaded in Technical Attachment.
- 6.2 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. Details of prices as per Price Bid format/Priced bid can be uploaded as Attachment in the attachment option under "Notes & Attachments" tab as shown in the screen shot below.

A screen shot in this regard is shown below.

#### Upload Technical Bid / Price Bid.

1.






6.3 Any Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.

6.4 Only the price-bids of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.

#### 6.5 Price Breakup/format:

Bidders should submit the price breakup/format of all the items as per "Annexure CCC" which has been uploaded under "Notes & Attachments" > "Attachments" as shown below. The price breakup/format "Annexure CCC" should be filled up, signed and uploaded under "Notes & Attachments" > "Attachments" only. The filled up price breakup/format of all the items should not be uploaded in Technical Attachment.



Please do refer "NEW INSTRUCTION TO BIDDER FOR SUBMISSION" for the above two points and also please refer "New Vendor Manual (effective 12.04.2017)" available in the login Page of the OIL's

E-tender



#### **NOTE:**

<u>Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.</u>

- 7.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
- 8.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed Annexure-BBB. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per Annexure-BBB) contradict the Clauses of the tender and / or "General Terms & Conditions" as per Booklet No. MM/CALCUTTA/E-01/2016 for E- Procurement of Indigenous Tenders elsewhere, those in the BEC / BRC shall prevail.
- 9. 0 Please do refer the User Manual provided on the portal on the procedure-How to create Response for submitting offer.

10.0 In order to bid for OIL e-tenders all the vendors are required to obtain a legally valid Digital Certificate Class III [Organization] along with encryption certificate as per Indian IT act from the licensed certifying authorities(CA) operating under the root certifying Authority of India (RCAI), controller of certifying authorities (CCA) of India. Digital Signature Certificate comes in a pair of Signing/Verification and Encryption /decryption certificate. Bidder should have both the Signing/Verification and Encryption /decryption certificate for signing and Encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system.

Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his Digital Signature Certificate then old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LIMITED is not responsible.

- 11.0 For exemption for tender fee, please refer Clause No. 3.3 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/CALCUTTA/E-01/2016 for E-procurement (LCB Tenders). (PLEASE REFER DOCUMENT-' SPECIAL NOTE')
- 12.0 Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

13.0 In addition to the existing clause of accepting Bid Security and Performance Security in the form of Bank Guarantee in Para No. 8.2 and 9.3 in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/CALCUTTA/E-01/2016 for E-procurement (LCB Tenders) to include the below mention point as well:

"#Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non - Scheduled Bank of India shall not be acceptable."

#### **14.0 CLAUSES RELATED TO GST**

#### (A) Taxes:

i. For the purposes of levy and imposition of GST, the expressions shall have the following meanings:

- (a) GST means any tax imposed on the supply of goods and/or services under GST Law.
- (b) Cess means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.
- (c) GST Law means IGST Act 2017, CGST Act 2017, UTGST Act, 2017and SGST Act, 2017and all related ancillary Rules and Notifications issued in this regard from time to time.
- ii. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties and levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/tax, if the finally assessed amount is on the higher side and OIL will have the right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST complaint in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- iii. Offers without giving any of the details of the taxes (including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates and amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ contracts will be binding on the bidder.
- iv. Bidder is required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidder must confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and must also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidder to ensure that the intended benefits of GST have been passed on to OIL.
- v. Statutory variation (increase/decrease) of GST within the contractual delivery period will be to the account of OIL subject to documentary evidence. However, any increase in statutory levy after the expiry of the scheduled date of delivery shall be to the supplier's account.
- vi. Bidder agrees to do all things but not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and also for claiming input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.
- vii. In case Input Tax Credit of GST is denied to OIL or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by Bidder/Supplier, including non-payment of GST charged and recovered, the Bidder/Supplier shall indemnify OIL in respect of all such claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such an amount demanded and recovered by the authorities/ state authorities from the pending payments of the Bidder/Supplier.
- viii. GST liability, if any on account of supply of free samples against any tender/purchase order (wherever applicable) shall be to bidder's/ supplier's account.

Yours Faithfully, Sd-(Panchali Thakuria ) Sr. Manager Materials (P) For GM-Kolkata Office

#### **Annexure - AAA**

#### **TECHNICAL SPECIFICATIONS WITH QUANTITY**

Item No./	Material description	Quantity
Material Code		
10/ 99068423	LR ELBOW 90 Deg, 100 mm NB, 423 kg/sq.cm Long radius 90 DEG, Butt-welding, Seamless Elbow manufactured as per	75 No.
	ANSI B 16.9 std. (latest edition)and Butt welding ends	
	confirming to ANSI B 16.25(latest edition):	
	Material: ASTM A 234 WPC	
	Working pressure: 423 kg/sq.cm (6000 psi)	
	Nominal pipe size (NPS) = 100 mm (4 inch) Outside Dia :114.3 mm (4.1/2 inch)	
	Center to End Distance: 152 mm	
	Elbow should be suitable for welding to 114.3 mm (4.1/2 inch) OD, API 5L	
	Grade-60, Bevel End pipe having Wall thickness of 11.13 mm (0.438 inch).	
20/ 99068426	LR ELBOW 45 Deg, 100 mm NB, 423 kg/sq.cm	150 No.
	Long radius 45 DEG, Butt-welding, Seamless Elbow	
	manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends	
	confirming to	
	ANSI B 16.25(latest edition):	
	Material: ASTM A 234 WPC	
	Working pressure: 423 kg/sq.cm (6000 psi)	
	Nominal pipe size (NPS) = 100 mm (4 inch)	
	Outside Dia :114.3 mm (4.1/2 inch)	
	Center to End Distance: 64 mm	
	Elbow should be suitable for welding to 114.3 mm (4.1/2 inch) OD, API 5L	
	Grade-60, Bevel End pipe having Wall thickness of 11.13 mm (0.438 inch).	
30/ 99068428	LR ELBOW 90 Deg, 100 mm NB, 210 kg/sq.cm	200 No.
	Long radius 90 Deg, Butt-welding, Seamless Elbow	
	manufactured as per  ANSLR 16.9 std. (lotest adition) and Butt welding ands	
	ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to	
	ANSI B 16.25(latest edition):	
	Material: ASTM A 234 WPB	
	Working pressure: 210 kg/sq.cm (2000 psi)	
	Nominal pipe size (NPS) = $100 \text{ mm } (4 \text{ inch})$	
	Outside Dia :114.3 mm (4.1/2 inch)	
	Center to End Distance: 152 mm	
	Elbow should be suitable for welding to 114.3 mm (4.1/2 inch)	

	OD ADIGI	1
	OD, API 5L Grade-46, Bevel End pipe having Wall thickness of 7.14 mm (0.281 inch).	
40/ 99068432	"Long radius 90 DEG butt welded elbows as per ANSI B 16.9 std. (latest edition) Material # ASTM A 234 Gr WPB Working pressure # 210 kg/cm2 (3000 psi) Nominal pipe size (NPS) = 10 inch (250 MM)"	25 No.
50/ 99068433	LR ELBOW 90 Deg, 300 mm NB, 70 kg/sq.cm Long radius 90 Deg, Butt-welding, Seamless Elbow manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition):  Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi) Nominal pipe size (NPS) = 300 mm (12 inch) Outside Dia :323.9 mm (12.3/4 inch) Center to End Distance: 457 mm  Elbow should be suitable for welding to 323.9 mm (12.3/4 inch) OD, API 5L Grade-A, Bevel End pipe having Wall thickness of 8.40 mm (0.330 inch).	20 No.
60/ 99068434	LR ELBOW 90 Deg, 400 mm NB, 70 kg/sq.cm Long radius 90 Deg, Butt-welding, Seamless Elbow manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition):  Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi) Nominal pipe size (NPS) = 400 mm (16 inch) Outside Dia :406.4 mm (16 inch) Center to End Distance: 610 mm  Elbow should be suitable for welding to 406.4 mm (16 inch) OD, API 5L Grade-46, Bevel End pipe having Wall thickness of 7.92 mm (0.312 inch).	25 No.
70/ 99068438	LR ELBOW 45 Deg, 300 mm NB, 70 kg/sq.cm Long radius 45 Deg, Butt-welding, Seamless Elbow manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition):	20 No.

	No. 11 ACENTA ACAMEDO	
	Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi)	
	Nominal pipe size (NPS) = 300 mm (12 inch)	
	Outside Dia :323.9 mm (12.3/4 inch)	
	Center to End Distance: 190 mm	
	Elbow should be suitable for welding to 323.9 mm (12.3/4 inch) OD, API	
	5L Grade-A, Bevel End pipe having Wall thickness of 8.40 mm	
	(0.330	
	inch).	
80/ 99068439	LR ELBOW 45 Deg, 400 mm NB, 70 kg/sq.cm	25 No.
	Long radius 45 Deg, Butt-welding, Seamless Elbow	
	manufactured as per	
	ANSI B 16.9 std. (latest edition) and Butt welding ends	
	confirming to ANSI B 16.25(latest edition):	
	ANSI B 10.23 (latest edition).	
	Material: ASTM A 234 WPB	
	Working pressure: 70 kg/sq.cm (1000 psi)	
	Nominal pipe size (NPS) = 400 mm (16 inch)	
	Outside Dia :406.4 mm (16 inch)	
	Center to End Distance: 254 mm	
	Elbow should be suitable for welding to 406.4 mm (16 inch)	
	OD, API 5L Grade-46, Bevel End pipe having Wall thickness of 7.92	
	mm(0.312 inch).	
90/ 99068440	STRAIGHT (EQUAL) TEE, 100 mm NB, 423 kg/sq.cm Straight (Equal) Tee, Seamless, Butt-welding, manufactured as	25 No.
	per ANSI B	
	16.9 std. (latest edition) and Butt welding ends confirming to	
	ANSI B	
	16.25(latest edition):	
	Material: ASTM A 234 WPC	
	Working pressure: 423 kg/sq. cm (6000 psi)	
	Nominal pipe size (NPS) = $100 \text{ mm}$ (4 inch) X $100 \text{ mm}$ (4 inch)	
	X 100 mm (4	
	inch)	
	Center to End Distance (Run & Outlet): 105 mm	
	Tee should be suitable for welding to 114.3 mm (4.1/2 inch)	
	OD, API 5L	
	Grade-60, Bevel End pipe having Wall thickness of 11.13 mm	
	(0.438 inch).	
100/ 99068445	STRAIGHT (EQUAL) TEE, 100 mm NB, 210 kg/sq.cm	45 No.
	Straight (Equal) Tee, Seamless, Butt-welding, manufactured as	
	per ANSI B	
	16.9 std. (latest edition)and Butt welding ends confirming to	
	ANSI B	
	16.25(latest edition):	

		Г
	Material: ASTM A 234 WPB Working pressure: 210 kg/sq.cm (3000 psi) Nominal pipe size (NPS) = 100 mm (4 inch) X 100 mm (4 inch) X 100 mm (4 inch) Center to End Distance (Run & Outlet): 105 mm  Tee should be suitable for welding to 114.3 mm (4.1/2 inch) OD, API 5L Grade-46, Bevel End pipe having Wall thickness of 7.14 mm (0.281 inch).	
110/ 99068444	STRAIGHT (EQUAL) TEE, 300 mm NB, 70 kg/sq.cm Straight (Equal) Tee, Seamless, Butt-welding, manufactured as per ANSI B 16.9 std. (latest edition) and Butt welding ends confirming to ANSI B 16.25(latest edition):  Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi) Nominal pipe size (NPS) = 300 mm (12 inch) X 300 mm (12 inch) X 300 mm (12 inch)	20 No.
	Center to End Distance (Run & Outlet): 254 mm  Tee should be suitable for welding to 323.9 mm (12.3/4 inch) OD, API 5L Grade-A, Bevel End pipe having Wall thickness of 8.40 mm (0.330 inch).	
120/ 99074875	STRAIGHT (EQUAL) TEE, 400 mm NB, 70 kg/sq.cm Straight (Equal) Tee, Seamless, Butt-welding, manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition): Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi) Nominal pipe size (NPS) =400 mm (16 inch) X 400 mm (16 inch) X 400 mm (16 inch) Center to End Distance (Run & Outlet): 305 mm Tee should be suitable for welding to 406.4 mm (16 inch) OD,API 5L Grade-46, Bevel End pipe having Wall thickness of 7.92 mm (0.312inch).	20 No.
130/ 99068454	REDUCERS (CONCENTRIC), 100mm x 65mm, 423 kg/sq.cm Concentric Reducer, seamless, Butt-welding, manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition):	60 No.

	1	ſ
	Material: ASTM A 234 WPC Working pressure: 423 kg/cm2 (6000 psi) Nominal pipe size (NPS) = 100 mm (4 inch) x 65 mm (2.1/2 inch) End to End Distance: 102 mm	
	Reducer should be suitable for welding to the pipes having following specification:	
	a) 114.3 mm (4.1/2 inch) OD, API 5L Grade-60, Bevel End pipe having Wall thickness of 11.125 mm (0.438 inch) at one end.	
	b) 73.0 mm (2.7/8 inch) OD, API 5L Grade X-46, Bevel End pipe having Wall thickness of 14.02 mm (0.552 inch) at the other end.	
140/ 99068456	REDUCERS (CONCENTRIC), 100mm x 50mm, 423 kg/sq.cm Concentric Reducer, seamless, Butt-welding, manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B	120 No.
	16.25(latest edition):  Material: ASTM A 234 WPC	
	Working pressure: 423 kg/cm2 (6000 psi) Nominal pipe size (NPS) = 100 mm (4 inch) x 50 mm (2 inch) End to End Distance: 102 mm	
	Reducer should be suitable for welding to the pipes having following specification:	
	a) 114.3 mm (4.1/2 inch) OD, API 5L Grade-60, Bevel End pipe having Wall thickness of 11.125 mm (0.438 inch) at one end.	
	b) 60.3 mm (2.3/8 inch) OD, API 5L Grade-B, Bevel End pipe having Wall thickness of 11.07 mm (0.436 inch) at the other end.	
150/ 99068453	REDUCERS (CONCENTRIC), 300mm x 250mm, 70 kg/sq.cm Concentric Reducer, Seamless, Butt-welding, manufactured as per ANSI B 16.9 std. (latest edition)and Butt welding ends confirming to ANSI B 16.25(latest edition):	25 No.
	Material: ASTM A 234 WPB Working pressure: 70 kg/sq.cm (1000 psi) Nominal pipe size (NPS) = 300 mm (12 inch) x 250 mm (10 inch) End to End Distance: 203 mm	

Reducer should be suitable for welding to the pipes having following specification:

a) 323.9 mm (12.3/4 inch) OD, API 5L Grade-A, Bevel End pipe having Wall thickness of 8.40 mm (0.330 inch) at one end.

b) 273.0 mm (10.3/4 inch) OD, API 5L Grade-B, Bevel End pipe having Wall thickness of 7.80 mm (0.307 inch) at the other end.

#### **Special Note:**

- A. The following Annexures attached are part of the tender and the same shall be considered for evaluation of your offer:
- 1) Annexure-A (Technical Compliance Check-List)
- 2) Annexure-B (BRC Compliance Checklist)
- 3) Annexure-C (Sample QAP for Pipe Fittings)
- 4) Annexure-D (Table for Dimensions for Pipe Fittings)
- 5) Annexure-BBB (BEC/BRC)
- 6) Annexure- JJJ (Special Notes)
- B. Materials to be tested, inspected and certified by OIL's approved Third Party Inspection Agency and inspection report must be forwarded to us along with the materials. Materials must be inspected and certified by any one of the OIL authorized third party inspection agencies viz. M/s. BV / IRCLASS Systems and Solution Private Limited / Lloyds / RITES / DNV / Tubescope Vetco prior to despatch. Bidders must quote the inspection charges separately in % (percentage) in the offer for evaluation of offer, failing which it shall be construed that the quoted rates are inclusive of 3rd party inspection charges."

When a bidder mentions third party inspection charges as extra without specifying the amount, the offer will be loaded with maximum value towards third party inspection charges quoted against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading and in the event of order on that bidder, third party inspection charges mentioned by OIL on the Purchase Order will be binding on the bidder. Please also quote minimum TPI charges in case of part order or the same will be calculated on pro-rata basis.

Third party inspection charges should be quoted separately.

#### **Annexure-BBB**

#### **BID REJECTION & BID EVALUATION CRITERIA**

#### I) <u>BID REJECTION CRITERIA</u>

The bids must conform to the specifications, terms, and conditions given in the NIT. Bids shall be rejected in case the items offered do not conform to the required minimum / maximum parameters stipulated in the technical specifications and to the respective international /national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements shall have to be particularly met by the bidders, without which the offer will be considered as non-responsive and rejected:

#### A) TECHNICAL:

- 1.1 Technical Criteria
- 1.1.1 The bidder shall be a manufacturer of items as quoted.
- 1.1.2 The Bidder, in last five (5) years reckoned from original stipulated bid closing date of the tender, should have designed, manufactured, tested and supplied from the proposed manufacturing plant at least one (1) number of Pipe Fitting i.e. Elbows, Tees & Reducers of each type which is at least equal to or greater than the highest size, Rating and Material Specification specified against each item, as quoted for.
- 1.1.3 The bidder should have experience of successfully executing at least 1(one) similar order for value minimum INR 10.00 Lakhs (Rupees Ten Lakhs Only) in preceding 5 (five) years reckoned from original stipulated bid closing date of the tender.

'Similar Order' means " Manufacturing/Forging, Testing and Supply of High Pressure Factory made Wrought Steel Butt-Welding Fitting as per ANSI B16.9".

1.1.4 The bidder should have manufacturing facility with adequate testing /quality assurance facility as per applicable codes.

#### Note:

Experience of only the bidding entity shall be considered. A Job executed by a Bidder for its own plant/project cannot be considered as experience for the purpose of meeting BEC of this Tender Document. However, jobs executed for Subsidiary /Fellow subsidiary /Holding company will be considered as experience for the purpose of meeting BEC subject to submission of tax paid invoice(s) duly certified by Statutory Auditor of the Bidder towards payments of statutory tax in support to the job executed for Subsidiary/Fellow subsidiary/Holding company. Such Bidders to submit these documents in addition to the documents specified to meet BEC.

1.2 Documents required with bid pertaining to bid evaluation criteria (stipulated at Sl. No. 1.1 above)

	1 1	8
BEC	Description	Documents required for qualification
clause		
1.1.1	Manufacturer	ISO/NSIC/MSME Certificate or
		any other document deemed
		appropriate
1.1.2 &	Experience	Copies of Purchase Order
1.1.3		(P.O.)/Work Order (WO),
		Inspection Release Note of
		relevant previous supplies
		(having cross reference to P.O.)

1.1.4	Testing / Quality	and any other relevant document deemed appropriate to establish above mentioned qualification criteria.  Bidders are requested to arrange the qualification documents in such a way that all BEC documents should be in single file and all relevant documents pertaining to a P.O. should be together. It may be noted that bidder should submit the documents for qualification considering the applicability of Bid evaluation criterion  Bidder's Self Declaration &
1.1.4	Assurance facility	undertaking with credentials for establishment
Note to Clause 1.1	Jobs executed For Subsidiary/ Fellow subsidiary /Holding Company	Tax paid invoice(s) duly certified by statutory auditor of the Bidder towards payments of statutory tax in support of the job executed for Subsidiary /Fellow subsidiary /Holding company.

Note: The original Bid Closing date shall be considered by OIL for evaluation of BRC Criteria even in case of any extension of the original Bid closing date. Bidders to quote accordingly.

#### **B)FINANCIAL:**

1.0Annual Financial Turnover of the bidder during any of preceding three financial / accounting years from the original bid closing date should be at least Rs. 10, 13, 370/-

**1.1Net worth** of bidder must be positive for preceding financial/accounting year.

**Note:** (a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE-DD.

OR

- ii) Audited Balance Sheet along with Profit & Loss account."
- b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the

approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.

Note: The original Bid Closing date shall be considered by OIL for evaluation of BRC Criteria even in case of any extension of the original Bid closing date. Bidders to quote accordingly.

#### C) COMMERCIAL:

Commercial Bid Rejection Criteria will be as per "General Terms & Conditions" for e-Procurement as per Booklet No. MM/CALCUTTA/E-01/2016 with following Special Bid Rejection Criteria.

- 1.0 Bids are invited under Single Stage Two Bid System. Bidders shall quote accordingly under Single Stage Two Bid System. Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid. The "Unpriced Bid" shall contain all techno-commercial details except the prices, which shall be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions. Bidder not complying with above submission procedure will be rejected.
- **2.0 Bid security of Rs. 40, 600/-** shall be furnished as a part of the TECHNICAL BID (refer Clause No. 8.0 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/CALCUTTA/E-01/2016 for E-procurement (LCB Tenders)). The Bid Security may be submitted manually in sealed envelope superscribed with Tender no. and Bid Closing date to CGM-KOLKATA OFFICE, OIL INDIA LIMITED, 4 INDIA EXCHANGE PLACE, ICC BUILDING, 4<sup>TH</sup> FLOOR, KOLKATA 700001, INDIA on or before the Bid Closing Date and Time mentioned in the Tender.

### Bid Security may also be paid online on or before the Bid Closing Date and Time mentioned in the Tender.

A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and/or if the Bid Security validity is shorter than the validity indicated in Tender and/or if the Bid Security amount is lesser than the amount indicated in the Tender.

- 2.1 For exemption for submission of Bid Security, please refer Clause No. 8.16 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/CALCUTTA/E-01/2016 for E-procurement (LCB Tenders).
- 2.2 <u>The Bank Guarantee towards Bid Security shall be valid upto</u> 20.09.2019 (i.e. 90 days from the Bid Validity)
- **3.0** Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value. Validity of the performance security shall be valid for 90 days beyond contract period/duration and applicable warranty/guarantee/defect liability period (if any). Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected.
- **4.0** The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.
- 5.0 <u>Validity of the bid shall be minimum 120 days from the Bid Closing Date. Bids with lesser validity will be rejected.</u>
- **6.0** Bids containing incorrect statement will be rejected.
- 7.0 No offers should be sent by Telex, Cable, E-mail or Fax. Such offers will not be accepted.
- **8.0** All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) with Bidder's organization name as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA)

of India. The bid signed using other than "Class 3" digital certificate with Bidder's organization name, will be rejected.

9.0 Bidders are required to submit the summary of the prices in their Commercial (Priced) bids as per bid format (Summary), given in **Annexure CCC** below:

#### ANNEXURE -CCC

P	RI	CE	S	$\mathbb{C}$	$\mathbf{H}$	${f EI}$	JC	JL	Æ

With	reference to your above tender we quote our best prices as under:	
	Item No.	
	HSN Code	
	Basic material Value (Unit Rate)	
	Quantity	

	Basic material value (Unit Rate)		
	Quantity		
		In Ru	pees
Α.	Total Basic Material Value (Unit rate x Quantity)		
B.	Pre-despatch /Third party Inspection charges, if any		
C.	Packing and forwarding charges, if any		
D.	Total Ex-works value ( A+B+C)		
E.	GST on (D)		
F.	Compensatory Cess, if any		
G.	Total FOR Despatching Station Value (D+E+F)		
Н.	Freight Charges upto destination		
I.	GST on freight charges		
J.	Insurance charges inclusive of GST		
K.	Total FOR Destination Value		
	(G+H+I+J)		

Gross weight of the total consignment
Gross volume of the total consignment
Name of Despatching Station
Delivery Period
Validity
Payment terms
Name of manufacturer
Other terms if any

Name of the Bidder Full Name:

Address : Date :

#### Note:

- A. Bidders must quote Freight Charges upto destination specified in tender. In case bidder fails to quote inland freight charges, highest freight quoted by the other bidder (considering prorata distance) against this tender or OIL's estimated freight, whichever is higher, shall be loaded to their offer for comparison purpose.
- B. Inspection Charges (Ref. B), I&C Charges (Ref K & L) are to be quoted wherever specifically asked for in the tender.

C. Other clauses on Goods & Service Tax shall be applicable as incorporated elsewhere in this tender.

#### **II) BID EVALUATION CRITERIA**

The bids conforming to the specifications, terms and conditions stipulated in the enquiry and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria mentioned below:

- 1.0 The evaluation of bids will be done as per the Price Schedule (SUMMARY) detailed vide Para 9.0 of Bid Rejection Criteria.
- 2.0 If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 3.0 To ascertain the inter-se-ranking, the comparison of the responsive bids will be done on FOR Destination basis, subject to corrections / adjustments given herein.
- 4.0 In case any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BEC / BRC) mentioned here contradict the Clauses in the General Terms & Conditions of the Tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

#### COMMERCIAL CHECKLIST

(To be filled up and submitted along with the bid)

Tender no.	
Bidder's name	

		COMPLIAN	ICE BY BIDDER
SL. NO.	BEC / TENDER REQUIREMENTS	Indicate 'Confirmed'/' Not Confirmed'	Indicate Corresponding page ref. of unpriced bid or
1	Confirm that validity has been offered as per NIT.(120 days from BC date).		
2	Confirm that Bid Security / Earnest Money has been submitted as per NIT (Wherever Applicable)?		
	Confirm that original bid bond guarantee has been submitted in format MENTIONED IN NIT.		
3	Confirm that you shall submit Performance security as per NIT (in the event of placement of order) (Wherever Applicable)?		
4	Confirm that duly signed Integrity Pact has been submitted as per NIT?		
5	Confirm that you have submitted documentary evidence as per BRC Technical		
6.1	Confirm that you have submitted proof of annual turnover and net worth certified by a chartered accountant (with membership number and Firm registration number).		
	Confirm that you have <b>submitted affidavit/undertaking</b> (wherever applicable) as mentioned in bid rejection criteria (financial) in Annexure -BBB		
7	Confirm that the offers and all attached documents are digitally signed using Class 3# digital certificate (e-commerce application) in Organization Name issued by an acceptable Certifying Authority (CA) as per Indian IT. Act 2000.NIT.		
8	Confirm that you have not taken any exception/deviations to the NIT.		
9.	Confirm that the product offered strictly conform to the technical specifications.		
10	Confirm that the prices offered are firm. (Conditional offer shall be liable for rejection.)		
11.	Confirm that you have submitted undertaking of authenticity of information/documents as per annexure-K		

NOTE: Please fill up the greyed cells only.

#### **Bidders Response Sheet- Annexure FFF**

No.	Tender No.	
	Bidders Name	
SI	Description	Remarks
	Description Place of Despatch	Remarks
2	Whether Freight charges have been included in your quoted	
3	Whether Transit Insurance charges have been included in your	
	quoted prices	
4	Make of quoted Product	
5	Offered Validity of Bid as per NIT	
6	Bid Security Submitted (if applicable)	
6	Details of Bid Security Submitted to OIL (if applicable)	
	a) Bid Security Amount (In Rs):	
	b) Bid Security Valid upto:	
7	Whether you shall submit Performance Security in the event of placement of order on you	
8	Integrity Pact Submitted	
9	Delivery Period in weeks from placement of order	
10	Complied to Payment terms of NIT (if applicable) otherwise to Standard Payment Terms of OIL or not.	
11	If bidder is MSE whether you have quoted your own product	
12	If bidder is MSE , whether you are owned by SC/ST entrepreneur.	
13	If bidder is MSE , whether it is a women owned MSEs	
14	If Bid security submitted as Bank Guarantee, Name and Full Address of Issuing	
	Bank including Telephone, Fax Nos and Email id of branch	
	manager	
15	Confirm that the Bid Security submitted (In case of Bank	
	Guarantee) is in toto as per format provided in the bidding document.	
16	Bid Security if Not submitted, reasons thereof	

NOTE: Please fill up the greyed cells only.

## (TO BE FILLED UP BY ALL THE VENDOR IN THEIR OWN LETER HEAD) (ALL FIELDS ARE MANDATORY)

Tender No.	•
Name of Beneficiary	:M/s
Vendor Code	:
Address	:
Phone No. (Land Line)	:
Mobile No.	:
E-mail address	:
Bank Account No. (Minimum	1
Eleven Digit No.)	:
Bank Name	:
Branch	:
Complete Address of your	:
Bank	:
IFSC Code of your Bank	
a) RTGS	:
b) NEFT	:
PAN	:
VAT Registration No.	:
CST Registration No.	:
Service Tax Registration No.	:
Provident Fund Registration	

I/We confirm and agree that all payments due to me/us from Oil India Limited can be remitted to our above mentioned account directly and we shall not hold Oil India Limited responsible if the amount due from Oil India Limited is remitted to wrong account due to incorrect details furnished by us.

Office Seal

**Counter Signed by Banker:** 

**Signature of Vendor** 

Seal of Bank:

Enclosure: Self attested photocopies of the following documents-

- 1) PAN Card
- 2) VAT Registration Certificate
- 3) Service Tax Registration
- 4) CST Registration
- 5) Provident Registration Certificate
- 6) Cancelled cheque of the bank account mentioned above (in original).
- 7) Bank Statement not older than 15 days on the date of submission.

#### **Annexure-K**

# Format of undertaking by Bidders towards submission of authentic information/documents (To be typed on the letter head of the bidder)

Ref. No	Date
Sub: Undertaking of authenticity of information	ation/documents submitted
Ref: Your tender No Dated _	
To,	
The General Manager-Kolkata Office	
Oil India Limited	
Kolkata	
Sir,	
With reference to our quotation against fraudulent information/documents have be	your above-referred tender, we hereby undertake that no en submitted by us.
We take full responsibility for the submission bid.	on of authentic information/documents against the above cited
information/documents submitted by us an	of the tender/contract agreement, in case any of the re found to be false/forged/fraudulent, OIL has right to reject of our EMD and/or PBG and/or cancel the award of contract us, as deemed fit.
Yours faithfully,	
For (type name of the firm here)	
Signature of Authorised Signatory	
Name:	
Designation :	
Phone No.	
Place:	
Date:	
(Affix Seal of the Organization here, if applic	able)

#### **ANNEXURE-DD**

#### **CERTIFICATE OF ANNUAL TURNOVER & NET WORTH**

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

e case may be) are corre		Bidder)for the last three (3) completed accounting years uptothe case may be) are correct.				
YEAR	TURN OVER In INR (Rs)	NET WORTH In INR (Rs)				
		( )				
ce:						
te:						
ıl:						
mbership No						
istration Code:						