

## Bid Corrigendum

GEM/2026/B/7260046-C7

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

### Buyer Added Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration
2. Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)
3. Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name  
Oil India Limited  
Account No.  
10827354741  
IFSC Code  
SBIN0000659  
Bank Name  
State Bank of India  
Branch address  
Jodhpur  
Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.
4. Buyer Added text based ATC clauses  
**Bidder's are advised to take a note of AMENDMENT NO. 3 DATED 20.04.2026 while preparing and submitting bid.**
5. Buyer uploaded ATC document [Click here to view the file](#).

### Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).

2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

\*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)

**OIL INDIA LIMITED**  
**RAJASTHAN FIELD**  
**JODHPUR**

**AMENDMENT NO. 3 DATED 20.04.2026**  
**TO TENDER NO. GEM/2026/B/7260046**

**This amendment against Tender No. GEM/2026/B/7260046 is issued as under:**

- A.** Amendments in Bid Evaluation Criteria(BEC), Schedule of Rates (SOR), Notes for the Price Bid Format, Scope of Work (SOW) & Special Conditions of Contract(SCC) is enclosed as **ANNEXURE-A.**
- B.** Bid Closing/Technical Bid Opening Date of the Tender is extended as:

<b>Bid Closing Date &amp; Time:</b>	<b>04.05.2026 at 15-00 Hrs. (IST)</b>
<b>Technical Bid Opening Date &amp; Time:</b>	<b>04.05.2026 at 15-30 Hrs. (IST)</b>

- C.** All other Terms & Conditions remain unchanged.

**Note:** Bidder's are advised to take a note of above while preparing and submitting bid.

\*\*\*\*\*

**AMENDMENTS IN TENDER NO. GEM/2026/B/7260046 FOR HIRING OF SERVICES OF 2 NOS. OF TRUCK-MOUNTED MOBILE STEAM GENERATOR (MSG) UNIT ON REGULAR BASIS FOR A PERIOD OF 3 (THREE) YEARS WITH EQUIPMENT/TOOLS AND OPERATING CREW FOR UTILIZATION IN OIL’S OPERATIONAL AREAS IN RAJASTHAN AND NEARBY STATES.**

SL. NO.	CLAUSE NO.	EXISTING CLAUSE	AMENDED CLAUSE
1.	PART-2 BID EVALUATION CRITERIA (BEC), 3.0 TECHNICAL EVALUATION CRITERIA;  <b>3.2</b>	<p><b>3.2</b> The bidder must have experience of successful execution of at least one contract of similar job of value not less than <b>INR 3.68 Crores</b> for any E&amp;P Company during last seven (7) years calculated from the Original Bid Closing Date of the tender.</p> <p><u>Notes to Clause No. 3.2 above:</u></p> <p><b>Similar job means:</b> Providing mobile steam generator along with manpower of discharge rate of 1200 kg/hr &amp; 280 Deg C or above up to an operating pressure of 100 kg/cm<sup>2</sup> to any upstream Exploration &amp; Production (E&amp;P) companies.</p>	<p><b>3.2</b> The bidder must have experience of successful execution of at least one contract of similar job of value not less than <b>INR 3.68 Crores</b> for any E&amp;P Company during last seven (7) years calculated from the Original Bid Closing Date of the tender.</p> <p><u>Notes to Clause No. 3.2 above:</u></p> <p><b>Similar job means:</b> Providing mobile steam generator along with manpower of discharge rate of <b>1000 kg/hr</b> &amp; 280 Deg C or above up to an operating pressure of 100 kg/cm<sup>2</sup> to any upstream Exploration &amp; Production (E&amp;P) companies.</p>
2.	New Note under Schedule of Rates(SOR) before Para 1, in  PART - 3, SECTION-III, SCHEDULE OF RATES(SOR)  &  New additional Point No. (v) under <b>NOTES FOR PRICE BID</b>	NIL	<p><b>Note:</b> The quantities specified in the <u>Quantity Column</u> correspond to <b>two MSG units taken together.</b></p> <ul style="list-style-type: none"> <li>• <b>Mobilisation Charges:</b> Quantity 1 No.: Corresponds to mobilisation of two MSG units.</li> <li>• <b>Fixed Charges :</b> Quantity 2190 Days: Corresponds to two nos. of MSG and calculated as: 365 (days) X 3 (Years) X 2 (two MSG units)</li> <li>• <b>Operating Charges:</b> Quantity 17520 Hrs: Corresponds to two nos. of MSG. For example: If MSG (A) operates for 1 (one) hour and MSG (B) operates for 2 (two) hours on any particular day, then Operating Charges (C) for that particular day shall be applicable for 1 (one) + 2 (two) = 3 (three) Hrs.</li> </ul>

	<b>FORMAT:- PROFORMA - B</b>		<ul style="list-style-type: none"> <li><b>Demobilisation Charges:</b> Quantity 1 No.: Corresponds to demobilisation of two MSG units.</li> </ul>
3.	PART-3 SECTION-III SCHEDULE OF RATES (SOR),  1. Mobilization Charges:,  1.1	1.1. Mobilization charges shall be payable for mobilization of both the truck mounted MSG within <b>60 days</b> from the date of issue of mobilization notice.	1.1. Mobilization charges shall be payable for mobilization of both the truck mounted MSG within <b>60 days</b> from the date of issue of mobilization notice. Mobilisation shall be considered complete only when the entire requirements in consistence with the provisions of contract and the two nos. of MSGs with manpower for both the MSGs are mobilized at site and made ready to undertake/commence the intended operations as per terms and conditions of the tender.
4.	PART-3 SECTION-III SCHEDULE OF RATES (SOR)  2. Fixed charges:,  2.1,2.3, & 2.5	2.1. Fixed charges shall be payable on a per-day basis, calculated pro-rata, for the number of days the MSG is kept on rental by the Company.  2.3. For any breakdown beyond maintenance period/ non operations/ shut down of MSG, no charges shall be paid during the period.  2.5. In case of unavailability of MSG, penalty will be imposed as <b>Rs. 10000/-</b> per day, till the restoration of the services on pro-rata basis.	2.1. Fixed charges shall be payable on a per-day basis <b>per MSG</b> , calculated pro-rata, for the number of days the <b>MSGs are</b> kept on rental by the Company.  2.3. For any breakdown beyond maintenance period/ non operations/ shut down <b>of any of the MSGs</b> , no charges shall be paid during the period <b>for the particular MSG under breakdown.</b>  2.5. In case of unavailability of MSG, penalty will be imposed as <b>Rs. 10000/-</b> per day <b>per MSG</b> , till the restoration of the services on pro-rata basis.
5.	PART-3 SECTION-III SCHEDULE OF RATES (SOR)  3. Operating charges:,  3.1, & 3.3	3.1. The charges shall be paid for the actual number of operating hours.  3.3. 48 hours per month shall be allowed for scheduled maintenance, during which no operating charges shall be payable. In case of shutdown beyond 48 hours in a month, a penalty of ₹1,000 per hour shall be levied, and no rental charges shall be payable for the excess shutdown period on a pro rata basis.	3.1. The charges shall be paid for the actual number of operating hours <b>per MSG.</b>  3.3. 48 hours per month <b>per MSG</b> shall be allowed for scheduled maintenance, during which no operating charges shall be payable. In case of shutdown beyond 48 hours <b>per MSG</b> in a month, a penalty of ₹1,000 per hour <b>per MSG</b> shall be levied, and no rental charges shall be payable for the excess shutdown period on a pro rata basis.
6.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),	6.8 Two days (48 hours) per month shall be allowed for scheduled maintenance of the MSG. This period shall be treated as shutdown period and no rental or operating charges shall be payable for this duration.	6.8 Two days (48 hours) per month <b>per MSG</b> shall be allowed for scheduled maintenance of the <b>MSGs</b> . This period shall be treated as shutdown period and no rental or operating charges shall be payable for this duration <b>for the particular MSG under scheduled maintenance.</b>

	6.0 SPECIAL CONDITIONS OF THE CONTRACT (SCC), 6.8		
7.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  1.0 PREAMBLE:,1.2.	1.2. OIL intends to hire services of two nos of 1.5 TPH truck mobile Steam Generator unit for a period of three years with equipment/tools and operating crew as under for saturated steam injection/ circulation in to the well, heating crude oil of storage tanks, de-waxing of flow lines etc. for utilization in OIL's operational area in Rajasthan and nearby states.	1.2. OIL intends to hire services of two nos. of truck mounted mobile Steam Generator unit having steam output capacity: 1.2-1.5 TPH for a period of three years with equipment/tools and operating crew as under for saturated steam injection/ circulation in to the well, heating crude oil of storage tanks, de-waxing of flow lines etc. for utilization in OIL's operational area in Rajasthan and nearby states.
8.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Point No. a. of sub clause 2.1.1 of Clause No. 2.0 EQUIPMENT AND MACHINARIES TO BE PROVIDED:	a. Steam output capacity: 1500 kg/hr dry & saturated Steam at 300-325 Deg C.	a. Steam output capacity: 1.2-1.5 TPH & saturated Steam at 300-325 Deg C.
9.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Sub Clause No. 3.6 of Clause No. 3.0 JOBS TO BE DONE BY THE SERVICE PROVIDER AND	3.6 The service provider to deploy <b>min. one nos. of boiler attendant for operating the boiler per shift of 12 hours</b> , as per Rajasthan Boiler Attendant Rules (and subsequent amendment), 2011 Chapter – V, Sec 23.	3.6 The service provider to deploy <b>min. one no. of boiler attendant per MSG for operating the boilers per shift of 12 hours</b> , as per Rajasthan Boiler Attendant Rules (and subsequent amendment), 2011 Chapter– V, Sec 23.

	SERVICE PROVIDER'S PERSONNEL:		
10.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Sub Clause No. 4.5 of Clause No. 4.0 GENERAL AND TECHNICAL REQUIREMENTS:	4.5 Mobile Steam Generating unit should have a min. Discharge Rate <b>1200 kg/ Hr @100kg/cm2.</b>	4.5 Mobile Steam Generating units should have steam output capacity: <b>1.2-1.5 TPH with maximum working pressure of 125 kg/cm2 and max steam temperature of 325 deg C.</b>
11.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Point No. 6.3 of Clause No. 6.0 SPECIAL CONDITIONS OF THE CONTRACT (SCC):	6.3 The Contract will remain valid for three years from the date of issue of letter of Award by Company.	6.3 The Contract will remain valid for three years from the date of commencement of the contract.
12.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Point No. 6.4 of Clause No. 6.0 SPECIAL CONDITIONS OF THE CONTRACT (SCC):	6.4 The Service Provider shall mobilize and carry out the services as per requirement of OIL at well site and installations. Company will issue mobilization notice nearer the time of requirement giving Sixty (60) days advance notice for the mobilization.	6.4 The Service Provider shall mobilize and carry out the services as per requirement of OIL at well site and installations. <b>Company will issue mobilization notice nearer the time of requirement. The service provider is required to mobilise both the MSGs along with operating crew within 60 days of date of issue of mobilisation notice.</b>
13.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),	6.5 On completion of the assigned job the Service Provider will demobilize till further call from Company.	<b>DELETED</b>

	Point No. 6.5 of Clause No. 6.0 SPECIAL CONDITIONS OF THE CONTRACT (SCC):		
14.	PART-3 SECTION-II SCOPE OF WORK (SOW) & SPECIAL CONDITIONS OF CONTRACT (SCC),  Point no. 4.7 of Clause No. 4.0 GENERAL AND TECHNICAL REQUIREMENTS:	4.7 All the equipment/machineries shall be skid/truck mounted. The mobile Steam Generating unit should have requisite safety valves of proper rating.	4.7 All the equipment/machineries shall be truck mounted. The mobile Steam Generating unit should have requisite safety valves of proper rating.

\*\*\*\*\*

**OIL INDIA LIMITED**  
**RAJASTHAN FIELD**  
**JODHPUR**

**AMENDMENT NO. 2 DATED 09.04.2026**  
**TO TENDER NO. GEM/2026/B/7260046**

**This amendment against Tender No. GEM/2026/B/7260046 is issued as under:**

**A.** Bid Closing/Technical Bid Opening Date of the Tender is extended as:

<b>Bid Closing Date &amp; Time:</b>	<b>23.04.2026 at 15-00 Hrs. (IST)</b>
<b>Technical Bid Opening Date &amp; Time:</b>	<b>23.04.2026 at 15-30 Hrs. (IST)</b>

**B.** All other Terms & Conditions remain unchanged.

**Note:** Bidder's are advised to take a note of above while preparing and submitting bid.

\*\*\*\*\*

**OIL INDIA LIMITED**  
**RAJASTHAN FIELD**  
**JODHPUR**

**AMENDMENT NO. 1 DATED 02.04.2026**  
**TO TENDER NO. GEM/2026/B/7260046**

**This amendment against Tender No. GEM/2026/B/7260046 is issued as under:**

**A.** Bid Closing/Technical Bid Opening Date of the Tender is extended as:

<b>Bid Closing Date &amp; Time:</b>	<b>09.04.2026 at 15-00 Hrs. (IST)</b>
<b>Technical Bid Opening Date &amp; Time:</b>	<b>09.04.2026 at 15-30 Hrs. (IST)</b>

**B.** All other Terms & Conditions remain unchanged.

**Note:** Bidder's are advised to take a note of above while preparing and submitting bid.

\*\*\*\*\*