



ऑयल इंडिया  
**OIL INDIA**

Plot No.19, Sector 16A, Noida-201301, Uttar Pradesh

Phone: 0120-2419000, 2419200

Fax: 0120-2488310

Web Site: [www.oil-india.com](http://www.oil-india.com)

**CORRIGENDUM NO. 7 DATED 06.11.2025 to E-TENDER NO. CQI9359P26**

This **Corrigendum No. 7** dated **06.11.2025** to **Tender No. CQI9359P26** for **“EPCOM of 160 TPD (80 TPD Mixed and 80 TPD Source Segregated) Municipal Solid Waste based Compressed Biogas (CBG) Plant for Commercial use at Agartala, Tripura, on Domestic Competitive Bidding Basis’** is issued to amend the following:

- (i) The changes in the bid document are enclosed as **Annexure-A** (copy enclosed).
- (ii) The responses to the Pre-Bid queries have been enclosed as **Annexure-B** (copy enclosed).
- (iii) To extend the Bid Closing Date (BCD) & Technical Bid Opening Date as under:

Bid Closing Date & Time : **20.11.2025, 11:00 hrs.** IST.

Technical Bid Opening Date & Time : **20.11.2025, 15:00 hrs.** IST.

All the prospective bidders are requested to regularly visit OIL’s website: [www.oilindia.com](http://www.oilindia.com) and e-procurement portal <https://etender.srm.oilindia.in/irj/portal> for further announcements/ latest information related to the tender.

S. No.	Section / Clause	Page No.	Existing provision as per Tender	Amendment in Corrigendum
1	2.1.2	295	Design of the Pre-feed system and Digester package shall be 30% higher than the rated capacity of 160 TPD (80 TPD Mixed and 80 TPD Source Segregated Organic Fraction) of Municipal Solid Waste (MSW) based CBG plant.	Design of the Pre-feed system and Digester package shall have factor of safety of 30% over and above the rated capacity of 160 TPD (80 TPD Mixed and 80 TPD Source Segregated Organic Fraction) of Municipal Solid Waste (MSW) based CBG plant. This factor of safety is to ensure that Pre-feed system and Digester package is capable of handling occasional variations in incoming MSW quantities above 160 TPD.
2	15.1.5	154	Contractor while ordering of all Equipment shall ensure that the guarantee of supply of spares for a period of 25 years or entire life of the equipment shall be obtained by the Contractor. The contractor shall submit the written compliance to the OWNER in this regard.	Contractor while ordering of all Equipment shall ensure that the guarantee of supply of spares for a period of 10 years shall be obtained by the Contractor. The contractor shall submit the written compliance to the OWNER in this regard.
3	3.1.7	693	Bidder shall also guarantee supply of spares for at least 15 (Fifteen) years after commissioning of the plant. In case of future upgradation of a product in terms of hardware, bidder shall remain committed to upgrade the supplied system.	Bidder shall also guarantee supply of spares for at least 10 (Ten) years after commissioning of the plant. In case of future upgradation of a product in terms of hardware, bidder shall remain committed to upgrade the supplied system.
4	2.1.2	114	Below are the minimum statutory and non-statutory approvals, along with their respective responsibilities, for the CBG plant. However, if any further approvals not listed below but it is required for the smooth operation of the plant then, it can be mutually discussed whose responsibilities it is in later stage. Also, bidder may propose if any further approvals is required during bidding itself.	Below are the minimum statutory and non-statutory approvals for the CBG plant. Also, bidder may propose if any further approvals are required during bidding itself. The plant shall be designed in accordance with the latest CPCB guidelines for CBG projects so that it qualifies under the Blue category, and the CTE application shall be submitted accordingly under the Blue category.

S. No.	Section / Clause	Page No.	Existing provision as per Tender	Amendment in Corrigendum
5	2.1.1(a)	475	Layout of the plant area shall have definite hierarchy of road network depending upon its usage, aesthetic, visual sensibilities for creating road vistas, focal points, building back drops, building frames. General layout shall be evolved taking over the basis of landform and local climate and due consideration shall be given to orientation and wind direction. The building design should create a clear and recognizable image with distinctive features including landmarks, focal marks and visually appealing building profile.	Layout of the plant area shall have definite hierarchy of road network depending upon its usage, aesthetic, visual sensibilities for creating road vistas, focal points, building back drops, building frames and <b>A 3 to 3.5-meter-wide peripheral motorable road shall be constructed within the plant premises, running parallel and adjacent to the boundary wall. This road will facilitate easy movement of security personnel and vehicles, enable quick access for emergency response.</b> General layout shall be evolved taking over the basis of landform and local climate and due consideration shall be given to orientation and wind direction. The building design should create a clear and recognizable image with distinctive features including landmarks, focal marks and visually appealing building profile.
6	1.4.5(g)	113	Green Belt development as mandated by SPCB shall be considered while developing the site for the proposed CBG Plant.	Green Belt cover as mandated by SPCB shall <b>be out of the project site/ Plant, moreover necessary green cover to be provided in the plant to better microclimate and overall aesthetics of the Plant.</b>
7	1.3.1	112	OIL in association with Agartala Municipal Corporation has identified a plot of land measuring about 7 acres for establishing the CBG plant. Land will be handed over to successful bidder for setting up the plant. The plot plan is attached as Annexure- 6.	OIL in association with Agartala Municipal Corporation has identified a plot of land measuring <b>about 9 acres</b> for establishing the CBG plant <b>exclusive of Green belt/ Buffer zone.</b> Land will be handed over to successful bidder for setting up the plant. The plot plan is attached as Annexure- 6.
8	1.3.4	112	(Table) Site Area: Approx. 7 Acrea	Site Area: <b>Approx. 9 Acrea (For the Project exclusive of the Green Belt/ Buffer Zone)</b>

S. No.	Section / Clause	Page No.	Existing provision as per Tender	Amendment in Corrigendum
9	21.3.12	271	<b>Green Belt</b> Adequate plantation shall be provided along the periphery and in the CBG project to satisfy the norms and stipulation as laid down by the Govt. of Uttar Pradesh and MoEFCC, Government of India.	Adequate plantation shall be provided along the periphery and in the CBG project to satisfy the norms and stipulation as laid down by the <b>Govt. of Tripura</b> and MoEFCC, Government of India.

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
	Land	<ol style="list-style-type: none"> <li>1. The land should be clear from any garbage above the Natural Ground Level (NGL). Huge heaps of garbage at the site shall be cleared by OIL before handing over the site as the same relates to remediation and outside the scope of Contractor</li> <li>2. The access route for the currently allocated site is inaccessible for construction vehicles. The access route shall be made proper leading to the site before handing over the site to the contractor.</li> <li>3. Approx. 9 acres of land is required for setting up the 160 TPD plant. This does not include the requirement of green belt/ buffer zone</li> <li>4. The site shall be plain land with minimum or no undulations.</li> <li>5. Kindly provide final coordinates of land along with matching land survey and geo-technical study</li> </ol>		<p><b>Point No. 1 :</b> The whole site will be made completely free of garbage/waste (RDF being used by cement factories) presently dumped for temporary purpose and will be done well in advance before the project works gets initiated</p> <p><b>Point No. 2:</b> Agartala Municipal Corporation has already taken up Civil work to make CC internal road and it is in progress and will be completed within 02 months and the whole stretch will become completely motorable for heavy vehicles.</p> <p><b>Point No. 3:</b> Buffer zone area will be beyond 9 acres earmarked for the project.</p>

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
				<p><b>Reply to 4<sup>th</sup> and 5<sup>th</sup> point:</b> Refer to Corrigendum-5 and the reply to Prebid queries. "The extant of land available is shown in the indicative GA drawing given in Annexur-6 of Tender Documents. Bidder has to visit the site and make his own assessment" And discuss with Agartala Municipal Corporation Officials if any clarifications during site visit.</p> <p>Refer to Corrigendum-7</p>
1	13; Page 152	The quality of FOM produced shall be in strict conformity to specification/composition as mentioned in technical bid package and no deviation shall be allowed. Bidder should comply with all the requirements as per Gazette Notification No. 2051 dated 14.07.2020 and No. 1972 dated 01.06.2021 issued by Ministry of Agriculture and Farmers Welfare regarding inclusion of Fermented Organic	The quality of feed stock impacts the quality of FOM and the quality of Feed stock supplied is not in control bidder hence we requested to delete this clause.	Refer the Corrigendum-5

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
		manure (FOM) under fertilizer (Inorganic, organic or mixed) (control) act 1985		
2	14; Page 256	<p>Other Responsibilities</p> <ul style="list-style-type: none"> <li>- Ensure deployment of committed manpower (as listed in the bid package)</li> <li>- Irresponsible behaviour of contractor and any shortage of Manpower would result in penalty which would be deducted from monthly bill/final bill</li> <li>- Any Violation on proper / adequate deployment of manpower will be charged to payment on proportionate basis.</li> </ul>	Request to delete abstract requirements like irresponsible behaviour and define the basis of deduction or charges or penalty.	Refer the Corrigendum-5
3	18.2.2; Page 351	All specified equipment and instruments must receive approval from the Owner upon order. The list of approved vendors /makes as attached in Appendix-3 with this document. The Owner reserves the right to accept, reject, or add any make or sub-vendor for the project after the Contract is awarded. Any such approval, rejection, or addition will not incur additional costs to the Owner post-award.	Request to recheck and modify the statement. Post award of contract rejection of equipment or addition of different vendor at owner's cost is not logical and impractical	Refer the Corrigendum-5

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
4	21.3.7; Page 270	Biogas flaring unit (Full set including automation) - Closed Biogas Flaring System	Request to delete. If contractor meets minimum stack height as prescribed then meeting ambient air quantity limit cannot not be in contractors scope	Refer the Corrigendum-5
5	21.3.14; Page 271	The plant shall be designed for Zero Liquid Discharge (ZLD) for raw water-based effluents.	Request to delete. It is not clear if the requirement is to set up ZLD plant or to treat the effluent and discharge into sewerage network	Refer the Corrigendum-5
6	23.2.9 Page 282	An indicative training programme is proposed below which will be firmed up during Contract stage: GROUP.....No. of Man Days Overall Plant Management.....45 Operation Team.....90 Mechanical Maintenance Personnel.....60 Electrical Maintenance Personnel.....60 C&I Engineers.....60 Other groups as may be indicated by the Owner...30	Recheck and Delete as the requirement is not justified/ clarified. Adds up to general costs that may be different for different bidders.	Refer the Corrigendum-5
	23.2.10. Page 282	The Contractor shall appoint a person in charge of logistic coordination. This person shall take care for booking of rooms according to the requirements of the Owner and arranging for transportation (free of charge) from their living place to the training site. The	Recheck and Delete as the requirement is not justified	Refer the Corrigendum-5

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
		cost of travel expenses, boarding and lodging expenses of the training have to be borne by the EPCOM Contractor.		
	23.3.4. Page 283	The Contractor shall provide free medical services to the Owner's personnel.	Recheck and Delete as the requirement is not justified	Refer the Corrigendum-5
	23.4.4. Page 283	The cost of travel expenses, boarding and lodging expenses of the training/inspection have to be borne by the EPCOM Contractor.	Recheck and Delete as the requirement is not justified	Refer the Corrigendum-5
	23.4.5. Page 283	The Contractor shall not charge the Owner with the costs for the training activities in the respective training sites.	Recheck and Delete as this is covered earlier	Refer the Corrigendum-5
	26; Page 286	In case the Owner fails to send his personnel to attend the above training, the Contractor shall reimburse the relevant amount to the Owner.	Recheck and Delete as the requirement is not justified	Refer the Corrigendum-5
7	1.1.19; Page 295	Documentation to be submitted	To be deleted as these documents submission is post award	Please refer Sl.No.48 to 55 in the Corrigendum-1
8	2.1.2; Page 295	After the weighbridges, there will be a parking area for trucks to be spot-check inspected.	Request to delete. Purpose of spot check inspection is not clear.	Refer the Corrigendum-5.

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
9	1.1.7; Page 293	Design of the Pre-feed system and Digester package shall be 30% higher than the rated capacity of 160 TPD (80 TPD Mixed and 80 TPD Source Segregated Organic Fraction) of Municipal Solid Waste (MSW) based CBG plant.	Design of the Pre-feed system and Digester package shall be 30% higher than the rated capacity of 160 TPD (80 TPD Mixed and 80 TPD Source Segregated Organic Fraction) meaning that the plant shall be able to handle 208 TPD MSW on daily basis? This is not feasible as to handle 30% higher MSW, plant shall have to be designed for 208 TPD. Please confirm capacity of the plant to be set up.	Refer to Corrigendum-7
10	7; Page 313	Design factors such as sizing and capacity of the various systems and equipment to take care of the variation in the quality and quantity of Feedstocks / raw materials, and corresponding quality of biogas produced.	Variation limit need to be clarified as variation beyond a pre-agreed limit cannot be handled	Please refer Sl.No.19 to 22 in the Corrigendum-1
11	17.2.2; Page 345	Windsifter Specifications for Sorting Station after Windsifter are missing	Kindly Provide Specifications for Sorting Station	Refer the Corrigendum-5
12	18.2.2; Page 351	Biogas Holder B. Location; • Buffer tanks	Request to delete as it shall be as per bidders design B. Location;	Refer the Corrigendum-5

Sr. No.	Clause No./ Page No.	As per Tender (CQI9359P26, Agartala)	Clarification sought	Clarification by OIL
		<ul style="list-style-type: none"> <li>• Digester tanks</li> <li>• Liquid digestate tank</li> </ul>	<ul style="list-style-type: none"> <li>• Buffer tanks</li> <li>• Liquid digestate tank</li> </ul>	
13		Foundation and Underground Structures	Foundation/ Piling arrangements to be clarified. HFL for the proposed site to clarified based on which the bidder to design the civil designs	Refer the Corrigendum-5
14		Pretreatment System	to be deleted as 9. Organic Extraction itself is a pretreatment system	Please refer Sl.No.74, 75 and 76 in the Corrigendum-1
	3.1.7 Pg. 683 15.1.5 Pg.No. 154	Contractor while ordering of all Equipment shall ensure that the guarantee of supply of spares for a period of 25 years or entire life of the equipment shall be obtained by the Contractor.....	Supply of spares shall be ensured up till the CONTRACTOR is involved for O&M of the plant ie., 10 years post COD  Inconsistency between 25 years and 15 years	Refer to Corrigendum-7
15		Organics Recovery (Organic recovery from the MSW processing & pre-treatment plant) >90%	Organic recovery cannot be guaranteed as it is subjected to % of contamination in incoming waste. Instead guarantee on Slurry Purity can be asked	Tender / Corrigendum-1 conditions shall prevail.