



ऑयल इंडिया
OIL INDIA

Plot No.19, Sector 16A, Noida-201301, Uttar Pradesh

Phone: 0120-2419000, 2419200

Fax: 0120-2488310

Web Site: www.oil-india.com

CORRIGENDUM NO. 5 DATED 08.10.2025 to E-TENDER NO. CQI9336P26

This **Corrigendum No. 5** dated **08.10.2025** to **Tender No. CQI9336P26** for '**EPCOM of 125 TPD Mixed Municipal Solid Waste based Compressed Biogas (CBG) Plant for Commercial use at Jorhat, Assam on Domestic Competitive Bidding Basis**' is issued to amend the following:

- (i) The changes in the bid document are enclosed as **Annexure-A** (copy enclosed).
- (ii) The responses to the Pre-Bid Queries (Lot 3) have been enclosed as **Annexure-B** (copy enclosed).
- (iii) The Bid Closing Date (BCD) & Technical Bid Opening Date stands extended as under:

Bid Closing Date & Time : **23.10.2025**, 11:00 hrs. IST.

Technical Bid Opening Date & Time : **23.10.2025**, 15:00 hrs. IST.

All the prospective bidders are requested to regularly visit OIL's website: www.oilindia.com and e-procurement portal <https://etender.srm.oilindia.in/irj/portal> for further announcements/latest information related to the tender.

S. No.	Section / Clause	Page No.	Existing provision as per Tender / Corrigendum-1	Amendment in Corrigendum-5
1	2.1.2	292	Design of the Pre-feed system and Digester package shall be 30% higher than the rated capacity of 125 TPD Mixed Municipal Solid Waste (MSW) based CBG plant. Pre-feed system and Digester packages shall be capable of handling MSW up to 162.5 TPD.	The Design of the Pre-feed system (MSW Processing & Pre-Treatment Units) shall have a factor of safety of 30% over and above the rated capacity of 125 TPD Mixed Municipal Solid Waste (MSW). This factor of safety is to ensure that Pre-feed system is capable of handling occasional variations in incoming MSW quantities above 125 TPD.
2	4.3.4	199	<ul style="list-style-type: none"> All process lines must be designed to operate at 130% capacity. 	Deleted
3	3.3.31	195	Disposal of waste excavated material not reusable in levelling and construction shall be disposed by the Bidder in the disposal sites arranged by him after seeking prior permission of the concerned local authorities and in compliance to all applicable laws. Dumping area shall not be made available by the Owner	Disposal of waste excavated material not reusable in levelling and construction shall be disposed by the Bidder in the disposal sites arranged by Municipal Corporation/ OIL.
4	3.3.3 C.1	188	Approach road to the main entry of the plant from State Highway	Deleted

1. The entire plant (including all process lines and utilities) is indeed required to be designed for 162.5 TPD.

Reply: Refer Corrigendum-5, Sl. No. 1

2. If yes, then a minimum 6.6 acres would be required exclusively for plant facilities, not accounting for the mandatory green belt. In such a case, we request OIL to consider providing additional land to meet the total space requirement.

Reply: Refer Corrigendum-5 Sl. No.1,

3. Clause 3.3.3; C.1 – The clause requires the contractor to construct an approach road from the State Highway to the plant site. We respectfully submit that this activity falls outside the scope of the contractor and is the direct responsibility of local authorities or the project owner. Given the uncertainties involved like such as land acquisition, approvals, and coordination with government bodies, we kindly request that this requirement be removed from the contractor's scope as this will affect the site mobilization time period and increase the construction period.

Reply: Refer Corrigendum-5, Sl. No. 4. Approach Road up to the Project site is the responsibility of OIL refer Clause no. 5.5.1 page no. 209 (General Technical Specification)

4. Clause 3.3.3; C.2 – The clause requires provision of a feedstock storage area. However, we would like to highlight that a feedstock storage area is not required, as it may cause odour issues and adversely affect the environmental conditions of the plant. The proposed plant is designed to process the incoming waste on a daily basis without any spillover, eliminating the need for intermediate storage.

Reply: Clause no. 3.3.3 is indicative requirement only; the final list of equipment will be determined based on the technology selected by the contractor.

5. Clause 3.3.3; I – The clause states that the Disposal of waste excavated material not reusable in levelling and construction shall be disposed by the Bidder. We would like to clarify that the contractor does not have the authority to handle or dispose of legacy waste, as its removal must be carried out in accordance with applicable environmental norms and

regulations. Additionally, no designated dumping area has been provided for such waste. Therefore, we respectfully submit that removal of garbage or legacy waste can be best undertaken by the Municipal Corporation and/or OIL, prior to handing over of the site to the contractor.

Reply: Refer Corrigendum 5 Sl. No. 3. It is to be noted that the site identified for the plant is not a Legacy Waste site.