

**Bid Document/ बिड दस्तावेज़**

| Bid Details/बिड विवरण                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>                                                                                      | 20-12-2023 13:00:00                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>                                                                                     | 20-12-2023 13:30:00                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>                                                        | 90 (Days)                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>                                                                                        | Ministry Of Petroleum And Natural Gas                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Department Name/विभाग का नाम</b>                                                                                                     | Oil India Limited                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Organisation Name/संगठन का नाम</b>                                                                                                   | Oil India Limited                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Office Name/कार्यालय का नाम</b>                                                                                                      | Oil India Limited                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Total Quantity/कुल मात्रा</b>                                                                                                        | 49                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Item Category/मद केटेगरी</b>                                                                                                         | 5-inch Heavy Weight Drill Pipes (Q3)                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>                                                 | No                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>                                         | No                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>                                                                     | Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| <b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>                                                                               | No                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Type of Bid/बिड का प्रकार</b>                                                                                                        | Two Packet Bid                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b> | 5 Days                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>                                      | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Inspection to be carried out by Buyers own empanelled agency</b>                                                                     | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| Bid Details/बिड विवरण                               |                                                                                                                                                                                                                                          |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type Of Inspection                                  | Pre Dispatch                                                                                                                                                                                                                             |
| Name of the Empanelled Inspection Agency/ Authority | Board of Officers                                                                                                                                                                                                                        |
| Payment Timelines                                   | Payments shall be made to the Seller within <b>21</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| Evaluation Method/मूल्यांकन पद्धति                  | Total value wise evaluation                                                                                                                                                                                                              |

#### EMD Detail/ईएमडी विवरण

|                             |        |
|-----------------------------|--------|
| Advisory Bank/एडवाइजरी बैंक | ICICI  |
| EMD Amount/ईएमडी राशि       | 547067 |

#### ePBG Detail/ईपीबीजी विवरण

|                                                                        |       |
|------------------------------------------------------------------------|-------|
| Advisory Bank/एडवाइजरी बैंक                                            | ICICI |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)                               | 10.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 22    |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

GM - Materials (HoD)  
Materials Department, Oil India Limited, Duliajan, Dibrugarh, Assam, PIN - 786602  
(G C Sarma)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

#### MII Purchase Preference/एमआईआई खरीद वरीयता

|                                            |     |
|--------------------------------------------|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--------------------------------------------|-----|

#### **MSE Purchase Preference/एमएसई खरीद वरीयता**

|                                           |     |
|-------------------------------------------|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|-------------------------------------------|-----|

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

#### **3. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer .If so requested and accepted by the seller , initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer . For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant

thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

### 5-inch Heavy Weight Drill Pipes ( 49 pieces )

**(Minimum 50% and 35% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### Technical Specifications/तकनीकी विशिष्टियाँ

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़ | <a href="#">Download</a> |
|--------------------------------------------------------|--------------------------|

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|--------------------------------------------|-----------------|------------------------------|
| 1              | Krishna Mohan Kumar                                     | 786602, Oil India Limited, Duliajan, Assam | 49              | 210                          |

#### Buyer added Bid Specific Additional Scope of Work

| S.No.क्र.सं. | Document Title | Description | Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items |
|--------------|----------------|-------------|--------------------------------------------------------|
|--------------|----------------|-------------|--------------------------------------------------------|

| S.No.क्र.सं . | Document Title                                        | Description                   | Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items |
|---------------|-------------------------------------------------------|-------------------------------|--------------------------------------------------------|
| 1             | Technical Specification & BRC<br><a href="#">View</a> | Technical Specification & BRC | 5-inch Heavy Weight Drill Pipes(49)                    |

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

### 4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 5. Generic

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 6. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

### 7. Generic

The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit

their bids after accounting for the Concessional rate of GST.  
Applicable Concessional rate of GST :

12

%

Notification No. and date :

8/2022 - Integrated Tax (Rate)

dated

13/07/2022

#### 8. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 9. **Generic**

Wherever Essentiality Certificate is applicable (PEL/ML), successful bidder should provide Proforma Invoice for processing for EC application and material should be dispatched after receiving of EC from DGH. In view of the same, an ATC may be incorporated in GeM, viz, "BIDDER/OEM must provide Proforma Invoice for processing for EC application within

165

days from date of issue of GeM Contract and material should be dispatched after receiving of EC from DGH."

#### 10. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 11. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1 + 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.

#### 12. **Purchase Preference (Centre)**

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total

work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.

- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

### 13. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**



## **ANNEXURE – I**

### **Technical Specification**

#### **5-inch Heavy Weight Drill Pipes (HWDP)**

##### **Quantity: 49 Numbers**

#### **1.0 SPECIFICATIONS:**

Heavy Weight Drill Pipe (HWDP), Non-Integral type, i.e. welded type by friction/inertia welding with pipe body (tubes) manufactured from normalized steel of AISI 1340 grade or equivalent and tool joints manufactured from AISI 4145H high purity steel, fully heat treated to 285-341 Brinell hardness and all other physical properties confirming to API Spec. 7-1 and its addendum having the undernoted specifications.

##### **A. PIPE BODY**

OD: 5" (127 mm)

ID: 3" (76.2 mm)

Weight (including tool joints): 49 to 51.1 Lbs /ft (72.91 - 76.04518 kg/m)

Overall length (Including tool joints): 31 ft (9.45m) +/- 6inch.

##### **B. TOOL JOINTS (BOX UP x PIN DOWN)**

OD: 6.5/8" (168.27 mm)

ID: 3" (76.2 mm)

Box length: 21" (533.4 mm) minimum

Pin length: 27" (685.80 mm) minimum

Connection: 4.1/2" (114.3 mm) API IF RH (NC-50)

Box Tool joint type: 18 Degree Taper shoulder

##### **C. Heavy weight drill pipe should have the following feature on the tool joints (box up x pin down):**

- a) API stress relief groove on pin end.
- b) API bore back box.
- c) All connections should be kemplated and phosphatised.
- d) All thread roots should be cold rolled.
- e) All joints should be coated with API lubricant and provided with pressed steel thread protectors or cast steel thread protectors with lifting bails at both ends. Bidder to confirm the type of offered protectors.

##### **D. CENTRAL UPSET/ WEAR PAD:**

OD: 5.1/2" (139.7 mm)

Length: 24" (609.6 mm) minimum

##### **E. HARD BANDING (With ARNCO 200XT or 100XT)**

1 (one) 4" wear pad on both pin & box.

1 (one) 1" pad on taper section of box.

2 (two) 3" wear pads on central upsets (at both ends).

The hard banding should be completely flush on both tool joints and 1/8" oversize on central upset.

##### **F. INTERNAL PLASTIC COATING**

The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207 or ORPIPECLAD® PFG70002 Plus HXR0015 of Sherwin Williams internal coating.

## **2.0 GENERAL NOTES:**

1. All thread connections and other physical properties should conform to API Spec 7-1 & subsequent Addendum. Bidder should forward copies of relevant valid API Spec. certificate along with the quotation for last 5(five) years prior to date of opening of techno-commercial bid.
2. Bidder to forward relevant catalogue, literature, drawing etc. of the offered items along with the quotation in English language (US & UK).
3. Tolerance (in length) per joint i.e.  $\pm 6''$  is acceptable.
4. Bidder should indicate the name of manufacturer, country of origin, place of dispatch of the materials.
5. Bidder should note that in the event of an order that the API licenses for manufacturing the Heavy Weight Drill Pipe (HWDP) along with authorization for API monogramming should be valid, without any break, till execution of purchase order. Valid relevant API certificate to be submitted along with the supply. Bidder should categorically confirm compliance while quoting.

## **3.0 SPECIAL NOTES:**

### **3.1 SPECIFICATIONS:**

- 3.1.1 Heavy Weight Drill Pipe [HWDP] shall be new and unused.
- 3.1.2 All thread connections must conform to API Spec. 7-1 latest edition.
- 3.1.3 External coating on HWDP is to be as per relevant API specification. HWDP should be adequately oiled to withstand sea voyage/transportation. The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207 or PIPECLAD® PFG70002 Plus HXR0015 of Sherwin Williams internal coating.
- 3.1.4 Bidder to submit certificate of IPC (Internal Plastic Coating) along with the inspection report. Bidder to categorically confirm compliance of the same in their techno-commercial offer.
- 3.1.5 HWDP shall be supplied with pressed steel thread protectors or cast steel thread protectors with lifting bails at both ends.
- 3.1.6 Supply houses/stockist must submit a certificate of authority from the manufacturing mill along with the quotation indicating clearly their technical qualification for the offer.
- 3.1.7 The offer must contain detailed description of the materials giving details of size, weight, wall thickness and Steel grade for Tool Joint & Body, length, type of tool joints and should be complete with relevant technical catalogues, literature, drawing etc. in English language (US & UK) and other performance properties. Insufficient description will lead to rejection of the offer.
- 3.1.8 Bidders should confirm each & every point clearly. Deviations, if any, should be highlighted in the quotation.

### **3.2 INSPECTION, TESTS, MARKING & CERTIFICATION:**

- 3.2.1 Heavy Weight Drill Pipes are to be Manufactured, Sampled, Tested, Inspected, Marked and Certified in conformance with API Spec 7-1 and its addendum.
- 3.2.2 'OIL' logo/ mark shall be die-stamped or paint stencilled on both ends of each joint within a distance of 1 (one) metre from the ends.
- 3.2.3 The purchase order number and length of drill pipes in metres must be stencilled on each length of HWDP.
- 3.2.4 Heavy Weight Drill Pipes must bear API Monogram. Bidder(s) should confirm the same while quoting.
- 3.2.5 Mill Inspection & Test certificates are to be provided with the supply in the event of order. Bidder(s) should confirm the same while quoting.

- 3.2.6 A certificate of compliance stating that the Heavy Weight Drill Pipes are Manufactured, Sampled, Tested, Inspected and Marked in accordance with API 7-1, is to be furnished with the supply. Bidder(s) should confirm the same while quoting.

**3.3 THIRD PARTY INSPECTION:**

Heavy Weight Drill Pipes are to be inspected by any one of following OIL approved Third-party inspection agencies. **The bidder has to arrange and bear for the Third Party Inspection at manufacturer's plant as per the broad scope of work mentioned herein.** Third Party Inspection Report shall be submitted along with the Dispatch document. **Bidder to include the Third Party Inspection charges in their quoted price.**

- (i) M/s Lloyds
- (ii) M/s Bureau Veritas
- (iii) M/s Rites
- (iv) M/s IRCLASS System and Solutions Private Limited
- (v) M/s Tuboscope Vetco
- (vi) M/s DNV MES India Private Limited

**3.3.1 Inspection by the independent third party shall cover the following for all HWDP:**

- (I) Material identification.
- (II) Stage Inspection on random visit basis during manufacturing.
- (III) Audit and endorsement or verification of certificates of all chemical analysis and physical test reports.
- (IV) Witness dimensional checks.
- (V) Witness/ verification of certificate of mechanical test.
- (VI) Witness/ verification of certificate of NDT/ NDE as per API Spec 7-1.
- (VII) Visual inspection for imperfections.
- (VIII) Witness/ verification of certificate of Longitudinal defect identification.
- (IX) Witness/ verification of certificate of Transverse defects identification.
- (X) Wall thickness measurement.
- (XI) Joint inspection.
- (XII) Thread inspection.
- (XIII) Issue of certificates.

**3.3.2 Scope of Third Party Inspection:**

- i) APPLICABLE API STANDARD: API Spec. 7-1 and its addendum
- ii) Broad scope of third party inspection to be as under:
  - a) Stage Inspection at random visit basis during manufacturing.
  - b) Kind of inspection: Review of documents, Visual inspection and as per serial number 3.3.1.
  - c) Release of inspection note by inspection agency to the manufacturer who will submit the same to Oil India Limited along with dispatch documents.
- iii) Review of documents to include:
  - a) Manufacturers QA Plan and API qualification certificate.
  - b) General Assembly drawing.
  - c) Production Record.
  - d) Raw Materials and Components Certificate and Test Report (Chemical, Physical, Heat Treatment and NDT)
  - e) Product Inspection report.
- iv) Visual inspection to include:
  - a) Overall Visual and Dimensional Inspection.
  - b) Verify the material and components are brand new and recently manufactured.
  - c) Verify that the item is in accordance with the PO specification and API monogrammed.
  - d) Witness final testing / performance testing as per API Spec. 7-1 certification, its addendum and submission of the records.

**3.4 WARRANTY:**

The supplier shall warrant that all HWDP to be supplied in event of an order shall be free from all defects and faults in materials, workmanship and manufacture and shall be in full conformity with the specified API standards. This clause shall be valid for 18 months from date of shipment or 12 months from date of receipt of the items, whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense.

## **ANNEXURE - II**

### **BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**

The bids shall in general conform to the specifications and terms and conditions given in the tender. Bids shall be rejected in case the goods offered do not conform to the required minimum/maximum parameters stipulated in the technical specifications and to the respective international / national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements will have to be particularly met by the bids, without which the same will be considered as non-responsive and be rejected.

#### **BID REJECTION CRITERIA (BRC):**

##### **(A.1) BRC-TECHNICAL:**

- 1.0** The outside & inside diameter of 5" Heavy weight drill pipe (HWDP) must be 127 mm (5") and 76.2 mm (3") respectively.
- 2.0** Heavy weight drill pipe should have API stress relief groove on pin end, API bore back box, all connections should be kemplated & phosphatised and all thread roots should be cold rolled.
- 3.0** The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207 or PIPECLAD® PFG70002 Plus HXR0015 of Sherwin Williams internal coating.
- 4.0** The construction of the HWDP should be friction/inertia welded type.

##### **5.0 EXPERIENCE CRITERIA:**

##### **A. IN CASE THE BIDDER IS A MANUFACTURER:**

In case the **bidder is a manufacturer** of the offered items, they should satisfy the following along with documentary evidence, which should be enclosed along with the techno commercial bid.

- A.1** The bidder should have minimum 5(five) years continuous experience of manufacturing of tendered or higher sizes of HWDP conforming to **API spec. 7-1** and its addendum. For this purpose, the period reckoned shall be period prior to the date of original bid closing date of the tender. Copies of API 7-1 certificates for the last 5 (Five) years (*i.e. continuous without having any break in between*) must be submitted along with techno- commercial bid. Bids without copies of valid API 7-1 certificate or with a break in between will be rejected.
- A.2** The bidder should have manufactured and supplied HWDP under API 7-1 certification to any E&P companies/Drilling Contractors/Drilling service providers **in the last 10 (Ten) years** as on original bid closing date of the tender (*either by themselves or through their sole selling agent/distributor/dealer/supply house*). Quantity and nature of such past supply experiences must comply to the following:

**The bidder should have manufactured and supplied at least 25 Joints of HWDP of size 5.0" O.D. or higher in a single order.**

- A.2.1** Documentary evidence in respect of manufacturing and supplying the above-mentioned item should be submitted with the technical bid, in the form of copies of relevant Purchase Orders along with copies of any or combination of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:

- (i) Signed and sealed Satisfactory supply / completion report (*in original on user's letter head*) (OR)
- (ii) Bill of Lading (OR)
- (iii) Consignee delivery receipt / challan (OR)
- (iv) Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/VAT/GST (OR)
- (v) Commercial Invoice / Payment Invoice

**Note:**

- a) The Purchase Order date need not be within 10 (Ten) years preceding original bid closing date of this tender. However, the execution of supply should be within 10 (Ten) years preceding original bid closing date of this tender.
- b) Satisfactory supply/completion report should be issued on company's letterhead with signature and stamp.
- c) If the bidder is a manufacturer and supplied HWDP of size 5.0" O.D. or above **to OIL in the last 10(ten) years** as on original bid closing date (*either by themselves or through their sole selling agent/distributor/ dealer/supply house*) and whose past performance has been satisfactory, the bidder need not satisfy Clause A.2. In such a case, the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid.
- d) Bidders showing supply experience towards supply to its sister concern/subsidiaries shall not be considered as experience for the purpose of meeting BRC.
- e) In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.
- f) Against all supporting documents submitted by the bidder alongwith the technical bid, originals are be kept ready and to be produced for verification of OIL, if called for.

A.2.2 In case, for supplementing manufacturer's supply experience criteria (A.2), the manufacturer submits Purchase Order(s) and relevant documents which is through their sole selling agent/distributor/dealer/supply house, then following additional documents are also to be submitted:

- a) Copies of signed Purchase Order(s) / Contract agreement(s) between the manufacturer and the sole selling agent/distributor/dealer/supply house and copies of any of the following documents in respect of satisfactory execution of each of those Purchase Order(s) / Contract agreement(s).
  - i) Bill of Lading (OR)
  - ii) Commercial Invoice / Payment of Invoice of the OEM (OR)
  - iii) Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/Vat/GST.

A.3 The bidder shall confirm that the equipment/products will be tested and certified as per API 7-1 and its addendum.

A.4 The bidder must keep API licenses along with authorization for API monogram valid till execution of purchase order and must confirm that the offered product will be supplied with API Monogram.

A.5 In case renewal process of API license is in progress at the time of bidding, the manufacturer should furnish a letter from API to this effect that renewal of the license is under examination with API and is authorized to manufacture the items as per API license and to use API monogram till the renewal for license is issued. The bidder shall also submit an undertaking that delay in renewal of API certificate shall not affect the stipulated delivery schedule of the tender/purchase order.

**B. IN CASE THE BIDDER IS NOT A MANUFACTURER**

If the **bidder is a sole selling agent/distributor/dealer/supply house** of any manufacturer, then bidder must furnish the following documents along with the technical bid failing which the bids will be rejected:

B.1 Authorization certificate from the manufacturer (*in original on manufacturer's letter head*) should be submitted along with the technical bid. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order.

B.2 Undertaking from the manufacturer (*in original on manufacturer's letter head*) guaranteeing supply of items to the bidder in the event of an order on the bidder. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order.

B.3 Warranty backup from the manufacturer in original on manufacturer's letter head against the quality of the tendered item(s) as specified in the tender.

- B.4 Copies of valid API Spec 7-1 certificate of the OEM of their quoted product in line with para A.1 above.
- B.5 Documentary evidence in respect of manufacturing and supply experience as specified under para A.1 & A.2 from the concerned *manufacturer (having supplied such items either by manufacturer themselves or through their sole selling agent/distributor/dealer/supply house)* along with the techno-commercial bid.
- B.6 The bidder should have their own supply experience of supplying HWDP under API 7-1 certification to any E&P companies/Drilling Contractors/Drilling service providers **in the last 10 (Ten) years** as on original bid closing date of the tender. Quantity and nature of such past supply experience must be as under:

**The bidder should have supplied at least 25 Joints of HWDP of size 5.0" O.D. or higher in a single order.**

- B.6.1 Documentary evidence in respect of supplying the above-mentioned item should be submitted with the technical bid, in the form of copies of relevant Purchase Orders along with copies of any or combination of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:

- i) Signed and sealed Satisfactory supply / completion report (in original on user's letter head) (OR)
- ii) Bill of Lading (OR)
- iii) Consignee delivery receipt / challan (OR)
- iv) Central Excise Gate Pass / Tax Invoice issued under relevant rules of Central Excise / Vat / GST (OR)
- v) Commercial Invoice / Payment Invoice

**Note:**

- a) The Purchase Order date need not be within 10 (Ten) years preceding original bid closing date of this tender. However, the execution of supply should be within 10 (Ten) years preceding original bid closing date of this tender.
  - b) Satisfactory supply/completion report should be issued on company's letterhead with signature and stamp.
  - c) If the bidder is sole selling agent/distributor/dealer/supply house of any manufacturer and have successfully supplied HWDP of size 5" or above **to OIL in the last 10(Ten) years** preceding the original bid closing date and whose past performance has been satisfactory, the bidder need not satisfy Clause B.6. In such case, the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid. **However, this exemption shall be applicable only if the bidder has declared in the bid that they will be supplying the tendered item from the same manufacturer as per the last order supply by them to OIL.**
  - d) Bidder showing supply experience towards supply to their sister concern/ subsidiaries shall not be considered as experience for the purpose of meeting BRC.
  - e) In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.
  - f) Against all supporting documents submitted by the bidder alongwith the technical bid, originals are be kept ready and to be produced for verification of OIL, if called for.
- B.6.2 In case the bidder submits the same Purchase Order(s) and relevant documents for supplementing the supply experience for both itself and the OEM, then the following additional documents are also to be submitted for supplementing the execution of supply from the OEM to the bidder as indicated in the submitted Purchase Order (s) failing which the bid will be rejected:
- a) Copies of Purchase Order / Contract between the Bidder and the OEM and any of the following documents:
    - i) Commercial Invoice / Payment invoice of the OEM (OR)
    - ii) Bill of Lading (OR)
    - iii) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central Excise /VAT

B.7 The sole selling agent/distributor/dealer/supply house of any Original Equipment manufacturers should quote for the supply of 5 inch diameter HWDP from those manufacturers who also meet the criteria as mentioned at clauses A.3, A.4 & A.5 above. The bidder is required to submit documentary evidence in respect of the above from the concerned manufacturer along with the techno-commercial bid.

6.0 **DELIVERY PERIOD:** Delivery must be completed within 210 days from the date of issue of Purchase order. The date of receipt of materials at site shall be considered as the date of delivery.

Bids submitted by Bidders quoting delivery period more than the abovementioned duration shall not be accepted. Bidders must categorically confirm the delivery period in their Technical Bid.

## A.2 **FINANCIAL**

1.0 The bidder must have annual financial turnover from Operations of minimum **INR 1,36,76,663.42** in any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender.

*[Annual Financial Turnover of the bidder from Operations shall mean - "Aggregate value of the realization of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91).]*

2.0 "Net Worth" of the bidder should be positive for the financial/accounting year just preceding to the original bid closing date of the tender.

*[Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium - Aggregate value of accumulated losses (excluding revaluation reserves) - deferred expenditure - Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation"]*

3.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying **(PROFORMA - A)** that 'the balance sheet/Financial Statements for the financial year..... (As the case may be) has actually not been audited so far'.

### **Note:**

a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-

i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in **PROFORMA - B**.

OR

ii) Audited Balance Sheet along with Profit & Loss account.

b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.

4.0 In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date of Balance Sheet and Profit & Loss Account. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.

**5.0** In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ultimate parent/holding company, then following documents need to be submitted:

- (i) Turnover of the parent/ultimate parent/holding company should be in line with Para **A.2 (1.0)** above.
- (ii) Net Worth of the parent/ultimate parent/holding company should be positive in line with Para **A.2 (2.0)** above.
- (iii) Corporate Guarantee (**PROFORMA - C**) on parent/ultimate parent/holding company's company letter head signed by an authorized official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them.
- (iv) Documents to substantiate that the bidder is as 100% subsidiary of the parent/ultimate parent/holding company.

**A.3 BRC - COMMERCIAL:**

1. Bids are invited under **SINGLE STAGE TWO BID SYSTEM**. Bidders should upload Techno-Commercial Bid (Unpriced Bid) and Priced Bid separately at the designated fields assigned in GeM Portal. **Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid.** The "Unpriced Bid" shall contain all techno-commercial details except the prices/costs. Bidder not complying with above submission procedure will be rejected.
2. The prices/rates offered against the tender must remain firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price condition shall be treated as non-responsive and rejected. No discount whatsoever should be quoted separately. Rates/prices quoted must be net of all discounts.
3. Bids received in physical form shall be rejected (*except the documents specifically called for in hard copies, if any*). Also, modifications to bids received after the bid closing date & time shall not be entertained.
4. Bids containing incorrect/false/misleading statement(s) shall be rejected.
5. Validity of the bid shall be **minimum 90 days** from the date of actual Bid Closing Date. Bids with lesser validity shall be straightway rejected.
6. Bidders must confirm that goods/materials to be supplied against the order arising out of this tender shall be of recent make, unused, of the best quality & workmanship and free from defects. The Bidder must undertake to stand guaranteed for the materials as called for in the tender. Defective goods/materials rejected by OIL, whether the entire lot or part thereof, shall be replaced immediately by the supplier at the supplier's expenses at no extra cost to OIL.
7. Successful bidder will be required to furnish a Performance Bank Guarantee **@10%** of the order value. The Performance Security must be valid for a period as called for in the tender document. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS)
8. Bids must be accompanied by Bid Security for the amount as mentioned in the tender document and shall be in the prescribed format (**PROFORMA – I**) if submitted in the form of Bank Guarantee (BG). Bid Security may also be paid through online payment mode. **Bid Security must be submitted within the scheduled Bid Closing date and time of the Tender.** The amount of Bid Security (EMD) must be strictly as specified in the tender document. **Bid Security if submitted in the form of BG/e-PBG must be valid at least for a period of 135 days from the date of original bid closing date of the tender.** Bid shall be rejected without further reference, if the Bid Security (EMD) is not received strictly as above, except where exempted. OIL will not assume any responsibility whatsoever for submission of deficient/faulty Bid Security or for delay/non-delivery of the same. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS)

9. Bid must be uploaded together with the Integrity Pact (*If applicable against the tender*) and the same must be duly signed digitally. If any bidder refuses to sign Integrity Pact or declined to submit Integrity Pact, their bid shall be rejected straightway. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS)
10. Bidders shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection:
- i) Liquidated Damages
  - ii) Warranty/Guarantee of material
  - iii) Arbitration / Resolution of Dispute
  - iv) Force Majeure
  - v) Applicable Laws
11. A bid shall be rejected straightway if it does not conform to any one of the following clauses:
- a) Validity of bid shorter than the validity indicated in the Tender.
  - b) In case the party refuses to sign Integrity Pact.
  - c) Original Bid Security not received within the stipulated date & time mentioned in the Tender.
  - d) Bid Security with (i) validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender.

\*\*\*\*\*

## **ANNEXURE - III**

### **GENERAL NOTES TO BIDDERS**

- 1.0** The bid is governed by GeM General Terms & Conditions (GeM GTC) prevalent on the bid closing date of tender.
- 2.0** Bidders shall submit their offer mentioning pointwise compliance/noncompliance to all the terms & conditions, BEC/BRC, Specifications etc. Any deviation(s) from the tender terms & conditions, BEC/BRC, Specifications etc. should be clearly highlighted specifying justification in support of deviation.
- 3.0** To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected. However, bidder(s) must note that there should not be any additional financial involvement arising out of such post tender clarifications.

- 4.0** The Bidder to submit following Technical Evaluation Sheet along with technical bid -

Annexure –IV: Bid Evaluation Matrix (Technical Specification)

Annexure –V: Bid Evaluation Matrix (Bid Rejection Criteria)

**5.0** **INTEGRITY PACT**

OIL shall be entering into an Integrity Pact, **if applicable** with the bidders as per format enclosed vide **PROFORMA - D** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.

OIL's Independent External Monitors at present are as under:

DR. TEJENDRA MOHAN BHASIN,  
Former Vigilance Commissioner, CVC  
E-mail: tmbhasin@gmail.com

SHRI RAM PHAL PAWAR, IPS (Retd.),  
Former Director, NCRB, MHA  
E-mail: rpawar61@hotmail.com  
ramphal.pawar@ips.gov.in

SHRI AJIT MOHAN SHARAN, IAS (Retd.)  
Former Secretary, Ministry of Ayush, GoI  
Mob No.: 9810701876  
E-mail: ams057@gmail.com

- 5.1** In case of a joint venture, all the partners of the joint venture should sign the Integrity Pact.
- 5.2** In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of IEMs in a time bound manner. If required, the organizations may adopt any mediation rules for this purpose. In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organisation may take further action as per the terms and conditions of the contract.
- 6.0** **DOMESTICALLY MANUFACTURED IRON & STEEL PRODUCTS (DMI & SP):**  
Steel Policy notified vide Notification No. 324 dated 29.05.2019 and as amended from time to time by Ministry of Steel, Government of India is applicable against this tender. The detailed policy may be referred in Ministry's website. Also, refer **ANNEXURE – VI** to this tender in this regard.

## **7.0 MICRO AND SMALL ENTERPRISES (MSE)**

Categorisation and various Criteria applicable to MSE bidders shall be guided by the Gazette Notification No. CG-DL-E-26062020-220191 dated 26.06.2020 and Amendment vide Gazette Notification no. CG-DL-E-16062021-227649 dated 16<sup>th</sup> June, 2021 issued by Ministry of Micro, Small and Medium Enterprises.

The bidder claiming as MSE status (MSE-General, MSE-SCIST, MSE -Woman) against this tender has to submit the following documents for availing the benefits applicable to MSEs:

**Udyam Registration Number with Udyam Registration Certificate.**

**Note:** *In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur or Woman Entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST entrepreneur/ Woman Entrepreneurs should also be enclosed.*

**7.1 For availing benefits under Public Procurement Policy (Purchase preference), the interested MSE Bidders must ensure that they are the manufacturer of tendered item (Primary Product Category) and registered with the appropriate authority for the said item(s).**

## **8.0 PREFERENCE TO MAKE IN INDIA (MII)**

Department for Promotion of Industry and Internal Trade (DPIIT), has issued the revised 'Public Procurement (Preference to Make in India), Order 2017' vide Order no. No. P-45021/2/2017-PP (BE-II) dated 04.06.2020. Bidders are requested to go through the policy and its subsequent amendments, if any, and take note of the same while submitting their offer.

8.1 The 'Class-I local supplier'/ 'Class-II local supplier' at the time of tender, bidding or solicitation shall be required to **indicate percentage of local content and provide self-certification (PROFORMA – E) that the item offered meets the local content requirement for 'Class-I local supplier'/ 'Class-II local supplier', as the case may be.** They shall also give details of the location(s) at which the local value addition is made. Such undertaking shall become a part of the contract.

8.2 In cases of procurement **for a value in excess of Rs. 10 crores**, the 'Class-I local supplier'/ 'Class-II local supplier' shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

## **9.0 RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY SHARING LAND BORDER WITH INDIA:**

Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020 (order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 and amended vide O.M. No. F.7/10/2021-PPD (1) dated 23.02.2023 (order public procurement no. 4) from Procurement Policy Division, Department of Expenditure, Ministry of Finance forwarded by Department of Public Enterprises vide O.M. No. F. No. DPE/7 (4)/2017-Fin dated 24.02.2023 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Bidders are requested to take note of the following clauses and submit their offers accordingly wherever applicable.

- (1) Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority [Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT)]. Further, any bidder (including bidder from India) having specified Transfer of Technology (ToT) arrangement with an entity from a country which shares a land border with India, shall also require to be registered with the same competent authority to be eligible to bid in this tender.
- (2) "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.

- (3) "Bidder (or entity) from a country which shares a land border with India" for the purpose of this Order means:
- a. An entity incorporated, established or registered in such a country; or
  - b. A subsidiary of an entity incorporated, established or registered in such a country; or
  - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d. An entity whose beneficial owner is situated in such a country; or
  - e. An Indian (or other) agent of such an entity; or
  - f. A natural person who is a citizen of such a country; or
  - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

- (4) The beneficial owner for the purpose of para (3) above will be as under:

- (i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation:

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five percent of shares or capital or profits of the company.
  - b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholder's agreements or voting agreements.
- (ii) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
  - (iii) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
  - (iv) Where no natural person is identified under (i) or (ii) or (iii) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
  - (v) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- (5) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- (6) The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.
- (7) **Validity of Registration:** The registration should be valid at the time of submission of bid and at the time of acceptance of bid. If the bidder was validly registered at the time of acceptance/placement of order, registration shall not be a relevant consideration during contract execution.
- (8) **Undertaking regarding compliance:** The bidders are required to provide undertakings as per **PROFORMA – F(I), PROFORMA – F(II) & PROFORMA – F(III)** along with their bid towards compliance of the above guidelines for participation in this tender. If the undertakings given by a bidder whose bid is accepted is found to be false, this would be a ground for debarment/action as per OIL's Banning Policy and further legal action in accordance with law.

**10.0 SETTLEMENT OF COMMERCIAL DISPUTES BETWEEN CENTRAL PUBLIC ENTERPRISES (CPSES) INTER-SE AND CPSE(S) AND GOVERNMENT DEPARTMENT(S)/ORGANISATIONS(S)-ADMINISTRATIVE MECHANISM FOR RESOLUTION OF CPSES DISPUTES (AMRCD).**

In the event of any dispute or difference relating to the interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs) / Port Trusts inter se and also between CPSEs and Government Department/Organisations (excluding disputes relating to Railways, Income Tax, Customs and Excise Departments), such dispute or difference shall be taken up by either party for its resolution through AMRCD as mentioned in DPE OM No. 05/003/2019-FTS- 10937 dated 14th December, 2022 and the decision of AMRCD on the said dispute will be binding on both the parties.

**11.0 TAX COLLECTIBLE AT SOURCE (TCS):**

Tax Collectible at Source (TCS) applicable under the Income-tax Law and charged by the SUPPLIER shall also be payable by OIL along with consideration for procurement of goods/materials/ equipment. If TCS is collected by the SUPPLIER, a TCS certificate in prescribed Form shall be issued by the SUPPLIER to OIL within the statutory time limit.

Payment towards applicable TCS u/s 206C (IH) of Income Tax Act, 1961 will be made to the supplier provided they are claiming it in their invoice and on submission of following undertaking along with the invoice stating that:

- a. TCS is applicable on supply of goods invoiced to OIL as turnover of the supplier in previous year was more than Rs. 10 Cr. And
- b. Total supply of goods to OIL in FY ..... (As applicable) exceeds Rs. 50 Lakh and
- c. TCS as charged in the invoice has already been deposited (duly indicating the details such as challan No. and date) or would be deposited with Exchequer on or before the due date and
- d. TCS certificate as provided in the Income Tax Act will be issued to OIL in time.

However, Performance Security deposit will be released only after the TCS certificate for the amount of tax collected is provided to OIL. Supplier will extend the performance bank guarantee (PBG), wherever required, till the receipt of TCS certificate or else the same will be forfeited to the extent of amount of TCS, if all other conditions of Purchase order are fulfilled.

The above payment condition is applicable only for release of TCS amount charged by supplier u/s 206C (I H) of Income tax Act, 1961.

**12.0 CONCESSIONAL GST**

The items covered in this Tender shall be used by Oil India Limited in the PEL/ML areas and hence concessional **GST @12%** will be applicable as per Govt. Policy in vogue.

**Note:** Successful bidder shall arrange to provide all necessary documents (invoice etc.) to OIL for applying Essentiality Certificate on receipt of request from OIL or at least **45 days** prior to their readiness for despatch, whichever is earlier. Further, successful bidder shall affect dispatch only on receipt of relevant certificates/shipment clearance from OIL, failing which all related liabilities shall be to supplier's account.

**13.0 APPLICABILITY OF BANNING POLICY OF OIL INDIA LIMITED:**

OIL's Banning Policy, 2023 will be applicable against the tender (and order in case of award) to deal with any agency (bidder/contractor/supplier/ vendor/service provider) who commits deception, default, fraud or indulged in other misconduct of whatsoever nature in the tendering process and/or order execution processes.

The bidders who are on Holiday/Banning/Suspension list of OIL on due date of submission of bid/ during the process of evaluation of the bids, the offers of such bidders shall not be considered for bid opening/evaluation/award. If the bidding documents were issued inadvertently/downloaded from website, the offers submitted by such bidders shall also not be considered for bid opening/evaluation/ Award of Work.

- 13.1 The bidder shall fill up and submit proforma of declaration of Blacklisting/Holiday Listing (**PROFORMA – G**) along with the technical bid.

**14.0 PERFORMANCE SECURITY**

Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value with validity as mentioned in the tender document. The Performance Security must be submitted exactly as per **PROFORMA – H**. Bidder must confirm the same in their Technical Bid.

The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:

- (i) MT 760/MT 760 COV for issuance of bank guarantee.
- (ii) MT 760/MT 767 COV for amendment of bank guarantee.

**[Order Number should reflect in the SFMS text under MT 760/MT 760 COV]**

The above message/intimation shall be sent through SFMS by the BG issuing Bank branch to ICICI Bank, Duliajan Branch, IFSC Code- ICIC0000213, Branch Address.: ICICI Bank Ltd, Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam - 786602. The Bank details are as under:

| Bank Details of Beneficiary         |                                                                 |
|-------------------------------------|-----------------------------------------------------------------|
| Bank Name                           | ICICI BANK LTD.                                                 |
| Branch Name                         | DULIAJAN                                                        |
| Branch Address                      | KUNJA BHAVAN, DAILY BAZAAR, DULIAJAN, DIBRUGARH, ASSAM - 786602 |
| IFSC Code                           | ICIC0000213                                                     |
| Unique identifier code (Field 7037) | OIL503988890                                                    |
| Company name                        | Oil India Limited                                               |

**The vendor shall submit to OIL the copy of the SFMS message as sent by the issuing bank branch along with the original bank guarantee.**

- 14.1 Performance Security shall be issued from any scheduled Indian Bank or any branch of an International Bank situated in India and registered with the Reserve Bank of India as scheduled foreign Bank in case of domestic suppliers.
- 14.2 Bank Guarantees issued by a Bank in India should be on non-judicial Stamp Paper/Frinking receipt of requisite value, as per Indian Stamp Act, purchased in the name of the Banker or the Seller.
- 14.3 Bank Guarantee with condition other than those mentioned in OIL's prescribed format shall not be accepted.
- 14.4 The Bank Guarantee issued by a Bank amongst others shall contain the complete address of the Bank including Phone Nos., Fax Nos., E-mail address, Code Nos. of the authorized signatory with full name and designation and Branch Code.
- 14.5 The Performance Security shall be payable to Purchaser as compensation for any breach or loss resulting from Supplier's failure to fulfil its obligations under the Purchase Order/Contract. In the event of such default on the part of Seller, the Performance Security shall be encashed unconditionally, and the proceeds thereof shall be forfeited without any further reference to the Seller. In such an eventuality, the Seller shall be liable to face penal actions including debarment as per OIL's Banning Policy, 2023.
- 14.6 The Performance Security shall be discharged by Purchaser not later than 30 days following its expiry after completion of obligations under the order/contract. In the event of any extension to the contractual validity or delay in supply/ execution or extension of Warranty Period of the Purchase Order/Contract, validity of the Performance Security shall be extended by the Seller/Contractor by the equivalent period.
- 14.7 The Performance Security shall not accrue any interest during its period of validity or extended validity. OIL shall not be liable to pay any bank charges, commission or interest on the amount of Performance Security.
- 14.8 Failure of the successful Bidder to comply with the requirements of above clauses shall constitute sufficient grounds for annulment of the award and forfeiture of their Bid Security or Performance Security. The defaulting party shall also be debarred from business as per OIL's Banning Policy, 2023.

- 14.9 In case, the Performance Security in the form of a Bank Guarantee is found to be not genuine or issued by a fake banker or issued under the fake signatures, the Purchase Order placed on the bidder shall be treated as cancelled forthwith and the bidder shall be banned from participating in future tenders in accordance with the provisions of Company's Banning Policy, 2023. Further, the Bid Security submitted by such bidder shall be invoked without any further reference, besides other penal action, as the Company may think appropriate.
- 14.10 In case Annual Maintenance Contract (AMC) is required and OIL intends to enter into a separate contract with the successful bidder for AMC, the Successful bidder must undertake to submit separate Performance Security against the AMC at the applicable rate & validity to be stipulated in the contract. (3% of annualized contract value valid for three months beyond entire execution period).
- 14.11 Performance Security if submitted in the form of fixed/term deposit; the following details must be provided in the form of declaration by the vendor/party for confirmation of Term deposit/Fixed Deposit from the issuing bank.
1. Full address of the issuing bank
  2. Branch Code
  3. Authorized signatory with full name and designation
  4. Phone (Mobile) Numbers of the branch
  5. Email address of the branch
  6. Such fixed/term deposit must be pledged in favour of OIL and it must in the printed form on the physical original FDR in words "Pledged in favour of Oil India Limited"

Further, to avoid delay in confirmation of Fixed deposit from the issuing bank and consequent delay in processing of bills and payment, vendor/party may arrange the confirmation mail regarding issue of fixed deposit with the following details directly from bank's official email id to OIL's following e-mail id (FD\_PS@OILINDIA.IN):

| FD NO. | Issue Date | Maturity Date | FD Amount | Beneficiary/ Contractor Name | Whether above FD is pledged in favour of 'Oil India Limited' (Yes/No) | FD amount pledged (in ₹) as per bank's books of accounts | Mode of FD Renewal (Auto Renewal/ Auto closure) | Remarks (if any) of the issuing Bank |
|--------|------------|---------------|-----------|------------------------------|-----------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------|--------------------------------------|
| A      | B          | C             | D         | E                            | F                                                                     | G                                                        | H                                               | I                                    |
|        |            |               |           |                              |                                                                       |                                                          |                                                 |                                      |

#### 15.0 **BID SECURITY:**

Bids must be accompanied by Bid Security for the amount as mentioned in the tender and shall be in the prescribed format (**PROFORMA – I**) as Bank Guarantee (BG) or Online payment. (Refer GeM GTC for details).

In case of the Bid Security is submitted in the form of Bank Guarantee, scanned copy of Bank Guarantee shall be uploaded by the bidder in the online bid and hard copy of the Bank Guarantee will have to be submitted directly to OIL **within the Bid Closing (BC) date and time**, failing which the bid may be treated as incomplete and may lead to rejection of the bid by OIL without making any reference to the bidder.

The Original Bid Security shall be submitted manually in sealed envelope **superscribed** with tender no., tendered item detail and due date to: **GM-MATERIALS, MATERIALS DEPARTMENT, KIND ATTENTION – M. B. SINGHA, CHIEF MANAGER MATERIALS, OIL INDIA LIMITED, DULIAJAN- 786602, ASSAM.**

In case of Online payment of Bid Security, bidder shall provide the Online transaction details in their online bid as proof of submission of Bid Security to OIL. The online payment of Bid Security amount should be received in OIL's bank account on or before the Bid closing date and time failing which the offer will be rejected outright without any further reference.

| OIL's Bank account Details for Online submission of Bid Security |                     |
|------------------------------------------------------------------|---------------------|
| Name                                                             | Oil India Limited   |
| Bank                                                             | State Bank of India |
| Branch                                                           | Duliajan            |
| Account Number                                                   | 10494832599         |
| Account Type                                                     | Current             |
| IFSC Code                                                        | SBIN0002053         |

- 15.1 Bid Security shall be issued from any scheduled Indian Bank or any branch of an International Bank situated in India and registered with the Reserve Bank of India as scheduled foreign Bank in case of domestic suppliers.
- 15.2 Bank Guarantee issued by a scheduled Bank in India at the request of some other non-scheduled Bank in India shall not be accepted.
- 15.3 Bank Guarantees issued by a Bank in India should be on non-judicial Stamp Paper/Frinking receipt of requisite value, as per Indian Stamp Act, purchased in the name of the Banker or the Seller.
- 15.4 Bank Guarantee with condition other than those mentioned in OIL's prescribed format shall not be accepted.
- 15.5 The Bank Guarantee issued by a Bank amongst others shall contain the complete address of the Bank including Phone Nos., Fax Nos., E-mail address, Code Nos. of the authorized signatory with full name and designation and Branch Code.
- 15.6 The bidders will extend the validity of the Bid Security, if and whenever specifically advised by OIL, at the bidder's cost.
- 15.7 The Bid Security shall not accrue any interest during its period of validity or extended validity. OIL shall not be liable to pay any bank charges, commission or interest on the amount of Bid Security.
- 15.8 In case, the Bid Security in the form of a Bank Guarantee is found to be not genuine or issued by a fake banker or issued under the fake signatures, the bid submitted by the concerned bidder shall be rejected and the bidder shall be banned from participating in future tenders in accordance with the provisions of OIL's Banning Policy. Further, the Bid Security submitted by such bidder shall be invoked without any further reference, besides other penal action, as OIL may think appropriate.
- 15.9 In case of Bank Guarantee, the Bank Guarantee issuing bank branch must ensure the following:

The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:

- (i) MT 760/MT 760 COV for issuance of bank guarantee.
- (ii) MT 760/MT 767 COV for amendment of bank guarantee.

***[Tender Number should reflect in the SFMS text under MT 760/MT 760 COV]***

The above message/intimation shall be sent through SFMS by the BG issuing Bank branch to ICICI Bank, Duliajan Branch, IFSC Code- ICIC0000213, Branch Address: ICICI Bank Ltd, Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602. The Bank details are as under:

| Bank Details of Beneficiary         |                                                                 |
|-------------------------------------|-----------------------------------------------------------------|
| Bank Name                           | ICICI BANK LTD.                                                 |
| Branch Name                         | DULIAJAN                                                        |
| Branch Address                      | KUNJA BHAVAN, DAILY BAZAAR, DULIAJAN, DIBRUGARH, ASSAM – 786602 |
| IFSC Code                           | ICIC0000213                                                     |
| Unique identifier code (Field 7037) | OIL503988890                                                    |
| Company name                        | Oil India Limited                                               |

The bidder shall submit to OIL the copy of the SFMS message as sent by the issuing bank branch along with the original bank guarantee.

- 15.10 The Bid Security of the unsuccessful bidders will be returned after finalization of tender whereas the Bid Security of the successful bidder will be discharged on such bidder's furnishing the Performance Security to OIL against the Purchase Order secured by the bidder within the stipulated time frame. The successful bidder will, however, extend validity of the Bid Security till such time the Performance Security is furnished.
- 15.11 For timely return of Bid Security, bidders shall submit following details alongwith their technical bid.

- For Bank Guarantee((BG): Name, Email id, Phone number and Address where the Bid Security is to be returned by Courier.
- Online payment: Name, Email id, Phone number and Bank details (Bank Name, Branch Name, Branch Address, IFSC Code, Unique identifier code, Company name) where the Bid Security amount shall be returned by Online transfer.

In case of non-submission of above details, return of Bid Security may be delayed.

#### **16.0 FINANCING OF TRADE RECEIVABLES OF MICRO AND SMALL ENTERPRISES (MSEs) THROUGH TRADE RECEIVABLES DISCOUNTING SYSTEM (TREDS) PLATFORM.**

Based on the initiatives of Government of India to help MSE vendors get immediate access to liquid fund based on Buyers credit rating by discounting, OIL has registered itself on TReDS platform with M/s RXIL and M/s A TREDS Ltd. (Invoice Mart). MSE vendors can avail this benefit by registering themselves with any of the exchanges providing e-discounting/electronic factoring services on TReDS platform and following the procedures defined therein, provided OIL is also participating in such TReDS Platform as a Buyer.

- MSE Vendor should be aware that all costs relating to availing the facility of discounting on TReDS platform including but not limited to Registration charges, Transaction charges for financing, Discounting Charges, Interest on financing, or any other charges known by any name shall be borne by MSE Vendor.
- MSE Vendor hereby agrees to indemnify, hold harmless and keep OIL and its affiliates, Directors, officers, representatives, agents and employees indemnified, from any and all damages, losses, claims and liabilities (including legal costs) which may arise from Sellers submission, posting or display, participation, in any manner, on the TReDS Platform or from the use of Services or from the Buyer's breach of any of the terms and conditions of the Usage Terms or of this Agreement and any Applicable Law on a full indemnity basis.
- OIL shall not be liable for any special, indirect, punitive, incidental, or consequential damages or any damages whatsoever (including but not limited to damages for loss of profits or savings, business interruption, loss of information), whether in contract, tort, equity or otherwise or any other damages resulting from using TReDS platform for discounting their (MSE Vendor's) invoices.

#### **Note:**

- Buyer means OIL who has placed Purchase Order/ Contract on a MSE Vendor (Seller).
- Seller means a MSE vendor, who has been awarded Purchase Order/ Contract by OIL (Buyer).

#### **17.0 UNLOADING FOR BULKY/HEAVY ITEMS:**

All the Goods in the GeM shall be offered on Free Delivery at Site basis including unloading. **HOWEVER, OIL SHALL PROVIDE CRANE FOR UNLOADING OF BULKY/HEAVY ITEMS ONLY.** Supplier shall depute adequate crew, who has experience of unloading of such items at Destination (Duliajan) with necessary safety gears i.e. helmet, safety boots, hand gloves etc. at unloading point.

The safety of the crew deputed by the supplier shall entirely be the responsibility of supplier and therefore they shall take all necessary measures/precautions to ensure that no injuries occur to personnel or property. Supplier must ensure that the crew involved for unloading are properly trained on the procedures and aware of the potential hazards while handling the items.

#### **18.0 UNLOADING OF TUBULARS:**

All the Goods in the GeM shall be offered on Free Delivery at Site basis including unloading. **HOWEVER, OIL SHALL PROVIDE CRANE FOR UNLOADING OF TUBULARS ONLY.** Supplier shall depute adequate crew, who has experience of unloading of tubulars, at Destination (Duliajan) with necessary safety gears i.e. helmet, safety boots, hand gloves etc. at unloading point. **THE ONLY RESPONSIBILITY OF THE CREW TO BE DEPUTED BY THE SUPPLIER IS TO FASTEN/FIX CRANE'S HOOK SLING TO BUNDLES ON THE LOADED VEHICLE.** Once the hook sling is securely fastened complying to the safety instructions, OIL's Crane shall lift and unload tubulars from the vehicle. Following points are to be noted and complied in this connection:

- Supplier to ensure that height of the loaded tubular is below the cabin height of the vehicle for safe off-loading.
- Supplier to ensure that tubular bundles are securely fastened by very strong material to withstand the rigors of road transportation and capable of lifting by Crane. In the case tubular bundles are

found loosened and/or tubulars found completely resting on the side support/bales of vehicle in way that it may free fall upon unshackling, OIL will not unload such vehicle due to safety reasons.

The safety of the crew deputed by the supplier shall entirely be the responsibility of supplier and therefore they shall take all necessary measures/precautions to ensure that no injuries occur to personnel or property. Supplier must ensure that the crew involved for unloading are properly trained on the procedures and aware of the potential hazards while handling tubulars.

**19.0 UNLOADING OF CONSIGNMENT RECEIVED THROUGH RAIL:**

Unloading of consignment from Railway Wagons at Destination (**Duliajan**) shall be completely in OIL's scope.

**20.0 QUANTITY TOLERANCE FOR TUBULARS:**

Bidders should note that, in the event of order, quantity tolerance of +0%/-2% of order quantity will be applicable, if otherwise mentioned elsewhere in this document.

**21.0 SET-OFF:**

Any sum of money due and payable to the Seller (including Security Deposit refundable to them) under any purchase order may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of any other purchase order made by the Seller with Oil India Limited (or such other person or persons contracting through Oil India Limited).

**22.0 FURNISHING FRAUDULENT INFORMATION/ DOCUMENT:**

If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. In this regard, bidders are requested to submit an Undertaking as per **PROFORMA - J** along with their offer failing which their offer shall be liable for rejection.

**23.0 MODIFICATION/AMENDMENT OF TENDER DOCUMENT:** At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the tender Documents through issuance of Corrigendum(s)/Addendum(s). Bidders are expected to take the Corrigendum(s)/ Addendum(s) into account in preparation and submission of their bid. No separate intimation for Corrigendum(s)/ Addendum(s) published by OIL shall be sent to the Bidders.

**24.0 GENERAL CONDITIONS OF CONTRACT FOR SERVICES (ANNEXURE - VII) *Not Applicable***

**General Conditions of Contract FOR SERVICES (GCC - SERVICES)** shall be applicable for all services to be rendered including AMC (as and when entered into).

**25.0 SIGNING OF BIDS:**

25.1 Bids are to be submitted online in GeM portal. The bid including all uploaded documents shall be signed by duly authorized representative of the bidder holding a Power of Attorney to bind the Bidder to the contract. The letter of authorisation (**PROFORMA-K**) shall be indicated by written Power of Attorney accompanying the Bid.

**26.0 BIDDERS FINANCIAL STANDING:**

The bidder should not be under liquidation, court receivership or similar proceedings and should not be bankrupt. Bidder to upload undertaking (**PROFORMA-L**) to this effect with bid.

**27.0 GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) GUIDELINES:**

27.1 It will be solely the Supplier's responsibility to fulfil all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-contractors, if any, hired by Supplier comply with the same requirement as the Supplier himself and shall be liable for ensuring compliance all HSE laws.

27.2 It will be entirely the responsibility of the Supplier/his Supervisor/ representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of

workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager/Safety Officer/Engineer/Official/Supervisor/ Junior Engineer for safe operation.

- 27.3 Any compensation arising out of the job carried out by the Supplier whether related to pollution, Safety or Health will be paid by the Supplier only.
- 27.4 Any compensation arising due to accident of the Supplier's personnel while carrying out the job, will be payable by the Supplier.
- 27.5 When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures, Company shall have the right to direct the Supplier to cease work until the non-compliance is corrected.

**28.0 DOCUMENTATION (FOR DOMESTIC/INDIGENOUS SUPPLIERS):**

- 28.1 Preparation and submission of proper documents by Seller is one of the very important requirements. The Seller must strictly follow the instructions.
- 28.2 Seller shall ensure that all the documents have clear reference of OIL's Purchase Order number.
- 28.3 Seller shall forward the documents, as mentioned below, by courier service immediately after the dispatch is made:

**1. WHERE PAYMENT AGAINST DIRECT SUBMISSION OF DESPATCH DOCUMENTS TO COMPANY:**

|    |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                          |
|----|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A) | General Manager (A/P),<br>Finance & Accounts Department<br>Oil India Limited, Duliajan,<br>PIN - 786602 | i) Bill in original + one copy.<br>ii) Copy of the C-Note/RR.<br>iii) Copy of Mill Inspection Certificate, if any.<br>iv) Copy of Third-Party Inspection Certificate, if any.<br>v) Copy of Delivery Challan.<br>vi) Copy of TPI Declaration<br>vii) Copy of Tax Invoice.<br>viii) Copy of packing list.<br>ix) Documentary evidence of payment of Customs Duty, if any. |
| B) | DGM - Materials (Receiving),<br>Materials Department<br>Oil India Limited, Duliajan,<br>PIN - 786602    | i) Clear Consignee copy of RR/C-Note-Original+1 copy.<br>ii) Copy of Tax Invoice.<br>iii) Delivery Challan (Original).<br>iv) Packing list (Original).<br>v) Mill inspection certificate, if any (Original).<br>vi) Copy of Third-Party Inspection certificate, if any.<br>vii) Copy of TPI Declaration<br>viii) Warranty Certificate (Original)                         |
| C) | Chief Manager Materials (FP)<br>Materials Department<br>Oil India Limited, Duliajan,<br>PIN - 786602    | One set consisting copies of all the documents as mentioned in (B) above.                                                                                                                                                                                                                                                                                                |

**Note: Where payment is after receipt and acceptance of materials i.e. after CRAC, the complete set of documents meant for General Manager (A/P) as indicated in(A) above should be submitted to Dy. General Manager Materials (Receiving).**

\*\*\*\*\*

**PROFORMA – A**

**FORMAT FOR CERTIFICATE OF COMPLIANCE OF FINANCIAL CRITERIA  
(ON THE OFFICIAL PAD OF THE BIDDER TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER)**

Ref: Clause No. A.2 (3.0) - Financial Criteria of the BEC

Tender No.: \_\_\_\_\_

I ..... the authorized signatory(s) of.....(Company or firm name of address) do hereby affirm and declare as under:-

The balance sheet/Financial Statements for the financial year \_\_\_\_\_ (as the case may be) has actually not been audited as on the Original Bid closing Date.

Place :.....

Date :.....

**signatory**

**Signature of the authorized**

**Note: This certificate are to be issued only considering the time required for preparation of Financial Statements i.e. if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date.**

**PROFORMA – B**

**CERTIFICATE OF ANNUAL TURNOVER & NETWORTH**

| <b>TO BE ISSUED BY PRACTISING CHARTERED ACCOUNTANTS' FIRM ON THEIR LETTER HEAD</b>                                                                                                                                                         |                                                  |                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------------------------------------|
| <b><u>TO WHOM IT MAY CONCERN</u></b>                                                                                                                                                                                                       |                                                  |                                                    |
| <p>This is to certify that the following financial positions extracted from audited financial statements of M/s..... (Name of the bidder) for the last 3 (three) completed accounting years upto.....(as the case may be) are correct.</p> |                                                  |                                                    |
| YEAR                                                                                                                                                                                                                                       | TURNOVER<br>In INR (Rs.) Crores/<br>USD Million* | NET WORTH<br>In INR (Rs.) Crores /<br>USD Million* |
|                                                                                                                                                                                                                                            |                                                  |                                                    |
|                                                                                                                                                                                                                                            |                                                  |                                                    |
|                                                                                                                                                                                                                                            |                                                  |                                                    |
| <p>*Rate of conversion (if used any): USD 1.00 = INR .....</p><br><p>Place:</p> <p>Date:</p><br><p>Seal:</p><br><p>Membership No.:</p> <p>Registration Code:</p><br><p>Signature:</p>                                                      |                                                  |                                                    |

***\*Applicable for Global Tenders.***

**NOTE: As per the guidelines of ICAI, every practicing CA is required to mention Unique Document Identification Number (UDIN) against each certification work done by them. Documents certified by CA without UDIN shall not be acceptable.**

## **PROFORMA – C**

### **PARENT/ ULTIMATE PARENT/ HOLDING COMPANY'S CORPORATE GUARANTEE TOWARDS FINANCIAL STANDING (Delete whichever not applicable) (TO BE EXECUTED ON COMPANY'S LETTER HEAD)**

#### **DEED OF GUARANTEE**

THIS DEED OF GUARANTEE executed at ..... this ..... day of ..... by M/s .....(mention complete name) a company duly organized and existing under the laws of ..... (insert jurisdiction/country), having its Registered Office at.....herein after called "the Guarantor" which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.

WHEREAS M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their Tender No..... for.....and M/s.....(Bidder) intends to bid against the said tender and desires to have Financial support of M/s..... [Parent / Ultimate Parent/Holding Company(Delete whichever not applicable)] and whereas Parent/Ultimate Parent/Holding Company(Delete whichever not applicable) represents that they have gone through and understood the requirements of subject tender and are capable and committed to provide the Financial support as required by the bidder for qualifying and successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows:

1. The Guarantor confirms that the Bidder is a 100% subsidiary of the Guarantor.
2. The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
3. The Guarantor have an annual financial turnover of minimum INR..... Cr or USD ..... during any of the preceding 03(three) financial/ accounting years reckoned from the original bid closing date.
4. Net worth of the Guarantor is positive for preceding financial/ accounting year.
5. The Guarantor undertakes to provide financial support to the Bidder for executing the project/job, in case the same is awarded to the Bidder.
6. The Guarantor represents that:
  - (a) this Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Bidder.
  - (b) the liability of the Guarantor, under the Guarantee, is limited to the 100% of the order value between the Bidder and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Bidder.
  - (c) this Guarantee has been issued after due observance of the appropriate laws in force in India.
  - (d) this Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of New Delhi, India.
  - (e) this Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.
  - (f) the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

for and on behalf of (Parent/Ultimate Parent/  
Holding Company) (Delete whichever not  
applicable)

Witness:

- 1.
- 2.

for and on behalf of (Bidder)

Witness:

- 1.
- 2.

## **PROFORMA – D**

### **INTEGRITY PACT**

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

#### **Preamble:**

The Principal intends to award, under laid down organizational procedures, contract/s for .....  
The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

#### **Section: 1 - Commitments of the Principal**

- (1)** The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
  - (i) No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
  - (ii) The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
  - (iii) The Principal will exclude from the process all known prejudiced persons.
- (2)** If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officers and in addition can initiate disciplinary actions.

#### **Section: 2 - Commitments of the Bidder/Contractor**

- (1)** The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
  - (i) The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
  - (ii) The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

- (iii) The Bidder (s) / Contractor (s) will not commit any offence under the relevant Anticorruption Laws of India, further, the Bidder (s) / Contractor (s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
  - (iv) The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
  - (v) Bidders to disclose any transgressions with any other company that may impinge on the anti-corruption principle.
  - (vi) The Bidder (s)/ Contractor (s) of foreign origin shall disclose the name and address of the Agents/ representatives in India, if any. Similarly, the Bidder (s)/ Contractor (s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further, all the payments made to the Indian agent/ representative have to be in India Rupees only.
  - (vii) Bidders not to pass any information provided by Principal as part of business relationship to others and not to commit any offence under PC/ IPC Act;
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- (3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

### **Section 3 - Disqualification from tender process and exclusion from future Contracts**

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.
2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.
5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings. Any issue relating to execution of contract, if specifically raised before the IEMs shall be looked into by IEMs.

#### **Section 4 - Compensation for Damages**

- (1) If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.
- (2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.
- (3) The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

#### **Section 5 - Previous transgression**

- (1) The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### **Section: 6 - Equal treatment of all Bidders/Contractor/Subcontractors**

- (1) The Principal will enter into Pacts on identical terms with all bidders and contractors.
- (2) The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

#### **Section: 7 - Criminal charges against violating Bidders/Contractors/ Subcontractors**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

#### **Section: 8 -External Independent Monitor/Monitors**

- (1) The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- (2) The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
- (3) The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality. However, the documents/records/information having National Security implications and those documents which have been classified as Secret/Top Secret are not to be disclosed.

- (4) The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- (5) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.
- (6) The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.
- (7) If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- (8) The word 'Monitor' would include both singular and plural.
- (9) In case of any complaints referred under IP Program, the role of IEMs is advisory and would not be legally binding and it is restricted to resolving the issues raised by an intending bidder regarding any aspect of the tender which allegedly restricts competition or bias towards some bidder.

#### **Section: 9 - Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

#### **Section: 10 - Other provisions**

- (1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.
- (2) Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- (3) If the Contractor / Bidder is a Joint Venture or a partnership concern or a consortium, this agreement must be signed by all partners or consortium members. In case of sub-contracting, the Principal contractor shall take the responsibility of the adoption of IP by the sub-contractor and all sub-contractors shall also sign the IP.
- (4) Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- (5) Issues like warranty / guarantee, etc. shall be outside the purview of IEMs.

**M. B. SINGHA**

.....

**For the Principal**

Date: 28.11.2023

Place: Duliajan

.....

**For the Bidder/Contractor**

Witness 1: .....

Witness 2: .....

**PROFORMA – E**

**UNDERTAKING FOR LOCAL CONTENT**  
*(To be submitted in the letter head of the bidder)*

We, \_\_\_\_\_ (Name of the bidder) have submitted Bid against Tender No. \_\_\_\_\_ dated \_\_\_\_\_ of Oil India Limited. We hereby undertake that we meet the mandatory minimum local content requirement as per the provision of Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India as revised vide Order No. P45021/2/2017-PP (BE-II) dated 16th September 2020 (and as amended time to time) with modifications as notified vide MoP&NG Order No. FP-20013/2/2017-FP-PNG-Part (4) (E-41432) dated 26th April 2022. The percentage of Local Content in the bid is \_\_\_\_\_ %.

For and on behalf of \_\_\_\_\_

Authorized signatory \_\_\_\_\_

Name \_\_\_\_\_

Designation \_\_\_\_\_

Contact No. \_\_\_\_\_

**PROFORMA – F(I)**

**UNDERTAKING TOWARDS COMPLIANCE OF PROVISIONS FOR RESTRICTIONS ON PROCUREMENT FROM A  
BIDDER OF A COUNTRY WHICH SHARES LAND BORDER WITH INDIA**

(To be typed on the letter head of the bidder)

Ref. No \_\_\_\_\_

Date: \_\_\_\_\_

Tender No. \_\_\_\_\_ Date: \_\_\_\_\_

**OIL INDIA LIMITED  
MATERIALS DEPARTMENT,  
DULIAJAN, ASSAM, INDIA**

**Dear Sirs,**

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; we certify that we are not from such a country/or if from such a country, have been registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and are eligible to be considered. *[wherever applicable, evidence of valid registration by the Competent Authority shall be attached]*

Yours faithfully,  
For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**PROFORMA – F(II)**

**UNDERTAKING FOR WORKS INVOLVING POSSIBILITY OF SUB-CONTRACTING**

(To be typed on the letter head of the bidder)

Ref. No. \_\_\_\_\_

Date: \_\_\_\_\_

Tender No. \_\_\_\_\_ Date: \_\_\_\_\_

**OIL INDIA LIMITED  
MATERIALS DEPARTMENT,  
DULIAJAN, ASSAM, INDIA**

**Dear Sirs,**

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such-countries, we certify that we are not from such a country/or if from such a country, have been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and is eligible to be considered. *[wherever applicable, evidence of valid registration by the Competent Authority shall be attached]*

Yours faithfully,  
For (type name of the firm here)

Signature of Authorized Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**PROFORMA – F(III)**

**ADDITIONAL UNDERTAKING BY BIDDER IN CASES OF SPECIFIED TRANSFER OF TECHNOLOGY**

(To be typed on the letter head of the bidder)

Ref. No. \_\_\_\_\_

Date: \_\_\_\_\_

Tender No. \_\_\_\_\_ Date: \_\_\_\_\_

**OIL INDIA LIMITED  
MATERIALS DEPARTMENT,  
DULIAJAN, ASSAM, INDIA**

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. We certify that we do not have any ToT arrangement requiring registration with the competent authority.

OR

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. We certify that we have valid registration to participate in this procurement. *[Evidence of valid registration by the Competent Authority shall be attached]*

Yours faithfully,  
For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**PROFROMA – G**

**PROFORMA OF DECLARATION OF BLACKLISTING / HOLIDAY LISTING**

TO,

**GM- MATERIALS  
MATERIALS DEPARTMENT  
P.O. DULIAJAN, PIN-786602  
DIST. DIBRUGARH, ASSAM, INDIA**

Dear Sir,

Sub: OIL's Tender No. \_\_\_\_\_

We hereby declare that we are presently neither placed on any holiday list or blacklist declared by OIL India Limited, nor any inquiry is pending by Oil India Limited in respect of corrupt or fraudulent practice.

It is understood that if this declaration is found to be false in any particular, Oil India Limited shall have the right to reject my/our bid, and if the bid has resulted in a contract, the contract is liable to be terminated without prejudice to any other right or remedy (include blacklisting or holiday listing) available to Oil India Limited.

For and on behalf of \_\_\_\_\_  
Authorized signatory \_\_\_\_\_  
Name \_\_\_\_\_  
Designation \_\_\_\_\_  
Contact No. \_\_\_\_\_

## **PROFORMA – H**

### **FORMAT FOR PERFORMANCE BANK GUARANTEE**

To,  
**GENERAL MANAGER – MATERIALS (HOD)**  
**OIL INDIA LIMITED, MATERIALS DEPARTMENT,**  
**DULIAJAN, ASSAM, INDIA, PIN – 786602**

WHEREAS.....(Name and address of Contractor)  
(hereinafter called "Contractor") had undertaken, in pursuance of Contract No..... to  
execute (Name of Contract and Brief Description of the Work) .....  
(hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we ( May incorporate the Bank Name) have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures)..... (in words .....), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or arguments, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the .....day of.....

The details of the Issuing Bank and Controlling Bank are as under:

- A. Issuing Bank:  
BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO:  
IFSC CODE OF THE BANK:
- B. Controlling Office:  
Address of the Controlling Office of the BG issuing Bank:  
Name of the Contract Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

- (a) Our liability under this Bank Guarantee shall be restricted up to Rs.....
- (b) This guarantee shall be valid till .....
- (c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before .....(Date of Expiry of BG PLUS one year claim period).
- (d) At the end of the claim period that is on or after.....(Date of expiry of.....the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS.....  
Designation:.....  
Name of the Bank:.....  
Address:.....

**UNDERTAKING BY VENDOR ON SUBMISSION OF BANK GUARANTEE**

To,

Oil India Limited,  
Materials Department,  
Duliajan, Assam - 786602

We, M/s..... are submitting the Bid Security/Performance Security (strike out whichever not applicable) in favour of Oil India Limited, Duliajan in the form of bank guarantee bearing Reference No.....for an amount of INR.....valid up to ..... as per terms and conditions of Tender / Contract No.....

**BG issuing bank details:**

|                                                     |                                        |
|-----------------------------------------------------|----------------------------------------|
| Bank:                                               |                                        |
| Branch:                                             |                                        |
| IFS Code:                                           |                                        |
| <b>Contact Details</b><br>E-mail Addresses:         | Mobile No.: Telephone<br>No.: Fax No.: |
| <b>Correspondence Address</b><br>H No./Street/City: | State: Country:<br>Pin Code:           |

**Declaration:**

We have arranged to send the confirmation of issuance of the bank guarantee via SFMS portal through our bank using the details mentioned in the tender and hereby confirming the correctness of the details mentioned.

Authorized Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Vendor Code: \_\_\_\_\_

Email ID: \_\_\_\_\_

Mobile No.: \_\_\_\_\_

Enclosure: Original bank guarantee

## **PROFORMA - I**

### **BID SECURITY FORM**

To:  
M/s. OIL INDIA LIMITED,  
MATERIALS DEPARTMENT

Whereas.....(hereinafter called 'the Bidder') has submitted their Bid No. .... dated..... against OIL INDIA LIMITED, DULIAJAN, ASSAM, INDIA (hereinafter called the Purchaser) 's Tender No. ....for the supply of ..... (hereinafter called 'the Bid')KNOW ALL MEN by these presents.

That we .....of .....having our registered office at ..... (hereinafter called 'the Bank') are bound unto the Purchaser, in the sum of ..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.

Sealed with the said Bank this .....day of .....

THE CONDITIONS of this obligation are:

1. If the Bidder withdraws their Bid during the period of Bid validity specified by the Bidder,  
or
2. If the Bidder, having been notified of the acceptance of their bid by the Purchaser during the period of bid validity:
  - a) fails or refuses to accept the order; or
  - b) fails or refuses to furnish the performance securityor
3. If the Bidder furnishes fraudulent document/information in their bid.

We undertake to pay to the Purchaser up to the above amount upon receipt of their first written demand (by way of letter /fax/Email) without the Purchaser having to substantiate their demand, provided that in their demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of any of the conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including ..... (Bidder to indicate specific date as mentioned in the tender), and any demand in respect thereof should reach the Bank not later than the above date.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO.:  
IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:  
Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

- a) Our liability under this Bank Guarantee shall be restricted up to Rs .....
- b) This guarantee shall be valid till .....
- c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before ..... (Date of Expiry of BG PLUS one year claim period).
- d) At the end of the claim period that is on or after ..... (Date of expiry of the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS .....

Designation: .....

Name of Bank: .....

Address: .....

Date: .....

Place: .....

**PROFORMA - J**

**FORMAT OF UNDERTAKING BY BIDDERS TOWARDS SUBMISSION  
OF AUTHENTIC INFORMATION/DOCUMENTS**

(To be typed on the letter head of the bidder)

Ref. No \_\_\_\_\_

Date \_\_\_\_\_

To,

**General Manager (Materials)  
Materials Department  
Oil India Limited, Duliajan**

**Sub: Undertaking of authenticity of information/documents submitted**

**Ref: Your tender No. \_\_\_\_\_ Dated \_\_\_\_\_**

Sir,

With reference to our quotation no. .... dated..... against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our EMD and/or PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,  
For (type name of the firm here)

Signature of Authorised Signatory

Name:  
Designation:  
Phone No.  
Place:  
Date:

(Affix Seal of the Organization here, if applicable)

**PROFORMA – K**

**LETTER OF AUTHORITY**

TO,

**GM- MATERIALS  
MATERIALS DEPARTMENT  
P.O. DULIAJAN, PIN-786602  
DIST. DIBRUGARH, ASSAM, INDIA**

Dear Sir,

Sub: OIL's Tender No. \_\_\_\_\_

We \_\_\_\_\_ of \_\_\_\_\_  
confirm that Mr. \_\_\_\_\_ (Name and address) is  
authorised to represent us to Bid, negotiate and conclude the agreement on our behalf with you against OIL's  
Tender No. \_\_\_\_\_ for any commercial /Legal purpose etc.

We confirm that we shall be bound by all and whatsoever our said representative shall commit.

Authorised Person's Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Yours faithfully,

Signature: \_\_\_\_\_

Name & Designation: \_\_\_\_\_

For & on behalf of: \_\_\_\_\_

**Note:** *This letter of authority shall be on printed letter head of the Bidder and shall be signed by a person competent and having the power of attorney (power of attorney shall be annexed) to bind such Bidder.*

**PROFORMA – L**

**UNDERTAKING FOR BIDDERS FINANCIAL STANDING**

**TO,  
GM- MATERIALS  
MATERIALS DEPARTMENT  
P.O. DULIAJAN, PIN-786602  
DIST. DIBRUGARH, ASSAM, INDIA**

Dear Sir,

Sub: OIL's Tender No. \_\_\_\_\_

We, \_\_\_\_\_ (Name of the bidder) have submitted Bid against Tender No. \_\_\_\_\_ dated \_\_\_\_\_ of Oil India Limited. We hereby undertake that we are not under liquidation, court receivership or similar proceedings and we are not bankrupt.

For and on behalf of \_\_\_\_\_  
Authorized signatory \_\_\_\_\_  
Name \_\_\_\_\_  
Designation \_\_\_\_\_  
Contact No. \_\_\_\_\_

## **PROFORMA – M**

### **EXCEPTION / DEVIATION PROFORMA**

Oil India Limited expects the bidders to fully accept the terms and conditions of the bidding documents. However, should the bidder experience some exception and deviations to the terms of the bidding documents, the same should be indicated here and put in unpriced bid. In order to be considered responsive, Bidder's offer must specifically include the following statement:

(a) We certify that our offer complies with all NIT requirements and specifications without any deviations.

Or

(b) We certify that our offer complies with all NIT requirements and specifications with the following deviations:

| Clause No. of Bidding Document | Full compliance/ not agreed | Exception/ deviations taken by the Bidders | Remarks |
|--------------------------------|-----------------------------|--------------------------------------------|---------|
|                                |                             |                                            |         |
|                                |                             |                                            |         |

**Signature of the Bidder:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Seal of the company**

**PROFORMA – N**

**PROFORMA OF AUTHORISATION LETTER FOR ATTENDING TENDER OPENING**

Ref No.

Date:

**TO,  
GM- MATERIALS  
MATERIALS DEPARTMENT  
P.O. DULIAJAN, PIN-786602  
DIST. DIBRUGARH, ASSAM, INDIA**

Dear Sir,

Sub: OIL's Tender No. \_\_\_\_\_

I/We \_\_\_\_\_ confirm that Mr. \_\_\_\_\_ (Name and address) is  
authorized to represent us during bid opening on our behalf against Tender No. \_\_\_\_\_

Yours Faithfully,

Authorised Person's Signature: \_\_\_\_\_  
Name: \_\_\_\_\_  
Signature of Bidder: \_\_\_\_\_  
Name: \_\_\_\_\_  
Date: \_\_\_\_\_

**Note:** *This letter of authority shall be on printed letter head of the Bidder and shall be signed by a person who signs the bid.*

## ANNEXURE – IV

### BID EVALUATION MATRIX (TECHNICAL) (TO BE FILLED IN BY BIDDER DULY SIGNED)

| TECHNICAL SPECIFICATIONS |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                           |                                                                                                                                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Clause No.               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | BIDDER'S RESPONSE<br>(Complied / Not Complied/Deviation / Not Applicable) | TO BE FILLED BY THE BIDDER<br><br>Relevant Location of their Bid to support the remarks/compliance<br><br>(Reference of Document name / Serial number / Page number of bid for documentary evidence) |
| 1.0                      | <b><u>SPECIFICATIONS:</u></b><br>Heavy Weight Drill Pipe (HWDP), Non-Integral type, i.e. welded type by friction/inertia welding with pipe body (tubes) manufactured from normalized steel of AISI 1340 grade or equivalent and tool joints manufactured from AISI 4145H high purity steel, fully heat treated to 285-341 Brinell hardness and all other physical properties confirming to API Spec. 7-1 and its addendum having the undernoted specifications.                |                                                                           |                                                                                                                                                                                                      |
| A                        | <b><u>PIPE BODY</u></b><br>OD: 5" (127 mm)<br>ID: 3" (76.2 mm)<br>Weight (including tool joints): 49 to 51.1 Lbs /ft (72.91 - 76.04518 kg/m)<br>Overall length (Including tool joints): 31 ft (9.45m) +/- 6 inch.                                                                                                                                                                                                                                                              |                                                                           |                                                                                                                                                                                                      |
| B                        | <b><u>TOOL JOINTS (BOX UP x PIN DOWN)</u></b><br>OD: 6.5/8" (168.27 mm)<br>ID: 3" (76.2 mm)<br>Box length: 21" (533.4 mm) minimum<br>Pin length: 27" (685.80 mm) minimum<br>Connection: 4.1/2" (114.3 mm) API IF RH (NC-50)<br>Box Tool joint type: 18 Degree Taper shoulder                                                                                                                                                                                                   |                                                                           |                                                                                                                                                                                                      |
| C                        | <b>Heavy weight drill pipe should have the following feature on the tool joints (box up x pin down):</b>                                                                                                                                                                                                                                                                                                                                                                       |                                                                           |                                                                                                                                                                                                      |
|                          | <ul style="list-style-type: none"> <li>a) API stress relief groove on pin end.</li> <li>b) API bore back box.</li> <li>c) All connections should be kemplated and phosphatised.</li> <li>d) All thread roots should be cold rolled.</li> <li>e) All joints should be coated with API lubricant and provided with pressed steel thread protectors or cast steel thread protectors with lifting bails at both ends. Bidder to confirm the type of offered protectors.</li> </ul> |                                                                           |                                                                                                                                                                                                      |
| D                        | <b><u>CENTRAL UPSET/ WEAR PAD:</u></b><br>OD: 5.1/2" (139.7 mm)<br>Length: 24" (609.6 mm) minimum                                                                                                                                                                                                                                                                                                                                                                              |                                                                           |                                                                                                                                                                                                      |

|              |                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <b>E</b>     | <b><u>HARD BANDING (With ARNCO 200XT or 100XT)</u></b><br>1 (one) 4" wear pad on both pin & box.<br>1 (one) 1" pad on taper section of box.<br>2 (two) 3" wear pads on central upsets (at both ends).<br>The hard banding should be completely flush on both tool joints and 1/8" oversize on central upset.                                                                                     |  |  |
| <b>F</b>     | <b><u>INTERNAL PLASTIC COATING</u></b><br>The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207.                                                                                                                                                                                                                                        |  |  |
| <b>2.0</b>   | <b>GENERAL NOTES</b>                                                                                                                                                                                                                                                                                                                                                                             |  |  |
| <b>1</b>     | All thread connections and other physical properties should conform to API Spec 7-1 & subsequent Addendum. Bidder should forward copies of relevant valid API Spec. certificate along with the quotation for last 5(five) years prior to date of opening of techno-commercial bid.                                                                                                               |  |  |
| <b>2</b>     | Bidder to forward relevant catalogue, literature, drawing etc. of the offered items along with the quotation in English language (US & UK).                                                                                                                                                                                                                                                      |  |  |
| <b>3</b>     | Tolerance (in length) per joint i.e. $\pm 6"$ is acceptable to us.                                                                                                                                                                                                                                                                                                                               |  |  |
| <b>4</b>     | Bidder should indicate the name of manufacturer, country of origin, place of dispatch of the materials and their best delivery schedule.                                                                                                                                                                                                                                                         |  |  |
| <b>5</b>     | Bidder should note that in the event of an order that the API licenses for manufacturing the Heavy Weight Drill Pipe (HWDP) along with authorization for API monogramming should be valid, without any break, till execution of purchase order. Valid relevant API certificate to be submitted along with the supply. Bidder should categorically confirm compliance while quoting.              |  |  |
| <b>3.0</b>   | <b>SPECIAL NOTES</b>                                                                                                                                                                                                                                                                                                                                                                             |  |  |
| <b>3.1</b>   | <b>SPECIFICATIONS</b>                                                                                                                                                                                                                                                                                                                                                                            |  |  |
| <b>3.1.1</b> | Heavy Weight Drill Pipe [HWDP] shall be new and unused.                                                                                                                                                                                                                                                                                                                                          |  |  |
| <b>3.1.2</b> | All thread connections must conform to API Spec. 7-1 latest edition.                                                                                                                                                                                                                                                                                                                             |  |  |
| <b>3.1.3</b> | External coating on HWDP is to be as per relevant API specification. HWDP should be adequately oiled to withstand sea voyage/transportation. The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207 or PIPECLAD® PFG70002 Plus HXR0015 of Sherwin Williams internal coating.                                                             |  |  |
| <b>3.1.4</b> | Bidder to submit certificate of IPC (Internal Plastic Coating) along with the inspection report. Bidder to categorically confirm compliance of the same in their techno-commercial offer.                                                                                                                                                                                                        |  |  |
| <b>3.1.5</b> | HWDP shall be supplied with pressed steel thread protectors or cast steel thread protectors with lifting bails at both ends.                                                                                                                                                                                                                                                                     |  |  |
| <b>3.1.6</b> | Supply houses/stockist must submit a certificate of authority from the manufacturing mill along with the quotation indicating clearly their technical qualification for the offer.                                                                                                                                                                                                               |  |  |
| <b>3.1.7</b> | The offer must contain detailed description of the materials giving details of size, weight, wall thickness and Steel grade for Tool Joint & Body, length, type of tool joints and should be complete with relevant technical catalogues, literature, drawing etc. in English language (US & UK) and other performance properties. Insufficient description will lead to rejection of the offer. |  |  |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 3.1.8 | Bidders should confirm each & every point clearly. Deviations, if any, should be highlighted in the quotation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| 3.2   | <b>INSPECTION, TESTS, MARKING &amp; CERTIFICATION:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |
| 3.2.1 | Heavy Weight Drill Pipes are to be Manufactured, Sampled, Tested, Inspected, Marked and Certified in conformance with API Spec 7-1 and its addendum.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
| 3.2.2 | 'OIL' logo/ mark shall be die-stamped or paint stencilled on both ends of each joint within a distance of 1 (one) metre from the ends.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |
| 3.2.3 | The purchase order number and length of drill pipes in metres must be stencilled on each length of HWDP.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
| 3.2.4 | Heavy Weight Drill Pipes must bear API Monogram. Bidder(s) should confirm the same while quoting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |
| 3.2.5 | Mill Inspection & Test certificates are to be provided with the supply in the event of order. Bidder(s) should confirm the same while quoting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| 3.2.6 | A certificate of compliance stating that the Heavy Weight Drill Pipes are Manufactured, Sampled, Tested, Inspected and Marked in accordance with API 7-1, is to be furnished with the supply. Bidder(s) should confirm the same while quoting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| 3.3   | <b>THIRD PARTY INSPECTION</b><br>Heavy Weight Drill Pipes are to be inspected by any one of following OIL approved Third-party inspection agencies. <b>The bidder has to arrange and bear for the Third Party Inspection at manufacturer's plant as per the broad scope of work mentioned herein.</b> Third Party Inspection Report shall be submitted along with the Dispatch document. <b><u>Bidder to include the Third Party Inspection charges in their quoted price.</u></b><br><br>(i) M/s Lloyds<br>(ii) M/s Bureau Veritas<br>(iii) M/s Rites<br>(iv) M/s IRCLASS System and Solutions Private Limited<br>(v) M/s Tuboscope Vetco<br>(vi) M/s DNV MES India Private Limited                                                                                                                                                                              |  |  |
| 3.3.1 | Inspection by the independent third party nominated by OIL shall cover the following for all HWDP:<br><br>(I) Material identification.<br>(II) Stage Inspection on random visit basis during manufacturing.<br>(III) Audit and endorsement or verification of certificates of all chemical analysis and physical test reports.<br>(IV) Witness dimensional checks.<br>(V) Witness/ verification of certificate of mechanical test.<br>(VI) Witness/ verification of certificate of NDT/ NDE as per API Spec 7-1.<br>(VII) Visual inspection for imperfections.<br>(VIII) Witness/ verification of certificate of Longitudinal defect identification.<br>(IX) Witness/ verification of certificate of Transverse defects identification.<br>(X) Wall thickness measurement.<br>(XI) Joint inspection.<br>(XII) Thread inspection.<br>(XIII) Issue of certificates. |  |  |

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <b>3.3.2</b> | <b>Scope of Third Party Inspection:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
| <b>(i)</b>   | APPLICABLE API STANDARD: API Spec. 7-1 and its addendum                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
| <b>(ii)</b>  | <u>Broad scope of third party inspection to be as under:</u><br><br>a) Stage Inspection at random visit basis during manufacturing.<br>b) Kind of inspection: Review of documents, Visual inspection and as per serial number 3.3.1.<br>c) Release of inspection note by inspection agency to the manufacturer who will submit the same to Oil India Limited along with dispatch documents.                                                                                                          |  |  |
| <b>(iii)</b> | <u>Review of documents to include:</u><br><br>a) Manufacturers QA Plan and API qualification certificate.<br>b) General Assembly drawing.<br>c) Production Record.<br>d) Raw Materials and Components Certificate and Test Report (Chemical, Physical, Heat Treatment and NDT)<br>e) Product Inspection report.                                                                                                                                                                                      |  |  |
| <b>(iv)</b>  | <u>Visual inspection to include:</u><br><br>a) Overall Visual and Dimensional Inspection.<br>b) Verify the material and components are brand new and recently manufactured.<br>c) Verify that the item is in accordance with the PO specification and API monogrammed.<br>d) Witness final testing / performance testing as per API Spec. 7-1 certification, its addendum and submission of the records.                                                                                             |  |  |
| <b>3.4</b>   | <b>WARRANTY:</b><br>The supplier shall warrant that all HWDP to be supplied in event of an order shall be free from all defects and faults in materials, workmanship and manufacture and shall be in full conformity with the specified API standards. This clause shall be valid for 18 months from date of shipment or 12 months from date of receipt of the items, whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense. |  |  |

### CHECKLIST

|            |                                                                                                                                                                      |  |  |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <b>1.0</b> | Whether quoted as manufacturer?                                                                                                                                      |  |  |
| <b>2.0</b> | Whether quoted as OEM Dealer/Supply House?                                                                                                                           |  |  |
| <b>3.0</b> | If quoted as OEM Dealer/Supply House -                                                                                                                               |  |  |
|            | a) Whether submitted valid and proper authorization letter from manufacturer confirming that bidder is their authorized Dealer/supply House for the product offered? |  |  |
|            | (b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted?                                                                                         |  |  |
| <b>4.0</b> | Whether agreed to the tender warranty clause of the tender?                                                                                                          |  |  |
| <b>5.0</b> | Whether submitted <b>EMD/Bid Security within the bid closing date</b> as per tender requirement?                                                                     |  |  |
| <b>6.0</b> | Whether quoted a firm delivery period as per the tender requirement?                                                                                                 |  |  |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <b>7.0</b>  | Whether confirmed to submit PBG as asked for in tender?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
| <b>8.0</b>  | Whether confirmed Bid Validity as per the tender requirement?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| <b>9.0</b>  | Whether confirmed Payment Terms as per the tender?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |
| <b>10.0</b> | Whether quoted as MSE unit? If yes, whether necessary document submitted?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
| <b>11.0</b> | Whether submitted Integrity Pact duly signed and sealed as per <b>PROFORMA – D?</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
| <b>12.0</b> | <p>Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Bidders are requested to take note of the office memorandum and submit their offers accordingly, wherever applicable.</p> <p>In this regard, bidders must submit duly sealed &amp; signed undertaking as per format provided vide, <b>PROFORMA – F(I), F(II) &amp; F(III)</b> along with the technical bid. Whether uploaded along with the bid?</p> |  |  |
| <b>13.0</b> | Whether indicated the country of origin for the items quoted? Please mention the “Country of origin” under Remarks here.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |
| <b>14.0</b> | Whether submitted format of undertaking by bidders towards submission of authentic information/ documents as per <b>PROFORMA - J</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |
| <b>15.0</b> | Whether requisite Affidavit (Form – 1) as per DMI&SP submitted? ( <i>Refer Annexure – VI</i> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
| <b>16.0</b> | <b>Whether copy of the SFMS message for Bid Security/ EMD as sent by the issuing bank branch submitted along with the original bank guarantee?</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |

\*\*\*\*\*

## ANNEXURE – V

### BID EVALUATION MATRIX (BID REJECTION CRITERIA) (TO BE FILLED IN BY BIDDER DULY SIGNED)

#### BID EVALUATION CRITERIA

| Clause Number | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | BIDDER'S RESPONSE<br>(Complied / Not Complied / Deviation/Not Applicable) | TO BE FILLED BY THE BIDDER<br><br>Relevant Location of their Bid to support the remarks / compliance<br><br>(Reference of Document name / Serial number / Page number of bid for documentary evidence) |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A.1</b>    | <b>BRC - TECHNICAL</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                           |                                                                                                                                                                                                        |
| <b>1.0</b>    | The outside & inside diameter of 5" Heavy weight drill pipe (HWDP) must be 127 mm (5") and 76.2 mm (3") respectively.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                           |                                                                                                                                                                                                        |
| <b>2.0</b>    | Heavy weight drill pipe should have API stress relief groove on pin end, API bore back box, all connections should be kemplated&phosphatised and all thread roots should be cold rolled.                                                                                                                                                                                                                                                                                                                                                                                      |                                                                           |                                                                                                                                                                                                        |
| <b>3.0</b>    | The Heavy weight drill pipe should be internally coated full length with TK-34P or DPC of Tuboscope or IPC-207 or PIPECLAD® PFG70002 Plus HXR0015 of Sherwin Williams internal coating.                                                                                                                                                                                                                                                                                                                                                                                       |                                                                           |                                                                                                                                                                                                        |
| <b>4.0</b>    | The construction of the HWDP should be friction / inertia welded type.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                           |                                                                                                                                                                                                        |
| <b>5.0</b>    | <b>EXPERIENCE CRITERIA:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                           |                                                                                                                                                                                                        |
| <b>A</b>      | <b>IN CASE THE BIDDER IS A MANUFATURER:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                           |                                                                                                                                                                                                        |
|               | In case the <b>bidder is a manufacturer</b> of the offered items, they should satisfy the following along withdocumentary evidence, which should be enclosed along with the techno commercial bid.                                                                                                                                                                                                                                                                                                                                                                            |                                                                           |                                                                                                                                                                                                        |
| <b>A.1</b>    | The bidder should have minimum 5(five) years continuous experience of manufacturing of tendered or higher sizes of HWDP conforming to <b>API spec. 7-1</b> and its addendum. For this purpose, the period reckoned shall be period prior to the date of original bid closing date of the tender. Copies of API 7-1 certificates for the last 5 (Five) years ( <i>i.e. continuous without having any break in between</i> ) must be submitted along with techno- commercial bid. Bids without copies of valid API 7-1 certificate or with a break in between will be rejected. |                                                                           |                                                                                                                                                                                                        |
| <b>A.2</b>    | The bidder should have manufactured and supplied HWDP under API 7-1 certification to any E&P companies/Drilling Contractors/Drilling service providers <b>in the last 10 (Ten) years</b> as on original bid closing date of the tender ( <i>either by themselves or through their sole selling agent/distributor/ dealer/supply house</i> ). Quantity and nature of such past supply experiences must comply to the following:<br><br><b>The bidder should have manufactured and supplied at least 25 Joints of HWDP of size 5.0" O.D. or higher in a single order.</b>       |                                                                           |                                                                                                                                                                                                        |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| A.2.1 | <p>Documentary evidence in respect of manufacturing and supplying the above-mentioned item should be submitted with the technical bid, in the form of copies of relevant Purchase Orders along with copies of any or combination of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:</p> <ul style="list-style-type: none"> <li>(i) Signed and sealed Satisfactory supply / completion report (<i>in original on user's letter head</i>) (OR)</li> <li>(ii) Bill of Lading (OR)</li> <li>(iii) Consignee delivery receipt / challan (OR)</li> <li>(iv) Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/VAT/GST (OR)</li> <li>(v) Commercial Invoice / Payment Invoice</li> </ul> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>a) The Purchase Order date need not be within 10 (Ten) years preceding original bid closing date of this tender. However, the execution of supply should be within 10 (Ten) years preceding original bid closing date of this tender.</li> <li>b) Satisfactory supply/completion report should be issued on company's letterhead with signature and stamp.</li> <li>c) If the bidder is a manufacturer and supplied HWDP of size 5.0" O.D. or above <b>to OIL in the last 10(ten) years</b> as on original bid closing date (either by themselves or through their sole selling agent/distributor/ dealer/supply house) and whose past performance has been satisfactory, the bidder need not satisfy Clause A.2. In such a case, the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid.</li> <li>d) Bidders showing supply experience towards supply to its sister concern/subsidiaries shall not be considered as experience for the purpose of meeting BRC.</li> <li>e) In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.</li> <li>f) Against all supporting documents submitted by the bidder alongwith the technical bid, originals are to be kept ready and to be produced for verification of OIL, if called for.</li> </ul> |  |  |
| A.2.2 | <p>In case, for supplementing manufacturer's supply experience criteria (A.2), the manufacturer submits Purchase Order(s) and relevant documents which is through their sole selling agent/distributor/dealer/ supply house, then following additional documents are also to be submitted:</p> <ul style="list-style-type: none"> <li>a) Copies of signed Purchase Order(s) / Contract agreement(s) between the manufacturer and the sole selling agent/distributor/dealer/supply house and copies of any of the following documents in respect of satisfactory execution of each of those Purchase Order(s) / Contract agreement(s).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|              | i) Bill of Lading (OR)<br>ii) Commercial Invoice / Payment of Invoice of the OEM (OR)<br>iii) Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/VAT/GST.                                                                                                                                                                                                                                                                                                                   |  |  |
| <b>A.3</b>   | The bidder shall confirm that the equipment/products will be tested and certified as per API 7-1 and its addendum.                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
| <b>A.4</b>   | The bidder must keep API licenses along with authorization for API monogram valid till execution of purchase order and must confirm that the offered product will be supplied with API Monogram.                                                                                                                                                                                                                                                                                                            |  |  |
| <b>A.5</b>   | In case renewal process of API license is in progress at the time of bidding, the manufacturer should furnish a letter from API to this effect that renewal of the license is under examination with API and is authorized to manufacture the items as per API license and to use API monogram till the renewal for license is issued. The bidder shall also submit an undertaking that delay in renewal of API certificate shall not affect the stipulated delivery schedule of the tender/purchase order. |  |  |
| <b>B.</b>    | <b>IN CASE THE BIDDER IS NOT A MANUFACTURER</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |
|              | If the <b>bidder is a sole selling agent/distributor/dealer/supply house</b> of any manufacturer, then bidder must furnish the following documents along with the technical bid failing which the bids will be rejected:                                                                                                                                                                                                                                                                                    |  |  |
| <b>B.1</b>   | Authorization certificate from the manufacturer ( <i>in original on manufacturer's letter head</i> ) should be submitted along with the technical bid. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order.                                                                                                                                                                                                                     |  |  |
| <b>B.2</b>   | Undertaking from the manufacturer ( <i>in original on manufacturer's letter head</i> ) guaranteeing supply of items to the bidder in the event of an order on the bidder. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order.                                                                                                                                                                                                  |  |  |
| <b>B.3</b>   | Warranty backup from the manufacturer in original on manufacturer's letter head against the quality of the tendered item(s) as specified in the tender.                                                                                                                                                                                                                                                                                                                                                     |  |  |
| <b>B.4</b>   | Copies of valid API Spec 7-1 certificate of the OEM of their quoted product in line with para A.1 above.                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| <b>B.5</b>   | Documentary evidence in respect of manufacturing and supply experience as specified under para A.1 & A.2 from the concerned <i>manufacturer (having supplied such items either by manufacturer themselves or through their sole selling agent/distributor/dealer/supply house)</i> along with the techno-commercial bid.                                                                                                                                                                                    |  |  |
| <b>B.6</b>   | <p>The bidder should have their own supply experience of supplying HWDP under API 7-1 certification to any E&amp;P companies/Drilling Contractors/Drilling service providers <b>in the last 10 (Ten) years</b> as on original bid closing date of the tender. Quantity and nature of such past supply experience must be as under:</p> <p><b>The bidder should have supplied at least 25 Joints of HWDP of size 5.0" O.D. or higher in a single order.</b></p>                                              |  |  |
| <b>B.6.1</b> | Documentary evidence in respect of supplying the above-mentioned item should be submitted with the technical bid, in the form of copies of relevant Purchase Orders along with copies of any or combination of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:                                                                                                                                                       |  |  |

- i) Signed and sealed Satisfactory supply / completion report (in original on user's letter head) (OR)
- ii) Bill of Lading (OR)
- iii) Consignee delivery receipt / challan (OR)
- iv) Central Excise Gate Pass / Tax Invoice issued under relevant rules of Central Excise / Vat / GST (OR)
- v) Commercial Invoice / Payment Invoice

**Note:**

- a) The Purchase Order date need not be within 10 (Ten) years preceding original bid closing date of this tender. However, the execution of supply should be within 10 (Ten) years preceding original bid closing date of this tender.
- b) Satisfactory supply/completion report should be issued on company's letterhead with signature and stamp.
- c) If the bidder is sole selling agent/distributor/dealer/supply house of any manufacturer and have successfully supplied HWDP of size 5" or above **to OIL in the last 10(Ten) years** preceding the original bid closing date and whose past performance has been satisfactory, the bidder need not satisfy Clause B.6. In such case, the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid. **However, this exemption shall be applicable only if the bidder has declared in the bid that they will be supplying the tendered item from the same manufacturer as per the last order supply by them to OIL.**
- d) Bidder showing supply experience towards supply to their sister concern/ subsidiaries shall not be considered as experience for the purpose of meeting BRC.
- e) In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.
- f) Against all supporting documents submitted by the bidder alongwith the technical bid, originals are be kept ready and to be produced for verification of OIL, if called for.

**B.6.2**

In case the bidder submits the same Purchase Order(s) and relevant documents for supplementing the supply experience for both itself and the OEM, then the following additional documents are also to be submitted for supplementing the execution of supply from the OEM to the bidder as indicated in the submitted Purchase Order (s) failing which the bid will be rejected:

- a) Copies of Purchase Order / Contract between the Bidder and the OEM and any of the following documents:
  - i) Commercial Invoice / Payment invoice of the OEM (OR)
  - ii) Bill of Lading (OR)

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|     | iii) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central Excise /VAT.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |
| B.7 | The sole selling agent/distributor/dealer/supply house of any Original Equipment manufacturers should quote for the supply of 5 inch diameter HWDP from those manufacturers who also meet the criteria as mentioned at clauses A.3, A.4 & A.5 above. The bidder is required to submit documentary evidence in respect of the above from the concerned manufacturer along with the techno-commercial bid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |
| 6.0 | <p><b><u>DELIVERY PERIOD:</u> Delivery must be completed within 210 days from the date of issue of Purchase order. The date of receipt of materials at site shall be considered as the date of delivery.</b></p> <p>Bids submitted by Bidders quoting delivery period more than the abovementioned duration shall not be accepted. Bidders must categorically confirm the delivery period in their Technical Bid.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| A.2 | <b>BRC - FINANCIAL:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
| 1.0 | <p>The bidder must have an annual financial turnover from Operations of minimum <b>INR 1,36,76,663.42</b> during any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender Audited Annual Reports.</p> <p><i>[Annual Financial Turnover of the bidder from Operations shall mean - "Aggregate value of the realization of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91). ]</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
| 2.0 | <p>"Net Worth" of the bidder must be positive for the financial/accounting year just preceding to the original Bid Closing Date of the Tender.</p> <p><i>[Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium - Aggregate value of accumulated losses (excluding revaluation reserves) - deferred expenditure - Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation"]</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |
| 3.0 | <p>Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial/accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an affidavit/ undertaking (<b>PROFORMA - A</b>) certifying that 'the balance sheet/Financial Statements for the financial year (as applicable) has actually not been audited so far'.</p> <p><b>Note:</b></p> <p>a) For proof of Annual Turnover &amp; Net worth any one of the following document must be submitted along with the technical bid:-</p> |  |  |

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|            | <p>i) A certificate issued by a practicing Chartered Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual Turnover &amp; Net worth as per format prescribed in <b>(PROFORMA – B)</b></p> <p>OR</p> <p>ii) Audited Balance Sheet alongwith Profit &amp; Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable.</p> <p>b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.</p>                                                                                                                                   |  |  |
| 4.0        | In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |
| 5.0        | <p>In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ultimate parent/holding company, then following documents need to be submitted:</p> <p>(i) Turnover of the parent/ultimate parent/holding company should be in line with Para A.2 (1.0) above.</p> <p>(ii) Net Worth of the parent/ultimate parent/holding company should be positive in line with Para A.2 (2.0) above</p> <p>(iii) Corporate Guarantee <b>(PROFORMA - C)</b> on parent/ultimate parent/holding company's company letter head signed by an authorized official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them.</p> <p>(iv) Documents to substantiate that the bidder is as 100% subsidiary of the parent/ultimate parent/holding company.</p> |  |  |
| <b>A.3</b> | <b>BRC - COMMERCIAL</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |
|            | Bids are invited under <b>SINGLE STAGE TWO BID SYSTEM</b> . Bidders should upload Techno-Commercial Bid (Unpriced Bid) and Priced Bid separately at the designated fields assigned in GeM Portal. <b>Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid.</b> The "Unpriced Bid" shall contain all techno-commercial details except the prices/costs. Bidder not complying with above submission procedure will be rejected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |
|            | The prices/rates offered against the tender must remain firm through delivery and not subject to                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|  | variation on any account. A bid submitted with an adjustable price condition shall be treated as non-responsive and rejected. No discount whatsoever should be quoted separately. Rates/prices quoted must be net of all discounts.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
|  | Bids received in physical form shall be rejected <i>(except the documents specifically called for in hard copies, if any)</i> . Also, modifications to bids received after the bid closing date & time shall not be entertained.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |
|  | Bids containing incorrect/false/misleading statement(s) shall be rejected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |
|  | Validity of the bid shall be <b>minimum 90 days</b> from the date of actual Bid Closing Date. Bids with lesser validity shall be straightway rejected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |
|  | Bidders must confirm that goods/materials to be supplied against the order arising out of this tender shall be of recent make, unused, of the best quality & workmanship and free from defects. The Bidder must undertake to stand guaranteed for the materials as called for in the tender. Defective goods/materials rejected by OIL, whether the entire lot or part thereof, shall be replaced immediately by the supplier at the supplier's expenses at no extra cost to OIL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |
|  | Successful bidder will be required to furnish a Performance Bank Guarantee <b>@10%</b> of the order value. The Performance Security must be valid for a period as called for in the tender document. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
|  | Bids must be accompanied by Bid Security for the amount as mentioned in the tender document and shall be in the prescribed format ( <b>PROFORMA – G</b> ) if submitted in the form of Bank Guarantee (BG). Bid Security may also be paid through online payment mode. <b>Bid Security must be submitted within the scheduled Bid Closing date and time of the Tender.</b> The amount of Bid Security (EMD) must be strictly as specified in the tender document. <b><u>Bid Security if submitted in the form of BG/e-PBG must be valid at least for a period of 135 days from the date of original bid closing date of the tender.</u></b> Bid shall be rejected without further reference, if the Bid Security (EMD) is not received strictly as above, except where exempted. OIL will not assume any responsibility whatsoever for submission of deficient/faulty Bid Security or for delay/non-delivery of the same. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS) |  |  |
|  | Bid must be uploaded together with the Integrity Pact <i>(If applicable against the tender)</i> and the same must be duly signed digitally. If any bidder refuses to sign Integrity Pact or declined to submit Integrity Pact, their bid shall be rejected straightway. (Please refer Annexure – III: GENERAL NOTES TO BIDDERS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
|  | Bidders shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection:<br><br>i) Liquidated Damages<br>ii) Warranty/Guarantee of material<br>iii) Arbitration / Resolution of Dispute<br>iv) Force Majeure<br>v) Applicable Laws                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
|  | A bid shall be rejected straightway if it does not conform to any one of the following clauses:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |

- |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|  | <ul style="list-style-type: none"><li>a) Validity of bid shorter than the validity indicated in the Tender.</li><li>b) In case the party refuses to sign Integrity Pact.</li><li>c) Original Bid Security not received within the stipulated date &amp; time mentioned in the Tender.</li><li>d) Bid Security with (i) validity shorter than the validity indicated in Tender and/or (ii) Bid Security amount lesser than the amount indicated in the Tender</li></ul> |  |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|

\*\*\*\*\*

## MINISTRY OF STEEL

## NOTIFICATION

New Delhi, the 29th May, 2019

**G.S.R. 385(E).**—The revised Policy for providing preference to domestically manufactured Iron & Steel Products in Government procurement is hereby published for general information.

[F. No.3(2)/2018-IDD]

RASIKA CHAUBE, Addl. Secy.

**POLICY FOR PROVIDING PREFERENCE TO DOMESTICALLY MANUFACTURED IRON & STEEL PRODUCTS IN GOVERNMENT PROCUREMENT- REVISED, 2019**

**1 Background**

- 1.1 This policy provides preference to Domestically Manufactured Iron and Steel Products (DMI&SP) in Government procurement.
- 1.2 The policy is applicable to iron & steel products as provided in Appendix A and capital goods for manufacturing iron & steel products in Appendix B, produced in compliance to prescribed quality standards, as applicable.
- 1.3 The policy is applicable to every Ministry or Department of Government and all agencies/entities under their administrative control and to projects funded by these agencies for purchase of iron & steel products for government projects. However, this policy shall not apply for purchase of iron & steel products with a view to commercial resale or with a view to use in the production of goods for commercial sale.

**2 Definitions**

- 2.1 **Bidder** may be a domestic/ foreign manufacturer of iron & steel or their selling agents/ authorized distributors/ authorized dealers/ authorized supply houses or any other company engaged in the bidding of projects funded by Government agencies.
- 2.2 **Domestically Manufactured Iron & Steel Products (DMI&SP)** are those iron and steel products which are manufactured by entities that are registered and established in India, including in Special Economic Zones (SEZs). In addition, such products shall meet the criteria of domestic minimum value-addition as mentioned in Appendix A.
- 2.3 **Domestic Manufacturer** is a manufacturer of iron & steel products conforming to guidelines in section 7 and confirming to the definition of 'manufacturer' as per Central Excise Act.
- 2.4 **Government** for the purpose of the Policy means Government of India.
- 2.5 **Government agencies** include Government PSUs, Societies, Trusts and Statutory bodies set up by the Government.
- 2.6 **MoS** shall mean Ministry of Steel, Government of India.
- 2.7 **Net Selling Price** shall be the invoiced price excluding net domestic taxes and duties
- 2.8 **Semi-Finished Steel** shall mean Ingots, billet, blooms and slabs, which can be subsequently processed to finished steel.
- 2.9 **Finished Steel** shall mean Flat and Long products, which can be subsequently processed into manufactured items.
- 2.10 **L1** means the lowest tender or the lowest bid or the lowest quotation received in a tender, bidding process or other procurement solicitation as adjudged in the evaluation process as per the tender or other procurement solicitation.
- 2.11 **Margin of purchase preference** means the maximum extent to which the price quoted by a domestic supplier may be above L1 for the purpose of purchase preference. In case of DMI&SP policy, the margin of purchase preference shall be 20% for items in Appendix B.
- 2.12 **Iron & Steel Product(s)** shall mean such iron and steel product(s) which are mentioned in Appendix A.
- 2.13 **Domestic value addition** shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in percent. The 'domestic value addition' definition shall be in line with the DPIIT(formerly DIPP) guidelines, and shall be suitably amended in case of any changes by DPIIT in the future. For the purpose of this policy document, domestic value addition and local content have been used interchangeably.

**3 Exclusions**

- 3.1 Waivers shall be granted by the Ministry of Steel to all such Government procurements subject to the below conditions.
- 3.1.1 Where specific grades of steel are not manufactured in the country, or
- 3.1.2 Where the quantities as per the demand of the project cannot be met through domestic sources

The exclusion requests shall be submitted to the Standing Committee along with sufficient proof of unavailability of domestically manufactured iron & steel products

**4 Standing Committee**

A Standing Committee under the Ministry of Steel (MoS) to be chaired by the Secretary (Steel), shall be constituted to oversee the implementation of the policy. The Committee shall comprise of experts drawn from Industry / Industry Association / Government Institution or Body / Ministry of Steel (MoS). The said Committee in MoS shall have the mandate for the following:

- 4.1 Monitoring the implementation of the policy
- 4.2 Review and notify the list of Iron & Steel products and the domestic value addition requirement criteria as mentioned at Appendix A and Appendix B.
- 4.3 Issue necessary clarifications for implementation of the policy including grant of exclusions to procuring agencies as per section 3
- 4.4 Constitute a separate committee to carry out grievance redressal
- 4.5 The Standing Committee shall submit its recommendations for approval to Ministry of Steel.

**5 Notifying Iron & Steel Products Procured by Government**

- 5.1 The following guidelines may be used for identifying and notifying the aforementioned products under the policy:
- 5.1.1 The policy is applicable to iron & steel products as provided in Appendix A and to capital goods for manufacturing iron & steel products in Appendix B.
- 5.1.2 Appendix A contains list of iron & steel products which are to be exclusively domestically manufactured and cannot be imported without the approval of the Ministry of Steel
- 5.1.3 Appendix B contains a list (non-exhaustive) of capital goods for which purchase preference shall be provided to domestically manufactured capital goods, if their quoted price falls within 20% of the price quoted for corresponding imported capital good.
- 5.1.4 The objective of the policy is to notify all iron & steel products which are procured by Government Agencies for government projects and not with a view to commercial resale or with a view to use in the production of products for commercial sale.
- 5.1.5 The policy is applicable to all projects funded by Ministry or Department of Government and all agencies/entities under their administrative control for purchase of iron & steel products.
- 5.1.6 The policy shall be applicable to projects where the procurement value of iron and steel products is greater than Rs. 25 crores. The policy shall also be applicable for other procurement (non-project), where annual procurement value of iron and steel products for that Government organization is greater than Rs. 25 crores.
- 5.1.7 The policy is applicable to purchase of iron & steel products by private agencies for fulfilling an EPC contract and/or any other requirement of Ministry or Department of Government or their PSUs.
- 5.1.8 Analysis of the availability of various grades of domestic iron and steel products needs to precede for notification under the policy. Only those iron & steel products, in respect of which at least one domestic manufacturer exists, shall be notified. Consultation may be carried out by the Standing Committee.
- 5.1.9 The policy is applicable to capital goods for manufacturing iron & steel products in Appendix B produced in compliance to prescribed quality standards, as applicable.
- 5.1.10 Policy for domestic procurement of capital goods for manufacturing iron and steel products is applicable to all public sector steel manufacturers and all agencies/entities under their administrative control for purchase of capital goods for manufacturing iron & steel products, not with a view to commercial resale.
- 5.1.11 The policy is applicable to purchase of capital goods for manufacturing iron & steel products by private agencies for fulfilling an EPC contract and/or any other requirement of public sector steel manufacturers and all agencies/entities under their administrative control

- 5.1.12 Government agencies which are involved in procurement of iron and steel products, and capital goods for manufacturing of iron and steel products, in cases where the iron and steel products are not mentioned in Appendix A and Appendix B, shall provide description and technical specifications of the product along with prescribed standards to the Standing Committee. The Standing Committee will act as per mandate in section 3 and section 4.
- 5.2 The Ministry of Steel (MoS) would notify iron & steel products along with the minimum prescribed domestic value addition, furnished at Appendix A.
- 5.3 The policy guidelines on capital goods for manufacturing iron & steel products shall be applicable to public sector steel manufacturers for all purchases of capital goods for manufacturing iron & steel products in Appendix B, irrespective of the project size.
- 5.4 Minimum domestic value addition requirement suggested for iron and steel products in Appendix A, and for capital goods for manufacturing iron and steel products in Appendix B have been decided on the basis of factors such as domestic supplier base, number of suppliers and import to consumption ratio.
- 5.5 The domestic value addition requirement norm shall be so calibrated that it reflects the average/above average manufacturing capability of the domestic industry for the iron & steel products at a point of time. This shall be suitably reviewed by the Standing Committee from time to time and amended, if required with the approval of Ministry of Steel.

## **6 Tender procedure for procurement by government and government agencies**

- 6.1 The procuring/ Government agencies shall follow standard procurement procedures, in accordance with instructions of Ministry of Finance and CVC while adhering to DMI&SP. The policy shall come into effect from the date of its notification in all tenders where price bid have not been opened.
- 6.2 The tender document, for procurement of both Goods as well as for EPC contracts, should explicitly outline the qualification criteria for adherence to minimum prescribed domestic value addition by the bidder for iron and steel products and capital goods for manufacturing iron & steel products(as indicated in Appendix A and Appendix B)
- 6.3 In supporting the growth of domestic products, the target of domestic value addition in iron and steel business activities has been set as contained in **Appendix A and Appendix B**.
- 6.4 For iron and steel products in Appendix A, the procurement process shall be open only to the manufacturers / suppliers having the capability of meeting / exceeding the domestic value addition targets. Manufacturers / suppliers not meeting the domestic value addition targets are not eligible to participate in the bidding.
- 6.5 In case of Appendix B items, if in the opinion of the procuring company, the tenders (procured quantity) cannot be divided in the prescribed ratio of 50:50, then they shall have the right to award contract to the eligible domestic manufacturer for quantity not less than 50%, as may be divisible.
- 6.6 In continuation to the above clause, for Appendix B items, if the tendered item is non divisible, (to be included in the tender document by procuring company) the contract can be awarded to the eligible domestic manufacturer for the entire quantity.
- 6.7 In case of Appendix B items, if none of the eligible manufacturers meeting domestic value addition requirements match the L1 bid, the original bidder holding L1 bid shall secure the order for full value of procurement.
- 6.8 The bidders who are selling agents/ authorized distributors/ authorized dealers/ authorized supply houses of the domestic manufacturers of iron & steel products are eligible to bid on behalf of the domestic manufacturers under the policy. However, this shall be subject to the following conditions:
- 6.8.1 The bidder shall furnish the authorization certificate issued by the domestic manufacturer for selling domestically manufactured iron & steel products.
- 6.8.2 In case the procurement is covered under Appendix A of the DMI&SP policy, the bidder shall furnish the Affidavit of self-certification issued by the domestic manufacturer to the procuring agency declaring that the iron & steel products is domestically manufactured in terms of the domestic value addition prescribed.
- 6.8.3 In case the procurement is covered under Appendix B of the DMI&SP policy, the bidder shall furnish the certification issued by the statutory auditor to domestic manufacturer declaring that the capital goods to be used in Iron & Steel industry are domestically manufactured in terms of the domestic value addition prescribed.
- 6.8.4 It shall be the responsibility of the bidder to furnish other requisite documents required to be issued by the domestic manufacturer to the procuring agency as per the policy.

**7 Domestic value addition requirement**

- 7.1 Minimum domestic value addition requirement to qualify the product as a domestically manufactured iron & steel product or a Capital good are mentioned in Appendix A and B.
- 7.2 Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in per cent.
- 7.2.1 In case the iron & steel products are made using domestic input steel (semi-finished/ finished steel), invoices of purchases from the actual domestic producers along with quantities purchased and the other related documents must be furnished to the procuring Government agency.
- 7.2.2 In case the iron & steel products have imported input steel, the invoices of purchases from the actual producers along with quantities purchased and the other related documents must be furnished separately. To derive the extent of domestic value addition, the weighted average of both (imported & domestic) input steel shall be considered to ensure that the minimum stipulated domestic value addition requirement of the policy is complied with.
- 7.3 It is recommended that each bidder participating in the tender process should calculate the domestic value addition using the below formula below so as to ensure the domestic value addition claimed is consistent with the minimum stipulated domestic value addition requirement of the policy.

**For Iron and Steel products**

% Domestic value addition

$$= \frac{\text{Net selling price of final product} - \text{Landed cost of imported iron or steel at plant}}{\text{Net selling price of final product}} \times 100\%$$

**For Capital Goods**

% Domestic value addition

$$= \frac{\text{Net selling price of final product} - \text{Landed cost of imported input materials at plant}}{\text{Net selling price of final product}} \times 100\%$$

**8 Certification and audit**

- 8.1 For products in Appendix A, each domestic manufacturer shall furnish the Affidavit of self-certification to the procuring Government agency declaring that the iron & steel products are domestically manufactured in terms of the domestic value addition prescribed. For capital goods in Appendix B, the bidder shall furnish the certification issued by the statutory auditor to the domestic manufacturer declaring that the capital goods are domestically manufactured in terms of the domestic value addition prescribed. The bidders who are sole selling agents / authorized distributors / authorized dealers / authorized supply houses of the domestic manufacturers of iron & steel products are eligible to bid on behalf of domestic manufacturers under the policy. The bidder shall furnish the Affidavits of self-certification issued by the domestic manufacturers and the certifications issued by the statutory auditors, to the procuring agency declaring that the iron & steel products are domestically manufactured in terms of the domestic value addition prescribed. The Affidavit of self-certification shall be furnished in **Form 1** attached to these guidelines.
- 8.2 It shall be the responsibility of the domestic manufacturer to ensure that the products so claimed are domestically manufactured in terms of the domestic value addition prescribed for the product. The bidder shall also be required to provide a domestic value addition certificate on half-yearly basis (Sep 30 and Mar 31), duly certified by the Statutory Auditors of the domestic manufacturer, that the claims of domestic value addition made for the product during the preceding 6 months are in accordance with the Policy. Such certificate shall be filed within 60 days of commencement of each half year, to the concerned Government agencies and shall continue to be filed till the completion of supply of the said products.
- 8.3 The procuring agency shall accept the Affidavit of self-certification regarding domestic value addition in a steel product submitted by a bidder. It shall not normally be the responsibility of procuring agency to verify the correctness of the claim. The onus of demonstrating the correctness of the same shall be on the bidder when asked to do so.
- 8.4 In case a complaint is received by the procuring agency or the concerned Government Agency against the claim

of a bidder regarding domestic value addition in iron & steel products, the procuring agency shall have full rights to inspect and examine all the related documents and take a decision. In case any clarification is needed, matter may be referred to MoS with a request for technical assistance.

- 8.5 Any complaint referred to the Government Agency shall be disposed off within 4 weeks of the reference along with submission of all necessary documents. The bidder shall be required to furnish the necessary documentation in support of the domestic value addition claimed in iron & steel products to the Government Agency within 2 weeks of filing the complaint.
- 8.6 In case, the matter is referred to the Ministry of Steel, the grievance redressal committee setup under the MoS shall dispose of the complaint within 4 weeks of its reference and receipt of all documents from the bidder after taking in consideration, the view of the Government Agency. The bidder shall be required to furnish the necessary documentation in support of domestic value addition claimed in iron & steel products to the grievance redressal committee under MoS within 2 weeks of the reference of the matter. If no information is furnished by the bidder, the grievance redressal committee may take further necessary action, in consultation with Government Agency to establish bonafides of claim.
- 8.7 The cost of assessing the prescribed extent of domestic value addition shall be borne by the procuring agency if the domestic value addition is found to be correct as per the certificate. However, if it is found that the domestic value addition as claimed is incorrect, the cost of assessment will be payable by the bidder who has furnished an incorrect certificate. The manner of enforcing the same shall be defined in the tender document.

## 9 Sanctions

- 9.1 Each Government Agency shall clearly define the penalties, in case of wrong declaration by the bidder of the prescribed domestic value addition, in the tender document. The penalties may include forfeiting of the EMD, other financial penalties and blacklisting of such manufacturer/ service provider.
- 9.2 In case of reference of any complaint to MoS by the concerned bidder, there would be a complaint fee of Rs. 10 Lakh or 0.2 % of the value of the DMI&SP being procured (subject to a maximum of Rs. 20 Lakh), whichever is higher, to be paid by Demand Draft deposited with the grievance redressal committee under MoS along with the complaint by the complainant. In case, the complaint is found to be incorrect, the Government Agency reserves the right to forfeit the said amount. In case, the complaint is found to be substantially correct, deposited fee of the complainant would be refunded without any interest.

## 10 Implementation monitoring by Ministry of Steel

- 10.1 The policy provisions shall be applicable for a period of 5 years from the date of publication. The policy period may further be extended at the discretion of Ministry of Steel.
- 10.2 MoS shall be the nodal ministry to monitor the implementation of the policy.
- 10.3 All applicable agencies under DMI&SP policy shall ensure implementation of the policy and shall annually, in the month of June, send a declaration indicating the extent of compliance to the policy and reasons for noncompliance thereof, during the preceding financial year.

### Reference to Ministry of Steel

In case of a question whether an item being procured is a DMI&SP to be covered under the policy, the matter would be referred to the Ministry of Steel for clarification.

### Appendix A - Exclusive for domestically manufactured products

| Sl. No. | Indicative list of Iron & Steel Products                                                                                              | Applicable HS code | Minimum domestic value addition requirement |
|---------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------|
| 1       | Flat-rolled products of iron or non alloy steel, of a width of 600 mm or more, hot rolled, not clad, plated or coated                 | 7208               | 50%                                         |
| 2       | Flat-rolled products of iron or non alloy steel, of a width of 600 mm or more, cold rolled (cold-reduced), not clad, plated or coated | 7209               | 50%                                         |
| 3       | Flat-rolled products of iron or non alloy steel, of a width of 600 mm or more, clad, plated or coated                                 | 7210               | 50%                                         |

|    |                                                                                                                                                                                                                                                    |      |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 4  | Flat-rolled products of iron or non alloy steel, of a width of less than 600 mm, not clad, plated or coated                                                                                                                                        | 7211 | 35% |
| 5  | Flat-rolled products of iron or non alloy steel, of a width of less than 600 mm, clad, plated or coated                                                                                                                                            | 7212 | 35% |
| 6  | Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel                                                                                                                                                                  | 7213 | 35% |
| 7  | Other bars and rods of iron or non alloy steel, not further worked than forged, hot rolled, hot-drawn or hot-extruded, but including those twisted after rolling                                                                                   | 7214 | 35% |
| 8  | Other bars and rods of iron or non alloy steel                                                                                                                                                                                                     | 7215 | 35% |
| 9  | Angles, shapes and sections of iron or non-alloy steel                                                                                                                                                                                             | 7216 | 35% |
| 10 | Wire of iron or non-alloy steel                                                                                                                                                                                                                    | 7217 | 50% |
| 11 | Flat-rolled products of stainless steel, of a width of 600 mm or more                                                                                                                                                                              | 7219 | 50% |
| 12 | Flat-rolled products of stainless steel, of a width of less than 600 mm                                                                                                                                                                            | 7220 | 50% |
| 13 | Other bars and rods of stainless steel; angles, shapes and sections of stainless steel                                                                                                                                                             | 7222 | 50% |
| 14 | Wire of other alloy steel                                                                                                                                                                                                                          | 7229 | 35% |
| 15 | Rails, railway or tramway track construction material of iron or steel                                                                                                                                                                             | 7302 | 50% |
| 16 | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                     | 7303 | 35% |
| 17 | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel                                                                                                                                                                | 7304 | 35% |
| 18 | Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel                                                                        | 7305 | 35% |
| 19 | Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel                                                                                                                           | 7306 | 35% |
| 20 | Tube or pipe fittings (for example, connectors/couplings, elbow sleeves), of iron or steel                                                                                                                                                         | 7307 | 35% |
| 21 | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel                                                                                                                                                                          | 7221 | 35% |
| 22 | Wire of stainless steel                                                                                                                                                                                                                            | 7223 | 35% |
| 23 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, including electrical steel                                                                                                                                                | 7225 | 35% |
| 24 | Flat-rolled products of other alloy steel, of a width of less than 600 mm, including electrical steel                                                                                                                                              | 7226 | 35% |
| 25 | Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel                                                                                                                                                                        | 7227 | 15% |
| 26 | Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or nonalloy steel                                                                                                | 7228 | 35% |
| 27 | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                               | 7301 | 15% |
| 28 | Structures (excluding prefabricated buildings of heading 9406) and parts of structures                                                                                                                                                             | 7308 | 15% |
| 29 | Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 whether or not lined or heatinsulated, but not fitted with mechanical or Thermal equipment | 7309 | 15% |

|    |                                                                                                                                                                                                                                                                      |      |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 30 | Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 L, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 7310 | 15% |
| 31 | Containers for compressed or liquefied gas, of iron or steel                                                                                                                                                                                                         | 7311 | 15% |
| 32 | Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated                                                                                                                                                       | 7312 | 15% |
| 33 | Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel                                                                                                         | 7313 | 15% |
| 34 | Grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel                                                                                                                                                                                   | 7314 | 15% |
| 35 | Chain and parts thereof, of iron or steel                                                                                                                                                                                                                            | 7315 | 15% |
| 36 | Anchors, grapnels and parts thereof, of iron or steel                                                                                                                                                                                                                | 7316 | 15% |
| 37 | Articles of iron and steel                                                                                                                                                                                                                                           | 7317 | 15% |
| 38 | Articles of iron and steel                                                                                                                                                                                                                                           | 7318 | 15% |
| 39 | Articles of iron and steel                                                                                                                                                                                                                                           | 7319 | 15% |
| 40 | Springs and leaves for springs, of iron or steel                                                                                                                                                                                                                     | 7320 | 15% |
| 41 | Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas-rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel                                       | 7321 | 15% |
| 42 | Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors, not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel                          | 7322 | 15% |
| 43 | Tables and similar household articles and parts thereof, of iron or steel                                                                                                                                                                                            | 7323 | 15% |
| 44 | Sanitary ware and parts thereof, of iron or steel                                                                                                                                                                                                                    | 7324 | 15% |
| 45 | Other cast articles of iron or steel                                                                                                                                                                                                                                 | 7325 | 15% |
| 46 | Electrical steel and other articles of iron or steel                                                                                                                                                                                                                 | 7326 | 15% |
| 47 | Railway or tramway passenger coaches, not self-propelled                                                                                                                                                                                                             | 8605 | 50% |
| 48 | Railway or tramway goods vans and wagons, not self-propelled                                                                                                                                                                                                         | 8606 | 50% |
| 49 | Parts of railway or tramway locomotives or rolling-stock; such as bogies, bissel-bogies, axles and forged wheels, and parts thereof                                                                                                                                  | 8607 | 50% |

*Products included in descriptions are indicative; all products under the specified HS codes are included as part of the appendix*

### **Appendix B**

#### **Indicative list of capital goods(non-exhaustive) for manufacturing iron & steel products**

| Sl. No. | Plant shop                   | Capital goods                                                                                                                                                                                                                                                                                                                                                                                                                                | Minimum domestic value addition requirement |
|---------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 1       | Raw material handling system | Apron feeder, barrel couplings, heavy duty bearings, hydraulic disc brakes, tanker & container for powdered materials, conveyor belt for pipe conveyors, high angle conveyor system, crushers, crane rail lubrication system, four girder EOT Crane, crane weighing system, crane air conditioning, fluid couplings, fork lift trucks, hydraulic motors, hydraulic system, locking assembly (friction grip), load cells, level sensors, pipe | 50%                                         |

|   |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |
|---|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
|   |                                                     | conveyor system, plough/ paddle feeder, pneumatic transportation - dense & lean phase, reclaimers, radio remote control, rail fixing arrangements (special), rapid/ flood loading system, stackers, special screen, slew ring bearings, tipplers, transfer cars, tongs (special), vibration, isolation system (spring damper), wagon tipplers, wagon loaders                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |
| 2 | Mineral beneficiation (iron ore and coal) equipment | Industrial crushers, grinding mills, conventional screens, slurry pumps, hydrate thickeners, filters, hydroclones                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 50% |
| 3 | Coke oven                                           | Coke Oven<br>Silica Refractory, Anchorage System, Waste gas valve with branch pipe, Flash Plate, Door Frame, door body, Minor Casting: Gooseneck, Valve box, AP Lid, Charging & inspection hole lid and frame Reversing mechanism, Centralised lubrication system, Hydrojet Door Cleaning Mechanism, Spillage code conveyor system, skip hoist, Door Lowering Rack, Isolation/ Reversing Cocks, Level II automation, Oven machines                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 50% |
| 4 | By-product plant                                    | Primary Gas Cooler, Electrostatic Tar Precipitator, H <sub>2</sub> S, NH <sub>3</sub> & Naphthalene Scrubber, Combi Stripper,<br>Flushing Liquor Pump, Claus Kiln, Claus reactors, Waste Heat Boilers, Decanters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 50% |
| 5 | Sinter plant equipment                              | Pallet car, Drive/discharge end Sprocket assembly, Curved rail, Slide rails, Hot sinter breaker and Grizzly,<br>Dip rail & running rail, Impeller assembly for Process fan, Drive assembly of Sinter machine, Hi-intensity Mixer & Noduliser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 50% |
| 6 | Pellet plant equipment                              | Pallet car, Drive/discharge end Sprocket assembly, Curved rail, Slide rails, running rail, Vertical roller mill, Impeller assembly for Process fan, Drive assembly of Indurating machine, Hi-intensity Mixer, Balling disc, Single deck roller screen and Double deck roller screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 50% |
| 7 | Blast furnace equipment                             | Bell less top system with Bleeder valve, SG Iron stave coolers, Copper stave coolers, Stock level indicator (Radar Type), Mud gun, Drilling machine and Manipulator, Gas Cleaning Plant system, Top Recovery Turbine system including its by-pass valve, De-bricking Machine, Re-railing equipment, PCI system, Grinding mill for PCI, Stock level indicator, Tuyere Stock assembly, Waste Heat Recovery system, BF & Hot Blast Stoves Technological Valves, Above Burden probes, Slag granulation unit, Tuyere & Tuyere cooler, Torpedo Ladle Car, BF hearth refractory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 50% |
| 8 | Direct reduction plant equipment                    | Charge distributor, Upper & lower seal leg, Reformer & Re-cuperator system, Burden feeders, Turbo-expander, Process Gas Compressor, Seal gas compressors & bottom seal gas compressors, Seal gas generators & driers, Process Gas Heater, CO <sub>2</sub> removal plant                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 50% |
| 9 | Basic oxygen furnace equipment                      | Main and Maintenance equipment comprising of converter, gunning machine, Refractory/ slag monitoring device, converter vessel, trunnion ring and suspension system, trunnion bearings and housing, Converter bull gear unit and tilt drive system, Rotary joint for converter, bottom stirring system, Lance body with clamping, Lance copper tips, Valve stations for oxygen blowing/ bottom stirring, Sub-lance system, Off gas analyzer with process module i.e. Process software/ hardware, container lab Measurement probes, Switch over station, ID fan for primary gas, Hot metal and steel ladle, Ladle Transfer car, Ladle maintenance equipment, Slag pot, Slag pot transfer car, Scrap boxes, Scrap Transfer car, Lance carriage, Lance guide, Crane & hoist, Lance hoist & trolley, Lance tilting device, Traverse for lifting lances, Bunker of various sizes, Bin Vibrator, Weighing Hopper, Maintenance stands, De dusting suction hood, Teeming/HM, ladle relining stands, Stand Cooling stack inspection device, Hood traverse carriage, Refractories, Bypass & isolation valves, Flare stack & ignition system, Scrubbing tower | 50% |

|    |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |
|----|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
|    |                              | shell - Wet gas cleaning system, Dog house, Ladle drier, ladle pre-heater, ladle cooler, Fume collection hoods, Clean gas stack, Dust silo, Weigh Bridge, Slag retaining device                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |
| 10 | Electric arc furnace         | Furnace proper (includes furnace lower shell, upper shell and roof, Tilting platform, Furnace Gantry) and transformer, Electrode regulation system, Hydraulic system, Refractories, Parts of Level I & Level II Automation system. LF - water cooled ladle roof, electrode mast and arms, electrode regulating system, wire feeding system, Bottom inert gas stirring Valve stand for porous plug and top lance, Emergency lance mechanism, Lance carriage system with drive unit, Automatic temperature, sampling & bath level / O <sub>2</sub> measurement, Temp. & oxygen immersion lance, lance carriage system with drive unit, Hydraulic system, Refractories, Ladle roof Delta portion, RH proper (includes Ladle transfer car, vacuum vessel, Vessel lifting & lowering system. Hydraulic system, Multi Function lance, Valve racks/station, Electrode clamp unit, conductor of electrode arms, water cooled cable, A R stirring valve rack, lance transport car, Refractory lance, Hydraulic cylinder, Ladle roof lifting cylinder, Lubrication system, Suction hood, damper, Vibro feeder, weighing hopper, wire feeding system, Electrode nipping stand, Cranes, hoist, Temperature & sampling tips, ladle stands, ESP, Deducting hoods, Refractories, bag filter, Cranes etc. | 50% |
| 11 | Continuous casting equipment | Ladle turret, ladle cover manipulator, Ladle Shroud manipulator, tundish car, Continuous tundish temperature measurement system, Tundish stopper rod mechanism, emergency cut-off gate, mould assembly, Nozzle quick change device, mould oscillator and EMS system, Electro-Magnetic braking system, Strand guide segment, Withdrawal & Straightening unit (WSU), Roll gap checker, Emergency torch cutter, Torch cutting machine, Deburrer, Marking machine, Technological control system & process models, Black Refractories, strand gunde segment, tundish, ladle cover, roller tables & auxiliaries, mould& segment maintenance equipments, tundish maintenance equipments, EMBR system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50% |
| 12 | Flat product mills           | Large castings and forgings like mill housing, bed plates, work rolls, backup rolls, end spindles; roller tables, backup roll and work roll chucks, coilers / tension reels / uncoilers, AGC cylinders, shears, levelers, lazer welders, packaging machines, non-contact gauges / profile gauges, anti-friction roll neck bearings, oil film bearings, gear boxes, mill motors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 50% |
| 13 | Long product mills           | Mill housing, bed plates, work rolls, backup rolls, spindles; roller tables, coilers / tension reels / uncoilers, shears, billet welder, packaging machines, non-contact gauges / profile gauges, anti-friction roll neck bearings, oil film bearings, finishing blocks, gear boxes, mill motors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 50% |

*\*Items in appendix B are an indicative list of capital goods for manufacturing steel, the list is not exhaustive. All capital goods for steel manufacturing shall be considered for purchase preference under the policy with a minimum domestic value addition requirement of 50%*

### Form-1

#### Format for Affidavit of Self Certification regarding Domestic Value Addition in Iron & Steel Products/capital goods to be provided on Rs.100/- Stamp Paper Date:

I \_\_\_\_\_ S/o, D/o, W/o, \_\_\_\_\_ Resident of \_\_\_\_\_ hereby solemnly affirm and declare as under:

That I will agree to abide by the terms and conditions of the policy of Government of India issued vide Notification No: \_\_\_\_\_.

That the information furnished hereinafter is correct to the best of my knowledge and belief and I undertake to produce relevant records before the procuring agency (ies) for the purpose of assessing the domestic value addition.

That the domestic value addition for all inputs which constitute the said iron & steel products has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of the domestic value addition of the product mentioned herein is found to be incorrect and not meeting the prescribed value-addition criteria, based on the assessment of procuring agency (ies) for the purpose of assessing the domestic value-addition, I will be disqualified from any Government tender for a period of 36 months. In addition, I will bear all costs of such an assessment.

That I have complied with all conditions referred to in the Notification No. \_\_\_\_\_ wherein preference to domestically manufactured iron & steel products in Government procurement is provided and that the procuring agency (ies) is hereby authorized to forfeit and my EMD. I also undertake to pay the assessment cost and pay all penalties as specified in the tender document.

I agree to maintain the following information in the Company's record for a period of 8 years and shall make this available for verification to any statutory authority.

- i. Name and details of the Bidder (Registered Office, Manufacturing unit location, nature of legal entity)
- ii. Date on which this certificate is issued
- iii. Iron & Steel Products for which the certificate is produced
- iv. Procuring agency to whom the certificate is furnished
- v. Percentage of domestic value addition claimed and whether it meets the threshold value of domestic value addition prescribed
- vi. Name and contact details of the unit of the manufacturer (s)
- vii. Net Selling Price of the iron & steel products
- viii. Freight, insurance and handling till plant
- ix. List and total cost value of input steel (imported) used to manufacture the iron & steel products
- x. List and total cost of input steel which are domestically sourced.
- xi. Please attach domestic value addition certificates from suppliers, if the input is not in house.
- xii. For imported input steel, landed cost at Indian port with break-up of CIF value, duties & taxes, port handling charges and inland freight cost.

**For and on behalf of (Name of firm / entity)**

Authorized signatory (To be duly authorized by the Board of Directors)

**<Insert Name, Designation and Contact No.>**

**MINISTRY OF STEEL**  
**NOTIFICATION**

New Delhi, the 31st December, 2020

**G.S.R. 1(E).**—The amendments in the Policy for providing preference to domestically manufactured Iron & Steel products in Government procurement (DMI&SP Policy)—Revised, 2019 is hereby published for general information.

"No. S-13026/1/2020- IDD

Ministry of Steel

ID Division

Udyog Bhawan,

New Delhi 31<sup>st</sup> December, 2020

**Sub.: Amendments / additions to the Policy for Providing Preference to Domestically Manufactured Iron & Steel Products in Government Procurement - revised, 2019**

The following amendments / additions to the Policy for Providing Preference to Domestically Manufactured Iron & Steel Products in Government Procurement - revised, 2019 (DMI&SP revised, 2019) are applicable with immediate effect. These amendments / additions shall not apply to any tender or procurement for which notice inviting tender or other form of procurement solicitation has been issued before the issue of this notification.

**I - Amendments: Table 1**

| Sl. No. | Existing Clause in DMI&SP revised, 2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Amended Clause in DMI&SP revised, 2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | <b><u>Clause 1.3:</u></b><br>The policy is applicable to every Ministry or Department of Government and all agencies/entities under their administrative control and to projects funded by these agencies for purchase of iron & steel products for government projects. However, this policy shall not apply for purchase of iron & steel products with a view to commercial resale or with a view to use in the production of goods for commercial sale.                                                                                                                                                                 | <b><u>Clause 1.3:</u></b> The policy is applicable to every Ministry or Department of Government and all agencies/entities under their administrative control and to projects funded by these agencies for purchase of iron & steel products for government projects. <u>All Central Sector Schemes (CS)/Centrally Sponsored Schemes (CSS) for which procurement is made by States and Local Bodies, would come within the purview of this Policy, if that project / scheme is fully / partly funded by Government of India.</u> However, this policy shall not apply for purchase of iron & steel products with a view to commercial resale or with a view to use in the production of goods for commercial sale. |
| 2       | <b><u>Clause 2.13:</u></b> Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in percent. The 'domestic value addition' definition shall be in line with the DPIIT (formerly DIPP) guidelines, and shall be suitably amended in case of any changes by DPIIT in the future. For the purpose of this policy document, domestic value addition and local content have been used interchangeably. | <b><u>Clause 2.13:</u></b> Domestic value addition means - <u>amount of value added in India which shall be the total value of the item to be procured / sold (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value of the item to be procured / sold, in percent.</u> The 'domestic value addition' definition shall be in line with the DPIIT (formerly DIPP) guidelines, and shall be suitably amended in case of any changes by DPIIT in the future. For the purpose of this policy document, domestic value addition and local content have been used interchangeably.                                    |

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 | <p><b>Clause 5.1.5</b></p> <p>The policy is applicable to all projects funded by Ministry or Department of Government and all agencies/ entities under their administrative control for purchase of iron &amp; steel products.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p><b>Clause 5.1.5:</b> The policy is applicable to all projects funded by Ministry or Department of Government and all agencies/ entities under their administrative control for purchase of iron &amp; steel products. <u>All Central Sector Schemes (CS)/Centrally Sponsored Schemes (CSS) for which procurement is made by States and Local Bodies, would come within the purview of this Policy, if that project / scheme is fully / partly funded by Government of India.</u></p>                                                                                                                                                                                                                                        |
| 4 | <p><b>Clause 5.1.6:</b> The policy shall be applicable to projects where the procurement value of iron and steel products is greater than Rs. 25 crores. The policy shall also be applicable for other procurement (non-project), where annual procurement value of iron and steel products for that Government organization is greater than Rs. 25 crores.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <p><b>Clause 5.1.6</b> The policy shall be applicable to projects where the procurement value of iron and steel products (Appendix - A of the DMI&amp;SP Policy) is greater than Rs. 5 lakhs. The policy shall also be applicable for other procurements (non-project), where annual procurement value of iron and steel products for that Government organization is greater than Rs. 5 lakhs. However, it shall be ensured by procuring entities that procurement is not split for the purpose of avoiding the provisions of this policy.</p>                                                                                                                                                                                |
| 5 | <p><b>Clause 7.2:</b> Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in per cent.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <p><b>Clause 7.2:</b> Domestic value addition means - amount of value added in India which shall be the total value of the item to be procured / sold (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value of the item to be procured / sold, in percent.</p>                                                                                                                                                                                                                                                                                                                                                             |
| 6 | <p><b>Clause 7.3:</b> It is recommended that each bidder participating in the tender process should calculate the domestic value addition using the below formula below so as to ensure the domestic value addition claimed is consistent with the minimum stipulated domestic value addition requirement of the policy.</p> <p><b>For iron and steel products</b></p> <p><b>% domestic value addition</b></p> <p><i>Net selling price of final product - landed cost of imported iron or steel at the plant-----</i><br/> <i>----- X 100 %</i></p> <p><i>Net selling price of final product</i></p> <p><b>For capital goods</b></p> <p><b>% domestic value addition</b></p> <p><i>Net selling price of final product - landed cost of imported iron or steel at the plant</i><br/> <i>----- X 100 %</i></p> <p><i>Net selling price of final product</i></p> | <p><b>Clause 7.3:</b> It is recommended that procuring Government agency / bidder participating in the tender process should calculate the domestic value addition using the below formula so as to ensure that the domestic value addition claimed is consistent with the minimum stipulated domestic value addition requirement of the policy.</p> <p><b>For iron and steel products&amp; capital goods</b></p> <p><b>% domestic value addition</b></p> <p><i>Total value of the item to be procured / sold (excluding net domestic indirect taxes) - the value of imported content in the item (including all customs duties)</i><br/> <i>----- X 100 %</i></p> <p><i>Total value of the item to be procured / sold</i></p> |

**II - Following amendment is made to the Appendix A of the DMI&SP revised, 2019 :-** Wherever minimum domestic value addition of **15%** is specified in the Appendix - A of the DMI&SP revised, 2019 under the column Minimum domestic value addition requirement, same shall be replaced with **20%** minimum domestic value addition). (Revised Appendix - A is attached)

## III - Additions / Insertions: Table 2

| Sl. No. | Added / Inserted Clause in DMI&SP revised, 2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | <p>Clause 5.1.13 is inserted below Clause 5.1.12 as:</p> <p><b>Clause 5.1.13:</b> No Global Tender Enquiry (GTE) shall be invited for tenders related to procurement of iron and steel products (Appendix-A of the DMI&amp;SP Policy). No Global Tender Enquiry (GTE) shall be invited for tenders related to procurement of Capital Goods for manufacturing iron &amp; steel products (Appendix- B of the DMI&amp;SP Policy) having estimated value upto Rs. 200 Crore except with the approval of competent authority as designated by Department of Expenditure.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 2       | <p>Clause 6.9 is inserted below Clause 6.8 as:</p> <p><b>Clause 6.9: Specifications in Tenders and other procurement solicitations:</b></p> <p><b>6.9.1</b> Every procuring entity shall ensure that the eligibility conditions in respect of previous experience fixed in any tender or solicitation do not require proof of supply in other countries or proof of exports.</p> <p><b>6.9.2</b> Procuring entities shall endeavour to see that eligibility conditions, including on matters like turnover, production capability and financial strength do not result in unreasonable exclusion of local supplier' who would otherwise be eligible, beyond what is essential for ensuring quality or creditworthiness of the supplier.</p> <p><b>6.9.3</b> Procuring entities shall, within 2 months of the issue of this policy review all existing eligibility norms and conditions with reference to sub-paragraphs 6.9.1 and 6.9.2 above.</p> <p><b>6.9.4</b> If Ministry of Steel is satisfied that Indian suppliers of iron and steel products are not allowed to participate and/ or compete in procurement by any foreign government due to restrictive tender conditions which have direct or indirect effect of barring Indian companies such as registration in the procuring country, execution of project of specific value in the procuring country etc., it may, if deemed appropriate, restrict or exclude bidders from that country from eligibility for procurement of that item and/ or other items relating to Ministry of Steel.</p> <p><b>6.9.5</b> For the purpose of sub-paragraph 6.9.4 above, a supplier or bidder shall be considered to be from a country if (i) the entity is incorporated in that country, or (ii) a majority of its shareholding or effective control of the entity is exercised from that country; or (iii) more than 50% of the value of the item being supplied has been added in that country. Indian suppliers shall mean those entities which meet any of these tests with respect to India. The term 'entity' of a country shall have the same meaning as under the FDI Policy of DPIIT as amended from time to time.</p> |
| 3       | <p>Clause 6.10 is inserted below Clause 6.9 as:</p> <p><b>Clause 6.10:</b> In case restrictive or discriminatory conditions against domestic suppliers are included in bid documents, an inquiry shall be conducted by the Administrative Department undertaking the procurement (including procurement by any entity under its administrative control) to fix responsibility for same. Thereafter, appropriate action, administrative or otherwise, shall be taken against erring officials of procurement entities under relevant provisions. Intimation on all such action shall be sent to the Standing Committee under the DMI&amp;SP Policy.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## IV - Revised Appendix A - Exclusive for domestically manufactured products

| Sl. No | Indicative list of Iron & Steel Products                                                                              | Applicable HS code | Minimum domestic value addition requirement |
|--------|-----------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------|
| 1      | Flat-rolled products of iron or non alloy steel, of a width of 600 mm or more, hot rolled, not clad, plated or coated | 7208               | 50%                                         |
| 2      | Flat-rolled products of iron or non alloy steel, of a width of 600                                                    | 7209               | 50%                                         |

|    |                                                                                                                                                                             |      |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
|    | mm or more, cold rolled (cold-reduced), not clad, plated or coated                                                                                                          |      |     |
| 3  | Flat-rolled products of iron or non alloy steel, of a width of 600 mm or more, clad, plated or coated                                                                       | 7210 | 50% |
| 4  | Flat-rolled products of iron or non alloy steel, of a width of less than 600 mm, not clad, plated or coated                                                                 | 7211 | 35% |
| 5  | Flat-rolled products of iron or non alloy steel, of a width of less than 600 mm, clad, plated or coated                                                                     | 7212 | 35% |
| 6  | Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel                                                                                           | 7213 | 35% |
| 7  | Other bars and rods of iron or non alloy steel, not further worked than forged, hot rolled, hot-drawn or hot-extruded, but including those twisted after rolling            | 7214 | 35% |
| 8  | Other bars and rods of iron or non alloy steel                                                                                                                              | 7215 | 35% |
| 9  | Angles, shapes and sections of iron or non-alloy steel                                                                                                                      | 7216 | 35% |
| 10 | Wire of iron or non-alloy steel                                                                                                                                             | 7217 | 50% |
| 11 | Flat-rolled products of stainless steel, of a width of 600 mm or more                                                                                                       | 7219 | 50% |
| 12 | Flat-rolled products of stainless steel, of a width of less than 600 mm                                                                                                     | 7220 | 50% |
| 13 | Other bars and rods of stainless steel; angles, shapes and sections of stainless steel                                                                                      | 7222 | 50% |
| 14 | Wire of other alloy steel                                                                                                                                                   | 7229 | 35% |
| 15 | Rails, railway or tramway track construction material of iron or steel                                                                                                      | 7302 | 50% |
| 16 | Tubes, pipes and hollow profiles, of cast iron                                                                                                                              | 7303 | 35% |
| 17 | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel                                                                                         | 7304 | 35% |
| 18 | Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel | 7305 | 35% |
| 19 | Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel                                                    | 7306 | 35% |
| 20 | Tube or pipe fittings (for example, connectors/couplings, elbow sleeves), of iron or steel                                                                                  | 7307 | 35% |
| 21 | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel                                                                                                   | 7221 | 35% |
| 22 | Wire of stainless steel                                                                                                                                                     | 7223 | 35% |
| 23 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, including electrical steel                                                                         | 7225 | 35% |
| 24 | Flat-rolled products of other alloy steel, of a width of less than 600 mm, including electrical steel                                                                       | 7226 | 35% |
| 25 | Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel                                                                                                 | 7227 | 20% |

|    |                                                                                                                                                                                                                                                                      |      |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 26 | Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or nonalloy steel                                                                                                                  | 7228 | 35% |
| 27 | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                 | 7301 | 20% |
| 28 | Structures (excluding prefabricated buildings of heading 9406) and parts of structures                                                                                                                                                                               | 7308 | 20% |
| 29 | Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 whether or not lined or heatinsulated, but not fitted with mechanical or Thermal equipment                   | 7309 | 20% |
| 30 | Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 L, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 7310 | 20% |
| 31 | Containers for compressed or liquefied gas, of iron or steel                                                                                                                                                                                                         | 7311 | 20% |
| 32 | Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated                                                                                                                                                       | 7312 | 20% |
| 33 | Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel                                                                                                         | 7313 | 20% |
| 34 | Grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel                                                                                                                                                                                   | 7314 | 20% |
| 35 | Chain and parts thereof, of iron or steel                                                                                                                                                                                                                            | 7315 | 20% |
| 36 | Anchors, grapnels and parts thereof, of iron or steel                                                                                                                                                                                                                | 7316 | 20% |
| 37 | Articles of iron and steel                                                                                                                                                                                                                                           | 7317 | 20% |
| 38 | Articles of iron and steel                                                                                                                                                                                                                                           | 7318 | 20% |
| 39 | Articles of iron and steel                                                                                                                                                                                                                                           | 7319 | 20% |
| 40 | Springs and leaves for springs, of iron or steel                                                                                                                                                                                                                     | 7320 | 20% |
| 41 | Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas-rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel                                       | 7321 | 20% |
| 42 | Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors, not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel                          | 7322 | 20% |
| 43 | Tables and similar household articles and parts thereof, of iron or steel                                                                                                                                                                                            | 7323 | 20% |
| 44 | Sanitary ware and parts thereof, of iron or steel                                                                                                                                                                                                                    | 7324 | 20% |
| 45 | Other cast articles of iron or steel                                                                                                                                                                                                                                 | 7325 | 20% |

|    |                                                                                                                                     |      |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 46 | Electrical steel and other articles of iron or steel                                                                                | 7326 | 20% |
| 47 | Railway or tramway passenger coaches, not self-propelled                                                                            | 8605 | 50% |
| 48 | Railway or tramway goods vans and wagons, not self-propelled                                                                        | 8606 | 50% |
| 49 | Parts of railway or tramway locomotives or rolling-stock; such as bogies, bissel-bogies, axles and forged wheels, and parts thereof | 8607 | 50% |

*Products included in descriptions are indicative; all products under the specified HS codes are included as part of the appendix."*

[F. No. S-13026/1/2020-IDD]

RASIKA CHAUBE, Addl. Secy.